List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5643718/publications.pdf Version: 2024-02-01



AHMED DEREZ

#	Article	IF	CITATIONS
1	Improving environmental stress resilience in crops by genome editing: insights from extremophile plants. Critical Reviews in Biotechnology, 2023, 43, 559-574.	5.1	8
2	Silicon Seed Priming Enhances Salt Tolerance of Barley Seedlings through Early ROS Detoxification and Stimulation of Antioxidant Defence. Silicon, 2023, 15, 37-60.	1.8	5
3	Nitric oxide donor, sodium nitroprusside modulates hydrogen sulfide metabolism and cysteine homeostasis to aid the alleviation of chromium toxicity in maize seedlings (Zea mays L.). Journal of Hazardous Materials, 2022, 424, 127302.	6.5	34
4	Silicon (Si) Alleviates Iron Deficiency Effects in Sea Barley (Hordeum marinum) by Enhancing Iron Accumulation and Photosystem Activities. Silicon, 2022, 14, 6697-6712.	1.8	9
5	Changes in leaf ecophysiological traits and proteome profile provide new insights into variability of salt response in the succulent halophyte Cakile maritima. Functional Plant Biology, 2022, , .	1.1	4
6	Potassium (K+) Starvation-Induced Oxidative Stress Triggers a General Boost of Antioxidant and NADPH-Generating Systems in the Halophyte Cakile maritima. Antioxidants, 2022, 11, 401.	2.2	12
7	Nitrogen metabolism plays a major role in the adaptation of the halophytic forage species <i>Sulla carnosa</i> to water deficit and upon stress recovery. Plant Biosystems, 2022, 156, 1438-1447.	0.8	0
8	Plant Growth-Promoting Rhizobacteria Alleviate High Salinity Impact on the Halophyte Suaeda fruticosa by Modulating Antioxidant Defense and Soil Biological Activity. Frontiers in Plant Science, 2022, 13, .	1.7	15
9	Phenolic accumulation and related antioxidant capacity in stems and roots of the Tunisian extremophile Sulla carnosa as influenced by potassium application under salinity stress. Arabian Journal of Geosciences, 2021, 14, 1.	0.6	7
10	One-step removal of organic matter and heavy metals from Tunisian oil field (TOF) produced water using soluble sodium silicate with a unit molar ratio SiO2/Na2O. Arabian Journal of Geosciences, 2021, 14, 1.	0.6	5
11	Salicylic acid mitigates cadmium toxicity in bean (Phaseolus vulgaris L.) seedlings by modulating cellular redox status. Environmental and Experimental Botany, 2021, 186, 104432.	2.0	34
12	Comparative study of the effect of salt stress, Alternaria alternata attack or combined stress on the Cakile maritima growth and physiological performance. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2021, 49, 12446.	0.5	3
13	Stability of thylakoid protein complexes and preserving photosynthetic efficiency are crucial for the successful recovery of the halophyte Cakile maritima from high salinity. Plant Physiology and Biochemistry, 2021, 166, 177-190.	2.8	8
14	Comparative analysis of salt impact on sea barley from semi-arid habitats in Tunisia and cultivated barley with special emphasis on reserve mobilization and stress recovery aptitude. Plant Biosystems, 2020, 154, 544-552.	0.8	10
15	Salt Tolerance and Potential Uses for Saline Agriculture of Halophytes from the Poaceae. Tasks for Vegetation Science, 2019, , 223-237.	0.6	10
16	Composition and Stability of the Oxidative Phosphorylation System in the Halophile Plant Cakile maritima. Frontiers in Plant Science, 2019, 10, 1010.	1.7	11
17	Modulation of C:N:P stoichiometry is involved in the effectiveness of a PGPR and AM fungus in increasing salt stress tolerance of Sulla carnosa Tunisian provenances. Applied Soil Ecology, 2019, 143, 161-172.	2.1	34
18	Recovery aptitude of the halophyte Cakile maritima upon water deficit stress release is sustained by extensive modulation of the leaf proteome. Ecotoxicology and Environmental Safety, 2019, 179, 198-211.	2.9	9

#	Article	IF	CITATIONS
19	Molecular Mechanisms of Osmotic Stress Recovery in Extremophile Plants: What Can We Learn from Proteomics?. , 2019, , 157-170.		1
20	Arbuscular mycorrhizal fungus and rhizobacteria affect the physiology and performance ofSulla coronariaplants subjected to salt stress by mitigation of ionic imbalance. Journal of Plant Nutrition and Soil Science, 2019, 182, 451-462.	1.1	13
21	Plant Hormones: Potent Targets for Engineering Salinity Tolerance in Plants. , 2018, , 159-184.		7
22	High salinity impacts germination of the halophyte <scp><i>Cakile maritima</i></scp> but primes seeds for rapid germination upon stress release. Physiologia Plantarum, 2018, 164, 134-144.	2.6	35
23	Comparative analysis of salt-induced changes in the root proteome of two accessions of the halophyte Cakile maritima. Plant Physiology and Biochemistry, 2018, 130, 20-29.	2.8	16
24	Effects of salt treatment on growth, lipid membrane peroxidation, polyphenol content, and antioxidant activities in leaves of <i>Sesuvium portulacastrum</i> L Arid Land Research and Management, 2017, 31, 404-417.	0.6	26
25	Facing the challenge of sustainable bioenergy production: Could halophytes be part of the solution?. Journal of Biological Engineering, 2017, 11, 27.	2.0	39
26	Comparative responses to water deficit stress and subsequent recovery in the cultivated beet Beta vulgaris and its wild relative B. macrocarpa. Crop and Pasture Science, 2016, 67, 553.	0.7	2
27	Implication of Rhizosphere Acidification in Nutrient Uptake by Plants: Cases of Potassium (K), Phosphorus (P), and Iron (Fe). , 2015, , 103-122.		6
28	Involvement of nitrogen in salt resistance ofAtriplex portulacoidesis supported by split-root experiment data and exogenous application of N-rich compounds. Journal of Plant Nutrition and Soil Science, 2015, 178, 312-319.	1.1	4
29	Water deficit stress applied only or combined with salinity affects physiological parameters and antioxidant capacity in Sesuvium portulacastrum. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 213, 69-76.	0.6	29
30	Insights into Physiological Responses of the Halophyte <i>Suaeda fruticosa</i> to Simultaneous Salinity and Iron Deficiency. Clean - Soil, Air, Water, 2015, 43, 382-390.	0.7	6
31	NADPH oxidase-dependent H2O2 production is required for salt-induced antioxidant defense in Arabidopsis thaliana. Journal of Plant Physiology, 2015, 174, 5-15.	1.6	112
32	Potassium deficiency in plants: effects and signaling cascades. Acta Physiologiae Plantarum, 2014, 36, 1055-1070.	1.0	167
33	Ecophysiological aspects in 105 plants species of saline and arid environments in Tunisia. Journal of Arid Land, 2014, 6, 762-770.	0.9	11
34	Comparative Ni tolerance and accumulation potentials between Mesembryanthemum crystallinum (halophyte) and Brassica juncea: Metal accumulation, nutrient status and photosynthetic activity. Journal of Plant Physiology, 2014, 171, 1634-1644.	1.6	71
35	Effect of high salinity on Atriplex portulacoides: Growth, leaf water relations and solute accumulation in relation with osmotic adjustment. South African Journal of Botany, 2014, 95, 70-77.	1.2	57
36	The effect of hyper-osmotic salinity on protein pattern and enzyme activities of halophytes. Functional Plant Biology, 2013, 40, 787.	1.1	16

#	Article	IF	CITATIONS
37	Ecophysiological and genomic analysis of salt tolerance of Cakile maritima. Environmental and Experimental Botany, 2013, 92, 64-72.	2.0	25
38	Environmental and Economical Opportunities for the Valorisation of the Genus Atriplex: New Insights. , 2013, , 441-457.		13
39	Investigation of embryo growth and reserve mobilization of water or salt imbibed seeds of <i>Crithmum maritimum</i> L Acta Botanica Gallica, 2012, 159, 17-24.	0.9	4
40	Proteomic and physiological responses of the halophyte Cakile maritima to moderate salinity at the germinative and vegetative stages. Journal of Proteomics, 2012, 75, 5667-5694.	1.2	41
41	Medicinal halophytes: potent source of health promoting biomolecules with medical, nutraceutical and food applications. Critical Reviews in Biotechnology, 2012, 32, 289-326.	5.1	307
42	Photosynthetic activity and leaf antioxidative responses of Atriplex portulacoides subjected to extreme salinity. Acta Physiologiae Plantarum, 2012, 34, 1679-1688.	1.0	53
43	Risk of municipal solid waste compost and sewage sludge use on photosynthetic performance in common crop (Triticum durum). Acta Physiologiae Plantarum, 2012, 34, 1017-1026.	1.0	10
44	Alleviation of phosphorus deficiency stress by moderate salinity in the halophyte Hordeum maritimum L Plant Growth Regulation, 2012, 66, 75-85.	1.8	49
45	Differential response to salinity and water deficit stress in <i>Polypogon monspeliensis</i> (L.) Desf. provenances during germination. Plant Biology, 2011, 13, 541-545.	1.8	34
46	Interactive effects of salinity and phosphorus availability on growth, water relations, nutritional status and photosynthetic activity of barley ( <i>Hordeum vulgare</i> L.). Plant Biology, 2011, 13, 872-880.	1.8	48
47	Municipal solid waste compost application improves productivity, polyphenol content, and antioxidant capacity of Mesembryanthemum edule. Journal of Hazardous Materials, 2011, 191, 373-379.	6.5	34
48	Factors controlling germination and dormancy processes in dimorphic fruits of Atriplex inflata (Chenopodiaceae). Plant Ecology and Evolution, 2011, 144, 307-312.	0.3	9
49	Differential Responses in Potassium Absorption and Use Efficiencies in the Halophytes <i>Catapodium rigidum</i> and <i>Hordeum maritimum</i> to Various Potassium Concentrations in the Medium. Plant Production Science, 2011, 14, 135-140.	0.9	30
50	Assessing solid waste compost application as a practical approach for salt-affected soil reclamation. Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 2011, 61, 284-288.	0.3	5
51	Responses of <i>Batis maritima</i> plants challenged with up to twoâ€fold seawater NaCl salinity. Journal of Plant Nutrition and Soil Science, 2010, 173, 291-299.	1.1	42
52	The mericarp of the halophyte Crithmum maritimum (Apiaceae): structural features, germination, and salt distribution. Biologia (Poland), 2010, 65, 489-495.	0.8	6
53	Yield and seed quality of two N2-fixing common bean cultivars grown on calcareous soil. Symbiosis, 2010, 51, 249-256.	1.2	3
54	Effect of municipal solid waste compost and sewage sludge use on wheat ( <i>Triticum durum</i> ): growth, heavy metal accumulation, and antioxidant activity. Journal of the Science of Food and Agriculture, 2010, 90, 965-971.	1.7	46

#	Article	IF	CITATIONS
55	Relationship Between Ion Content in Seed and Spongy Coat of the Medicinal Halophyte Crithmum maritimum L. and Germination Capacity. Notulae Scientia Biologicae, 2010, 2, 72-74.	0.1	8
56	Current Challenges and Future Opportunities for a Sustainable Utilization of Halophytes. Tasks for Vegetation Science, 2010, , 59-77.	0.6	13
57	Halophyte-Fodder Species Association May Improve Nutrient Availability and Biomass Production of the Sabkha Ecosystem. Tasks for Vegetation Science, 2010, , 85-94.	0.6	4
58	Interaction between Salinity and Original Habitat during Germination of the Annual Seashore Halophyte <i>Cakile Maritima</i> . Communications in Soil Science and Plant Analysis, 2009, 40, 3170-3180.	0.6	15
59	Comparison of two chickpea varieties regarding their responses to direct and induced Fe deficiency. Environmental and Experimental Botany, 2009, 66, 349-356.	2.0	16
60	Effect of phosphorus deficiency on acid phosphatase and phytase activities in common bean (Phaseolus vulgaris L.) under symbiotic nitrogen fixation. Symbiosis, 2009, 47, 141-149.	1.2	33
61	Root Proliferation, Proton Efflux, and Acid Phosphatase Activity in Common Bean (Phaseolus) Tj ETQq1 1 0.7843	814 rgBT / 0.9	Overlock 10 24
62	Histochemical Localization of Essential Oils and Bioactive Substances in the Seed Coat of the Halophyte Crithmum maritimum L. (Apiaceae). Journal of Plant Biology, 2009, 52, 448-452.	0.9	14
63	Physiological and biochemical traits involved in the genotypic variability to salt tolerance of Tunisian <i>Cakile maritima</i> . African Journal of Ecology, 2009, 47, 774-783.	0.4	8
64	ABA, GA3, and nitrate may control seed germination of Crithmum maritimum (Apiaceae) under saline conditions. Comptes Rendus - Biologies, 2009, 332, 704-710.	0.1	63
65	Interactive effects of salinity, nitrate, light, and seed weight on the germination of the halophyte <i>Crithmum maritimum</i> . Acta Biologica Hungarica, 2009, 60, 433-439.	0.7	18
66	Variability Of Fruit And Seed-Oil Characteristics In Tunisian Accessions Of The Halophyte Cakile Maritima (Brassicaceae). Tasks for Vegetation Science, 2008, , 55-67.	0.6	13
67	Application of municipal solid waste compost reduces the negative effects of saline water in Hordeum maritimum L. Bioresource Technology, 2008, 99, 7160-7167.	4.8	90
68	Comparative salt tolerance analysis between Arabidopsis thaliana and Thellungiella halophila, with special emphasis on K+/Na+ selectivity and proline accumulation. Journal of Plant Physiology, 2008, 165, 588-599.	1.6	134
69	Relationship between the photosynthetic activity and the performance of <i>Cakile maritima</i> after longâ€ŧerm salt treatment. Physiologia Plantarum, 2008, 133, 373-385.	2.6	70
70	Interactive effects of salinity and potassium availability on growth, water status, and ionic composition of <i>Hordeum maritimum</i> . Journal of Plant Nutrition and Soil Science, 2007, 170, 469-473.	1.1	68
71	Salinity effects on polyphenol content and antioxidant activities in leaves of the halophyte Cakile maritima. Plant Physiology and Biochemistry, 2007, 45, 244-249.	2.8	379
72	Genotypic variability within Tunisian grapevine varieties (Vitis vinifera L.) facing bicarbonate-induced iron deficiency. Plant Physiology and Biochemistry, 2007, 45, 315-322.	2.8	49

#	Article	IF	CITATIONS
73	Germination kinetics and seed reserve mobilization in two flax (Linum usitatissimum L.) cultivars under moderate salt stress. Journal of Plant Biology, 2007, 50, 447-454.	0.9	23
74	Salt tolerance of the annual halophyte Cakile maritima as affected by the provenance and the developmental stage. Acta Physiologiae Plantarum, 2007, 29, 375-384.	1.0	73
75	Potential utilisation of halophytes for the rehabilitation and valorisation of salt-affected areas in Tunisia. , 2006, , 163-172.		24
76	AsterÂtripolium L. andÂSesuviumÂportulacastrum L.: twoÂhalophytes, twoÂstrategies toÂsurvive inÂsaline habitats. Plant Physiology and Biochemistry, 2006, 44, 395-408.	2.8	95
77	Leaf H+-ATPase activity and photosynthetic capacity of Cakile maritima under increasing salinity. Environmental and Experimental Botany, 2006, 57, 285-295.	2.0	116
78	Salt and seawater effects on the germination of Crithmum maritimum. , 2006, , 29-33.		8
79	Salt effect on growth, photosynthesis, seed yield and oil composition of the potential crop halophyte Cakile maritima. , 2006, , 55-63.		5
80	Physiological and antioxidant responses of the perennial halophyte Crithmum maritimum to salinity. Plant Science, 2005, 168, 889-899.	1.7	277
81	Effect of P on nodule formation and N fixation in bean. Agronomy for Sustainable Development, 2005, 25, 389-393.	2.2	103
82	Salinity effects on germination, growth, and seed production of the halophyte Cakile maritima. Plant and Soil, 2004, 262, 179-189.	1.8	222
83	Physiological responses and structural modifications in Atriplex halimus L. plants exposed to salinity. Tasks for Vegetation Science, 2003, , 19-30.	0.6	6