

Saskia Speed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5644036/publications.pdf>

Version: 2024-02-01

28
papers

351
citations

840776
11
h-index

839539
18
g-index

28
all docs

28
docs citations

28
times ranked

519
citing authors

#	ARTICLE	IF	CITATIONS
1	Magnetic and Luminescence Properties of 8-Coordinate Holmium(III) Complexes Containing 4,4,4-Trifluoro-1-Phenyl- and 1-(Naphthalen-2-yl)-1,3-Butanedionates. <i>Molecules</i> , 2022, 27, 1129.	3.8	3
2	Magnetic and Luminescence Properties of 8-Coordinated Pyridyl Adducts of Samarium(III) Complexes Containing 4,4,4-Trifluoro-1-(naphthalen-2-yl)-1,3-butanedionate. <i>Magnetochemistry</i> , 2022, 8, 72.	2.4	3
3	Insights into the Spin Dynamics of Mononuclear Cerium(III) Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2022, 61, 11124-11136.	4.0	7
4	Synthesis, crystal structures, spectral, magnetic and thermal properties of 1-D polymeric dicyanamido-metal(II) complexes. <i>Polyhedron</i> , 2021, 204, 115263.	2.2	2
5	Field-Induced SMM and Vis/NIR Luminescence on Mononuclear Lanthanide Complexes with 9-Anthracenecarboxylate and 2,2â€¢:6,2â€¢-Terpyridine. <i>Magnetochemistry</i> , 2021, 7, 124.	2.4	5
6	Diverse Coordination Numbers and Geometries in Pyridyl Adducts of Lanthanide(III) Complexes Based on â€¢-Diketonate. <i>Inorganics</i> , 2021, 9, 74.	2.7	10
7	Slow magnetic relaxation and luminescence properties in neodymium(<i><scp></i> iii <i></scp></i>)-4,4,4-trifluoro-1-(2-naphthyl)butane-1,3-dionato complexes incorporating bipyridyl ligands. <i>New Journal of Chemistry</i> , 2021, 45, 14713-14723.	2.8	11
8	Azido-cobalt(II) coordination polymers exhibiting slow magnetic relaxation and metamagnetic transition. <i>Polyhedron</i> , 2019, 170, 622-629.	2.2	3
9	Sensitization of visible and NIR emitting lanthanide(III) ions in a series of dinuclear complexes of formula [Ln ₂ (â€¢-FBz) ₂ (2-FBz)4(terpy)2]â€¢2(2-HFBz)â€¢2(H ₂ O). <i>Polyhedron</i> , 2019, 173, 114113.	2.2	11
10	Chiral dinuclear Ln(<i><scp></i> iii <i></scp></i>) complexes derived from <i><i>S</i></i> - and <i><i>R</i></i> -2-(6-methoxy-2-naphthyl)propionate. Optical and magnetic properties. <i>Dalton Transactions</i> , 2019, 48, 2059-2067.	3.3	25
11	Homodinuclear lanthanide 9-anthracenecarboxylate complexes: Field induced SMM and NIR-luminescence. <i>Polyhedron</i> , 2019, 169, 187-194.	2.2	11
12	Synthesis and structural characterization of isothiocyanato-4-methoxypyridine-cobalt(II) complexes with diverse geometries and a bridged 1D coordination polymer showing metamagnetic transition. <i>Polyhedron</i> , 2018, 154, 436-442.	2.2	50
13	Fieldâ€¢-induced SMM and Visible/NIRâ€¢-Luminescence Behaviour of Dinuclear Ln ^{III} Complexes with 2â€¢-Fluorobenzoate. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1928-1937.	2.0	21
14	Dinuclear Ln ^{III} Complexes with 9â€¢-Anthracenecarboxylate Showing Fieldâ€¢-induced SMM and Visible/NIR Luminescence. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 3859-3867.	2.0	16
15	Lanthanide complexes involving multichelating TTF-based ligands. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 604-617.	6.0	21
16	Photophysical and Magnetic Properties in Complexes Containing 3d/4f Elements and Chiral Phenanthroline-Based Helicate-Like Ligands. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 2100-2111.	2.0	22
17	Dysprosiumâ€¢-and Ytterbiumâ€¢-Based Complexes Involving Tetraphiafulvalene Derivatives Functionalised with 2,2â€¢-Bipyridine or 2,6â€¢-Di(pyrazolâ€¢-1â€¢-yl)â€¢4â€¢-Pyridine. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2039-2050.	8	
18	â€¢-1,1-R-phenylcyanamido bridges as a new safe synthetic strategy for ferromagnetic molecular clusters. <i>Dalton Transactions</i> , 2016, 45, 5395-5403.	3.3	3

#	ARTICLE	IF	CITATIONS
19	Magnetic and Photo-Physical Properties of Lanthanide Dinuclear Complexes Involving the 4,5-Bis(2-Pyridyl-N-Oxidemethylthio)-4,5-Dicarboxylic Acid-Tetrathiafulvalene-, Dimethyl Ester Ligand. <i>Inorganics</i> , 2015, 3, 554-572.	2.7	2
20	Four new trinuclear {Cu ₃ (^{1/4} -OH)(oximate) ₃ } ²⁺ clusters: crystal structure and magnetic behaviour. <i>Dalton Transactions</i> , 2014, 43, 16919-16927.	3.3	13
21	Copper(II) complexes derived from 3-phosphonopropionic acid: Crystal structures and magnetic behaviour. <i>Polyhedron</i> , 2014, 81, 1-5.	2.2	7
22	Two different coordination geometries in polynuclear manganese(II) complexes with bis(^{1/4} -phosphinato) bridges. <i>Polyhedron</i> , 2013, 52, 866-871.	2.2	5
23	Molecular Copper(II) Complexes Derived from Phosphonoacetic Acid: Crystal Structures and Magnetic Behavior. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3483-3490.	2.0	8
24	Hexanuclear Copper(II) Cages Built on a Central { ^{1/4} -O···H···O} Moiety, 1,3-Bis(dimethylamino)-2-propanolato and Capping R-phosphonates: Crystal Structures, Magnetic Behavior, and DFT Studies. <i>Inorganic Chemistry</i> , 2012, 51, 6842-6850.	4.0	20
25	A new pentadecanuclear manganese(II,III) tert-butylphosphonate cluster: Crystal structure and magnetic behaviour. <i>Polyhedron</i> , 2012, 36, 92-96.	2.2	3
26	Three new dinuclear manganese(II) complexes with bis(^{1/4} -phosphinato)-bridges. <i>Polyhedron</i> , 2011, 30, 3067-3072.	2.2	7
27	Polynuclear copper(II) complexes of di-2-pyridyl ketone derivatives and tert-butylphosphonic acid: crystal structures and magnetic behaviour. <i>Dalton Transactions</i> , 2010, 39, 4070.	3.3	21
28	Calibrating the coordination chemistry tool chest: metrics of bi- and tridentate ligands. <i>Dalton Transactions</i> , 2009, , 6610.	3.3	33