

# Shih-Huang Tung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5644091/publications.pdf>

Version: 2024-02-01

92  
papers

2,849  
citations

147566

31  
h-index

197535

49  
g-index

92  
all docs

92  
docs citations

92  
times ranked

3770  
citing authors

#	ARTICLE	IF	CITATIONS
1	A New Reverse Wormlike Micellar System: Mixtures of Bile Salt and Lecithin in Organic Liquids. <i>Journal of the American Chemical Society</i> , 2006, 128, 5751-5756.	6.6	140
2	Insight into the mechanism and outcoupling enhancement of excimer-associated white light generation. <i>Chemical Science</i> , 2016, 7, 3556-3563.	3.7	108
3	Hierarchical Assemblies of Block-Copolymer-Based Supramolecules in Thin Films. <i>Macromolecules</i> , 2008, 41, 6453-6462.	2.2	106
4	One-Step Electrospinning To Produce Nonsolvent-Induced Macroporous Fibers with Ultrahigh Oil Adsorption Capability. <i>Macromolecules</i> , 2017, 50, 2528-2534.	2.2	102
5	Contrasting Effects of Temperature on the Rheology of Normal and Reverse Wormlike Micelles. <i>Langmuir</i> , 2007, 23, 372-376.	1.6	95
6	A facile strategy to achieve fully bio-based epoxy thermosets from eugenol. <i>Green Chemistry</i> , 2019, 21, 4475-4488.	4.6	95
7	Uniform Luminous Perovskite Nanofibers with Color-Tunability and Improved Stability Prepared by One-Step Core/Shell Electrospinning. <i>Small</i> , 2018, 14, e1704379.	5.2	93
8	Nanostructured Organic Semiconductors <i>via</i> Directed Supramolecular Assembly. <i>ACS Nano</i> , 2010, 4, 2721-2729.	7.3	86
9	Effects of Annealing Solvents on the Morphology of Block Copolymer-Based Supramolecular Thin Films. <i>Macromolecules</i> , 2012, 45, 1562-1569.	2.2	83
10	A Facile Route for Creating "Reverse" Vesicles: Insights into "Reverse" Self-Assembly in Organic Liquids. <i>Journal of the American Chemical Society</i> , 2008, 130, 8813-8817.	6.6	82
11	Conception of Stretchable Resistive Memory Devices Based on Nanostructure-Controlled Carbohydrate-Block-Polyisoprene Block Copolymers. <i>Advanced Functional Materials</i> , 2017, 27, 1606161.	7.8	76
12	Synthesis, Morphology, and Sensory Applications of Multifunctional Rod-Coil Triblock Copolymers and Their Electrospun Nanofibers. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 3387-3395.	4.0	63
13	Solution-Processable Dithienothiophenoquinoid (DTTQ) Structures for Ambient-Stable Channel Organic Field Effect Transistors. <i>Advanced Functional Materials</i> , 2017, 27, 1606761.	7.8	62
14	A silole copolymer containing a ladder-type heptacyclic arene and naphthobisoxadiazole moieties for highly efficient polymer solar cells. <i>Energy and Environmental Science</i> , 2015, 8, 552-557.	15.6	61
15	Tunable electrical memory characteristics by the morphology of self-assembled block copolymers:PCBM nanocomposite films. <i>Soft Matter</i> , 2012, 8, 526-535.	1.2	60
16	Surfactant Vesicles for High-Efficiency Capture and Separation of Charged Organic Solutes. <i>Langmuir</i> , 2007, 23, 8965-8971.	1.6	53
17	Can Simple Salts Influence Self-Assembly in Oil? Multivalent Cations as Efficient Gelators of Lecithin Organosols. <i>Langmuir</i> , 2010, 26, 13831-13838.	1.6	53
18	A stable, efficient textile-based flexible perovskite solar cell with improved washable and deployable capabilities for wearable device applications. <i>RSC Advances</i> , 2017, 7, 54361-54368.	1.7	51

#	ARTICLE	IF	CITATIONS
19	Facile Preparation of Cu/Ag Core/Shell Electrospun Nanofibers as Highly Stable and Flexible Transparent Conductive Electrodes for Optoelectronic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 10118-10127.	4.0	50
20	Self-assembled organogels obtained by adding minute concentrations of a bile salt to AOT reverse micelles. <i>Soft Matter</i> , 2008, 4, 1086.	1.2	48
21	Mixtures of Lecithin and Bile Salt Can Form Highly Viscous Wormlike Micellar Solutions in Water. <i>Langmuir</i> , 2014, 30, 10221-10230.	1.6	47
22	Nonvolatile Organic Field-Effect Transistors Memory Devices Using Supramolecular Block Copolymer/Functional Small Molecule Nanocomposite Electret. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 5663-5673.	4.0	47
23	Fluorinated thienyl-quinoxaline-based A-type copolymer toward efficient polymer solar cells: synthesis, characterization, and photovoltaic properties. <i>Polymer Chemistry</i> , 2013, 4, 3411.	1.9	46
24	Facile Fabrication of Stretchable Touch-Responsive Perovskite Light-Emitting Diodes Using Robust Stretchable Composite Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 14408-14415.	4.0	46
25	Novel ultra-stable and highly luminescent white light-emitting diodes from perovskite quantum dotsâ€”Polymer nanofibers through biaxial electrospinning. <i>APL Materials</i> , 2019, 7, .	2.2	42
26	Templated Assembly of Block Copolymer toward Nonequilibrium Nanostructures in Thin Films. <i>Macromolecules</i> , 2009, 42, 5761-5765.	2.2	38
27	Solution Processable Pseudo Thienoacenes via Intramolecular S <sup>2</sup> -S Lock for High Performance Organic Field Effect Transistors. <i>Chemistry of Materials</i> , 2020, 32, 1422-1429.	3.2	38
28	Bio-Based Transparent Conductive Film Consisting of Polyethylene Furanoate and Silver Nanowires for Flexible Optoelectronic Devices. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800271.	2.0	34
29	Environmentally Friendly Resistive Switching Memory Devices with DNA as the Active Layer and Bio-Based Polyethylene Furanoate as the Substrate. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5100-5106.	3.2	34
30	Strain-Stiffening Response in Transient Networks Formed by Reverse Wormlike Micelles. <i>Langmuir</i> , 2008, 24, 8405-8408.	1.6	33
31	Electrospun Poly(3-hexylthiophene) Nanofibers with Highly Extended and Oriented Chains Through Secondary Electric Field for High-Performance Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2015, 1, 1400028.	2.6	32
32	Control over Molecular Architectures of Carbohydrate-Based Block Copolymers for Stretchable Electrical Memory Devices. <i>Macromolecules</i> , 2018, 51, 4966-4975.	2.2	32
33	Blends of polythiophene nanowire/fluorine rubber with multiscale phase separation suitable for stretchable semiconductors. <i>Polymer</i> , 2018, 155, 146-151.	1.8	30
34	Molecular Interactions between Lecithin and Bile Salts/Acids in Oils and Their Effects on Reverse Micellization. <i>Langmuir</i> , 2013, 29, 3879-3888.	1.6	29
35	Effect of a conjugated/elastic block sequence on the morphology and electronic properties of polythiophene based stretchable block copolymers. <i>Polymer Chemistry</i> , 2019, 10, 5452-5464.	1.9	29
36	High performance solution-processable tetrathienoacene (TTAR) based small molecules for organic field effect transistors (OFETs). <i>Chemical Communications</i> , 2017, 53, 5898-5901.	2.2	28

#	ARTICLE	IF	CITATIONS
37	Solution-Processed High-Performance Tetrathienothiophene-Based Small Molecular Blends for Ambipolar Charge Transport. <i>Advanced Functional Materials</i> , 2018, 28, 1801025.	7.8	28
38	Thienoisindigo (TII)-Based Quinoidal Small Molecules for High-Performance n-Type Organic Field Effect Transistors. <i>Advanced Science</i> , 2021, 8, 2002930.	5.6	28
39	Small-angle neutron scattering measurement of silicon nanoparticle size. <i>Nanotechnology</i> , 2008, 19, 085715.	1.3	26
40	Solution-Processable Quinoidal Dithioalkylterthiophene-Based Small Molecules Pseudo-Pentathienoacenes via an Intramolecular S $\cdots$ S Lock for High-Performance n-Type Organic Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 25081-25091.	4.0	26
41	Self-assembled structures in rod-coil block copolymers with hydrogen-bonded amphiphiles. <i>Soft Matter</i> , 2011, 7, 4198.	1.2	23
42	Heteroalkyl Substitution in Molecular Organic Semiconductors: Chalcogen Effect on Crystallography, Conformational Lock, and Charge Transport. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	22
43	Studies on blends of binary crystalline polymers: Miscibility and crystallization behavior in PBT/PAr(I27-T73). <i>Polymer</i> , 2006, 47, 8380-8388.	1.8	21
44	Accounting for $\pi$ - $\pi$ stacking interactions in the mesoscopic models of conjugated polymers. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 1137-1146.	1.7	21
45	A Solution Processable Dithioalkyl Dithienothiophene (DSDTT) Based Small Molecule and Its Blends for High Performance Organic Field Effect Transistors. <i>ACS Nano</i> , 2021, 15, 727-738.	7.3	21
46	Controlled Synthesis of Poly[(3-alkylthio)thiophene]s and Their Application to Organic Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 31898-31909.	4.0	21
47	Nanostructured Polymers Prepared Using a Self-Assembled Nanofibrillar Scaffold as a Reverse Template. <i>Journal of Physical Chemistry B</i> , 2009, 113, 8026-8030.	1.2	20
48	Using a Single Electrospun Polymer Nanofiber to Enhance Carrier Mobility in Organic Field-Effect Transistors toward Nonvolatile Memory. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 5506-5515.	4.0	19
49	Effects of Alkali Cations and Halide Anions on the Self-Assembly of Phosphatidylcholine in Oils. <i>Langmuir</i> , 2016, 32, 12166-12174.	1.6	19
50	Organically modified clays as rheology modifiers and dispersing agents for epoxy packing of white LED. <i>Composites Science and Technology</i> , 2016, 132, 9-15.	3.8	18
51	Self-Assembly of Lecithin and Bile Salt in the Presence of Inorganic Salt in Water: Mesoscale Computer Simulation. <i>Journal of Physical Chemistry B</i> , 2017, 121, 7878-7888.	1.2	18
52	Facile one-pot synthesis of rod-coil bio-block copolymers and uncovering their role in forming the efficient stretchable touch-responsive light emitting diodes. <i>Chemical Engineering Journal</i> , 2021, 418, 129421.	6.6	17
53	Microdomain control in block copolymer-based supramolecular thin films through varying the grafting density of additives. <i>Soft Matter</i> , 2011, 7, 5660.	1.2	16
54	Self-assembled clay films with a platelet-void multilayered nanostructure and flame-blocking properties. <i>Scientific Reports</i> , 2013, 3, 2621.	1.6	16

#	ARTICLE	IF	CITATIONS
55	Phase Behavior and Structure of Supramolecules Formed by Poly(4-vinylpyridine) and Fanlike Benzoic Acid Derivative with Long Hydrophobic Tails. <i>Macromolecules</i> , 2015, 48, 717-724.	2.2	16
56	Facile 3D Boron Nitride Integrated Electrospun Nanofibrous Membranes for Purging Organic Pollutants. <i>Nanomaterials</i> , 2019, 9, 1383.	1.9	16
57	Iterative synthesis of monodisperse pendants for making comb-like polyurethanes. <i>Polymer</i> , 2017, 119, 1-12.	1.8	15
58	Sustainable Alternatives to Nondegradable Medical Plastics. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 4792-4806.	3.2	15
59	Side Chain Effects on the Optoelectronic Properties and Self-Assembly Behaviors of Terthiophene- <i>Thieno</i> [3,4- <i>c</i> ]pyrrole-4,6-dione Based Conjugated Polymers. <i>Macromolecules</i> , 2018, 51, 7828-7835.	2.2	14
60	Size-dependent phase separation and thermomechanical properties of thermoplastic polyurethanes. <i>Polymer</i> , 2020, 210, 123075.	1.8	14
61	Solution-Processable Multifused Thiophene Small Molecules and Conjugated Polymer Semiconducting Blend for Organic Field Effect Transistor Application. <i>Advanced Materials Technologies</i> , 2021, 6, 2001028.	3.0	14
62	Poly(ether sulfone)-Based Anion Exchange Membranes Containing Dense Quaternary Ammonium Cations and Their Application for Fuel Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 2201-2217.	2.5	14
63	Tailored honeycomb-like polymeric films based on amphiphilic poly(urea/malonamide) dendrons. <i>RSC Advances</i> , 2016, 6, 91981-91990.	1.7	13
64	Honeycomb Surface with Shape Memory Behavior Fabricated via Breath Figure Process. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1700433.	1.7	13
65	Self-assembly of polystyrene- <i>b</i> -poly(4-vinylpyridine) in deoxycholic acid melt. <i>Polymer</i> , 2011, 52, 3994-4000.	1.8	12
66	Quinoidal thioalkyl-substituted bithiophene small molecule semiconductors for n-type organic field effect transistors. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15450-15458.	2.7	12
67	Correlations between temperature-dependent rheology and electrostatic interactions in reverse wormlike micelles induced by inorganic salts. <i>Soft Matter</i> , 2020, 16, 3505-3513.	1.2	11
68	Light Down-Converter Based on Luminescent Nanofibers from the Blending of Conjugated Rod-Coil Block Copolymers and Perovskite through Electrospinning. <i>Polymers</i> , 2020, 12, 84.	2.0	10
69	On the Formation Mechanism of Nonsolvent-Induced Porous Polylactide Electrospun Fibers. <i>ACS Applied Polymer Materials</i> , 2021, 3, 5096-5104.	2.0	10
70	Biological Hydrogels Formed by Swollen Multilamellar Liposomes. <i>Langmuir</i> , 2015, 31, 13312-13320.	1.6	9
71	Crosslinkable high dielectric constant polymer dielectrics for low voltage organic field-effect transistor memory devices. <i>Journal of Polymer Science Part A</i> , 2016, 54, 3224-3236.	2.5	9
72	Dendrons with urea/malonamide linkages for gate insulators of n-channel organic thin film transistors. <i>Reactive and Functional Polymers</i> , 2016, 108, 86-93.	2.0	9

#	ARTICLE	IF	CITATIONS
73	Polymersomes with high loading capacity prepared by direct self-assembly of block copolymers in drugs. <i>Polymer</i> , 2018, 134, 117-124.	1.8	9
74	Self-assembly of micelles in organic solutions of lecithin and bile salt: Mesoscale computer simulation. <i>Chemical Physics Letters</i> , 2016, 664, 16-22.	1.2	8
75	Surface Energy-Mediated Self-Patterning for High Performance Spray-Deposited Organic Field Effect Transistors. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500714.	1.9	8
76	Spontaneous origination of chirality in melts of diblock copolymers with rigid and flexible blocks. <i>Polymer Science - Series C</i> , 2013, 55, 74-85.	0.8	7
77	Molecular stacking structure and field-effect transistor characteristics of crystalline poly(3-hexylthiophene)-block-syndiotactic polypropylene through solvent selectivity. <i>RSC Advances</i> , 2014, 4, 23002-23009.	1.7	7
78	Solution Processable Pentafluorophenyl End-Capped Dithienothiophene Organic Semiconductors for Hole-Transporting Organic Field Effect Transistors. <i>Advanced Electronic Materials</i> , 2022, 8, 2100648.	2.6	7
79	Effects of amorphous poly(3-hexylthiophene) on active-layer structure and solar cells performance. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 975-985.	2.4	6
80	Facile approach for rapid self-assembly of rod-coil block copolymers. <i>Polymer</i> , 2018, 139, 20-25.	1.8	5
81	Facile synthesis toward self-dispersible waterborne comb-like Poly(hydroxyaminoethers). <i>Polymer</i> , 2020, 196, 122464.	1.8	5
82	Photoelectric effect of hybrid ultraviolet-sensitized phototransistors from an n-type organic semiconductor and an all-inorganic perovskite quantum dot photosensitizer. <i>Nanoscale</i> , 2021, 13, 20498-20507.	2.8	5
83	Tunable Photoelectric Properties of n-Type Semiconducting Polymer:Small Molecule Blends for Red Light Sensing Phototransistors. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	5
84	On the length of lecithin reverse wormlike micelles induced by inorganic salts: Binding site matters. <i>Journal of Molecular Liquids</i> , 2021, 329, 115543.	2.3	4
85	Strengthening the Intrachain Interconnection of Polymers by the Naphthalene Diimide-Pyrene Complementary Interactions. <i>Macromolecules</i> , 2021, 54, 7282-7290.	2.2	4
86	Oligo(ethylene glycol) side chain effect on the physical properties and molecular arrangement of oligothiophene-isoindigo based conjugated polymers. <i>Soft Matter</i> , 2019, 15, 9468-9473.	1.2	3
87	Methyl-Branched Side Chains on Polythiophene Suppress Chain Mobility and Crystallization to Enhance Photovoltaic Performance. <i>Macromolecules</i> , 2021, 54, 3689-3699.	2.2	3
88	Amphiphilic Thermoresponsive Poly(Hydroxyaminoethers) as Effective Emulsifiers for Preparation of Waterborne Epoxy Resins. <i>Macromolecular Materials and Engineering</i> , 2022, 307, .	1.7	3
89	Electrospun Nanofibers: Uniform Luminous Perovskite Nanofibers with Color-Tunability and Improved Stability Prepared by One-Step Core/Shell Electrospinning (Small 22/2018). <i>Small</i> , 2018, 14, 1870103.	5.2	2
90	Organic Semiconductors: Surface Energy-Mediated Self-Patterning for High Performance Spray-Deposited Organic Field Effect Transistors (Adv. Mater. Interfaces 11/2016). <i>Advanced Materials Interfaces</i> , 2016, 3, .	1.9	0

#	ARTICLE	IF	CITATIONS
91	Tunable Phospholipid Nanopatterns Mediated by Cholesterol with Sub-3 nm Domain Size. Langmuir, 2019, 35, 3383-3390.	1.6	0
92	Additive-induced ordered structures formed by PC71BM fullerene derivatives. Soft Matter, 2021, 17, 810-814.	1.2	0