

Ian D Whittington

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5644988/publications.pdf>

Version: 2024-02-01

128
papers

2,919
citations

147801
31
h-index

223800
46
g-index

129
all docs

129
docs citations

129
times ranked

1147
citing authors

#	ARTICLE	IF	CITATIONS
1	Host-specificity of monogenean (platyhelminth) parasites: a role for anterior adhesive areas?. International Journal for Parasitology, 2000, 30, 305-320.	3.1	134
2	A revision of <i>Neobenedenia</i> Yamaguti, 1963 (Monogenea: Capsalidae) including a redescription of <i>N. melleni</i> (MacCallum, 1927). Journal of Natural History, 1996, 30, 1113-1156.	0.5	92
3	Diversity around the world of monogeneans in the Antipodes (Australia) with a prediction of monogenean biodiversity worldwide. International Journal for Parasitology, 1998, 28, 1481-1493.	3.1	74
4	Closing the mitochondrial circle on paraphyly of the Monogenea (Platyhelminthes) infers evolution in the diet of parasitic flatworms. International Journal for Parasitology, 2010, 40, 1237-1245.	3.1	74
5	Risk assessment for metazoan parasites of yellowtail kingfish <i>Seriola lalandi</i> (Perciformes) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	3.5	72
6	The Capsalidae (Monogenea: Monopisthocotylea): a review of diversity, classification and phylogeny with a note about species complexes. Folia Parasitologica, 2004, 51, 109-122.	1.3	72
7	Looks can deceive: Molecular phylogeny of a family of flatworm ectoparasites (Monogenea) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf Evolution, 2009, 52, 705-714.	2.7	67
8	An annotated list of parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected in groupers (Serranidae, Epinephelinae) in New Caledonia emphasizes parasite biodiversity in coral reef fish. Folia Parasitologica, 2010, 57, 237-262.	1.3	67
9	The Larvae of Monogenea (Platyhelminthes). Advances in Parasitology, 1999, , 139-232.	3.2	64
10	Effects of temperature, salinity, desiccation and chemical treatments on egg embryonation and hatching success of <i>Benedenia seriolae</i> (Monogenea: Capsalidae), a parasite of farmed <i>Seriola</i> spp.. Journal of Fish Diseases, 2005, 28, 157-164.	1.9	64
11	First published record of the pathogenic monogenean parasite <i>Neobenedenia melleni</i> (Capsalidae) from Australia. Diseases of Aquatic Organisms, 2001, 46, 79-82.	1.0	63
12	Adhesive secretions in the platyhelminthes. Advances in Parasitology, 2001, 48, 101-224.	3.2	62
13	Phylogenetic analysis of the Monocotylidae (Monogenea) inferred from 28S rDNA sequences. International Journal for Parasitology, 2001, 31, 1253-1263.	3.1	61
14	A view of early vertebrate evolution inferred from the phylogeny of polystome parasites (Monogenea) Tj ETQq0 0 Q_rgBT /Overlock 10 Tf	2.6	51
15	Hatching Strategies in Monogenean (Platyhelminth) Parasites that Facilitate Host Infection. Integrative and Comparative Biology, 2011, 51, 91-99.	2.0	51
16	Efficacy of orally administered praziquantel against <i>Zeuxapta seriolae</i> and <i>Benedenia seriolae</i> (Monogenea) in yellowtail kingfish <i>Seriola lalandi</i> . Diseases of Aquatic Organisms, 2007, 77, 199-205.	1.0	49
17	Benedeniine capsalid monogeneans from Australian fishes: pathogenic species, site-specificity and camouflage. Journal of Helminthology, 1996, 70, 177-184.	1.0	48
18	Phylogenetic analysis of the Monocotylidae (Monogenea) inferred from 28S rDNA sequences. International Journal for Parasitology, 2001, 31, 1537-1547.	3.1	48

#	ARTICLE	IF	CITATIONS
19	Correlating Early Evolution of Parasitic Platyhelminths to Gondwana Breakup. <i>Systematic Biology</i> , 2011, 60, 762-781.	5.6	48
20	An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish. <i>Aquatic Biosystems</i> , 2012, 8, 22.	1.8	46
21	Parasites as biological tags to assess host population structure: Guidelines, recent genetic advances and comments on a holistic approach. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2014, 3, 220-226.	1.5	46
22	Metazoan parasite assemblages of wild <i>Seriola lalandi</i> (Carangidae) from eastern and southern Australia. <i>Parasitology International</i> , 2007, 56, 95-105.	1.3	43
23	A new species of skin-parasitic benedeniine monogenean with a preference for the pelvic fins of its host, <i>Lutjanus carponotatus</i> (Perciformes: Lutjanidae) from the Great Barrier Reef. <i>Journal of Natural History</i> , 1993, 27, 1-14.	0.5	42
24	Rapid hatching of mechanically-disturbed eggs of the monogenean gill parasite <i>Diclidophora luscae</i> , with observations on sedimentation of egg bundles. <i>International Journal for Parasitology</i> , 1988, 18, 847-852.	3.1	41
25	An annotated list of fish parasites (Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected from Emperors and Emperor Bream (Lethrinidae) in New Caledonia further highlights parasite biodiversity estimates on coral reef fish. <i>Zootaxa</i> , 2010, 2691, 1.	0.5	40
26	Reproduction and host-location among the parasitic Platyhelminthes. <i>International Journal for Parasitology</i> , 1997, 27, 705-714.	3.1	39
27	A revision of <i>Benedenia Diesing, 1858</i> including a redescription of <i>B. sciaenae</i> (van Beneden, 1856) Odhner, 1905 and recognition of <i>Menziesia Gibson, 1976</i> (Monogenea: Capsalidae). <i>Journal of Natural History</i> , 2001, 35, 663-777.	0.5	39
28	Morphology and development of the haptors among the Monocotylidae (Monogenea). <i>Hydrobiologia</i> , 1998, 383, 251-261.	2.0	36
29	Effect of water temperature on reproductive development of <i>Benedenia seriolae</i> (Monogenea): Tj ETQq1 1 0.784314 rgBT /Overlock 10 1.0 36		
30	A revision of the Calicotylinae Monticelli, 1903 (Monogenea: Monocotylidae). <i>Systematic Parasitology</i> , 1997, 38, 159-183.	1.1	35
31	A revision of <i>Dendromonocotyle Hargis, 1955</i> (Monogenea: Monocotylidae) with a description of a new species from <i>Pastinachus sephen</i> (Forsskål) (Myliobatiformes: Dasyatidae) from the Great Barrier Reef, Australia. <i>Journal of Natural History</i> , 1995, 29, 1093-1119.	0.5	32
32	A revision of <i>Heterocotyle</i> (Monogenea: Monocotylidae) with a description of <i>Heterocotyle capricornensis</i> n. sp. from <i>Himantura fai</i> (Dasyatidae) from Heron Island, Great Barrier Reef, Australia. <i>International Journal for Parasitology</i> , 1996, 26, 1169-1190.	3.1	31
33	A preliminary phylogenetic analysis of the Capsalidae (Platyhelminthes: Monogenea): Tj ETQq1 1 0.784314 rgBT /Overlock 10 1.5 31 Tf 50 182		
34	Hatching rhythms in the capsalid monogeneans <i>Benedenia lutjani</i> from the skin and <i>B. rohdei</i> from the gills of <i>Lutjanus carponotatus</i> at Heron Island, Queensland, Australia. <i>International Journal for Parasitology</i> , 1996, 26, 1191-1204.	3.1	29
35	A revision of <i>Neoheterocotyle</i> (Monogenea: Monocotylidae) with descriptions of the larvae of <i>N. rhinobatis</i> and <i>N. rhynchobatis</i> from Heron Island, Great Barrier Reef, Australia. <i>International Journal for Parasitology</i> , 1997, 27, 1041-1060.	3.1	29
36	A revision of the Merizocotylinae Johnston and Tiegs, 1922 (Monogenea: Monocotylidae) with descriptions of new species of <i>Empruthotremajohnstoni</i> and <i>Tiegs, 1922</i> and <i>Merizocotyle cerfontainei</i> , 1894. <i>Journal of Natural History</i> , 1999, 33, 1-28.	0.5	29

#	ARTICLE	IF	CITATIONS
37	The Calicotyle conundrum: do molecules reveal more than morphology?. <i>Systematic Parasitology</i> , 2001, 49, 81-87.	1.1	27
38	Efficacy of Praziquantel Bath Treatments for Monogenean Infections of the <i>Rhinobatos typus</i> . <i>Journal of Aquatic Animal Health</i> , 2002, 14, 230-234.	1.4	27
39	The effect of the cleaner fish <i>Labroides dimidiatus</i> on the capsalid monogenean <i>Benedenia lolo</i> parasite of the labrid fish <i>Hemigymnus melapterus</i> . <i>Journal of Fish Biology</i> , 2002, 61, 1098-1108.	1.6	26
40	Concinnocotyla (Monogenea: Polystomatidae), a new genus for the polystome from the Australian lungfish <i>Neoceratodus forsteri</i> . <i>Systematic Parasitology</i> , 1991, 18, 81-93.	1.1	25
41	Diversity of reproductive behaviour in platyhelminth parasites: insemination in some benedeniine (capsalid) monogeneans. <i>Parasitology</i> , 1992, 104, 489-496.	1.5	25
42	Observations on ultrastructure of the anterior adhesive areas and other anterior glands in the monogenean, <i>Monocotyle spiremae</i> (Monocotylidae), from the gills of <i>Himantura fai</i> (Dasyatidae). <i>International Journal for Parasitology</i> , 1997, 27, 907-917.	3.1	24
43	Infections of <i>Seriola quinqueradiata</i> Temminck & Schlegel and <i>S. dumerili</i> (Risso) in Japan by <i>Benedenia seriolae</i> (Monogenea) confirmed by morphology and 28S ribosomal DNA analysis. <i>Journal of Fish Diseases</i> , 2001, 24, 421-425.	1.9	24
44	Migration, site-specificity and development of <i>Benedenia lutjani</i> (Monogenea: Capsalidae) on the surface of its host, <i>Lutjanus carponotatus</i> (Pisces: Lutjanidae). <i>Parasitology</i> , 2002, 124, 423-434.	1.5	24
45	An egg-laying rhythm in <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae), a gill parasite of yellowtail kingfish (<i>Seriola lalandi</i>). <i>Aquaculture</i> , 2006, 253, 10-16.	3.5	23
46	Rapid Hatching Induced By Light Intensity Reduction In The Polyopisthocotylean Monogenean <i>Plectanocotyle Gurnardi</i> From The Gills Of Gurnards (Triglidae), With Observations On The Anatomy and Behaviour of The Oncomiracidium. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1989, 69, 609-624.	0.8	22
47	Ancyrocephaline monogeneans of the genera <i>Chauhanellus</i> and <i>Hamatopeduncularia</i> from the gills of the blue catfish, <i>Arius graeffei</i> , in the Brisbane river and Moreton bay, Queensland, Australia, with descriptions of four new species. <i>International Journal for Parasitology</i> , 1994, 24, 569-588.	3.1	22
48	Preliminary characterisation and extraction of anterior adhesive secretion in monogenean (platyhelminth) parasites. <i>Folia Parasitologica</i> , 2002, 49, 39-49.	1.3	22
49	A redescription of <i>Calicotyle australis</i> Johnston, 1934 (Monogenea: Monocotylidae) from a new host, <i>Rhinobatos batillum</i> (Batiformes: Rhinobatidae), from Moreton Bay, Queensland. <i>Systematic Parasitology</i> , 1989, 14, 145-156.	1.1	21
50	The adhesive attitudes of some gill-parasitic capsalid monogeneans. <i>Journal of Helminthology</i> , 1991, 65, 280-285.	1.0	21
51	Revision of <i>Decacotylinae</i> Chisholm, Wheeler & Beverley Burton, 1995 (Monogenea: Monocotylidae), including the synonymy of <i>Papillicotyle</i> Young, 1967 with <i>Decacotyle</i> Young, 1967 and a description of a new species from Australia. <i>Systematic Parasitology</i> , 1998, 41, 9-20.	1.1	21
52	Comparative phylogeography reveals host generalists, specialists and cryptic diversity: Hexabothriiid, microbothriiid and monocotylid monogeneans from rhinobatid rays in southern Australia. <i>International Journal for Parasitology</i> , 2008, 38, 1599-1612.	3.1	21
53	DNA profiling reveals <i>Neobenedenia girellae</i> as the primary parasitic monogenean in global fisheries and aquaculture. <i>Molecular Phylogenetics and Evolution</i> , 2018, 129, 130-137.	2.7	21
54	A review of <i>Dendromonocotyle</i> (Monogenea: Monocotylidae) from the skin of stingrays and their control in public aquaria. <i>Folia Parasitologica</i> , 2004, 51, 123-130.	1.3	21

#	ARTICLE	IF	CITATIONS
55	Egg-laying patterns and <i>< i>in vivo</i></i> egg production in the monogenean parasites <i>< i>Heteraxine heterocerca</i></i> and <i>< i>Benedenia seriolae</i></i> from Japanese yellowtail <i>< i>Seriola quinqueradiata</i></i> . <i>Parasitology</i> , 2008, 135, 1295-1302.	1.5	20
56	Benedenia rohdei n. sp. (Monogenea: Capsalidae) from the gills of <i>Lutjanus carponotatus</i> (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 oncomiracidium. <i>Systematic Parasitology</i> , 1994, 28, 5-13.	1.1	19
57	Empruthotrema kearni n. sp. and observations on <i>Thaumatocotyle pseudodasybatis</i> Hargis, 1955 (Monogenea: Monocotylidae) from the nasal fossae of <i>Aetobatus narinari</i> (Batiformes: Myliobatidae) from Moreton Bay, Queensland. <i>Systematic Parasitology</i> , 1990, 15, 23-31.	1.1	17
58	Observations on the attachment by the monogenean, <i>Anoplodiscus australis</i> , to the caudal fin of <i>Acanthopagrus australis</i> . <i>International Journal for Parasitology</i> , 1990, 20, 307-314.	3.1	17
59	Three new species of <i>Benedenia</i> Diesing, 1858 from the Great Barrier Reef, Australia with a key to species of the genus. <i>Zootaxa</i> , 2010, 2348, .	0.5	17
60	Descriptions of the larvae of six species of monocotylid monogeneans from <i>Himantura fai</i> (Dasyatidae) and <i>Rhinobatos typus</i> (Rhinobatidae) from Heron Island, Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 1996, 35, 145-156.	1.1	16
61	Three unrelated species, 3 sites, same host â€“ monogenean parasites of the southern fiddler ray, <i>Trygonorrhina fasciata</i> , in South Australia: egg hatching strategies and larval behaviour. <i>Parasitology</i> , 2006, 133, 55.	1.5	16
62	Review of the Capsalinae (Monogenea: Capsalidae). <i>Zootaxa</i> , 2007, 1559, 1-30.	0.5	16
63	Morphology and ultrastructure of the anterior adhesive areas of the capsalid monogenean parasites <i>Benedenia rohdei</i> from the gills and <i>B. lutjani</i> from the pelvic fins of <i>Lutjanus carponotatus</i> (Pisces: Tj ETQq1 1 0.784314 rgBT /Overlock 10		
64	Glands associated with the anterior adhesive areas of the monogeneans, <i>Entobdella</i> sp. and <i>Entobdella australis</i> (Capsalidae) from the skin of <i>Himantura fai</i> and <i>Taeniura lymma</i> (Dasyatidae). <i>International Journal for Parasitology</i> , 1998, 28, 653-665.	3.1	14
65	The uterine epithelium of <i>Gyrodactylus kobayashii</i> (Monogenea: Gyrodactylidae): ultrastructure of basal matrices, cytoplasmic membranes and the birth plug, and comparison with other reproductive epithelia. <i>International Journal for Parasitology</i> , 1998, 28, 1805-1815.	3.1	14
66	Dendromonocotyle colorni sp. n. (Monogenea: Monocotylidae) from the skin of <i>Himantura uarnak</i> (Dasyatidae) from Israel and a new host record for <i>D. octodiscus</i> from the Bahamas. <i>Folia Parasitologica</i> , 2001, 48, 15-20.	1.3	14
67	A new genus of monogenean parasites (Capsalidae: Benedeniinae) from stingrays (Rajiformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 uarnakForsskÅl from Queensland, Australia. <i>Journal of Natural History</i> , 1990, 24, 327-340.	0.5	13
68	Observations on the ultrastructure of the anterior adhesive areas and other anterior gland cells in the monogenean <i>Merizocotyle australensis</i> (Monocotylidae) from the nasal fossae of <i>Himantura fai</i> (Dasyatidae). , 1998, 42, 200-211.		13
69	Redescriptions of two species of microcotylid monogeneans from three arripid hosts in southern Australian waters. <i>Systematic Parasitology</i> , 2010, 76, 211-222.	1.1	13
70	Sperm transfer in monogenean (platyhelminth) parasites. <i>Acta Parasitologica</i> , 2015, 60, 567-99; discussion 599-600.	1.1	13
71	The egg bundles of the monogenean <i>Dionchus remorae</i> and their attachment to the gills of the remora, <i>Echeneis naucrates</i> . <i>International Journal for Parasitology</i> , 1990, 20, 45-49.	3.1	12
72	Nuclear bodies in the egg cells of a <i>Gyrodactylus</i> species (Platyhelminthes, Monogenea). <i>Zeitschrift FÃ¼r Parasitenkunde</i> (Berlin, Germany), 1992, 78, 534-536.	0.8	12

#	ARTICLE	IF	CITATIONS
73	A light microscope study of the attachment organs and their role in locomotion of <i>Craspedellasp.</i> (Platyhelminthes: Rhabdocoela: Temnocephalidae), an ectosymbiont from the branchial chamber of <i>Cherax quadricarinatus</i> (Crustacea: Parastacidae) in Queensland, Australia. <i>Journal of Natural History</i> , 1995, 29, 1121-1141.	0.5	12
74	Use of cement for attachment in <i>Neocalceostomoides brisbanensis</i> , a calceostomatine monogenean from the gill chamber of the blue catfish, <i>Arius graeffei</i> . <i>International Journal for Parasitology</i> , 1995, 25, 299-306.	3.1	12
75	Effects of urea analogs on egg hatching and movement of unhatched larvae of monogenean parasite <i>Acanthocotyle lobianchi</i> from skin of <i>Raja montagui</i> . <i>Journal of Chemical Ecology</i> , 1990, 16, 3523-3529.	1.8	11
76	Two new species of <i>Dendromonocotyle Hargis</i> , 1955 (Monogenea: Monocotylidae) from the skin of <i>Taeniura meyeni</i> (Dasyatidae) and <i>Aetobatus narinari</i> (Myliobatidae) from aquaria in Queensland, Australia. <i>Systematic Parasitology</i> , 2004, 57, 221-228.	1.1	11
77	Simultaneous fixation using glutaraldehyde and osmium tetroxide or potassium ferricyanide-reduced osmium for the preservation of monogenean flatworms: An assessment for <i>Merizocotyle icopae</i> . <i>Microscopy Research and Technique</i> , 2004, 63, 102-110.	2.2	11
78	A Tagging Study on Yellowtail Kingfish (<i>Seriola Lalandi</i>) and Samson Fish (<i>S. Hippos</i>) in South Australian Waters. <i>Transactions of the Royal Society of South Australia</i> , 2007, 131, 128-134.	0.4	11
79	The eggs and oncomiracidia of <i>Encotyllabe</i> spp. and the relationship between encotyllabines and other capsid monogeneans. <i>Parasitology</i> , 1992, 104, 253-261.	1.5	10
80	<i>Paradeontacylix godfreyi</i> n. sp. (Digenea: Sanguinicolidae) from the heart of wild <i>Seriola lalandi</i> (Perciformes: Carangidae) in southern Australia. <i>Zootaxa</i> , 2006, 1151, 55.	0.5	10
81	Experimental infections, using a fluorescent marker, of two elasmobranch species by unciliated larvae of <i>Branchotenthes octohamatus</i> (Monogenea: Hexabothriidae): invasion route, host specificity and post-larval development. <i>Parasitology</i> , 2007, 134, 1243-1252.	1.5	10
82	A comparative study of the anatomy and behaviour of the oncomiracidia of the related monogenean gill parasites <i>Kuhnnia scomбри</i> , <i>K. sprostoniae</i> and <i>Grubea cochlear</i> from mackerel, <i>Scomber scombrus</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1990, 70, 21-32.	0.8	9
83	Attachment of eggs by <i>Concinnocotyla australensis</i> (Monogenea: Polystomatidae) to the tooth plates of the Australian lungfish, <i>Neoceratodus forsteri</i> (Dipnoi). <i>International Journal for Parasitology</i> , 1991, 21, 341-346.	3.1	9
84	Variation in the egg cell forming region of <i>Gyrodactylus kobayashii</i> Hukuda, 1940 (Monogenea: Tj ETQqO 0 0 rgBT _{3.1} Overlock ₉ 10 Tf 50 30		
85	Three new species of <i>Polyclithrum</i> Rogers, 1967 (Gyrodactylidae: Monogenea) from mugilid fishes from Australia and Brazil, with a redescription of <i>P. Amugilini</i> Rogers, 1967. <i>Systematic Parasitology</i> , 2000, 45, 61-73.	1.1	9
86	<i>Euzetia occultum</i> n. g., n. sp. (Euzetiinae n. subf.), a monocotylid monogenean from the gills of <i>Rhinoptera neglecta</i> (Rhinopteridae) from Moreton Bay, Queensland, Australia. <i>Systematic Parasitology</i> , 2001, 48, 179-183.	1.1	9
87	New <i>Benedenia</i> Species (Monogenea: Capsalidae) from <i>Diagramma labiosum</i> (Perciformes: Haemulidae) On the Great Barrier Reef, Australia, With Oncomiracidial Descriptions and A Report of Egg Attachment to the Host. <i>Journal of Parasitology</i> , 2011, 97, 1026-1034.	0.7	9
88	<i>Empruthotrema dasyatidis</i> n. sp. (Monogenea: Monocotylidae) from the olfactory sacs of <i>Dasyatis fluviorum</i> (Rajiformes: Dasyatidae) from Moreton Bay, Queensland. <i>Systematic Parasitology</i> , 1992, 22, 159-165.	1.1	8
89	Two new species of entobdelline skin parasites (Monogenea, Capsalidae) from the blotched fantail ray, <i>Taeniura meyeni</i> , in the Pacific Ocean, with comments on spermatophores and the male copulatory apparatus. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	8
90	Polyopisthocotylean monogeneans from carangid fishes off Queensland, Australia and New Caledonia, with a description of <i>Heteromicrocotyloides megaspinosus</i> sp. nov.. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	8

#	ARTICLE	IF	CITATIONS
91	A new genus and new species of microbothriid monogenean (Platyhelminthes) with a functionally enigmatic reproductive system, parasitic on the skin and mouth lining of the largetooth sawfish, <i>Pristis microdon</i> , in Australia. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	8
92	Branchotenthes octohamatus sp. n. (Monogenea: Hexabothriidae) from the gills of the southern fiddler ray, <i>Trygonorrhina fasciata</i> (Rhinobatidae) in South Australia: description of adult and larva. <i>Folia Parasitologica</i> , 2005, 52, 223-230.	1.3	8
93	Swimming in a sub-adult monogenean of the genus Entobdella. <i>International Journal for Parasitology</i> , 1991, 21, 739-741.	3.1	7
94	Morphology, ultrastructure, and implied function of ciliated sensory structures on the developmental stages of <i>Merizocotyle icopae</i> (Monogenea: Monocotylidae). <i>Microscopy Research and Technique</i> , 2003, 62, 267-276.	2.2	7
95	EMPRUTHOTREMA STENOPHALLUS N. SP. (MONOGENEA: MONOCOTYLIDAE) FROM THE NASAL TISSUE OF <i>DASYATIS KUHLII</i> (DASYATIDAE) FROM SABAH, BORNEO, MALAYSIA. <i>Journal of Parasitology</i> , 2005, 91, 522-526.	0.7	7
96	Three new species of <i>Merizocotyle</i> Cerfontaine, 1894 (Monogenea: Monocotylidae) from the nasal tissues of dasyatid rays collected off Malaysian and Indonesian Borneo. <i>Systematic Parasitology</i> , 2012, 82, 167-176.	1.1	7
97	Diversity of gyrodactylids from some marine fishes in tropical and subtropical Queensland, Australia. <i>Folia Parasitologica</i> , 2001, 48, 165-168.	1.3	7
98	A response to light in an adult encotyllabine (capsalid) monogenean from the pharyngeal tooth pads of some marine teleost fishes. <i>International Journal for Parasitology</i> , 1992, 22, 119-121.	3.1	6
99	Pseudoleptobothrium aptychotremae Young, 1967 (Monogenea, Microbothriidae) redescribed from a new host, <i>Trygonorrhina fasciata</i> (Rhinobatidae) in South Australia with a description of the larva and post-larval development. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	6
100	A revision of <i>Entobdella</i> Blainville in Lamarck, 1818, with special emphasis on the nominal (type) species <i>Entobdella hippoglossi</i> (Müller, 1776) Blainville, 1818 (Monogenea: Capsalidae: Entobdellinae) from teleost flatfishes, with descriptions of three new species and a new genus. <i>Zootaxa</i> , 2007, 1659, 1-54.	0.5	6
101	Two new species of <i>Myliocotyle</i> (Monogenea: Monocotylidae) from the gills of <i>Aetomylaeus maculatus</i> and <i>A. nichofii</i> (<i>Elasmobranchii</i> : Myliobatidae) from Sarawak, Borneo, Malaysia. <i>Folia Parasitologica</i> , 2004, 51, 304-310.	1.3	6
102	The handling and fate of spermatophores in <i>Neoentobdella diadema</i> and <i>N. apicolpos</i> (Monogenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf		
103	A new genus of viviparous gyrodactylid (Monogenea) from the Great Barrier Reef, Australia with descriptions of seven new species. <i>Journal of Natural History</i> , 2001, 35, 313-340.	0.5	5
104	A technique for preserving pigmentation in some capsalid monogeneans for taxonomic purposes. <i>Systematic Parasitology</i> , 2001, 48, 31-35.	1.1	5
105	Dendromonocotyle lasti n. sp. from the skin and <i>Monocotyle caseyae</i> n. sp. (Monogenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf Systematic Parasitology, 2005, 60, 81-89.	1.1	5
106	A Redescription of <i>Calicotyle australis</i> Johnston, 1934 (Monogenea: Monocotylidae) from the Type-host <i>Trygonorrhina Fasciata</i> (Rhinobatidae) off Adelaide, South Australia, Including Descriptions of Live and Silver Stained Larvae. <i>Systematic Parasitology</i> , 2006, 63, 29-40.	1.1	5
107	A new species of <i>Dermopristsis</i> Kearn, Whittington & Evans-Gowing, 2010 (Monogenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf system and on the presence of denticles in the nasal fossae of the host <i>Glaucostegus typus</i> (Bennett) (<i>Elasmobranchii</i> : Rhinobatidae). <i>Systematic Parasitology</i> , 2011, 80, 41-51.	1.1	5
108	<i>Heliocotyle ewingi</i> sp. n. (Monogenea: Monocotylidae) from the gills of <i>Myliobatis australis</i> (<i>Myliobatidae</i>) from Tasmania, Australia. <i>Folia Parasitologica</i> , 2000, 47, 100-104.	1.3	5

#	ARTICLE	IF	CITATIONS
109	A new species of <i>Neoheterocotyle</i> Hargis, 1955 (Monogenea: Monocotylidae) from the gills of <i>Pristis clavata</i> Garman (Pristidae) from Darwin, Australia. <i>Systematic Parasitology</i> , 2000, 46, 93-98.	1.1	4
110	Experimental susceptibility of some reef fish species to <i>Benedenia lutjani</i> (Monogenea: Capsalidae), a parasite of <i>Lutjanus carponotatus</i> (Pisces: Lutjanidae). <i>Parasitology Research</i> , 2001, 87, 345-348.	1.6	4
111	Anterior adhesive areas and adjacent secretions in the parasitic flatworms <i>< i>Decacotyle lymmae</i></i> and <i>< i>D. tetrakordyle</i></i> (Monogenea: Monocotylidae) from the gills of stingrays. <i>Invertebrate Biology</i> , 2004, 123, 68-77.	0.9	4
112	<i>Decacotyle cairae</i> n. sp. (Monogenea: Monocotylidae) from the gills of <i>Pastinachus</i> sp. (Elasmobranchii: Dasyatidae) from the South China Sea off Sarawak, Borneo, Malaysia. <i>Systematic Parasitology</i> , 2005, 61, 79-84.	1.1	4
113	<i>Malalophus jensenae</i> n. g., n. sp. (Monogenea: Monocotylidae) from the gills of <i>Aetomylaeus vespertilio</i> (Myliobatidae) off northern Australia. <i>Systematic Parasitology</i> , 2009, 73, 81-86.	1.1	4
114	<i>Dendromonocotyle urogynni</i> sp. nov. (Monogenea, Monocotylidae) from <i>Urogymnus asperimus</i> (Elasmobranchii, Dasyatidae) off eastern Australia. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	4
115	A new species of <i>Acanthocotyle Monticelli</i> , 1888 (Platyhelminthes: Monogenea: Acanthocotylidae) from the ventral skin of the banded stingaree, <i>Urolophus cruciatus</i> (Lacépède, 1804), from Tasmania, Australia. <i>Acta Parasitologica</i> , 2016, 61, 607-13.	1.1	4
116	Revision of <i>Benedeniella</i> Johnston, 1929 (Monogenea: Capsalidae), its assignment to Entobdellinae Bychowsky, 1957 and comments on subfamilial composition. <i>Zootaxa</i> , 2010, 2519, 1.	0.5	4
117	Second international symposium on Monogenea. <i>International Journal for Parasitology</i> , 1994, 24, 445-447.	3.1	3
118	An appreciation. <i>International Journal for Parasitology</i> , 1994, 24, 481-486.	3.1	3
119	A redescription and new host record of <i>Tonkinopsis transfretanus</i> Lebedev, 1972 (Monogenea: Tj ETQql 1 0.784314 rgBT /Overlock labiosum (Haemulidae) from Heron Island, Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 1996, 34, 79-87.	1.1	3
120	<i>Pseudohexabothrium taeniurae</i> n. sp. (Monogenea: Hexabothriidae) from the Gills of <i>Taeniura lymma</i> (Dasyatidae) from the Great Barrier Reef, Australia. <i>Journal of Parasitology</i> , 1996, 82, 131.	0.7	3
121	Spermatophores in <i>Dermopristis cairae</i> Whittington et Kearn, 2011 (Monogenea, Microbothriidae). <i>Acta Parasitologica</i> , 2011, 56, .	1.1	3
122	Two new species of <i>Neoentobdella</i> (Monogenea: Capsalidae: Entobdellinae) from the skin of Australian stingrays (Dasyatidae). <i>Folia Parasitologica</i> , 2009, 56, 29-35.	1.3	3
123	Dicyemid fauna composition and infection patterns in relation to cephalopod host biology and ecology. <i>Folia Parasitologica</i> , 2014, 61, 301-310.	1.3	3
124	<i>Trimusculotrema heronensis</i> sp. nov. (Monogenea, Capsalidae) from the skin of the pink whipray <i>Himantura fai</i> (Elasmobranchii, Dasyatidae) from Heron Island, Queensland, Australia. <i>Acta Parasitologica</i> , 2008, 53, 251.	1.1	2
125	Revision of <i>Dioncopseudobenedenia</i> Yamaguti, 1965 including the description of <i>D. ancoralis</i> sp. n. (Monogenea: Capsalidae) from Pacific acanthuroid teleosts. <i>Folia Parasitologica</i> , 2011, 58, 257-272.	1.3	2
126	A new species of <i>Asthenocotyle</i> Robinson, 1961 (Monogenea: Microbothriidae), a skin parasite of the great lanternshark <i>Etmopterus princeps</i> Collett from the Azores, with a redescription of <i>A. kaikourensis</i> Robinson, 1961 and observations on <i>A. taranakiensis</i> Beverley-Burton, Klassen & Lester, 1987. <i>Systematic Parasitology</i> , 2012, 83, 145-158.	1.1	1

#	ARTICLE	IF	CITATIONS
127	The value of host and parasite identification for arripid fish. <i>Marine and Freshwater Research</i> , 2011, 62, 72.	1.3	1
128	Editorial: Invited reviews. <i>International Journal for Parasitology</i> , 1995, 25, 1369-1370.	3.1	0