

Ian D Whittington

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5644988/publications.pdf>

Version: 2024-02-01

128
papers

2,919
citations

147801
31
h-index

223800
46
g-index

129
all docs

129
docs citations

129
times ranked

1147
citing authors

#	ARTICLE	IF	CITATIONS
1	DNA profiling reveals <i>Neobenedenia girellae</i> as the primary parasitic monogenean in global fisheries and aquaculture. <i>Molecular Phylogenetics and Evolution</i> , 2018, 129, 130-137.	2.7	21
2	A new species of <i>Acanthocotyle</i> Monticelli, 1888 (Platyhelminthes: Monogenea: Acanthocotylidae) from the ventral skin of the banded stingaree, <i>Urolophus cruciatus</i> (Lacépède, 1804), from Tasmania, Australia. <i>Acta Parasitologica</i> , 2016, 61, 607-13.	1.1	4
3	Sperm transfer in monogenean (platyhelminth) parasites. <i>Acta Parasitologica</i> , 2015, 60, 567-99; discussion 599-600.	1.1	13
4	Parasites as biological tags to assess host population structure: Guidelines, recent genetic advances and comments on a holistic approach. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2014, 3, 220-226.	1.5	46
5	Dicyemid fauna composition and infection patterns in relation to cephalopod host biology and ecology. <i>Folia Parasitologica</i> , 2014, 61, 301-310.	1.3	3
6	A new species of <i>Asthenocotyle</i> Robinson, 1961 (Monogenea: Microbothriidae), a skin parasite of the great lanternshark <i>Etmopterus princeps</i> Collett from the Azores, with a redescription of <i>A. raiakourensis</i> Robinson, 1961 and observations on <i>A. taranakiensis</i> Beverley-Burton, Klassen & Lester, 1987. <i>Systematic Parasitology</i> , 2012, 83, 145-158.	1.1	1
7	An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish. <i>Aquatic Biosystems</i> , 2012, 8, 22.	1.8	46
8	Three new species of <i>Merizocotyle</i> Cerfontaine, 1894 (Monogenea: Monocotylidae) from the nasal tissues of dasyatid rays collected off Malaysian and Indonesian Borneo. <i>Systematic Parasitology</i> , 2012, 82, 167-176.	1.1	7
9	New <i>Benedenia</i> Species (Monogenea: Capsalidae) from <i>Diagramma labiosum</i> (Perciformes: Haemulidae) On the Great Barrier Reef, Australia, With Oncomiracidial Descriptions and A Report of Egg Attachment to the Host. <i>Journal of Parasitology</i> , 2011, 97, 1026-1034.	0.7	9
10	Spermatophores in <i>Dermopristsis cairae</i> Whittington et Kearn, 2011 (Monogenea, Microbothriidae). <i>Acta Parasitologica</i> , 2011, 56, .	1.1	3
11	Correlating Early Evolution of Parasitic Platyhelminths to Gondwana Breakup. <i>Systematic Biology</i> , 2011, 60, 762-781.	5.6	48
12	A new species of <i>Dermopristsis</i> Kearn, Whittington & Evans-Gowing, 2010 (Monogenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 312 system and on the presence of denticles in the nasal fossae of the host <i>Glaucostegus typus</i> (Bennett) (Elasmobranchii: Rhinobatidae). <i>Systematic Parasitology</i> , 2011, 80, 41-51.	1.1	5
13	Hatching Strategies in Monogenean (Platyhelminth) Parasites that Facilitate Host Infection. <i>Integrative and Comparative Biology</i> , 2011, 51, 91-99.	2.0	51
14	The value of host and parasite identification for arripid fish. <i>Marine and Freshwater Research</i> , 2011, 62, 72.	1.3	1
15	Revision of <i>Dioncopseudobenedenia</i> Yamaguti, 1965 including the description of <i>D. ancoralis</i> sp. n. (Monogenea: Capsalidae) from Pacific acanthuroid teleosts. <i>Folia Parasitologica</i> , 2011, 58, 257-272.	1.3	2
16	A new genus and new species of microbothriid monogenean (Platyhelminthes) with a functionally enigmatic reproductive system, parasitic on the skin and mouth lining of the largetooth sawfish, <i>Pristis microdon</i> , in Australia. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	8
17	Redescriptions of two species of microcotylid monogeneans from three arripid hosts in southern Australian waters. <i>Systematic Parasitology</i> , 2010, 76, 211-222.	1.1	13
18	Closing the mitochondrial circle on paraphyly of the Monogenea (Platyhelminthes) infers evolution in the diet of parasitic flatworms. <i>International Journal for Parasitology</i> , 2010, 40, 1237-1245.	3.1	74

#	ARTICLE	IF	CITATIONS
19	Three new species of <i>Benedenia</i> Diesing, 1858 from the Great Barrier Reef, Australia with a key to species of the genus. <i>Zootaxa</i> , 2010, 2348, .	0.5	17
20	An annotated list of fish parasites (Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected from Emperors and Emperor Bream (Lethrinidae) in New Caledonia further highlights parasite biodiversity estimates on coral reef fish. <i>Zootaxa</i> , 2010, 2691, 1.	0.5	40
21	Revision of <i>Benedeniella</i> Johnston, 1929 (Monogenea: Capsalidae), its assignment to Entobdellinae Bychowsky, 1957 and comments on subfamilial composition. <i>Zootaxa</i> , 2010, 2519, 1.	0.5	4
22	An annotated list of parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected in groupers (Serranidae, Epinephelinae) in New Caledonia emphasizes parasite biodiversity in coral reef fish. <i>Folia Parasitologica</i> , 2010, 57, 237-262.	1.3	67
23	<i>Malalophus jensenae</i> n. g., n. sp. (Monogenea: Monocotylidae) from the gills of <i>Aetomylaeus vespertilio</i> (Myliobatidae) off northern Australia. <i>Systematic Parasitology</i> , 2009, 73, 81-86.	1.1	4
24	Looks can deceive: Molecular phylogeny of a family of flatworm ectoparasites (Monogenea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 T Evolution, 2009, 52, 705-714.	2.7	67
25	Two new species of entobdelline skin parasites (Monogenea, Capsalidae) from the blotched fantail ray, <i>Taeniura meyeni</i> , in the Pacific Ocean, with comments on spermatophores and the male copulatory apparatus. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	8
26	Dendromonocotyle urogymni sp. nov. (Monogenea, Monocotylidae) from <i>Urogymnus asperrimus</i> (Elasmobranchii, Dasyatidae) off eastern Australia. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	4
27	Polyopisthocotylean monogeneans from carangid fishes off Queensland, Australia and New Caledonia, with a description of <i>Heteromicrocotyloides megaspinosus</i> sp. nov.. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	8
28	Two new species of <i>Neoentobdella</i> (Monogenea: Capsalidae: Entobdellinae) from the skin of Australian stingrays (Dasyatidae). <i>Folia Parasitologica</i> , 2009, 56, 29-35.	1.3	3
29	<i>Trimusculotrema heronensis</i> sp. nov. (Monogenea, Capsalidae) from the skin of the pink whipray <i>Himantura fai</i> (Elasmobranchii, Dasyatidae) from Heron Island, Queensland, Australia. <i>Acta Parasitologica</i> , 2008, 53, 251.	1.1	2
30	Comparative phylogeography reveals host generalists, specialists and cryptic diversity: Hexabothriiid, microbothriiid and monocotylid monogeneans from rhinobatid rays in southern Australia. <i>International Journal for Parasitology</i> , 2008, 38, 1599-1612.	3.1	21
31	Egg-laying patterns and <i>< i>in vivo</i></i> egg production in the monogenean parasites <i>< i>Heteraxine heterocerca</i></i> and <i>< i>Benedenia seriolae</i></i> from Japanese yellowtail <i>< i>Seriola quinqueradiata</i></i> . <i>Parasitology</i> , 2008, 135, 1295-1302.	1.5	20
32	A Tagging Study on Yellowtail Kingfish (<i>< i>Seriola Lalandi</i></i>) and Samson Fish (<i>< i>S. Hippo</i></i>) in South Australian Waters. <i>Transactions of the Royal Society of South Australia</i> , 2007, 131, 128-134.	0.4	11
33	Efficacy of orally administered praziquantel against <i>Zeuxapta seriolae</i> and <i>Benedenia seriolae</i> (Monogenea) in yellowtail kingfish <i>Seriola lalandi</i> . <i>Diseases of Aquatic Organisms</i> , 2007, 77, 199-205.	1.0	49
34	Effect of water temperature on reproductive development of <i>Benedenia seriolae</i> (Monogenea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14 T_0 36		
35	Experimental infections, using a fluorescent marker, of two elasmobranch species by unciliated larvae of <i>Branchiotenthes octohamatus</i> (Monogenea: Hexabothriidae): invasion route, host specificity and post-larval development. <i>Parasitology</i> , 2007, 134, 1243-1252.	1.5	10
36	Risk assessment for metazoan parasites of yellowtail kingfish <i>Seriola lalandi</i> (Perciformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (T_0 35 T_2 72)		

#	ARTICLE	IF	CITATIONS
37	Metazoan parasite assemblages of wild <i>Seriola lalandi</i> (Carangidae) from eastern and southern Australia. <i>Parasitology International</i> , 2007, 56, 95-105.	1.3	43
38	A revision of <i>Entobdella</i> Blainville in Lamarck, 1818, with special emphasis on the nominal (type) species <i>Entobdella hippoglossi</i> (Müller, 1776) Blainville, 1818 (Monogenea: Capsalidae: Entobdellinae) from teleost flatfishes, with descriptions of three new species and a new genus. <i>Zootaxa</i> , 2007, 1659, 1-54.	0.5	6
39	Review of the Capsalinae (Monogenea: Capsalidae). <i>Zootaxa</i> , 2007, 1559, 1-30.	0.5	16
40	An egg-laying rhythm in <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae), a gill parasite of yellowtail kingfish (<i>Seriola lalandi</i>). <i>Aquaculture</i> , 2006, 253, 10-16.	3.5	23
41	<i>Paradeontacylix godfreyi</i> n. sp. (Digenea: Sanguinicolidae) from the heart of wild <i>Seriola lalandi</i> (Perciformes: Carangidae) in southern Australia. <i>Zootaxa</i> , 2006, 1151, 55.	0.5	10
42	Three unrelated species, 3 sites, same host " monogenean parasites of the southern fiddler ray, <i>Trygonorrhina fasciata</i> , in South Australia: egg hatching strategies and larval behaviour. <i>Parasitology</i> , 2006, 133, 55.	1.5	16
43	<i>Pseudoleptobothrium aptychotremae</i> Young, 1967 (Monogenea, Microbothriidae) redescribed from a new host, <i>Trygonorrhina fasciata</i> (Rhinobatidae) in South Australia with a description of the larva and post-larval development. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	6
44	A Redescription of <i>Calicotyle australis</i> Johnston, 1934 (Monogenea: Monocotylidae) from the Type-host <i>Trygonorrhina Fasciata</i> (Rhinobatidae) off Adelaide, South Australia, Including Descriptions of Live and Silver Stained Larvae. <i>Systematic Parasitology</i> , 2006, 63, 29-40.	1.1	5
45	The handling and fate of spermatophores in <i>Neoentobdella diadema</i> and <i>N. apicolpos</i> (Monogenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.3	6
46	Effects of temperature, salinity, desiccation and chemical treatments on egg embryonation and hatching success of <i>Benedenia seriolae</i> (Monogenea: Capsalidae), a parasite of farmed <i>Seriola</i> spp.. <i>Journal of Fish Diseases</i> , 2005, 28, 157-164.	1.9	64
47	<i>Dendromonocotyle lasti</i> n. sp. from the skin and <i>Monocotyle caseyae</i> n. sp. (Monogenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Systematic Parasitology, 2005, 60, 81-89.	1.1	5
48	<i>Decacotyle cairae</i> n. sp. (Monogenea: Monocotylidae) from the gills of <i>Pastinachus</i> sp. (Elasmobranchii: Dasyatidae) from the South China Sea off Sarawak, Borneo, Malaysia. <i>Systematic Parasitology</i> , 2005, 61, 79-84.	1.1	4
49	<i>EMPRUTHOTREMA STENOPHALLUS</i> N. SP. (MONOGENEA: MONOCOTYLIDAE) FROM THE NASAL TISSUE OF <i>DASYATIS KUHLII</i> (DASYATIDAE) FROM SABAH, BORNEO, MALAYSIA. <i>Journal of Parasitology</i> , 2005, 91, 522-526.	0.7	7
50	<i>Branchotenthes octohamatus</i> sp. n. (Monogenea: Hexabothriidae) from the gills of the southern fiddler ray, <i>Trygonorrhina fasciata</i> (Rhinobatidae) in South Australia: description of adult and larva. <i>Folia Parasitologica</i> , 2005, 52, 223-230.	1.3	8
51	Two new species of <i>Dendromonocotyle</i> Hargis, 1955 (Monogenea: Monocotylidae) from the skin of <i>Taeniura meyenii</i> (Dasyatidae) and <i>Aetobatus narinari</i> (Myliobatidae) from aquaria in Queensland, Australia. <i>Systematic Parasitology</i> , 2004, 57, 221-228.	1.1	11
52	Simultaneous fixation using glutaraldehyde and osmium tetroxide or potassium ferricyanide-reduced osmium for the preservation of monogenean flatworms: An assessment for <i>Merizocotyle icopae</i> . <i>Microscopy Research and Technique</i> , 2004, 63, 102-110.	2.2	11
53	A preliminary phylogenetic analysis of the Capsalidae (Platyhelminthes: Monogenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 102	1.5	31
54	Anterior adhesive areas and adjacent secretions in the parasitic flatworms <i>Decacotyle lymmae</i> and <i>D. tetrakordyle</i> (Monogenea: Monocotylidae) from the gills of stingrays. <i>Invertebrate Biology</i> , 2004, 123, 68-77.	0.9	4

#	ARTICLE	IF	CITATIONS
55	The Capsalidae (Monogenea: Monopisthocotylea): a review of diversity, classification and phylogeny with a note about species complexes. <i>Folia Parasitologica</i> , 2004, 51, 109-122.	1.3	72
56	A review of Dendromonocotyle (Monogenea: Monocotylidae) from the skin of stingrays and their control in public aquaria. <i>Folia Parasitologica</i> , 2004, 51, 123-130.	1.3	21
57	Two new species of Myliocotyle (Monogenea: Monocotylidae) from the gills of <i>Aetomylaeus maculatus</i> and <i>A. nichofii</i> (Elasmobranchii: Myliobatidae) from Sarawak, Borneo, Malaysia. <i>Folia Parasitologica</i> , 2004, 51, 304-310.	1.3	6
58	Morphology, ultrastructure, and implied function of ciliated sensory structures on the developmental stages of <i>Merizocotyle icopae</i> (Monogenea: Monocotylidae). <i>Microscopy Research and Technique</i> , 2003, 62, 267-276.	2.2	7
59	Migration, site-specificity and development of <i>Benedenia lutjani</i> (Monogenea: Capsalidae) on the surface of its host, <i>Lutjanus carponotatus</i> (Pisces: Lutjanidae). <i>Parasitology</i> , 2002, 124, 423-434.	1.5	24
60	A view of early vertebrate evolution inferred from the phylogeny of polystome parasites (Monogenea): Tj ETQqO 0 O rgBT /Overlock 10 T 2.6 51		
61	Efficacy of Praziquantel Bath Treatments for Monogenean Infections of the <i>Rhinobatos typus</i> . <i>Journal of Aquatic Animal Health</i> , 2002, 14, 230-234.	1.4	27
62	The effect of the cleaner fish <i>Labroides dimidiatus</i> on the capsalid monogenean <i>Benedenia lolo</i> parasite of the labrid fish <i>Hemigymnus melapterus</i> . <i>Journal of Fish Biology</i> , 2002, 61, 1098-1108.	1.6	26
63	Preliminary characterisation and extraction of anterior adhesive secretion in monogenean (platyhelminth) parasites. <i>Folia Parasitologica</i> , 2002, 49, 39-49.	1.3	22
64	Adhesive secretions in the platyhelminthes. <i>Advances in Parasitology</i> , 2001, 48, 101-224.	3.2	62
65	A revision of <i>Benedenia</i> Diesing, 1858 including a redescription of <i>B. sciaenae</i> (van Beneden, 1856) Odhner, 1905 and recognition of <i>Menziesia</i> Gibson, 1976 (Monogenea: Capsalidae). <i>Journal of Natural History</i> , 2001, 35, 663-777.	0.5	39
66	Experimental susceptibility of some reef fish species to <i>Benedenia lutjani</i> (Monogenea: Capsalidae), a parasite of <i>Lutjanus carponotatus</i> (Pisces: Lutjanidae). <i>Parasitology Research</i> , 2001, 87, 345-348.	1.6	4
67	Infections of <i>Seriola quinqueradiata</i> Temminck & Schlegel and <i>S. dumerili</i> (Risso) in Japan by <i>Benedenia seriolae</i> (Monogenea) confirmed by morphology and 28S ribosomal DNA analysis. <i>Journal of Fish Diseases</i> , 2001, 24, 421-425.	1.9	24
68	A new genus of viviparous gyrodactylid (Monogenea) from the Great Barrier Reef, Australia with descriptions of seven new species. <i>Journal of Natural History</i> , 2001, 35, 313-340.	0.5	5
69	The Calicotyle conundrum: do molecules reveal more than morphology?. <i>Systematic Parasitology</i> , 2001, 49, 81-87.	1.1	27
70	<i>Euzetia occultum</i> n. g., n. sp. (Euzetiinae n. subf.), a monocotylid monogenean from the gills of <i>Rhinoptera neglecta</i> (Rhinopteridae) from Moreton Bay, Queensland, Australia. <i>Systematic Parasitology</i> , 2001, 48, 179-183.	1.1	9
71	A technique for preserving pigmentation in some capsalid monogeneans for taxonomic purposes. <i>Systematic Parasitology</i> , 2001, 48, 31-35.	1.1	5
72	Phylogenetic analysis of the Monocotylidae (Monogenea) inferred from 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2001, 31, 1253-1263.	3.1	61

#	ARTICLE	IF	CITATIONS
73	Phylogenetic analysis of the Monocotylidae (Monogenea) inferred from 28S rDNA sequences. International Journal for Parasitology, 2001, 31, 1537-1547.	3.1	48
74	Dendromonocotyle colorni sp. n. (Monogenea: Monocotylidae) from the skin of <i>Himantura uarnak</i> (Dasyatidae) from Israel and a new host record for <i>D. octodiscus</i> from the Bahamas. Folia Parasitologica, 2001, 48, 15-20.	1.3	14
75	Diversity of gyrodactylids from some marine fishes in tropical and subtropical Queensland, Australia. Folia Parasitologica, 2001, 48, 165-168.	1.3	7
76	First published record of the pathogenic mono-genean parasite <i>Neobenedenia melleni</i> (Capsalidae) from Australia. Diseases of Aquatic Organisms, 2001, 46, 79-82.	1.0	63
77	Host-specificity of monogenean (platyhelminth) parasites: a role for anterior adhesive areas?. International Journal for Parasitology, 2000, 30, 305-320.	3.1	134
78	Three new species of <i>Polyclithrum</i> Rogers, 1967 (Gyrodactylidae: Monogenea) from mugilid fishes from Australia and Brazil, with a redescription of <i>P. Amugilini</i> Rogers, 1967. Systematic Parasitology, 2000, 45, 61-73.	1.1	9
79	A new species of <i>Neoheterocotyle</i> Hargis, 1955 (Monogenea: Monocotylidae) from the gills of <i>Pristis clavata</i> Garman (Pristidae) from Darwin, Australia. Systematic Parasitology, 2000, 46, 93-98.	1.1	4
80	<i>Heliocotyle ewingi</i> sp. n. (Monogenea: Monocotylidae) from the gills of <i>Myliobatis australis</i> (Myliobatidae) from Tasmania, Australia. Folia Parasitologica, 2000, 47, 100-104.	1.3	5
81	Morphology and ultrastructure of the anterior adhesive areas of the capsalid monogenean parasites <i>Benedenia rohdei</i> from the gills and <i>B. lutjani</i> from the pelvic fins of <i>Lutjanus carponotatus</i> (Pisces: Tj ETQq1 1 0.78.4314 rgBT/Overlock		
82	The Larvae of Monogenea (Platyhelminthes). Advances in Parasitology, 1999, , 139-232.	3.2	64
83	A revision of the Merizocotylinae Johnston and Tiegs, 1922 (Monogenea: Monocotylidae) with descriptions of new species of <i>Empruthotrema</i> Johnston and Tiegs, 1922 and <i>Merizocotyle</i> Cerfontaine, 1894. Journal of Natural History, 1999, 33, 1-28.	0.5	29
84	Revision of Decacotylinae Chisholm, Wheeler & Beverley Burton, 1995 (Monogenea: Monocotylidae), including the synonymy of <i>Papillcotyle</i> Young, 1967 with <i>Decacotyle</i> Young, 1967 and a description of a new species from Australia. Systematic Parasitology, 1998, 41, 9-20.	1.1	21
85	Morphology and development of the haptors among the Monocotylidae (Monogenea). Hydrobiologia, 1998, 383, 251-261.	2.0	36
86	Observations on the ultrastructure of the anterior adhesive areas and other anterior gland cells in the monogenean <i>Merizocotyle australensis</i> (Monocotylidae) from the nasal fossae of <i>Himantura fai</i> (Dasyatidae). , 1998, 42, 200-211.		13
87	Glands associated with the anterior adhesive areas of the monogeneans, <i>Entobdella</i> sp. and <i>Entobdella australis</i> (Capsalidae) from the skin of <i>Himantura fai</i> and <i>Taeniura lymma</i> (Dasyatidae). International Journal for Parasitology, 1998, 28, 653-665.	3.1	14
88	Diversity à€œdown underâ€“ monogeneans in the Antipodes (Australia) with a prediction of monogenean biodiversity worldwide. International Journal for Parasitology, 1998, 28, 1481-1493.	3.1	74
89	The uterine epithelium of <i>Gyrodactylus kobayashii</i> (Monogenea: Gyrodactylidae): ultrastructure of basal matrices, cytoplasmic membranes and the birth plug, and comparison with other reproductive epithelia. International Journal for Parasitology, 1998, 28, 1805-1815.	3.1	14
90	Variation in the egg cell forming region of <i>Gyrodactylus kobayashii</i> Hukuda, 1940 (Monogenea:) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	3.1	

#	ARTICLE	IF	CITATIONS
91	Reproduction and host-location among the parasitic Platyhelminthes. International Journal for Parasitology, 1997, 27, 705-714.	3.1	39
92	Observations on ultrastructure of the anterior adhesive areas and other anterior glands in the monogenean, <i>Monocotyle spiremae</i> (Monocotylidae), from the gills of <i>Himantura fai</i> (Dasyatidae). International Journal for Parasitology, 1997, 27, 907-917.	3.1	24
93	A revision of <i>Neoheterocotyle</i> (Monogena: Monocotylidae) with descriptions of the larvae of <i>N. rhinobatis</i> and <i>N. rhynchobatis</i> from Heron Island, Great Barrier Reef, Australia. International Journal for Parasitology, 1997, 27, 1041-1060.	3.1	29
94	A revision of the <i>Calicotylinae</i> Monticelli, 1903 (Monogena: Monocotylidae). Systematic Parasitology, 1997, 38, 159-183.	1.1	35
95	A revision of <i>Neobenedenia</i> Yamaguti, 1963 (Monogena: Capsalidae) including a redescription of <i>N. mellei</i> (MacCallum, 1927) Yamaguti, 1963. Journal of Natural History, 1996, 30, 1113-1156.	0.5	92
96	A revision of <i>Heterocotyle</i> (Monogena: Monocotylidae) with a description of <i>Heterocotyle capricornensis</i> n. sp. from <i>Himantura fai</i> (Dasyatidae) from Heron Island, Great Barrier Reef, Australia. International Journal for Parasitology, 1996, 26, 1169-1190.	3.1	31
97	Hatching rhythms in the capsalid monogeneans <i>Benedenia lutjani</i> from the skin and <i>B. rohdei</i> from the gills of <i>Lutjanus carponotatus</i> at Heron Island, Queensland, Australia. International Journal for Parasitology, 1996, 26, 1191-1204.	3.1	29
98	<i>Benedeniine</i> capsalid monogeneans from Australian fishes: pathogenic species, site-specificity and camouflage. Journal of Helminthology, 1996, 70, 177-184.	1.0	48
99	A redescription and new host record of <i>Tonkinopsis transretanus</i> Lebedev, 1972 (Monogena: Tj ETQq1 1 0.784314 rgBT /Overlock labiosum (Haemulidae) from Heron Island, Great Barrier Reef, Australia. Systematic Parasitology, 1996, 34, 79-87.	1.1	3
100	Descriptions of the larvae of six species of monocotylid monogeneans from <i>Himantura fai</i> (Dasyatidae) and <i>Rhinobatos typus</i> (Rhinobatidae) from Heron Island, Great Barrier Reef, Australia. Systematic Parasitology, 1996, 35, 145-156.	1.1	16
101	<i>Pseudohexabothrium taeniurae</i> n. sp. (Monogena: Hexabothriidae) from the Gills of <i>Taeniura lymma</i> (Dasyatidae) from the Great Barrier Reef, Australia. Journal of Parasitology, 1996, 82, 131.	0.7	3
102	A light microscope study of the attachment organs and their role in locomotion of <i>Craspedellasp.</i> (Platyhelminthes: Rhabdocoela: Temnocephalidae), an ectosymbiont from the branchial chamber of <i>Cherax quadricarinatus</i> (Crustacea: Parastacidae) in Queensland, Australia. Journal of Natural History, 1995, 29, 1121-1141.	0.5	12
103	A revision of <i>Dendromonocotyle Hargis, 1955</i> (Monogena: Monocotylidae) with a description of a new species from <i>Pastinachus sephen</i> (Forsskål) (Myliobatiformes: Dasyatidae) from the Great Barrier Reef, Australia. Journal of Natural History, 1995, 29, 1093-1119.	0.5	32
104	Use of cement for attachment in <i>Neocalceostomoides brisbanensis</i> , a calceostomatine monogenean from the gill chamber of the blue catfish, <i>Arius graeffei</i> . International Journal for Parasitology, 1995, 25, 299-306.	3.1	12
105	Editorial: Invited reviews. International Journal for Parasitology, 1995, 25, 1369-1370.	3.1	0
106	<i>Benedenia rohdei</i> n. sp. (Monogena: Capsalidae) from the gills of <i>Lutjanus carponotatus</i> (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 oncomiracidium. Systematic Parasitology, 1994, 28, 5-13.	1.1	19
107	Second international symposium on Monogena. International Journal for Parasitology, 1994, 24, 445-447.	3.1	3
108	An appreciation. International Journal for Parasitology, 1994, 24, 481-486.	3.1	3

#	ARTICLE	IF	CITATIONS
109	Ancyocephaline monogeneans of the genera Chauhanellus and Hamatopeduncularia from the gills of the blue catfish, <i>Arius graeffei</i> , in the Brisbane river and Moreton bay, Queensland, Australia, with descriptions of four new species. International Journal for Parasitology, 1994, 24, 569-588.	3.1	22
110	A new species of skin-parasitic benedeniine monogenean with a preference for the pelvic fins of its host, <i>Lutjanus carponotatus</i> (Perciformes: Lutjanidae) from the Great Barrier Reef. Journal of Natural History, 1993, 27, 1-14.	0.5	42
111	Diversity of reproductive behaviour in platyhelminth parasites: insemination in some benedeniine (capsalid) monogeneans. Parasitology, 1992, 104, 489-496.	1.5	25
112	The eggs and oncomiracidia of <i>Encotyllabe</i> spp. and the relationship between encotyllabines and other capsalid monogeneans. Parasitology, 1992, 104, 253-261.	1.5	10
113	A response to light in an adult encotyllabine (capsalid) monogenean from the pharyngeal tooth pads of some marine teleost fishes. International Journal for Parasitology, 1992, 22, 119-121.	3.1	6
114	Empruthotrema dasyatidis n. sp. (Monogenea: Monocotylidae) from the olfactory sacs of <i>Dasyatis fluviorum</i> (Rajiformes: Dasyatidae) from Moreton Bay, Queensland. Systematic Parasitology, 1992, 22, 159-165.	1.1	8
115	Nuclear bodies in the egg cells of a <i>Gyrodactylus</i> species (Platyhelminthes, Monogenea). Zeitschrift FÃ¼r Parasitenkunde (Berlin, Germany), 1992, 78, 534-536.	0.8	12
116	Attachment of eggs by <i>Concinnocotyla australensis</i> (Monogenea: Polystomatidae) to the tooth plates of the Australian lungfish, <i>Neoceratodus forsteri</i> (Dipnoi). International Journal for Parasitology, 1991, 21, 341-346.	3.1	9
117	Swimming in a sub-adult monogenean of the genus <i>Entobdella</i> . International Journal for Parasitology, 1991, 21, 739-741.	3.1	7
118	The adhesive attitudes of some gill-parasitic capsalid monogeneans. Journal of Helminthology, 1991, 65, 280-285.	1.0	21
119	<i>Concinnocotyla</i> (Monogenea: Polystomatidae), a new genus for the polystome from the Australian lungfish <i>Neoceratodus forsteri</i> . Systematic Parasitology, 1991, 18, 81-93.	1.1	25
120	Effects of urea analogs on egg hatching and movement of unhatched larvae of monogenean parasite <i>Acanthocotyle lobianchi</i> from skin of <i>Raja montagui</i> . Journal of Chemical Ecology, 1990, 16, 3523-3529.	1.8	11
121	Empruthotrema kearni n. sp. and observations on <i>Thaumatocotyle pseudodasybatis</i> Hargis, 1955 (Monogenea: Monocotylidae) from the nasal fossae of <i>Aetobatus narinari</i> (Batiformes: Myliobatidae) from Moreton Bay, Queensland. Systematic Parasitology, 1990, 15, 23-31.	1.1	17
122	A new genus of monogenean parasites (Capsalidae: Benedeniinae) from stingrays (Rajiformes:) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 22 uarnakForsskÃ¥l from Queensland, Australia. Journal of Natural History, 1990, 24, 327-340.	0.5	13
123	A comparative study of the anatomy and behaviour of the oncomiracidia of the related monogenean gill parasites <i>Kuhnia scombri</i> , <i>K. sprostoniae</i> and <i>Grubea cochlear</i> from mackerel, <i>Scomber scombrus</i> . Journal of the Marine Biological Association of the United Kingdom, 1990, 70, 21-32.	0.8	9
124	Observations on the attachment by the monogenean, <i>Anoplodiscus australis</i> , to the caudal fin of <i>Acanthopagrus australis</i> . International Journal for Parasitology, 1990, 20, 307-314.	3.1	17
125	The egg bundles of the monogenean <i>Dionchus remorae</i> and their attachment to the gills of the remora, <i>Echeneis naucrates</i> . International Journal for Parasitology, 1990, 20, 45-49.	3.1	12
126	Rapid Hatching Induced By Light Intensity Reduction In The Polyopisthocotylean Monogenean <i>Plectanocotyle Gurnardi</i> From The Gills Of Gurnards (Triglidae), With Observations On The Anatomy and Behaviour of The Oncomiracidium. Journal of the Marine Biological Association of the United Kingdom, 1989, 69, 609-624.	0.8	22

#	ARTICLE	IF	CITATIONS
127	A redescription of <i>Calicotyle australis</i> Johnston, 1934 (Monogenea: Monocotylidae) from a new host, <i>Rhinobatos batillum</i> (Batiformes: Rhinobatidae), from Moreton Bay, Queensland. <i>Systematic Parasitology</i> , 1989, 14, 145-156.	1.1	21
128	Rapid hatching of mechanically-disturbed eggs of the monogenean gill parasite <i>Diclidophora luscae</i> , with observations on sedimentation of egg bundles. <i>International Journal for Parasitology</i> , 1988, 18, 847-852.	3.1	41