Giuseppe Gritti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5645064/publications.pdf

Version: 2024-02-01

57	1,687	19	38
papers	citations	h-index	g-index
63	63	63	3180
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Chimeric antigen receptor T cells for gamma–delta T cell malignancies. Leukemia, 2022, 36, 577-579.	3.3	8
2	Generation and validation of a PET radiomics model that predicts survival in diffuse large B cell lymphoma treated with Râ€CHOP14: A SAKK 38/07 trial postâ€hoc analysis. Hematological Oncology, 2022, 40, 12-22.	0.8	13
3	High interâ€follicular spatial coâ€localization of CD8+FOXP3+ with CD4+CD8+ cells predicts favorable outcome in follicular lymphoma. Hematological Oncology, 2022, 40, 541-553.	0.8	6
4	Anti-CCR9 chimeric antigen receptor T cells for T-cell acute lymphoblastic leukemia. Blood, 2022, 140, 25-37.	0.6	29
5	Macrophage expression and prognostic significance of the long pentraxin PTX3 in COVID-19. Nature Immunology, 2021, 22, 19-24.	7.0	101
6	Efficacy and safety results from CheckMate 140, a phase 2 study of nivolumab for relapsed/refractory follicular lymphoma. Blood, 2021, 137, 637-645.	0.6	69
7	Immunotherapy of Acute Lymphoblastic Leukemia and Lymphoma With T Cell–Redirected Bispecific Antibodies. Journal of Clinical Oncology, 2021, 39, 444-455.	0.8	18
8	Siltuximab downregulates interleukin-8 and pentraxin 3 to improve ventilatory status and survival in severe COVID-19. Leukemia, 2021, 35, 2710-2714.	3.3	42
9	Skip pattern approach toward the early access of innovative anticancer drugs. ESMO Open, 2021, 6, 100227.	2.0	1
10	Extracorporeal cytokine hemadsorption in severe COVID-19 respiratory failure. Respiratory Medicine, 2021, 185, 106477.	1.3	9
11	Outcome in patients with diffuse large B-cell lymphoma who relapse after autologous stem cell transplantation and receive active therapy. A retrospective analysis of the Lymphoma Working Party of the European Society for Blood and Marrow Transplantation (EBMT). Bone Marrow Transplantation, 2020, 55, 393-399.	1.3	29
12	Durability of complete response after blinatumomab therapy for relapsed/refractory diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2020, 61, 2767-2770.	0.6	14
13	Endothelial injury and thrombotic microangiopathy in COVID-19: Treatment with the lectin-pathway inhibitor narsoplimab. Immunobiology, 2020, 225, 152001.	0.8	120
14	Copanlisib synergizes with conventional and targeted agents including venetoclax in B- and T-cell lymphoma models. Blood Advances, 2020, 4, 819-829.	2.5	28
15	Phase I Study of TAK-659, an Investigational, Dual SYK/FLT3 Inhibitor, in Patients with B-Cell Lymphoma. Clinical Cancer Research, 2020, 26, 3546-3556.	3.2	13
16	SAKK38/07 study: integration of baseline metabolic heterogeneity and metabolic tumor volume in DLBCL prognostic model. Blood Advances, 2020, 4, 1082-1092.	2.5	47
17	Sleeping Beauty–engineered CAR T cells achieve antileukemic activity without severe toxicities. Journal of Clinical Investigation, 2020, 130, 6021-6033.	3.9	102
18	Polatuzumab Vedotin Plus Venetoclax with Rituximab in Relapsed/Refractory Diffuse Large B-Cell Lymphoma: Primary Efficacy Analysis of a Phase Ib/II Study. Blood, 2020, 136, 45-47.	0.6	13

#	Article	IF	CITATIONS
19	Phase 1 Study of CD19 Targeted 4-1BBL Costimulatory Agonist to Enhance T Cell (Glofitamab) Tj ETQq1 1 0.7843 Lymphoma. Blood, 2020, 136, 16-17.	14 rgBT /C 0.6	Overlock 10 4
20	Venetoclax-rituximab with or without bendamustine vs bendamustine-rituximab in relapsed/refractory follicular lymphoma. Blood, 2020, 136, 2628-2637.	0.6	29
21	Donor-Derived CAR T Cells Engineered with Sleeping Beauty Achieve Anti-Leukemic Activity without Severe Toxicity. Blood, 2020, 136, 34-34.	0.6	O
22	Nivolumab Combined With Brentuximab Vedotin for Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma: Efficacy and Safety From the Phase II CheckMate 436 Study. Journal of Clinical Oncology, 2019, 37, 3081-3089.	0.8	120
23	DURABILITY OF COMPLETE RESPONSE AFTER BLINATUMOMAB THERAPY FOR REFRACTORY/RELAPSED AGGRESSIVE B-CELL NON-HODGKIN LYMPHOMA. Hematological Oncology, 2019, 37, 429-430.	0.8	O
24	CD20-TCB, a Novel T-Cell-Engaging Bispecific Antibody, Can be Safely Combined with the Anti-PD-L1 Antibody Atezolizumab in Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. Blood, 2019, 134, 2871-2871.	0.6	20
25	A Phase 2 Study of TAK-659, an Investigational Reversible Dual SYK/FLT3 Inhibitor, in Patients with Relapsed or Refractory Diffuse Large B-Cell Lymphoma. Blood, 2019, 134, 5310-5310.	0.6	3
26	Donor-Derived CD19 CAR Cytokine Induced Killer (CIK) Cells Engineered with Sleeping Beauty Transposon for Relapsed B-Cell Acute Lymphoblastic Leukemia (B-ALL). Blood, 2019, 134, 200-200.	0.6	5
27	FarmaREL: An Italian pharmacovigilance project to monitor and evaluate adverse drug reactions in haematologic patients. Hematological Oncology, 2018, 36, 299-306.	0.8	4
28	Nivolumab Combined with Brentuximab Vedotin for Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma: Preliminary Results from the Phase 2 CheckMate 436 Trial. Blood, 2018, 132, 1691-1691.	0.6	4
29	Evaluation of tenascin-C by tenatumomab in T-cell non-Hodgkin lymphomas identifies a new target for radioimmunotherapy. Oncotarget, 2018, 9, 9766-9775.	0.8	9
30	Clinical-Grade Transduction of Allogeneic Cytokine Induced Killer (CIK) Cells with CD19 Chimeric Antigen Receptor (CAR) Using Sleeping Beauty (SB) Transposon: Successful GMP-Compliant Manufacturing for Clinical Applications. Blood, 2018, 132, 196-196.	0.6	0
31	Analysis of T-Cell Receptor Beta-Constant Region Expression for Rapid Assessment of T-Cell Clonality. Blood, 2018, 132, 2867-2867.	0.6	1
32	Italian real-life experience with brentuximab vedotin: results of a large observational study of 40 cases of relapsed/refractory systemic anaplastic large cell lymphoma. Haematologica, 2017, 102, 1931-1935.	1.7	11
33	Targeting the T cell receptor \hat{l}^2 -chain constant region for immunotherapy of T cell malignancies. Nature Medicine, 2017, 23, 1416-1423.	15.2	196
34	Italian real life experience with brentuximab vedotin: results of a large observational study on 234 relapsed/refractory Hodgkin's lymphoma. Oncotarget, 2017, 8, 91703-91710.	0.8	21
35	IS THERE A ROLE FOR MINIMAL RESIDUAL DISEASE MONITORING IN FOLLICULAR LYMPHOMA IN THE CHEMO-IMMUNOTHERAPY ERA?. Mediterranean Journal of Hematology and Infectious Diseases, 2016, 9, e2017010.	0.5	9
36	Randomized Trial Comparing R-CHOP Versus High-Dose Sequential Chemotherapy in High-Risk Patients With Diffuse Large B-Cell Lymphomas. Journal of Clinical Oncology, 2016, 34, 4015-4022.	0.8	66

#	Article	IF	CITATIONS
37	Italian Real Life Experience with Brentuximab Vedotin: Results of a National Observational Study on Relapsed/Refractory Hodgkin's Lymphoma. Blood, 2016, 128, 4161-4161.	0.6	O
38	Tenascin-C Is Highly Expressed in T-Cell Non-Hodgkin Lymphomas and Represents an Attractive Target for Radioimmunotherapy. Blood, 2016, 128, 4141-4141.	0.6	1
39	Italian Real Life Experience with Brentuximab Vedotin: Results of a National Observational Study on Relapsed/Refractory Anaplastic Large Cell Lymphoma. Blood, 2016, 128, 3007-3007.	0.6	0
40	Ibrutinib interferes with the cell-mediated anti-tumor activities of therapeutic CD20 antibodies: implications for combination therapy. Haematologica, 2015, 100, 77-86.	1.7	147
41	Life Expectancy in Follicular Lymphoma Is Mainly Determined By Response to First LINE Treatment: A LONG-TERM Survey on 597 Patients. Blood, 2015, 126, 3989-3989.	0.6	3
42	Primary Treatment Response Rather than Front Line Stem Cell Transplantation Is Crucial for Long Term Outcome of Peripheral T-Cell Lymphomas. PLoS ONE, 2015, 10, e0121822.	1.1	9
43	Impact of Comorbidity Burden in Treatment and Outcome of Older Patients with Indolent Non-Hodgkin Lymphomas. Blood, 2015, 126, 4503-4503.	0.6	0
44	Bendamustine in combination with Ofatumumab in relapsed or refractory chronic lymphocytic leukemia: a GIMEMA Multicenter Phase II Trial. Leukemia, 2014, 28, 642-648.	3.3	57
45	Rate of Primary Refractory Disease in B and T-Cell Non-Hodgkin's Lymphoma: Correlation with Long-Term Survival. PLoS ONE, 2014, 9, e106745.	1.1	18
46	The lymphocyte to monocyte ratio improves the IPIâ€risk definition of diffuse large Bâ€cell lymphoma when rituximab is added to chemotherapy. American Journal of Hematology, 2013, 88, 1062-1067.	2.0	54
47	Successful management with intravenous immunoglobulins in alemtuzumab-induced acute inflammatory demyelinating neuropathy: clinical report of three patients. Immunopharmacology and Immunotoxicology, 2012, 34, 717-720.	1.1	7
48	Low dose alemtuzumab in patients with fludarabine-refractory chronic lymphocytic leukemia. Leukemia and Lymphoma, 2012, 53, 424-429.	0.6	11
49	Lowâ€dose alemtuzumabâ€associated immune thrombocytopenia in chronic lymphocytic leukemia. American Journal of Hematology, 2012, 87, 936-937.	2.0	14
50	An Italian retrospective study on the routine clinical use of lowâ€dose alemtuzumab in relapsed/refractory chronic lymphocytic leukaemia patients. British Journal of Haematology, 2012, 156, 481-489.	1.2	17
51	Immune Thrombocytopenia Associated to Low-Dose Alemtuzumab Therapy in Chronic Lymphocytic Leukemia: A Single Retrospective Center Experience. Blood, 2012, 120, 4598-4598.	0.6	0
52	Role of Front-Line High Dose Therapy with Stem Cell Transplant in Peripheral T-Cell Lymphomas. A Single Center Experience Blood, 2012, 120, 2733-2733.	0.6	4
53	The Peripheral Blood Lymphocyte to Monocyte Ratio At Diagnosis Is a Potent Outcome Predictor in Diffuse Large B-Cell Lymphoma Treated with R-CHOP: A Long-Term Analysis On 973 Patients Receiving Chemotherapy with or without Rituximab. Blood, 2012, 120, 1553-1553.	0.6	2
54	Circulating and progenitor endothelial cells are abnormal in patients with different types of von Willebrand disease and correlate with markers of angiogenesis. American Journal of Hematology, 2011, 86, 650-656.	2.0	20

GIUSEPPE GRITTI

#	Article	IF	CITATIONS
55	Immune Thrombocytopenia in Patients with Chronic Lymphocytic Leukemia Is Associated with Stereotyped B-Cell Receptors. Blood, 2011, 118, 2847-2847.	0.6	0
56	Clinical Relevance of Vascular Endothelial Growth Factor In Myelodysplastic Syndromes. Blood, 2010, 116, 4030-4030.	0.6	0
57	Pulmonary arterial hypertension in primary myelofibrosis is common and associated with an altered angiogenic status. Leukemia, 2008, 22, 646-649.	3.3	47