

Markus Waldn

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5645486/markus-walden-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

5,109

citations

31

h-index

71

g-index

72

ext. papers

6,036

ext. citations

6.4

avg, IF

6.02

L-index

#	Paper	IF	Citations
68	Epidemiology of muscle injuries in professional football (soccer). <i>American Journal of Sports Medicine</i> , 2011 , 39, 1226-32	6.8	762
67	Injuries affect team performance negatively in professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 738-42	10.3	392
66	Hamstring injuries have increased by 4% annually in men's professional football, since 2001: a 13-year longitudinal analysis of the UEFA Elite Club injury study. <i>British Journal of Sports Medicine</i> , 2016 , 50, 731-7	10.3	326
65	Hamstring muscle injuries in professional football: the correlation of MRI findings with return to play. <i>British Journal of Sports Medicine</i> , 2012 , 46, 112-7	10.3	306
64	Prevention of acute knee injuries in adolescent female football players: cluster randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, e3042	5.9	245
63	Risk factors for lower extremity muscle injury in professional soccer: the UEFA Injury Study. <i>American Journal of Sports Medicine</i> , 2013 , 41, 327-35	6.8	235
62	UEFA Champions League study: a prospective study of injuries in professional football during the 2001-2002 season. <i>British Journal of Sports Medicine</i> , 2005 , 39, 542-6	10.3	234
61	Three distinct mechanisms predominate in non-contact anterior cruciate ligament injuries in male professional football players: a systematic video analysis of 39 cases. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1452-60	10.3	212
60	Anterior cruciate ligament injury in elite football: a prospective three-cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 11-9	5.5	188
59	The epidemiology of anterior cruciate ligament injury in football (soccer): a review of the literature from a gender-related perspective. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 3-10	5.5	174
58	ACL injuries in men's professional football: a 15-year prospective study on time trends and return-to-play rates reveals only 65% of players still play at the top level 3 years after ACL rupture. <i>British Journal of Sports Medicine</i> , 2016 , 50, 744-50	10.3	161
57	Injury incidence and distribution in elite football--a prospective study of the Danish and the Swedish top divisions. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005 , 15, 21-8	4.6	159
56	Injuries in Swedish elite football--a prospective study on injury definitions, risk for injury and injury pattern during 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005 , 15, 118-25	4.6	149
55	Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 732-7	10.3	147
54	High risk of new knee injury in elite footballers with previous anterior cruciate ligament injury. <i>British Journal of Sports Medicine</i> , 2006 , 40, 158-62; discussion 158-62	10.3	109
53	Superior compliance with a neuromuscular training programme is associated with fewer ACL injuries and fewer acute knee injuries in female adolescent football players: secondary analysis of an RCT. <i>British Journal of Sports Medicine</i> , 2013 , 47, 974-9	10.3	106
52	The epidemiology of groin injury in senior football: a systematic review of prospective studies. <i>British Journal of Sports Medicine</i> , 2015 , 49, 792-7	10.3	90

51	Exposure and injury risk in Swedish elite football: a comparison between seasons 1982 and 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003 , 13, 364-70	4.6	87
50	Time-trends and circumstances surrounding ankle injuries in men's professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 748-53	10.3	81
49	Lower reinjury rate with a coach-controlled rehabilitation program in amateur male soccer: a randomized controlled trial. <i>American Journal of Sports Medicine</i> , 2007 , 35, 1433-42	6.8	62
48	Risk for injury when playing in a national football team. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2004 , 14, 34-8	4.6	61
47	Football injuries during European Championships 2004-2005. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007 , 15, 1155-62	5.5	59
46	The UEFA injury study: 11-year data concerning 346 MCL injuries and time to return to play. <i>British Journal of Sports Medicine</i> , 2013 , 47, 759-62	10.3	56
45	Risk factors for, and prevention of, shoulder injuries in overhead sports: a systematic review with best-evidence synthesis. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1312-1319	10.3	55
44	Injury recurrence is lower at the highest professional football level than at national and amateur levels: does sports medicine and sports physiotherapy deliver?. <i>British Journal of Sports Medicine</i> , 2016 , 50, 751-8	10.3	53
43	Regional differences in injury incidence in European professional football. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 424-30	4.6	52
42	Risk factors for acute knee injury in female youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 737-46	5.5	45
41	Implementation of a neuromuscular training programme in female adolescent football: 3-year follow-up study after a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1425-30	10.3	40
40	Head and neck injuries in professional soccer. <i>Clinical Journal of Sport Medicine</i> , 2013 , 23, 255-60	3.2	40
39	Hip and groin time-loss injuries decreased slightly but injury burden remained constant in men's professional football: the 15-year prospective UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2019 , 53, 539-546	10.3	40
38	Muscle injury rate in professional football is higher in matches played within 5 days since the previous match: a 14-year prospective study with more than 130 000 match observations. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1116-1122	10.3	40
37	Female adolescent elite handball players are more susceptible to shoulder problems than their male counterparts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 1892-1900	5.5	30
36	Preventing knee injuries in adolescent female football players - design of a cluster randomized controlled trial [NCT00894595]. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 75	2.8	29
35	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 3692-3698	5.5	28
34	No effect on performance tests from a neuromuscular warm-up programme in youth female football: a randomised controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012 , 20, 2116-23	5.5	27

33	Upper extremity injuries in male elite football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013 , 21, 1626-32	5.5	24
32	Comparison of injury incidences between football teams playing in different climatic regions. <i>Open Access Journal of Sports Medicine</i> , 2013 , 4, 251-60	2.9	23
31	Rehabilitation after first-time anterior cruciate ligament injury and reconstruction in female football players: a study of resilience factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016 , 8, 20	2.4	21
30	Match injury rates in professional soccer vary with match result, match venue, and type of competition. <i>American Journal of Sports Medicine</i> , 2013 , 41, 1505-10	6.8	18
29	High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1350-1356	10.3	17
28	A prospective cohort study identifying risk factors for shoulder injuries in adolescent elite handball players: the Karolinska Handball Study (KHAST) study protocol. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 485	2.8	14
27	Role of illness in male professional football: not a major contributor to time loss. <i>British Journal of Sports Medicine</i> , 2016 , 50, 699-702	10.3	13
26	Forty-five per cent lower acute injury incidence but no effect on overuse injury prevalence in youth floorball players (aged 12-17 years) who used an injury prevention exercise programme: two-armed parallel-group cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1028-1035	10.3	11
25	Infographic. High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1379-1380	10.3	10
24	Perspectives in football medicine. <i>Der Unfallchirurg</i> , 2018 , 121, 470-474	3.9	9
23	No Association Between Return to Play After Injury and Increased Rate of Anterior Cruciate Ligament Injury in Men's Professional Soccer. <i>Orthopaedic Journal of Sports Medicine</i> , 2016 , 4, 2325967116669708	3.5	8
22	Preseason Clinical Shoulder Test Results and Shoulder Injury Rate in Adolescent Elite Handball Players: A Prospective Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 67-74	4.2	9
21	A Nationwide Follow-up Survey on the Effectiveness of an Implemented Neuromuscular Training Program to Reduce Acute Knee Injuries in Soccer Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118813841	3.5	8
20	No association between surface shifts and time-loss overuse injury risk in male professional football. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 218-221	4.4	6
19	Few training sessions between return to play and first match appearance are associated with an increased propensity for injury: a prospective cohort study of male professional football players during 16 consecutive seasons. <i>British Journal of Sports Medicine</i> , 2020 , 54, 427-432	10.3	6
18	Limited positive effects on jump-landing technique in girls but not in boys after 8 weeks of injury prevention exercise training in youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 528-537	5.5	5
17	Performance Effects with Injury Prevention Exercise Programmes in Male Youth Football Players: A Randomised Trial Comparing Two Interventions. <i>Sports Medicine - Open</i> , 2020 , 6, 56	6.1	4
16	Elite female footballers' stories of sociocultural factors, emotions, and behaviours prior to anterior cruciate ligament injury. <i>International Journal of Sport and Exercise Psychology</i> , 2019 , 17, 630-646	2.5	4

15	Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study. <i>Open Access Journal of Sports Medicine</i> , 2020 , 11, 105-112	2.9	3
14	Rehabilitation of ACL Injury in the Handball Player 2018 , 481-491		3
13	The Female Player: Special Considerations 2018 , 929-940		2
12	Re-injuries in Professional Football: The UEFA Elite Club Injury Study 2018 , 953-962		2
11	Central nervous system monoaminergic activity in hip osteoarthritis patients with disabling pain: associations with pain severity and central sensitization.. <i>Pain Reports</i> , 2022 , 7, e988	3.5	1
10	High compliance with the injury prevention exercise programme Knee Control is associated with a greater injury preventive effect in male, but not in female, youth floorball players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 1	5.5	1
9	Return to Sports After ACL Reconstruction Surgery: A Risk for Further Joint Injury? 2013 , 183-188		1
8	Influence of the COVID-19 Lockdown and Restart on the Injury Incidence and Injury Burden in Men's Professional Football Leagues in 2020: The UEFA Elite Club Injury Study.. <i>Sports Medicine - Open</i> , 2022 , 8, 67	6.1	1
7	Study protocol for a prospective cohort study identifying risk factors for sport injury in adolescent female football players: the Karolinska football Injury Cohort (KIC).. <i>BMJ Open</i> , 2022 , 12, e055063	3	0
6	Illness prevalence and symptoms in youth floorball players: a one-season prospective cohort study involving 471 players.. <i>BMJ Open</i> , 2021 , 11, e051902	3	0
5	HIGH PREVALENCE OF SUBSTANTIAL SHOULDER PROBLEMS AMONG ELITE ADOLESCENT HANDBALL PLAYERS: THE KAROLINSKA HANDBALL STUDY. <i>British Journal of Sports Medicine</i> , 2017 , 51, 289.2-289	10.3	
4	The Knee Control Prevention Programme 2018 , 919-927		
3	Management of PCL Injuries in Handball 2018 , 295-305		
2	Football 2020 , 427-432		
1	Compensation claims following anterior cruciate ligament injuries reported to the patient insurance company in Sweden in 2005-2014. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 1-6	4.3	