

# Steven A J Declerck

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/564555/steven-a-j-declerck-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112  
papers

5,462  
citations

39  
h-index

72  
g-index

119  
ext. papers

6,219  
ext. citations

4  
avg, IF

5.34  
L-index

#	Paper	IF	Citations
112	Reduced fertilization constitutes an important prezygotic reproductive barrier between two sibling species of the hybridizing <i>Brachionus calyciflorus</i> species complex. <i>Hydrobiologia</i> , <b>2022</b> , 849, 1701	2.4	0
111	Experimental evidence of rapid heritable adaptation in the absence of initial standing genetic variation. <i>Functional Ecology</i> , <b>2022</b> , 36, 226	5.6	1
110	A critical assessment of the stoichiometric knife-edge: no evidence for artifacts caused by the experimental P-supplementation of algae. <i>Aquatic Ecology</i> , <b>2021</b> , 55, 1317	1.9	
109	The Role of Microbiome and Genotype in upon Parasite Re-Exposure. <i>Genes</i> , <b>2021</b> , 12,	4.2	1
108	Measuring the contribution of evolution to community trait structure in freshwater zooplankton. <i>Oikos</i> , <b>2021</b> , 130, 1773	4	0
107	Maternal effects in zooplankton consumers are not only mediated by direct but also by indirect effects of phosphorus limitation. <i>Oikos</i> , <b>2020</b> , 129, 766-774	4	3
106	Food nutrient availability affects epibiont prevalence and richness in natural <i>Daphnia</i> populations. <i>Limnology and Oceanography</i> , <b>2020</b> , 65, 2529-2540	4.8	2
105	Herbivore consumers face different challenges along opposite sides of the stoichiometric knife-edge. <i>Ecology Letters</i> , <b>2019</b> , 22, 2018-2027	10	10
104	Phytoplankton growth and stoichiometric responses to warming, nutrient addition and grazing depend on lake productivity and cell size. <i>Global Change Biology</i> , <b>2019</b> , 25, 2751-2762	11.4	20
103	Patterns of differentiation in the life history and demography of four recently described species of the <i>Brachionus calyciflorus</i> cryptic species complex. <i>Freshwater Biology</i> , <b>2019</b> , 64, 1994-2005	3.1	8
102	The genome of the freshwater monogonont rotifer <i>Brachionus calyciflorus</i> . <i>Molecular Ecology Resources</i> , <b>2018</b> , 18, 646-655	8.4	43
101	Integrating community assembly and biodiversity to better understand ecosystem function: the Community Assembly and the Functioning of Ecosystems (CAFE) approach. <i>Ecology Letters</i> , <b>2018</b> , 21, 167-180	10	48
100	Compositional and functional consequences of environmental change in Belgian farmland ponds. <i>Freshwater Biology</i> , <b>2018</b> , 63, 581-596	3.1	10
99	Bottom-Up Effects on Biomass Versus Top-Down Effects on Identity: A Multiple-Lake Fish Community Manipulation Experiment. <i>Ecosystems</i> , <b>2018</b> , 21, 166-177	3.9	19
98	Genome-wide identification of 31 cytochrome P450 (CYP) genes in the freshwater rotifer <i>Brachionus calyciflorus</i> and analysis of their benzo[a]pyrene-induced expression patterns. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , <b>2018</b> , 25, 26-33	2	4
97	Fungal parasites of a toxic inedible cyanobacterium provide food to zooplankton. <i>Limnology and Oceanography</i> , <b>2018</b> , 63, 2384-2393	4.8	22
96	Direct and Indirect Effects of Resource P-Limitation Differentially Impact Population Growth, Life History and Body Elemental Composition of a Zooplankton Consumer. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 172	5.7	10

95	Managing Successional Stage Heterogeneity to Maximize Landscape-Wide Biodiversity of Aquatic Vegetation in Ditch Networks. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1013	6.2	9
94	Local Functioning, Landscape Structuring: Drivers of Soil Microbial Community Structure and Function in Peatlands. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 2060	5.7	2
93	Reverse taxonomy applied to the <i>Brachionus calyciflorus</i> cryptic species complex: Morphometric analysis confirms species delimitations revealed by molecular phylogenetic analysis and allows the (re)description of four species. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203168	3.7	41
92	Integrating trait and phylogenetic distances to assess scale-dependent community assembly processes. <i>Ecography</i> , <b>2017</b> , 40, 742-752	6.5	26
91	Species sorting and stoichiometric plasticity control community C:P ratio of first-order aquatic consumers. <i>Ecology Letters</i> , <b>2017</b> , 20, 751-760	10	17
90	Monogonont rotifers as model systems for the study of micro-evolutionary adaptation and its eco-evolutionary implications. <i>Hydrobiologia</i> , <b>2017</b> , 796, 131-144	2.4	30
89	After-life effects: living and dead invertebrates differentially affect plants and their associated above- and belowground multitrophic communities. <i>Oikos</i> , <b>2017</b> , 126, 888-899	4	8
88	Effects of dispersal and environmental heterogeneity on the replacement and nestedness components of $\beta$ diversity. <i>Ecology</i> , <b>2017</b> , 98, 525-533	4.6	96
87	Integrative Taxonomy Recognizes Evolutionary Units Despite Widespread Mitonuclear Discordance: Evidence from a Rotifer Cryptic Species Complex. <i>Systematic Biology</i> , <b>2016</b> , 65, 508-24	8.4	74
86	A naturally heterogeneous landscape can effectively slow down the dispersal of aquatic microcrustaceans. <i>Oecologia</i> , <b>2016</b> , 180, 785-96	2.9	11
85	Can underwater refuges protect fish populations against cormorant predation? Evidence from a large-scale multiple pond experiment. <i>Fisheries Management and Ecology</i> , <b>2016</b> , 23, 89-98	1.8	3
84	Contributions of airborne dispersal and dormant propagule recruitment to the assembly of rotifer and crustacean zooplankton communities in temporary ponds. <i>Freshwater Biology</i> , <b>2016</b> , 61, 658-669	3.1	23
83	The influence of balanced and imbalanced resource supply on biodiversity-functioning relationship across ecosystems. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 371,	5.8	35
82	Fighting internal phosphorus loading: An evaluation of the large scale application of gradual Fe-addition to a shallow peat lake. <i>Ecological Engineering</i> , <b>2015</b> , 83, 78-89	3.9	33
81	Rapid adaptation of herbivore consumers to nutrient limitation: eco-evolutionary feedbacks to population demography and resource control. <i>Ecology Letters</i> , <b>2015</b> , 18, 553-62	10	50
80	The importance of environmental variables for submerged macrophyte community assemblage and coverage in shallow lakes: differences between northern and southern Europe. <i>Hydrobiologia</i> , <b>2015</b> , 744, 49-61	2.4	16
79	Suppression of invasive topmouth gudgeon <i>Pseudorasbora parva</i> by native pike <i>Esox lucius</i> in ponds. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , <b>2015</b> , 25, 41-48	2.6	10
78	The Impact of Conservation Management on the Community Composition of Multiple Organism Groups in Eutrophic Interconnected Man-Made Ponds. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139371	3.7	5

77	Parasite and nutrient enrichment effects on <i>Daphnia</i> interspecific competition. <i>Ecology</i> , <b>2015</b> , 96, 1421-306	3.0	12
76	Long-term allelopathic control of phytoplankton by the submerged macrophyte <i>Elodea nuttallii</i> . <i>Freshwater Biology</i> , <b>2014</b> , 59, 930-941	3.1	28
75	Effect of land use on pollution status and risk of fish endocrine disruption in small farmland ponds. <i>Hydrobiologia</i> , <b>2014</b> , 723, 103-120	2.4	4
74	An ecosystem service approach to support integrated pond management: a case study using Bayesian belief networks--highlighting opportunities and risks. <i>Journal of Environmental Management</i> , <b>2014</b> , 145, 79-87	7.9	36
73	Stoichiometric regulation of phytoplankton toxins. <i>Ecology Letters</i> , <b>2014</b> , 17, 736-42	10	106
72	Dispersal ability determines the role of environmental, spatial and temporal drivers of metacommunity structure. <i>PLoS ONE</i> , <b>2014</b> , 9, e111227	3.7	178
71	Food quality dominates the impact of food quantity on <i>Daphnia</i> life history: possible implications for re-oligotrophication. <i>Inland Waters</i> , <b>2014</b> , 4, 363-368	2.4	10
70	Strong effects of occasional drying on subsequent water clarity and cyanobacterial blooms in cool tropical reservoirs. <i>Freshwater Biology</i> , <b>2014</b> , 59, 870-884	3.1	11
69	Correlates of zooplankton beta diversity in tropical lake systems. <i>PLoS ONE</i> , <b>2014</b> , 9, e109581	3.7	60
68	Effects of connectivity, dispersal directionality and functional traits on the metacommunity structure of river benthic diatoms. <i>Journal of Biogeography</i> , <b>2013</b> , 40, 2238-2248	4.1	83
67	Planktonic ciliate community structure in shallow lakes of lowland Western Europe. <i>European Journal of Protistology</i> , <b>2013</b> , 49, 538-51	3.6	11
66	Effects of patch connectivity and heterogeneity on metacommunity structure of planktonic bacteria and viruses. <i>ISME Journal</i> , <b>2013</b> , 7, 533-42	11.9	51
65	The ecology of the riverine <i>Garra</i> species (Teleostei, Cypriniformes) in reservoirs of the semi-arid highlands of northern Ethiopia: temporal dynamics of feeding activity. <i>Inland Waters</i> , <b>2013</b> , 3, 331-340	2.4	1
64	How to maximally support local and regional biodiversity in applied conservation? Insights from pond management. <i>PLoS ONE</i> , <b>2013</b> , 8, e72538	3.7	38
63	Dispersal-mediated trophic interactions can generate apparent patterns of dispersal limitation in aquatic metacommunities. <i>Ecology Letters</i> , <b>2012</b> , 15, 218-26	10	61
62	Body size and dispersal mode as key traits determining metacommunity structure of aquatic organisms. <i>Ecology Letters</i> , <b>2012</b> , 15, 740-7	10	403
61	Evidence against the use of surrogates for biomonitoring of Neotropical floodplains. <i>Freshwater Biology</i> , <b>2012</b> , 57, 2411-2423	3.1	30
60	Cladoceran community composition in tropical semi-arid highland reservoirs in Tigray (Northern Ethiopia): A metacommunity perspective applied to young reservoirs. <i>Limnologica</i> , <b>2012</b> , 42, 137-143	2	12

59	Biological control of phytoplankton by the subtropical submerged macrophytes <i>Egeria densa</i> and <i>Potamogeton illinoensis</i> : a mesocosm study. <i>Freshwater Biology</i> , <b>2011</b> , 56, 1837-1849	3.1	42
58	Scale dependency of processes structuring metacommunities of cladocerans in temporary pools of High-Andes wetlands. <i>Ecography</i> , <b>2011</b> , 34, 296-305	6.5	136
57	Effects of nutrient additions and macrophyte composition on invertebrate community assembly and diversity in experimental ponds. <i>Basic and Applied Ecology</i> , <b>2011</b> , 12, 466-475	3.2	44
56	Genetic diversity of <i>Microcystis</i> blooms (Cyanobacteria) in recently constructed reservoirs in Tigray (Northern Ethiopia) assessed by rDNA ITS. <i>Aquatic Ecology</i> , <b>2011</b> , 45, 289-306	1.9	8
55	Bacterial community analysis of activated sludge: an evaluation of four commonly used DNA extraction methods. <i>Applied Microbiology and Biotechnology</i> , <b>2010</b> , 88, 299-307	5.7	27
54	Variation in ostracod (Crustacea, Ostracoda) communities in the alluvial valley of the upper Paran� River (Brazil) in relation to substrate. <i>Hydrobiologia</i> , <b>2010</b> , 644, 261-278	2.4	34
53	Effects of medium renewal and handling stress on life history traits in <i>Daphnia</i> . <i>Hydrobiologia</i> , <b>2010</b> , 643, 63-69	2.4	3
52	Impacts of climate warming on lake fish community structure and potential effects on ecosystem function. <i>Hydrobiologia</i> , <b>2010</b> , 646, 73-90	2.4	292
51	The influence of plant-associated filter feeders on phytoplankton biomass: a mesocosm study. <i>Hydrobiologia</i> , <b>2010</b> , 646, 199-208	2.4	7
50	Influence of nutrients, submerged macrophytes and zooplankton grazing on phytoplankton biomass and diversity along a latitudinal gradient in Europe. <i>Hydrobiologia</i> , <b>2010</b> , 653, 79-90	2.4	43
49	Effect of macrophyte community composition and nutrient enrichment on plant biomass and algal blooms. <i>Basic and Applied Ecology</i> , <b>2010</b> , 11, 432-439	3.2	70
48	Influence of nutrients, submerged macrophytes and zooplankton grazing on phytoplankton biomass and diversity along a latitudinal gradient in Europe <b>2010</b> , 79-90		
47	Impact of the fish <i>Garra</i> on the ecology of reservoirs and the occurrence of <i>Microcystis</i> blooms in semi-arid tropical highlands: an experimental assessment using enclosures. <i>Freshwater Biology</i> , <b>2009</b> , 54, 1605-1615	3.1	13
46	Subfossil Cladocera in relation to contemporary environmental variables in 54 Pan-European lakes. <i>Freshwater Biology</i> , <b>2009</b> , 54, 2401-2417	3.1	84
45	Evaluation of Restoration Measures in a Shallow Lake through a Comparison of Present Day Zooplankton Communities with Historical Samples. <i>Restoration Ecology</i> , <b>2009</b> , 17, 629-640	3.1	14
44	Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , <b>2009</b> , 2, 103-130		62
43	Assembly of zooplankton communities in newly created ponds. <i>Freshwater Biology</i> , <b>2008</b> , 53, ???-???	3.1	13
42	The genetic legacy of polyploid Bolivian <i>Daphnia</i> : the tropical Andes as a source for the North and South American <i>D. pulicaria</i> complex. <i>Molecular Ecology</i> , <b>2008</b> , 17, 1789-800	5.7	50

41	A comparative analysis of cladoceran communities from different water body types: patterns in community composition and diversity. <i>Hydrobiologia</i> , <b>2008</b> , 597, 19-27	2.4	47
40	The ecology of European ponds: defining the characteristics of a neglected freshwater habitat. <i>Hydrobiologia</i> , <b>2008</b> , 597, 1-6	2.4	187
39	Limnological and ecological characteristics of tropical highland reservoirs in Tigray, Northern Ethiopia. <i>Hydrobiologia</i> , <b>2008</b> , 610, 193-209	2.4	31
38	Plankton biodiversity along a gradient of productivity and its mediation by macrophytes. <i>Ecology</i> , <b>2007</b> , 88, 2199-210	4.6	96
37	High-altitude peatland temporary pools in Bolivia house a high cladoceran diversity. <i>Wetlands</i> , <b>2007</b> , 27, 1166-1174	1.7	20
36	The importance of drawdown and sediment removal for the restoration of the eutrophied shallow Lake Kraenepoel (Belgium). <i>Hydrobiologia</i> , <b>2007</b> , 584, 291-303	2.4	31
35	The power of species sorting: local factors drive bacterial community composition over a wide range of spatial scales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 20404-9	11.5	327
34	Asexuality and polyploidy in <i>Daphnia</i> from the tropical Andes. <i>Limnology and Oceanography</i> , <b>2007</b> , 52, 2079-2088	4.8	27
33	A comparative analysis of cladoceran communities from different water body types: patterns in community composition and diversity <b>2007</b> , 19-27		0
32	Trophic coupling in the microbial food web of a eutrophic shallow lake (Lake Visvijver, Belgium). <i>Archiv Für Hydrobiologie</i> , <b>2006</b> , 166, 307-324		5
31	Ecological characteristics of small farmland ponds: Associations with land use practices at multiple spatial scales. <i>Biological Conservation</i> , <b>2006</b> , 131, 523-532	6.2	192
30	An evaluation of the role of daphnids in controlling phytoplankton biomass in clear water versus turbid shallow lakes. <i>Limnologica</i> , <b>2006</b> , 36, 69-78	2	23
29	Tropical high Andes lakes: A limnological survey and an assessment of exotic rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Limnologica</i> , <b>2006</b> , 36, 258-268	2	13
28	Assessment and control of non-indigenous brown bullhead <i>Ameiurus nebulosus</i> populations using fyke nets in shallow ponds. <i>Journal of Fish Biology</i> , <b>2006</b> , 68, 522-531	1.9	10
27	Small habitat size and isolation can promote species richness: second-order effects on biodiversity in shallow lakes and ponds. <i>Oikos</i> , <b>2006</b> , 112, 227-231	4	267
26	<i>Daphnia</i> community analysis in shallow Kenyan lakes and ponds using dormant eggs in surface sediments. <i>Freshwater Biology</i> , <b>2006</b> , 51, 399-411	3.1	35
25	MULTI-GROUP BIODIVERSITY IN SHALLOW LAKES ALONG GRADIENTS OF PHOSPHORUS AND WATER PLANT COVER. <i>Ecology</i> , <b>2005</b> , 86, 1905-1915	4.6	172
24	Uncovering hidden species: hatching diapausing eggs for the analysis of cladoceran species richness. <i>Limnology and Oceanography: Methods</i> , <b>2005</b> , 3, 399-407	2.6	45

23	Plankton dynamics in a tropical floodplain lake: fish, nutrients, and the relative importance of bottom-up and top-down control. <i>Freshwater Biology</i> , <b>2005</b> , 50, 52-69	3.1	29
22	Hatching of cladoceran resting eggs: temperature and photoperiod. <i>Freshwater Biology</i> , <b>2005</b> , 50, 96-104	3.1	116
21	Ponds and pools as model systems in conservation biology, ecology and evolutionary biology. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , <b>2005</b> , 15, 715-725	2.6	290
20	Characterization of bacterial communities in four freshwater lakes differing in nutrient load and food web structure. <i>FEMS Microbiology Ecology</i> , <b>2005</b> , 53, 205-20	4.3	131
19	Dormant propagule banks integrate spatio-temporal heterogeneity in cladoceran communities. <i>Oecologia</i> , <b>2005</b> , 142, 109-16	2.9	42
18	Ecological implications of parasites in natural Daphnia populations. <i>Oecologia</i> , <b>2005</b> , 144, 382-90	2.9	77
17	The study of biodiversity in freshwater habitats: societal relevance and suggestions for priorities in science policy. <i>Hydrobiologia</i> , <b>2005</b> , 542, 1-9	2.4	16
16	The study of biodiversity in freshwater habitats: societal relevance and suggestions for priorities in science policy <b>2005</b> , 1-9		4
15	Use of ephippial morphology to assess richness of anomopods: potentials and pitfalls. <i>Journal of Limnology</i> , <b>2004</b> , 63, 75	1.5	59
14	Hatching Rate and Hatching Success with and Without Isolation of Zooplankton Resting Stages. <i>Hydrobiologia</i> , <b>2004</b> , 526, 235-241	2.4	31
13	Zooplankton, phytoplankton and the microbial food web in two turbid and two clearwater shallow lakes in Belgium. <i>Aquatic Ecology</i> , <b>2003</b> , 37, 137-150	1.9	24
12	Impact of fish predation on coexisting Daphnia taxa: a partial test of the temporal hybrid superiority hypothesis. <i>Hydrobiologia</i> , <b>2003</b> , 500, 83-94	2.4	13
11	Intraspecific density dependence in the dynamics of zooplankton under hypertrophic conditions. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , <b>2003</b> , 60, 919-928	2.4	6
10	Genetic differentiation in life history between Daphnia galeata populations: an adaptation to local predation regimes?. <i>Journal of Plankton Research</i> , <b>2003</b> , 25, 93-102	2.2	21
9	Rapid screening for freshwater bacterial groups by using reverse line blot hybridization. <i>Applied and Environmental Microbiology</i> , <b>2003</b> , 69, 5875-83	4.8	92
8	Impact of fish predation on coexisting Daphnia taxa: a partial test of the temporal hybrid superiority hypothesis <b>2003</b> , 83-94		2
7	Patterns of diet overlap between populations of non-indigenous and native fishes in shallow ponds. <i>Journal of Fish Biology</i> , <b>2002</b> , 61, 1182-1197	1.9	64
6	Evidence for local adaptation in neighbouring Daphnia populations: a laboratory transplant experiment. <i>Freshwater Biology</i> , <b>2001</b> , 46, 187-198	3.1	39

5	Regulation of rotifer species by invertebrate predators in a hypertrophic lake: selective predation on egg-bearing females and induction of morphological defences. <i>Journal of Plankton Research</i> , <b>1998</b> , 20, 605-618	2.2	35
4	The relevance of size efficiency to biomanipulation theory: a field test under hypertrophic conditions. <i>Hydrobiologia</i> , <b>1997</b> , 360, 265-275	2.4	13
3	Phenotypic plasticity of Daphnia life history traits in response to predator kairomones: genetic variability and evolutionary potential. <i>Hydrobiologia</i> , <b>1997</b> , 360, 89-99	2.4	57
2	The relevance of size efficiency to biomanipulation theory: a field test under hypertrophic conditions <b>1997</b> , 265-275		
1	Intrinsic postzygotic barriers constrain cross-fertilisation between two hybridising sibling rotifer species of the <i>Brachionus calyciflorus</i> species complex. <i>Freshwater Biology</i> ,	3.1	2