

Wenbo Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5647282/wenbo-wu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

5,498
citations

40
h-index

71
g-index

128
ext. papers

6,589
ext. citations

9.9
avg, IF

6.19
L-index

#	Paper	IF	Citations
126	Functional hyperbranched polymers with advanced optical, electrical and magnetic properties. <i>Chemical Society Reviews</i> , 2015 , 44, 3997-4022	58.5	285
125	A Highly Efficient and Photostable Photosensitizer with Near-Infrared Aggregation-Induced Emission for Image-Guided Photodynamic Anticancer Therapy. <i>Advanced Materials</i> , 2017 , 29, 1700548	24	280
124	Bright Aggregation-Induced-Emission Dots for Targeted Synergetic NIR-II Fluorescence and NIR-I Photoacoustic Imaging of Orthotopic Brain Tumors. <i>Advanced Materials</i> , 2018 , 30, e1800766	24	246
123	Precise Two-Photon Photodynamic Therapy using an Efficient Photosensitizer with Aggregation-Induced Emission Characteristics. <i>Advanced Materials</i> , 2017 , 29, 1701076	24	204
122	Metal-Organic-Framework-Assisted In Vivo Bacterial Metabolic Labeling and Precise Antibacterial Therapy. <i>Advanced Materials</i> , 2018 , 30, e1706831	24	172
121	Chemiluminescence-Guided Cancer Therapy Using a Chemiexcited Photosensitizer. <i>Chem</i> , 2017 , 3, 991-1007	16.7	169
120	Polymerization-Enhanced Photosensitization. <i>Chem</i> , 2018 , 4, 1937-1951	16.2	137
119	Novel functional conjugative hyperbranched polymers with aggregation-induced emission: synthesis through one-pot "A ₂ +B ₄ " polymerization and application as explosive chemsensors and PLEDs. <i>Macromolecular Rapid Communications</i> , 2012 , 33, 164-71	4.8	129
118	A conjugated hyperbranched polymer constructed from carbazole and tetraphenylethylene moieties: convenient synthesis through one-pot A ₂ + B ₄ Suzuki polymerization, aggregation-induced enhanced emission, and application as explosive chemosensors and PLEDs. <i>Journal of Materials Chemistry</i> , 2011 , 21, 6271-6274		129
117	High-generation second-order nonlinear optical (NLO) dendrimers: convenient synthesis by click chemistry and the increasing trend of NLO effects. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2763-7	16.4	128
116	A Light-Up Probe with Aggregation-Induced Emission for Real-Time Bio-orthogonal Tumor Labeling and Image-Guided Photodynamic Therapy. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 10182-10186	16.4	120
115	Polymerization-Enhanced Two-Photon Photosensitization for Precise Photodynamic Therapy. <i>ACS Nano</i> , 2019 , 13, 3095-3105	16.7	119
114	Atomic-Scale Core/Shell Structure Engineering Induces Precise Tensile Strain to Boost Hydrogen Evolution Catalysis. <i>Advanced Materials</i> , 2018 , 30, e1707301	24	115
113	Cancer-Cell-Activated Photodynamic Therapy Assisted by Cu(II)-Based Metal-Organic Framework. <i>ACS Nano</i> , 2019 , 13, 6879-6890	16.7	110
112	A Porphyrin-Based Conjugated Polymer for Highly Efficient In Vitro and In Vivo Photothermal Therapy. <i>Small</i> , 2016 , 12, 6243-6254	11	102
111	Conjugated-Polymer-Amplified Sensing, Imaging, and Therapy. <i>Chem</i> , 2017 , 2, 760-790	16.2	97
110	High performance photosensitizers with aggregation-induced emission for image-guided photodynamic anticancer therapy. <i>Materials Horizons</i> , 2017 , 4, 1110-1114	14.4	96

109	Hybrid Nanospheres to Overcome Hypoxia and Intrinsic Oxidative Resistance for Enhanced Photodynamic Therapy. <i>ACS Nano</i> , 2020 , 14, 2183-2190	16.7	92
108	New design strategies for second-order nonlinear optical polymers and dendrimers. <i>Polymer</i> , 2013 , 54, 4351-4382	3.9	92
107	Nanocrystallization: A Unique Approach to Yield Bright Organic Nanocrystals for Biological Applications. <i>Advanced Materials</i> , 2017 , 29, 1604100	24	88
106	Metal-Organic Framework as a Simple and General Inert Nanocarrier for Photosensitizers to Implement Activatable Photodynamic Therapy. <i>Advanced Functional Materials</i> , 2018 , 28, 1707519	15.6	86
105	Far Red/Near-Infrared AIE Dots for Image-Guided Photodynamic Cancer Cell Ablation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 21193-200	9.5	83
104	New tetraphenylethylene-containing conjugated polymers: Facile synthesis, aggregation-induced emission enhanced characteristics and application as explosive chemsensors and PLEDs. <i>Polymer</i> , 2012 , 53, 3163-3171	3.9	81
103	Multicolor monitoring of cellular organelles by single wavelength excitation to visualize the mitophagy process. <i>Chemical Science</i> , 2018 , 9, 2756-2761	9.4	78
102	A Photostable Far-Red/Near-Infrared Conjugated Polymer Photosensitizer with Aggregation-Induced Emission for Image-Guided Cancer Cell Ablation. <i>Macromolecules</i> , 2016 , 49, 5017-5025	5.5	75
101	Nonlinear Optical Dendrimers from Click Chemistry: Convenient Synthesis, New Function of the Formed Triazole Rings, and Enhanced NLO Effects. <i>Macromolecules</i> , 2009 , 42, 3864-3868	5.5	71
100	Precise Molecular Engineering of Photosensitizers with Aggregation-Induced Emission over 800 nm for Photodynamic Therapy. <i>Advanced Functional Materials</i> , 2019 , 29, 1901791	15.6	68
99	Highly efficient photosensitizers with aggregation-induced emission characteristics obtained through precise molecular design. <i>Chemical Communications</i> , 2017 , 53, 8727-8730	5.8	65
98	Novel global-like second-order nonlinear optical dendrimers: convenient synthesis through powerful click chemistry and large NLO effects achieved by using simple azo chromophore. <i>Chemical Science</i> , 2012 , 3, 1256	9.4	65
97	New hyperbranched polytriazoles containing isolation chromophore moieties derived from AB4 monomers through click chemistry under copper(I) catalysis: improved optical transparency and enhanced NLO effects. <i>Chemistry - A European Journal</i> , 2012 , 18, 4426-34	4.8	59
96	AIEgen-coupled upconversion nanoparticles eradicate solid tumors through dual-mode ROS activation. <i>Science Advances</i> , 2020 , 6, eabb2712	14.3	58
95	Smart activatable and traceable dual-prodrug for image-guided combination photodynamic and chemo-therapy. <i>Biomaterials</i> , 2017 , 144, 53-59	15.6	55
94	ONOO ⁻ and ClO ⁻ Responsive Organic Nanoparticles for Specific in Vivo Image-Guided Photodynamic Bacterial Ablation. <i>Chemistry of Materials</i> , 2018 , 30, 3867-3873	9.6	55
93	Visualization and In Situ Ablation of Intracellular Bacterial Pathogens through Metabolic Labeling. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 9288-9292	16.4	52
92	Decoration of porphyrin with tetraphenylethene: converting a fluorophore with aggregation-caused quenching to aggregation-induced emission enhancement. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 4690-4695	7.3	51

91	High-generation second-order nonlinear optical (NLO) Dendrimers that contain isolation chromophores: convenient synthesis by using click chemistry and their increased NLO effects. <i>Chemistry - A European Journal</i> , 2012 , 18, 11019-28	4.8	51
90	A series of hyperbranched polytriazoles containing perfluoroaromatic rings from AB ₂ -type monomers: convenient syntheses by click chemistry under copper(I) catalysis and enhanced optical nonlinearity. <i>Chemistry - an Asian Journal</i> , 2011 , 6, 2787-95	4.5	44
89	Morphology and Structure Engineering in Nanofiber Reactor: Tubular Hierarchical Integrated Networks Composed of Dual Phase Octahedral CoMnO ₂ /Carbon Nanofibers for Water Oxidation. <i>Small</i> , 2017 , 13, 1700468	11	43
88	New series of AB ₂ -type hyperbranched polytriazoles derived from the same polymeric intermediate: Different endcapping spacers with adjustable bulk and convenient syntheses via click chemistry under copper(I) catalysis. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 1977-1987	2.5	42
87	A Light-Up Probe with Aggregation-Induced Emission for Real-Time Bio-orthogonal Tumor Labeling and Image-Guided Photodynamic Therapy. <i>Angewandte Chemie</i> , 2018 , 130, 10339-10343	3.6	41
86	Second-order nonlinear optical dendrimers containing different types of isolation groups: convenient synthesis through powerful click chemistry and large NLO effects. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 717-728	7.1	39
85	Light-Induced Self-Escape of Spherical Nucleic Acid from Endo/Lysosome for Efficient Non-Cationic Gene Delivery. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 19168-19174	16.4	38
84	Dendronlike main-chain nonlinear optical (NLO) polyurethanes constructed from "H"-type chromophores: synthesis and NLO properties. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 856-63	9.5	37
83	Aromatic/perfluoroaromatic self-assembly effect: an effective strategy to improve the NLO effect. <i>Journal of Materials Chemistry</i> , 2012 , 22, 18486		36
82	New hyperbranched polyaryleneethynylene containing azobenzenechromophore moieties in the main chain: facile synthesis, large optical nonlinearity and high thermal stability. <i>Polymer Chemistry</i> , 2010 , 1, 78-81	4.9	36
81	Photosensitizer-Bacteria Biohybrids Promote Photodynamic Cancer Cell Ablation and Intracellular Protein Delivery. <i>Chemistry of Materials</i> , 2019 , 31, 7212-7220	9.6	35
80	Using two simple methods of Ar-Ar(F) self-assembly and isolation chromophores to further improve the comprehensive performance of NLO dendrimers. <i>Chemistry - A European Journal</i> , 2013 , 19, 630-41	4.8	32
79	New second-order nonlinear optical (NLO) hyperbranched polymers containing isolation chromophore moieties derived from one-pot A ₂ + B ₄ approach via Suzuki coupling reaction. <i>RSC Advances</i> , 2012 , 2, 6520	3.7	32
78	A Cross-linked Conjugated Polymer Photosensitizer Enables Efficient Sunlight-Induced Photooxidation. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 3062-3066	16.4	32
77	Metal-Organic Framework Assisted and Tumor Microenvironment Modulated Synergistic Image-Guided Photo-Chemo Therapy. <i>Advanced Functional Materials</i> , 2020 , 30, 2002431	15.6	31
76	New main-chain hyperbranched polymers: Facile synthesis, structural control, and second-order nonlinear optical properties. <i>Polymer</i> , 2012 , 53, 153-160	3.9	30
75	New hyperbranched second-order nonlinear optical poly(arylene-ethynylene)s containing pentafluoroaromatic rings as isolation group: Facile synthesis and enhanced optical nonlinearity through Ar-ArF self-assembly effect. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 5124-5133	2.5	30
74	Two types of nonlinear optical polyurethanes containing the same isolation groups: syntheses, optical properties, and influence of binding mode. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 14943-9	3.4	30

73	New hyperbranched conjugated polymers containing hexaphenylbenzene and oxadiazole units: convenient synthesis and efficient deep blue emitters for PLEDs application. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 9101-8	3.4	28
72	HClO-Activated Fluorescence and Photosensitization from an AIE Nanoprobe for Image-Guided Bacterial Ablation in Phagocytes. <i>Advanced Materials</i> , 2020 , 32, e2005222	24	27
71	Nanoprobes with aggregation-induced emission for theranostics. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 603-626	7.8	27
70	Dual-Responsive Metabolic Precursor and Light-Up AIEgen for Cancer Cell Bio-orthogonal Labeling and Precise Ablation. <i>Analytical Chemistry</i> , 2018 , 90, 6718-6724	7.8	26
69	Poly(9,9'-diheylfluorene carbazole) functionalized with reduced graphene oxide: convenient synthesis using nitrogen-based nucleophiles and potential applications in optical limiting. <i>Chemistry - A European Journal</i> , 2012 , 18, 14384-91	4.8	26
68	Visualizing Photodynamic Therapy in Transgenic Zebrafish Using Organic Nanoparticles with Aggregation-Induced Emission. <i>Nano-Micro Letters</i> , 2018 , 10, 61	19.5	24
67	A series of AB ₂ -type second-order nonlinear optical (NLO) polyaryleneethynylenes: using different end-capped spacers with adjustable bulk to achieve high NLO coefficients. <i>Polymer Chemistry</i> , 2013 , 4, 2361	4.9	24
66	One-step in vivo metabolic labeling as a theranostic approach for overcoming drug-resistant bacterial infections. <i>Materials Horizons</i> , 2020 , 7, 1138-1143	14.4	24
65	Specific Near-Infrared Probe for Ultrafast Imaging of Lysosomal β Galactosidase in Ovarian Cancer Cells. <i>Analytical Chemistry</i> , 2020 , 92, 5772-5779	7.8	23
64	Dendrimers with large nonlinear optical performance by introducing isolation chromophore, utilizing the Ar/ArF self-assembly effect, and modifying the topological structure. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 7033-41	9.5	23
63	Further improvement of the macroscopic NLO coefficient and optical transparency of hyperbranched polymers by enhancing the degree of branching. <i>Polymer Chemistry</i> , 2014 , 5, 5100	4.9	21
62	Design, synthesis and nonlinear optical properties of β -dendronized hyperbranched polymers		21
	<i>Science Bulletin</i> , 2013 , 58, 2753-2761		
61	Click modification of azo-containing polyurethanes through polymer reaction: Convenient, adjustable structure and enhanced nonlinear optical properties. <i>Dyes and Pigments</i> , 2009 , 81, 264-272	4.6	21
60	A biosensor based on self-clickable AIEgen: a signal amplification strategy for ultrasensitive immunoassays. <i>Chemical Communications</i> , 2017 , 53, 5287-5290	5.8	20
59	Using low generation dendrimers as monomers to construct dendronized hyperbranched polymers with high nonlinear optical performance. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 8122-8130	7.1	20
58	Changing the shape of chromophores from β -type to β -star-type increasing the macroscopic NLO effects by a large degree. <i>Polymer Chemistry</i> , 2013 , 4, 378-386	4.9	20
57	Using an isolation chromophore to further improve the comprehensive performance of nonlinear optical (NLO) dendrimers. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 3226	7.1	20
56	A functional conjugated hyperbranched polymer derived from tetraphenylethene and oxadiazole moieties: Synthesis by one-pot β -4+ β -2+ β -2 polymerization and application as explosive chemosensor and pLED. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 1432-1442	3.5	19

55	High-Generation Second-Order Nonlinear Optical (NLO) Dendrimers: Convenient Synthesis by Click Chemistry and the Increasing Trend of NLO Effects. <i>Angewandte Chemie</i> , 2010 , 122, 2823-2827	3.6	19
54	Binary Organic Nanoparticles with Bright Aggregation-Induced Emission for Three-Photon Brain Vascular Imaging. <i>Chemistry of Materials</i> , 2020 , 32, 6437-6443	9.6	19
53	A series of dendronized hyperbranched polymers with dendritic chromophore moieties in the periphery: convenient synthesis and large nonlinear optical effects. <i>Polymer Chemistry</i> , 2016 , 7, 4016-4024	4.9	19
52	Tumor-Activated Photosensitization and Size Transformation of Nanodrugs. <i>Advanced Functional Materials</i> , 2021 , 31, 2010241	15.6	18
51	The role of introduced isolation groups in PVK-based nonlinear optical polymers: Enlarged nonlinearity, improved processibility, and enhanced thermal stability. <i>Polymer</i> , 2009 , 50, 2806-2814	3.9	17
50	New Second-Order Nonlinear Optical Polymers Derived from AB ₂ and AB Monomers via Sonogashira Coupling Reaction. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 916-923	2.6	17
49	Carrier-Free Hybrid DNA Nanoparticles for Light-Induced Self-Delivery of Functional Nucleic Acid Enzymes. <i>ACS Nano</i> , 2021 , 15, 1841-1849	16.7	17
48	Photorefractive hyper-structured molecular glasses constructed by calix[4]resorcinarene core and carbazole-based methine nonlinear optical chromophore. <i>Dyes and Pigments</i> , 2017 , 142, 8-16	4.6	16
47	A calix[4]resorcinarene-based hyper-structured molecule bearing disperse red 1 as the chromophore with enhanced photorefractive performance under non-electric field. <i>Dyes and Pigments</i> , 2019 , 160, 579-586	4.6	16
46	Gold Nanostars-AIE Theranostic Nanodots with Enhanced Fluorescence and Photosensitization Towards Effective Image-Guided Photodynamic Therapy. <i>Nano-Micro Letters</i> , 2021 , 13, 58	19.5	16
45	Main chain dendronized hyperbranched polymers: convenient synthesis and good second-order nonlinear optical performance. <i>Polymer Chemistry</i> , 2015 , 6, 4396-4403	4.9	15
44	High-Performance Conjugated Polymer Photosensitizers. <i>Chem</i> , 2018 , 4, 1762-1764	16.2	15
43	Second-order nonlinear optical hyperbranched polymer containing isolation chromophore moieties derived from both H ₂ E ₂ type and star-type chromophores. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 1415-1423	3.5	15
42	Tumor-Activated and Metal-Organic Framework Assisted Self-Assembly of Organic Photosensitizers. <i>ACS Nano</i> , 2020 , 14, 13056-13068	16.7	15
41	Main Chain Dendronized Polymers: Design, Synthesis, and Application in the Second-Order Nonlinear Optical (NLO) Area. <i>Journal of Physical Chemistry C</i> , 2015 , 150615083408000	3.8	14
40	The influence of pentafluorophenyl groups on the nonlinear optical (NLO) performance of high generation dendrons and dendrimers. <i>Scientific Reports</i> , 2014 , 4, 6101	4.9	14
39	A second-order nonlinear optical dendronized hyperbranched polymer containing isolation chromophores: achieving good optical nonlinearity and stability simultaneously. <i>Science China Chemistry</i> , 2018 , 61, 584-591	7.9	14
38	Calix[4]resorcinarene-based branched macromolecules for all-optical photorefractive applications. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10684-10690	7.1	14

37	Aggregation-induced emission: challenges and opportunities. <i>National Science Review</i> , 2021 , 8, nwa22210.8	10.8	14
36	Main-chain second-order nonlinear optical polyaryleneethynyls containing isolation chromophores: enhanced nonlinear optical properties, improved optical transparency and stability. <i>Polymer Chemistry</i> , 2013 , 4, 3196	4.9	12
35	Engineered Cell-Assisted Photoactive Nanoparticle Delivery for Image-Guided Synergistic Photodynamic/Photothermal Therapy of Cancer. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13935-13944	9.5	11
34	Photoacoustic Imaging: Bright Aggregation-Induced-Emission Dots for Targeted Synergetic NIR-II Fluorescence and NIR-I Photoacoustic Imaging of Orthotopic Brain Tumors (Adv. Mater. 29/2018). <i>Advanced Materials</i> , 2018 , 30, 1870214	24	11
33	New Carbazole-Based Hyperbranched Conjugated Polymer with Good Hole-Transporting Properties. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 1820-1825	2.6	11
32	Strain Relaxation in Metal Alloy Catalysts Steers the Product Selectivity of Electrocatalytic CO Reduction.. <i>ACS Nano</i> , 2022 ,	16.7	11
31	Capture and biological release of circulating tumor cells in pancreatic cancer based on peptide-functionalized silicon nanowire substrate. <i>International Journal of Nanomedicine</i> , 2019 , 14, 205-214	7.3	10
30	Using an orthogonal approach and one-pot method to simplify the synthesis of nonlinear optical (NLO) dendrimers. <i>Polymer Chemistry</i> , 2014 , 5, 6667-6670	4.9	9
29	Second-order nonlinear optical (NLO) polymers containing perfluoroaromatic rings as isolation groups with Ar/ArF self-assembly effect: Enhanced NLO coefficient and stability. <i>Polymer</i> , 2013 , 54, 5655-5664	3.9	9
28	From nitro- to sulfonyl-based chromophores: improvement of the comprehensive performance of nonlinear optical dendrimers. <i>Chemistry - A European Journal</i> , 2013 , 19, 6874-88	4.8	9
27	Visualize Embryogenesis and Cell Fate Using Fluorescent Probes with Aggregation-Induced Emission. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3737-3744	9.5	9
26	Further enhancement of the second-order nonlinear optical (NLO) coefficient and the stability of NLO polymers that contain isolation chromophore moieties by using the "suitable isolation group" concept and the Ar/Ar(F) self-assembly effect. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 1836-46	4.5	8
25	Introduction of an Isolation Chromophore into an "H"-Shaped NLO Polymer: Enhanced NLO Effect, Optical Transparency, and Stability. <i>ChemPlusChem</i> , 2013 , 78, 1523-1529	2.8	8
24	Nanobody modified high-performance AIE photosensitizer nanoparticles for precise photodynamic oral cancer therapy of patient-derived tumor xenograft. <i>Biomaterials</i> , 2021 , 274, 120870	15.6	8
23	Modulating the optical properties and functions of organic molecules through polymerization. <i>Materials Horizons</i> , 2021 ,	14.4	8
22	Mechanoluminescence: Quantitative Pressure-Brightness Relationship Enables New Applications. <i>Matter</i> , 2020 , 2, 291-293	12.7	7
21	Synthesis of conjugated polymers bearing pendant bipyridine ruthenium complexes. <i>Reactive and Functional Polymers</i> , 2015 , 90, 7-14	4.6	6
20	The utilization of isolation chromophore in an "A3 +B2 " type second-order nonlinear optical hyperbranched polymer. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 1072-9	4.8	6

19	A Cross-linked Conjugated Polymer Photosensitizer Enables Efficient Sunlight-Induced Photooxidation. <i>Angewandte Chemie</i> , 2019 , 131, 3094-3098	3.6	6
18	Mesoporous Rod-Like Metal-Organic Framework with Optimal Tumor Targeting Properties for Enhanced Activatable Photodynamic Therapy. <i>Advanced Therapeutics</i> , 2020 , 3, 2000011	4.9	5
17	The self-assembly effect in NLO polymers containing isolation chromophores: enhanced NLO coefficient and stability. <i>New Journal of Chemistry</i> , 2013 , 37, 1789	3.6	5
16	Organic Nanoparticles with Persistent Luminescence for In Vivo Afterglow Imaging-Guided Photodynamic Therapy. <i>Chemistry - A European Journal</i> , 2021 , 27, 6911-6916	4.8	5
15	Visualization and In Situ Ablation of Intracellular Bacterial Pathogens through Metabolic Labeling. <i>Angewandte Chemie</i> , 2020 , 132, 9374-9378	3.6	5
14	Calix[4]resorcinarene-based hyper-structured molecular thermally activated delayed fluorescence yellow-green emitters for non-doped OLEDs. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 4469-4476	7.1	4
13	Light-Induced Self-Escape of Spherical Nucleic Acid from Endo/Lysosome for Efficient Non-Cationic Gene Delivery. <i>Angewandte Chemie</i> , 2020 , 132, 19330-19336	3.6	4
12	Antibacterial Therapy: Metal-Organic-Framework-Assisted In Vivo Bacterial Metabolic Labeling and Precise Antibacterial Therapy (Adv. Mater. 18/2018). <i>Advanced Materials</i> , 2018 , 30, 1870124	24	3
11	A hyperbranched polymer with enhanced photorefractive effect at low and zero applied electric field. <i>Dyes and Pigments</i> , 2020 , 180, 108473	4.6	3
10	Metabolizable Photosensitizer with Aggregation-Induced Emission for Photodynamic Therapy. <i>Chemistry of Materials</i> , 2021 , 33, 5974-5980	9.6	3
9	Near-infrared light excited photodynamic anticancer therapy based on UCNP@AIEgen nanocomposite. <i>Nanoscale Advances</i> , 2021 , 3, 2325-2333	5.1	3
8	A carbazole-triphenylamine copolymer-bearing pendant europium complexes: Synthesis and luminescence properties. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	2
7	Photothermal-Activatable Liposome Carrying Tissue Plasminogen Activator for Photoacoustic Image-Guided Ischemic Stroke Treatment. <i>Small Structures</i> , 2100118	8.7	2
6	Living Bacteria-Based Immuno-Photodynamic Therapy: Metabolic Labeling of <i>Clostridium butyricum</i> for Eradicating Malignant Melanoma.. <i>Advanced Science</i> , 2022 , e2105807	13.6	2
5	Electrocatalysis: Morphology and Structure Engineering in Nanofiber Reactor: Tubular Hierarchical Integrated Networks Composed of Dual Phase Octahedral CoMn2O4/Carbon Nanofibers for Water Oxidation (Small 26/2017). <i>Small</i> , 2017 , 13,	11	1
4	Size Optimization of Organic Nanoparticles with Aggregation-Induced Emission Characteristics for Improved ROS Generation and Photodynamic Cancer Cell Ablation. <i>Small</i> , 2202242	11	1
3	Nanocrystals with Crystallization-Induced or Enhanced Emission 2019 , 291-306		
2	Electrocatalytic Nanomaterials: Atomic-Scale Core/Shell Structure Engineering Induces Precise Tensile Strain to Boost Hydrogen Evolution Catalysis (Adv. Mater. 26/2018). <i>Advanced Materials</i> , 2018 , 30, 1870191	24	

- 1 Dendronized Hyperbranched Polymer: A New Architecture for Second-Order Nonlinear Optics. *Symmetry*, **2022**, 14, 882 2.7