

Patrizia Carrieri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5647412/publications.pdf>

Version: 2024-02-01

235
papers

7,747
citations

70961

41
h-index

66788

78
g-index

239
all docs

239
docs citations

239
times ranked

9305
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Obesity-associated gut microbiota is enriched in <i>Lactobacillus reuteri</i> and depleted in <i>Bifidobacterium animalis</i> and <i>Methanobrevibacter smithii</i> . <i>International Journal of Obesity</i> , 2012, 36, 817-825. | 1.6 | 567 |
| 2 | The clinical value of somatic TP53 gene mutations in 1,794 patients with breast cancer.. <i>Clinical Cancer Research</i> , 2006, 12, 1157-1167. | 3.2 | 495 |
| 3 | Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022, 19, 60-78. | 8.2 | 330 |
| 4 | Risks Factors and Prevention of Q Fever Endocarditis. <i>Clinical Infectious Diseases</i> , 2001, 33, 312-316. | 2.9 | 264 |
| 5 | The EASL“Lancet Liver Commission: protecting the next generation of Europeans against liver disease complications and premature mortality. <i>Lancet, The</i> , 2022, 399, 61-116. | 6.3 | 257 |
| 6 | Failure to maintain long-term adherence to highly active antiretroviral therapy: the role of lipodystrophy. <i>Aids</i> , 2001, 15, 2441-2444. | 1.0 | 247 |
| 7 | Adherence to HAART in French HIV-infected injecting drug users: the contribution of buprenorphine drug maintenance treatment. <i>Aids</i> , 2000, 14, 151-155. | 1.0 | 193 |
| 8 | The Dynamic of Adherence to Highly Active Antiretroviral Therapy: Results From the French National APROCO Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001, 28, 232-239. | 0.9 | 163 |
| 9 | Risk of cancer following immunosuppression in organ transplant recipients and in HIV-positive individuals in southern Europe. <i>European Journal of Cancer</i> , 2007, 43, 2117-2123. | 1.3 | 127 |
| 10 | Buprenorphine Use: The International Experience. <i>Clinical Infectious Diseases</i> , 2006, 43, S197-S215. | 2.9 | 125 |
| 11 | Nonadherence Among HIV-Infected Injecting Drug Users: The Impact of Social Instability. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002, 31, S149-S153. | 0.9 | 120 |
| 12 | Health-Related Quality of Life After 1 Year of Highly Active Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003, 32, 38-47. | 0.9 | 113 |
| 13 | Adjuvant endocrine therapy with tamoxifen in young women with breast cancer: determinants of interruptions vary over time. <i>Annals of Oncology</i> , 2012, 23, 882-890. | 0.6 | 107 |
| 14 | Cancer risk among men with, or at risk of, HIV infection in southern Europe. <i>Aids</i> , 2000, 14, 553-559. | 1.0 | 105 |
| 15 | Model projections on the impact of HCV treatment in the prevention of HCV transmission among people who inject drugs in Europe. <i>Journal of Hepatology</i> , 2018, 68, 402-411. | 1.8 | 105 |
| 16 | HIV infection among persons who inject drugs. <i>Aids</i> , 2016, 30, 815-826. | 1.0 | 100 |
| 17 | Factors Associated With Nonadherence to Highly Active Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 41, 477-485. | 0.9 | 96 |
| 18 | Failure to maintain adherence to haart in a cohort of French HIV-positive injecting drug users. <i>International Journal of Behavioral Medicine</i> , 2003, 10, 1-14. | 0.8 | 93 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Case-Control Study on Risk Factors for Peyronie's Disease. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 511-515. | 2.4 | 91 |
| 20 | Risk of invasive cervical cancer among women with, or at risk for, HIV infection. , 1999, 82, 334-337. | | 90 |
| 21 | Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use. MANIF 2000 Study Group. <i>Journal of Epidemiology and Community Health</i> , 1999, 53, 4-8. | 2.0 | 87 |
| 22 | Health-related quality of life and patient-provider relationships in HIV-infected patients during the first three years after starting PI-containing antiretroviral treatment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2004, 16, 649-661. | 0.6 | 87 |
| 23 | Monitoring of HIV viral loads, CD4 cell counts, and clinical assessments versus clinical monitoring alone for antiretroviral therapy in rural district hospitals in Cameroon (Stratall ANRS 12110/ESTHER): a randomised non-inferiority trial. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 825-833. | 4.6 | 83 |
| 24 | Death rates in HIV-positive antiretroviral-naïve patients with CD4 count greater than 350 cells per μ L in Europe and North America: a pooled cohort observational study. <i>Lancet</i> , The, 2010, 376, 340-345. | 6.3 | 82 |
| 25 | Reduced incidence of kaposi's sarcoma and of systemic non-hodgkin's lymphoma in HIV-infected individuals treated with highly active antiretroviral therapy. <i>International Journal of Cancer</i> , 2003, 103, 142-144. | 2.3 | 80 |
| 26 | The French national prospective cohort of patients co-infected with HIV and HCV (ANRS CO13) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 | 1.3 | 79 |
| 27 | Effect on HBs antigen clearance of addition of pegylated interferon alfa-2a to nucleos(t)ide analogue therapy versus nucleos(t)ide analogue therapy alone in patients with HBe antigen-negative chronic hepatitis B and sustained undetectable plasma hepatitis B virus DNA: a randomised, controlled, open-label trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 177-188. | 3.7 | 79 |
| 28 | Patient-reported outcomes to enhance person-centred HIV care. <i>Lancet HIV</i> , the, 2020, 7, e59-e68. | 2.1 | 79 |
| 29 | B-cell non-Hodgkin lymphoma linked to <i>Coxiella burnetii</i> . <i>Blood</i> , 2016, 127, 113-121. | 0.6 | 78 |
| 30 | Self-Reported Fatigue and Depressive Symptoms as Main Indicators of the Quality of Life (QOL) of Patients Living with HIV and Hepatitis C: Implications for Clinical Management and Future Research. <i>HIV Clinical Trials</i> , 2007, 8, 320-327. | 2.0 | 68 |
| 31 | Consensus statement on the role of health systems in advancing the long-term well-being of people living with HIV. <i>Nature Communications</i> , 2021, 12, 4450. | 5.8 | 67 |
| 32 | The negative impact of <scp>HBV</scp>/<scp>HCV</scp> coinfection on cirrhosis and its consequences. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 1054-1060. | 1.9 | 66 |
| 33 | Effect of motivational mobile phone short message service on aspirin adherence after coronary stenting for acute coronary syndrome. <i>International Journal of Cardiology</i> , 2013, 168, 568-569. | 0.8 | 65 |
| 34 | 20 Years into the Gambia Hepatitis Intervention Study: Assessment of Initial Hypotheses and Prospects for Evaluation of Protective Effectiveness Against Liver Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3216-3223. | 1.1 | 63 |
| 35 | Risk factors for nosocomial sepsis in newborn intensive and intermediate care units. <i>European Journal of Pediatrics</i> , 1996, 155, 315-322. | 1.3 | 58 |
| 36 | Determinants of unplanned antiretroviral treatment interruptions among people living with HIV in Yaoundé, Cameroon (EVAL survey, ANRS 12). <i>Tropical Medicine and International Health</i> , 2008, 13, 1470-1478. | 1.0 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Investigation of a Slaughterhouse-Related Outbreak of Q Fever in the French Alps. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2002, 21, 17-21. | 1.3 | 54 |
| 38 | Factors associated with Efavirenz discontinuation in a large community-based sample of patients. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2004, 16, 558-564. | 0.6 | 50 |
| 39 | The impact of ledipasvir/sofosbuvir on patient-reported outcomes in cirrhotic patients with chronic hepatitis C: the <scp>SIRIUS</scp> study. <i>Liver International</i> , 2016, 36, 42-48. | 1.9 | 50 |
| 40 | Blood Agar and Mycobacterium tuberculosis : the End of a Dogma. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1710-1711. | 1.8 | 46 |
| 41 | Efficacy and safety of direct-acting antiviral regimens in HIV/HCV-co-infected patients â€“ French ANRS CO13 HEPAVIH cohort. <i>Journal of Hepatology</i> , 2017, 67, 23-31. | 1.8 | 45 |
| 42 | Predictors of Non-adherence to Methadone Maintenance Treatment in Opioid-dependent Individuals: Implications for Clinicians. <i>Current Pharmaceutical Design</i> , 2014, 20, 4097-4105. | 0.9 | 44 |
| 43 | Interventions to address substance use and sexual risk among gay, bisexual and other men who have sex with men who use methamphetamine: A systematic review. <i>Drug and Alcohol Dependence</i> , 2019, 194, 410-429. | 1.6 | 43 |
| 44 | Clinical, Biologic, and Behavioral Predictors of Early Immunologic and Virologic Response in HIV-Infected Patients Initiating Protease Inhibitors. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 372-376. | 0.9 | 42 |
| 45 | Innovative community-based educational face-to-face intervention to reduce HIV, hepatitis C virus and other blood-borne infectious risks in difficult-to-reach people who inject drugs: results from the ANRSâ€“AERLI intervention study. <i>Addiction</i> , 2016, 111, 94-106. | 1.7 | 42 |
| 46 | Immunosuppression and Cancer: A Comparison of Risks in Recipients of Organ Transplants and in HIV-Positive Individuals. <i>Transplantation Proceedings</i> , 2006, 38, 3533-3535. | 0.3 | 41 |
| 47 | Usefulness of High Clopidogrel Maintenance Dose According to CYP2C19 Genotypes in Clopidogrel Low Responders Undergoing Coronary Stenting for Non ST Elevation Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2011, 108, 760-765. | 0.7 | 40 |
| 48 | Acceptability of an on-demand pre-exposure HIV prophylaxis trial among men who have sex with men living in France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 468-477. | 0.6 | 40 |
| 49 | Monitoring of HIV viral load, CD4 cell count, and clinical assessment versus clinical monitoring alone for antiretroviral therapy in low-resource settings (Stratall ANRS 12110/ESTHER): a cost-effectiveness analysis. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 577-586. | 4.6 | 39 |
| 50 | Increased systemic immune activation and inflammatory profile of long-term HIV-infected ART-controlled patients is related to personal factors, but not to markers of HIV infection severity. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1816-1824. | 1.3 | 39 |
| 51 | â€“Do HIV-infected injecting drug users over-report adherence to highly active antiretroviral therapy?â€™ A comparison between patientsâ€™ self-reports and serum protease inhibitor concentrations in the French Manif 2000 cohort study. <i>Aids</i> , 2001, 15, 1075-1077. | 1.0 | 38 |
| 52 | Reevaluation of the Risk of Fetal Death and Malformation After Q Fever. <i>Clinical Infectious Diseases</i> , 2014, 59, 256-260. | 2.9 | 37 |
| 53 | Impact of HAART exposure and associated lipodystrophy on advanced liver fibrosis in HIV/HCV-coinfected patients. <i>Journal of Viral Hepatitis</i> , 2011, 18, e307-14. | 1.0 | 36 |
| 54 | Patient-reported outcomes with direct-acting antivirals for the treatment of chronic hepatitis C: current knowledge and outstanding issues. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017, 11, 1-10. | 1.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Drug injection cessation among HIV-infected injecting drug users. <i>Addictive Behaviors</i> , 2004, 29, 1189-1197. | 1.7 | 35 |
| 56 | Self-reported side-effects of anti-retroviral treatment among IDUs: A 7-year longitudinal study (APROCO-COPILOTE COHORT ANRS CO-8). <i>International Journal of Drug Policy</i> , 2007, 18, 288-295. | 1.6 | 35 |
| 57 | Performance of HIV care decentralization from the patient's perspective: health-related quality of life and perceived quality of services in Cameroon. <i>Health Policy and Planning</i> , 2012, 27, 301-315. | 1.0 | 34 |
| 58 | Intercenter variability and time of onset: two crucial issues in the analysis of risk factors for nosocomial sepsis. <i>Pediatric Infectious Disease Journal</i> , 2003, 22, 599-609. | 1.1 | 33 |
| 59 | Longevity of popes and artists between the 13th and the 19th century. <i>International Journal of Epidemiology</i> , 2005, 34, 1435-1436. | 0.9 | 33 |
| 60 | Antiphospholipid Antibody Syndrome With Valvular Vegetations in Acute Q Fever. <i>Clinical Infectious Diseases</i> , 2016, 62, 537-544. | 2.9 | 33 |
| 61 | Monitoring quality and coverage of harm reduction services for people who use drugs: a consensus study. <i>Harm Reduction Journal</i> , 2017, 14, 19. | 1.3 | 33 |
| 62 | Expanding Access to Non-Medicalized Community-Based Rapid Testing to Men Who Have Sex with Men: An Urgent HIV Prevention Intervention (The ANRS-DRAG Study). <i>PLoS ONE</i> , 2013, 8, e61225. | 1.1 | 32 |
| 63 | The Role of Adherence in Virological Suppression in Patients Receiving Anti-HBV Analogues. <i>Antiviral Therapy</i> , 2012, 17, 395-400. | 0.6 | 31 |
| 64 | Adherence to Antiretroviral Treatment in HIV-Positive Patients in the Cameroon Context: Promoting the Use of Medication Reminder Methods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, S40-S43. | 0.9 | 30 |
| 65 | Correlates of general practitioners'™ recommendations to patients regarding vaccination for the 2009-2010 pandemic influenza (A/H1N1) in France: Implications for future vaccination campaigns. <i>Vaccine</i> , 2014, 32, 2281-2287. | 1.7 | 29 |
| 66 | Determinants of the underreporting of alcohol consumption by HIV/HCV co-infected patients during face-to-face medical interviews: The role of the physician. <i>Drug and Alcohol Dependence</i> , 2011, 116, 228-232. | 1.6 | 28 |
| 67 | Health-related quality of life of people living with HIV followed up in hospitals in France: comparing trends and correlates between 2003 and 2011 (ANRS-VESPA and VESPA2 national surveys). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, S29-S40. | 0.6 | 28 |
| 68 | Impact of short-term adherence on virological and immunological success of HAART: a case study among French HIV-infected IDUs. <i>International Journal of STD and AIDS</i> , 2001, 12, 324-328. | 0.5 | 27 |
| 69 | Prevalence of unsafe sex with one's steady partner either HIV-negative or of unknown HIV status and associated determinants in Cameroon (EVAL ANRS12-116 survey). <i>Sexually Transmitted Infections</i> , 2010, 86, 148-154. | 0.8 | 27 |
| 70 | European "NAFLD Preparedness Index"™ " Is Europe ready to meet the challenge of fatty liver disease?. <i>JHEP Reports</i> , 2021, 3, 100234. | 2.6 | 27 |
| 71 | Task Shifting HIV Care in Rural District Hospitals in Cameroon. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, 569-576. | 0.9 | 26 |
| 72 | Treatment and Prophylactic Strategy for <i>Coxiella burnetii</i> Infection of Aneurysms and Vascular Grafts. <i>Medicine (United States)</i> , 2016, 95, e2810. | 0.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Protective effect of coffee consumption on all-cause mortality of French HIV-HCV co-infected patients. <i>Journal of Hepatology</i> , 2017, 67, 1157-1167. | 1.8 | 25 |
| 74 | Suicide risk in a representative sample of people receiving HIV care: Time to target most-at-risk populations (ANRS VESPA2 French national survey). <i>PLoS ONE</i> , 2017, 12, e0171645. | 1.1 | 25 |
| 75 | Screening, diagnosis and care cascade for viral hepatitis B and C in Yaoundé, Cameroon: a qualitative study of patients and health providers coping with uncertainty and unbearable costs. <i>BMJ Open</i> , 2019, 9, e025415. | 0.8 | 25 |
| 76 | Assessing adherence to antiretroviral therapy in randomized HIV clinical trials: a review of currently used methods. <i>Expert Review of Anti-Infective Therapy</i> , 2013, 11, 239-250. | 2.0 | 24 |
| 77 | <i>Tropheryma whipplei</i> DNA in bronchoalveolar lavage samples: a case control study. <i>Clinical Microbiology and Infection</i> , 2016, 22, 875-879. | 2.8 | 24 |
| 78 | Knowledge of liver fibrosis stage among adults with <sc>NAFLD</sc>/<sc>NASH</sc> improves adherence to lifestyle changes. <i>Liver International</i> , 2022, 42, 984-994. | 1.9 | 24 |
| 79 | Lower HCV treatment uptake in women who have received opioid agonist therapy before and during the DAA era: The ANRS FANTASIO project. <i>International Journal of Drug Policy</i> , 2019, 72, 61-68. | 1.6 | 23 |
| 80 | “Everybody living with a chronic disease is entitled to be cured” Challenges and opportunities in scaling up access to direct-acting antiviral hepatitis C virus treatment among people who inject drugs. <i>International Journal of Drug Policy</i> , 2020, 81, 102766. | 1.6 | 23 |
| 81 | Daily cannabis and reduced risk of steatosis in human immunodeficiency virus and hepatitis C virus-co-infected patients (<sc>ANRS CO</sc>13<sc>HEPAVIH</sc>). <i>Journal of Viral Hepatitis</i> , 2018, 25, 171-179. | 1.0 | 23 |
| 82 | Higher risk of unsafe sex and impaired quality of life among patients not receiving antiretroviral therapy in Cameroon: results from the EVAL survey (ANRS 12<sc>“116)</sc>. <i>Aids</i> , 2010, 24, S17-S25. | 1.0 | 22 |
| 83 | Evaluation of the SIMI system, an experimental computerised network for the surveillance of communicable diseases in Italy. <i>European Journal of Epidemiology</i> , 2000, 16, 941-947. | 2.5 | 21 |
| 84 | Cannabis Use and Reduced Risk of Insulin Resistance in HIV-HCV Infected Patients: A Longitudinal Analysis (ANRS CO13 HEPAVIH). <i>Clinical Infectious Diseases</i> , 2015, 61, 40-48. | 2.9 | 21 |
| 85 | Comparison of risk factors in HIV-infected men who have sex with men, coinfecting or not with hepatitis C virus (ANRS VESPA2 French cross-sectional national survey). <i>Sexually Transmitted Infections</i> , 2015, 91, 21-23. | 0.8 | 21 |
| 86 | Increased mortality in HIV/HCV-coinfected compared to HCV-monoinfected patients in the DAA era due to non-liver-related death. <i>Journal of Hepatology</i> , 2021, 74, 37-47. | 1.8 | 21 |
| 87 | Time Patterns of Adherence and Long-Term Virological Response to Non-Nucleoside Reverse Transcriptase Inhibitor Regimens in the Stratall Anrs 12110/Esther Trial in Cameroon. <i>Antiviral Therapy</i> , 2013, 18, 29-37. | 0.6 | 20 |
| 88 | Increased Uptake of HCV Testing through a Community-Based Educational Intervention in Difficult-to-Reach People Who Inject Drugs: Results from the ANRS-AERLI Study. <i>PLoS ONE</i> , 2016, 11, e0157062. | 1.1 | 20 |
| 89 | Mandatory prenatal screening for the human immunodeficiency virus: the experience in south-eastern France of a national policy, 1992-1994. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 269-274. | 1.1 | 19 |
| 90 | Physicians’ and patients’ adherence to antiretroviral prophylaxis after sexual exposure to HIV: results from South-Eastern France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008, 20, 537-541. | 0.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Thrombosis and antiphospholipid antibody syndrome during acute Q fever. <i>Medicine (United States)</i> , 2017, 96, e7578. | 0.4 | 19 |
| 92 | Impaired Anger Control as an Underappreciated Side Effect of Treatments for Chronic HCV Infection in HIV-HCV Coinfected Patients. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 92-96. | 1.1 | 18 |
| 93 | Delayed first consultation after diagnosis of HIV infection in Cameroon. <i>Aids</i> , 2009, 23, 1015-1019. | 1.0 | 18 |
| 94 | No significant effect of cannabis use on the count and percentage of circulating CD4 T cells in HIV-HCV coinfected patients (ANRS CO13-HEPAVIH French cohort). <i>Drug and Alcohol Review</i> , 2017, 36, 227-238. | 1.1 | 18 |
| 95 | Drug consumption rooms in Catalonia: A comprehensive evaluation of social, health and harm reduction benefits. <i>International Journal of Drug Policy</i> , 2018, 62, 24-29. | 1.6 | 18 |
| 96 | Impact of Alcohol and Coffee Intake on the Risk of Advanced Liver Fibrosis: A Longitudinal Analysis in HIV-HCV Coinfected Patients (ANRS CO-13 HEPAVIH Cohort). <i>Nutrients</i> , 2018, 10, 705. | 1.7 | 18 |
| 97 | The Macroeconomic Consequences of Renouncing to Universal Access to Antiretroviral Treatment for HIV in Africa: A Micro-Simulation Model. <i>PLoS ONE</i> , 2012, 7, e34101. | 1.1 | 18 |
| 98 | Prevalence of immunity to hepatitis viruses A and B in a large cohort of HIV/HCV-coinfected patients, and factors associated with HAV and HBV vaccination. <i>Vaccine</i> , 2011, 29, 8656-8660. | 1.7 | 17 |
| 99 | The detection of non-adherence by self-administered questionnaires can be optimized by protease inhibitor plasma concentration determination. <i>Aids</i> , 2003, 17, 1096-1099. | 1.0 | 17 |
| 100 | Positive impact of hepatitis C virus (HCV) treatment on antiretroviral treatment adherence in human immunodeficiency virus-HCV coinfected patients: one more argument for expanded access to HCV treatment for injecting drug users. <i>Addiction</i> , 2012, 107, 152-159. | 1.7 | 16 |
| 101 | Low Alcohol Consumption as a Predictor of Higher CD4+ Cell Count in HIV-Treated Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, e148-e150. | 0.9 | 16 |
| 102 | Untreated alcohol use disorder in people who inject drugs (PWID) in France: a major barrier to HCV treatment uptake (the ANRS-FANTASIO study). <i>Addiction</i> , 2020, 115, 573-582. | 1.7 | 16 |
| 103 | Impact of drug maintenance treatment on injection practices among French HIV-infected IDUs. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2000, 12, 461-470. | 0.6 | 15 |
| 104 | Impact of HAART-related side effects on unsafe sexual behaviours in HIV-infected injecting drug users. <i>Aids</i> , 2004, 18, 1321-1325. | 1.0 | 15 |
| 105 | Adding HCV Treatment to HIV Treatment in HIV-HCV Coinfected Patients: The Impact on the Different Dimensions of Fatigue and Self-Reported Side Effects. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 413-421. | 0.6 | 15 |
| 106 | Desire for a child among HIV-infected women receiving antiretroviral therapy in Cameroon: results from the national survey EVAL (ANRS 12-116). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 441-451. | 0.6 | 15 |
| 107 | Chronic Q Fever Detection in the Netherlands. <i>Clinical Infectious Diseases</i> , 2011, 53, 1170-1171. | 2.9 | 15 |
| 108 | High Levels of Alcohol Consumption Increase the Risk of Advanced Hepatic Fibrosis in HIV/Hepatitis C Virus-Coinfected Patients: A Sex-Based Analysis Using Transient Elastography at Enrollment in the HEPAVIH ANRS CO13 Cohort. <i>Clinical Infectious Diseases</i> , 2014, 59, 1190-1192. | 2.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Statistical fallibility and the longevity of popes: William Farr meets Wilhelm Lexis. <i>International Journal of Epidemiology</i> , 2006, 35, 802-805. | 0.9 | 14 |
| 110 | Psychosocial correlates of inconsistent condom use among HIV-infected patients enrolled in a structured ART interruptions trial in CÔte d'Ivoire: results from the TRIVACAN trial (ANRS 1269). <i>Tropical Medicine and International Health</i> , 2010, 15, 706-712. | 1.0 | 14 |
| 111 | Non-adherence to aspirin in patients undergoing coronary stenting: Negative impact of comorbid conditions and implications for clinical management. <i>Archives of Cardiovascular Diseases</i> , 2011, 104, 306-312. | 0.7 | 14 |
| 112 | Empowering HIV testing as a prevention tool: Targeting interventions for high-risk men who have sex with men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 1039-1045. | 0.6 | 14 |
| 113 | Willingness to receive intravenous buprenorphine treatment in opioid-dependent people refractory to oral opioid maintenance treatment: results from a community-based survey in France. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 46. | 1.0 | 14 |
| 114 | 20-Years of Population-Based Cancer Registration in Hepatitis B and Liver Cancer Prevention in The Gambia, West Africa. <i>PLoS ONE</i> , 2013, 8, e75775. | 1.1 | 14 |
| 115 | Oral contraception and unprotected sex with occasional partners of women HIV-infected through injection drug use. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2006, 18, 795-800. | 0.6 | 13 |
| 116 | Individual and Structural Factors Associated With HIV Status Disclosure to Main Partner in Cameroon: ANRS 12-116 EVAL Survey, 2006-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, S22-S26. | 0.9 | 13 |
| 117 | Incidence, Medical and Socio-Behavioural Predictors of Psychiatric Events in An 11-Year Follow-Up of HIV-Infected Patients on Antiretroviral Therapy. <i>Antiviral Therapy</i> , 2012, 17, 1079-1083. | 0.6 | 13 |
| 118 | Cannabis use is associated with a lower risk of diabetes in chronic hepatitis C-infected patients (ANRS Tj ETQq000 rgBT / Overlock 10) | 1.0 | 13 |
| 119 | Visiting One's Native Country. <i>Journal of the International Association of Providers of AIDS Care</i> , 2013, 12, 407-413. | 0.6 | 12 |
| 120 | Prevention and care of hepatitis B in the rural region of Fatick in Senegal: a healthcare workers' perspective using a mixed methods approach. <i>BMC Health Services Research</i> , 2019, 19, 627. | 0.9 | 12 |
| 121 | Burden and impacts of chronic hepatitis B infection in rural Senegal: study protocol of a cross-sectional survey in the area of Niakhar (AmBASS ANRS 12356). <i>BMJ Open</i> , 2019, 9, e030211. | 0.8 | 12 |
| 122 | HCV-Related Mortality Among HIV/HCV Co-infected Patients: The Importance of Behaviors in the HCV Cure Era (ANRS CO13 HEPAVIH Cohort). <i>AIDS and Behavior</i> , 2020, 24, 1069-1084. | 1.4 | 12 |
| 123 | Self-reported alcohol abuse in HIV-HCV co-infected patients: a better predictor of HIV virological rebound than physician's perceptions (HEPAVIH ARNS CO-13) Tj ETQq1 1.0.784314 rgBT / Overlock 10) | 1.0 | 12 |
| 124 | Impact of HCV Treatment and Depressive Symptoms on Adherence to Haart among HIV-HCV-Coinfected Patients: Results from the Anrs-Co13-Hepavih Cohort. <i>Antiviral Therapy</i> , 2014, 19, 171-178. | 0.6 | 11 |
| 125 | HCV seropositivity in inmates and in the general population: an averaging approach to establish priority prevention interventions. <i>BMJ Open</i> , 2014, 4, e005694. | 0.8 | 11 |
| 126 | Smoking increases the risk of post-acute COVID-19 syndrome: Results from a French community-based survey. <i>Tobacco Induced Diseases</i> , 2022, 20, 1-10. | 0.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | HIV screening for pregnant women in South Eastern France: evolution 1992â€“1994â€“1996. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 76, 5-9. | 0.5 | 10 |
| 128 | Proximity to HIV is associated with a high rate of HIV testing among men who have sex with men living in Douala, Cameroon. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 1020-1027. | 0.6 | 10 |
| 129 | Psychometric assessment of health-related quality of life and symptom experience in HIV patients treated with antiretroviral therapy. <i>Quality of Life Research</i> , 2015, 24, 1407-1418. | 1.5 | 10 |
| 130 | Variations in Cannabis Use Level and Correlates in Opiate-Users on Methadone Maintenance Treatment: A French Prospective Study. <i>Journal of Substance Abuse Treatment</i> , 2015, 58, 100-105. | 1.5 | 10 |
| 131 | Scaling up combined community-based HIV prevention interventions targeting truck drivers in Morocco: effectiveness on HIV testing and counseling. <i>BMC Infectious Diseases</i> , 2015, 15, 208. | 1.3 | 10 |
| 132 | A reduced factor structure for the PROQOLâ€“HIV questionnaire provided reliable indicators of health-related quality of life. <i>Journal of Clinical Epidemiology</i> , 2016, 72, 116-125. | 2.4 | 10 |
| 133 | Significant reductions in alcohol use after hepatitis C treatment: results from the ANRS CO13-HEPAVIH cohort. <i>Addiction</i> , 2017, 112, 1669-1679. | 1.7 | 10 |
| 134 | Decrease in self-reported offences and incarceration rates during methadone treatment: A comparison between patients switching from buprenorphine to methadone and maintenance treatment incident users (ANRS-Methaville trial). <i>International Journal of Drug Policy</i> , 2017, 39, 86-91. | 1.6 | 10 |
| 135 | Self-Reported Bothering Symptoms Across Different Socioepidemiological Groups of People Living With HIV Attending French Hospitals: Results From the ANRS-VESPA2 Survey. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 110-119. | 0.6 | 10 |
| 136 | Efficacy, safety and patientâ€reported outcomes of ledipasvir/sofosbuvir in <sc>NS</sc>3/4A protease inhibitorâ€experienced individuals with hepatitis C virus genotype 1 and <sc>HIV</sc> coinfection with and without cirrhosis (<sc>ANRS HC</sc>31 <sc>SOFTRIH</sc> study). <i>HIV Medicine</i> , 2018, 19, 227-237. | 1.0 | 10 |
| 137 | Factors associated with perceived loss of libido in people who inject opioids: Results from a community-based survey in France. <i>Drug and Alcohol Dependence</i> , 2018, 190, 121-127. | 1.6 | 10 |
| 138 | Factors associated with DAA virological treatment failure and resistance-associated substitutions description in HIV/HCV coinfecting patients. <i>World Journal of Hepatology</i> , 2018, 10, 856-866. | 0.8 | 10 |
| 139 | Hospitalization for depressive syndrome in a cohort of HIV-infected patients contaminated through injecting drug use: MANIF 2000 cohort, France, 1995-1999. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2003, 15, 729-734. | 0.6 | 9 |
| 140 | Role of treatment for depressive symptoms in relieving the impact of fatigue in HIVâ€HCV co-infected patients: ANRS Co13 Hepaviv, France, 2006â€“2008. <i>Journal of Viral Hepatitis</i> , 2009, 17, 650-60. | 1.0 | 9 |
| 141 | Impact of immunodepression and moderate alcohol consumption on coronary and other arterial disease events in an 11-year cohort of HIV-infected patients on antiretroviral therapy. <i>BMJ Open</i> , 2012, 2, e001155. | 0.8 | 9 |
| 142 | Engaging HIV-HCV co-infected patients in HCV treatment: the roles played by the prescribing physician and patients' beliefs (ANRS CO13 HEPAVIH cohort, France). <i>BMC Health Services Research</i> , 2012, 12, 59. | 0.9 | 9 |
| 143 | Factors associated with guidelineâ€based hepatitis <sc>C</sc> virus (<sc>HCV</sc>) treatment initiation in <sc>HIV</sc>/<sc>HCV</sc>â€coinfecting patients: role of comorbidities and physicians' perceptions. <i>HIV Medicine</i> , 2013, 14, 430-436. | 1.0 | 9 |
| 144 | Factors Associated with HIV Status Disclosure in HIV-Infected Sub-Saharan Migrants Living in France and Successfully Treated with Antiretroviral Therapy: Results from the ANRS-VIHO Study. <i>Journal of Immigrant and Minority Health</i> , 2017, 19, 843-850. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The impact of coffee consumption on fibrosis and steatosis in HIV-HCV co-infected patients. <i>Journal of Hepatology</i> , 2018, 68, 845-847. | 1.8 | 9 |
| 146 | Impact of drug consumption rooms on risk practices and access to care in people who inject drugs in France: the COSINUS prospective cohort study protocol. <i>BMJ Open</i> , 2019, 9, e023683. | 0.8 | 9 |
| 147 | Adherence as a Predictor of Sexual Behaviors in People Living with HIV/AIDS during the First Year of Antiretroviral Therapy in Rural Cameroon: Data from Stratall ANRS 12110/ESTHER Trial. <i>PLoS ONE</i> , 2012, 7, e36118. | 1.1 | 9 |
| 148 | Severe liver disease related to chronic hepatitis C virus infection in treatment-naive patients: epidemiological characteristics and associated factors at first expert centre visit, France, 2000 to 2007 and 2010 to 2014. <i>Eurosurveillance</i> , 2017, 22, . | 3.9 | 9 |
| 149 | Serum Clara cell protein (CC16) in healthy young smokers. <i>Biomarkers</i> , 2000, 5, 158-164. | 0.9 | 8 |
| 150 | Depressive Symptoms and Exposure to Efavirenz in West African HIV-Infected Adults. <i>HIV Clinical Trials</i> , 2008, 9, 445-447. | 2.0 | 8 |
| 151 | Changes in supervised drug-injecting practices following a community-based educational intervention: A longitudinal analysis. <i>Drug and Alcohol Dependence</i> , 2018, 192, 1-7. | 1.6 | 8 |
| 152 | Elevated Fatty Liver Index as a Risk Factor for All-cause Mortality in Human Immunodeficiency Virus-Hepatitis C Virus-Coinfected Patients (ANRS CO13 HEPAVIH Cohort Study). <i>Hepatology</i> , 2020, 71, 1182-1197. | 3.6 | 8 |
| 153 | HCV Cure and Cannabis Abstinence Facilitate Tobacco Smoking Quit Attempts in HIV-HCV Co-Infected Patients (ANRS CO13 HEPAVIH Cohort Study). <i>AIDS and Behavior</i> , 2021, 25, 4141-4153. | 1.4 | 8 |
| 154 | Peer presence and familiarity as key factors to reduce cocaine intake in both rats and humans: an effect mediated by the subthalamic nucleus. <i>Psychopharmacology</i> , 2022, 239, 1097-1113. | 1.5 | 8 |
| 155 | Elevated coffee consumption is associated with a lower risk of elevated liver fibrosis biomarkers in patients treated for chronic hepatitis B (ANRS CO22 Hepather cohort). <i>Clinical Nutrition</i> , 2022, 41, 610-619. | 2.3 | 8 |
| 156 | De jure decriminalisation of cannabis use matters: some recent trends from France. <i>International Journal of Drug Policy</i> , 2013, 24, 634-635. | 1.6 | 7 |
| 157 | Short article: Fatigue in the long term after HCV treatment in HIV-HCV-coinfected patients: functional limitations persist despite viral clearance in patients exposed to peg-interferon/ribavirin-containing regimens (ANRS CO13-HEPAV IH cohort). <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 1003-1007. | 0.8 | 7 |
| 158 | Importance of the patient-physician interaction in assessing acceptability of HIV cure trials. <i>HIV Medicine</i> , 2018, 19, e56-e57. | 1.0 | 7 |
| 159 | Patient-reported symptoms during direct-acting antiviral treatment: A real-life study in HIV-HCV coinfecting patients (ANRS CO13 HEPAVIH). <i>Journal of Hepatology</i> , 2020, 72, 588-591. | 1.8 | 7 |
| 160 | Coffee Intake and Neurocognitive Performance in HIV/HCV Coinfected Patients (ANRS CO13 HEPAVIH). <i>Nutrients</i> , 2020, 12, 2532. | 1.7 | 7 |
| 161 | Pain in methadone patients: Time to address undertreatment and suicide risk (ANRS-Methaville trial). <i>PLoS ONE</i> , 2017, 12, e0176288. | 1.1 | 7 |
| 162 | PASSI d'Argento (Silver Steps): the main features of the new nationwide surveillance system for the ageing Italian population, Italy 2013-2014. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2016, 52, 536-542. | 0.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Hepatitis B in Senegal: A Successful Infant Vaccination Program but Urgent Need to Scale Up Screening and Treatment (ANRS 12356 AmBASS survey). <i>Hepatology Communications</i> , 2022, 6, 1005-1015. | 2.0 | 7 |
| 164 | Perceived stigma, substance use and self-medication in night-shift healthcare workers: a qualitative study. <i>BMC Health Services Research</i> , 2022, 22, . | 0.9 | 7 |
| 165 | Relationship between HIV-1 viral load and continued drug use in untreated infected injection drug users. <i>Addiction Biology</i> , 1999, 4, 197-202. | 1.4 | 6 |
| 166 | Determinants of benzodiazepine use in a representative population of HIV-infected individuals: the role of HIV status disclosure (ANRS-EN12-VESPA study). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 1163-1170. | 0.6 | 6 |
| 167 | Choice of therapeutic strategies in the context of HIV infection: key role of patient-reported outcomes. <i>Expert Review of Anti-Infective Therapy</i> , 2012, 10, 403-406. | 2.0 | 6 |
| 168 | Prediction of HIV Drug Resistance Based on Virologic, Immunologic, Clinical, and/or Adherence Criteria in the Stratall ANRS 12110/ESTHER Trial in Cameroon. <i>Clinical Infectious Diseases</i> , 2013, 57, 604-607. | 2.9 | 6 |
| 169 | Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon " Data from the STRATALL ANRS 12110/ESTHER trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 347-355. | 0.6 | 6 |
| 170 | Correlates of HIV sustained viral suppression in HIV/hepatitis C virus coinfecting patients. <i>Aids</i> , 2014, 28, 1155-1160. | 1.0 | 6 |
| 171 | Life after hepatitis C cure in HIV-infected people who inject drugs and men who have sex with men treated with direct-acting antivirals in France: Health perceptions and experiences from qualitative and quantitative findings (ANRS CO13 HEPAVIH). <i>Journal of Viral Hepatitis</i> , 2020, 27, 1462-1472. | 1.0 | 6 |
| 172 | Cannabis use and reduced risk of elevated fatty liver index in HIV-HCV co-infected patients: a longitudinal analysis (ANRS CO13 HEPAVIH). <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 1147-1156. | 2.0 | 6 |
| 173 | Twelve-year mortality in HIV-infected patients receiving antiretroviral therapy (ART): the role of social vulnerability. <i>The ANRS CO8 APROCO-COPILOTE cohort. Antiviral Therapy</i> , 2015, 20, 763-772. | 0.6 | 6 |
| 174 | Cannabis Use Is Inversely Associated with Overweight and Obesity in Hepatitis B Virus-Infected Patients (ANRS CO22 Hepather Cohort). <i>Cannabis and Cannabinoid Research</i> , 2022, 7, 677-689. | 1.5 | 6 |
| 175 | EXPANDED ACCESS TO SEPs AND OTHER HARM REDUCTION MEASURES IN FRANCE. <i>Addiction</i> , 2009, 104, 1447-1448. | 1.7 | 5 |
| 176 | Using patient-reported outcomes to improve the management of co-infection with HIV and HCV: the ANRS CO13 HEPAVIH cohort. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014, 8, 351-358. | 1.4 | 5 |
| 177 | Psychiatric and substance use disorders in HIV/hepatitis C virus (HCV) coinfected patients: does HCV clearance matter? [Agence Nationale de Recherche sur le SIDA et les Hépatites Virales (ANRS) HEPAVIH CO13 cohort]. <i>HIV Medicine</i> , 2016, 17, 758-765. | 1.0 | 5 |
| 178 | Benefits of cannabis use for metabolic disorders and survival in people living with HIV with or without hepatitis C co-infection. <i>Aids</i> , 2020, 34, 953-954. | 1.0 | 5 |
| 179 | Late presentation for HCV care: Time to target people with diabetes and/or hazardous alcohol use (ANRS CO22 HEPATHER cohort). <i>Liver International</i> , 2022, 42, 38-49. | 1.9 | 5 |
| 180 | Use of psychoactive substances by night-shift hospital healthcare workers during the first wave of the COVID-19 pandemic: a cross-sectional study based in Parisian public hospitals (ALADDIN). <i>BMJ Open</i> , 2022, 12, e055699. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Health-care-associated bloodstream infections in France. <i>Lancet Infectious Diseases</i> , 2013, 13, 656. | 4.6 | 4 |
| 182 | Spontaneous and post-treatment HCV clearance: relationships with health-related quality of life in HIV infection (ANRS-VESPA2 study). <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 701-713. | 1.4 | 4 |
| 183 | Addition of boceprevir to PEG-interferon/ribavirin in HIV-HCV-Genotype-1-coinfected, treatment-experienced patients: efficacy, safety, and pharmacokinetics data from the ANRS HC27 study. <i>HIV Clinical Trials</i> , 2016, 17, 63-71. | 2.0 | 4 |
| 184 | Health-Related Quality of Life in Chronic HCV-Infected Patients Switching to Pegylated-Interferon-Free Regimens (ANRS CO20 CUPIC Cohort Study and SIRIUS Trial). <i>Patient</i> , 2017, 10, 605-614. | 1.1 | 4 |
| 185 | France removes hepatitis C treatment prescriber restrictionsâ€”But what is the impact of the delay for key populations?. <i>Liver International</i> , 2019, 39, 2418-2419. | 1.9 | 4 |
| 186 | Hepatitis C virus-microelimination program and patient trajectories after hepatitis C virus cure in an outpatient HIV clinical unit. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 1212-1221. | 0.8 | 4 |
| 187 | Application of Functional Data Analysis to Identify Patterns of Malaria Incidence, to Guide Targeted Control Strategies. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4168. | 1.2 | 4 |
| 188 | Correlates of Self-Reported Cotton Fever Experience among People Who Inject Opioids. <i>Substance Use and Misuse</i> , 2020, 55, 1021-1027. | 0.7 | 4 |
| 189 | Hepatitis B testing, treatment, and virologic suppression in HIV-infected patients in Cameroon (ANRS) Tj ETQq1 1 0,784314 rgBT /Ove | 1.3 | 4 |
| 190 | Evaluation of a novel therapeutic education programme for people with alcohol use disorder in France: a mixed-methods intervention study protocol (ETHER). <i>Harm Reduction Journal</i> , 2022, 19, 2. | 1.3 | 4 |
| 191 | Incidence of cervical, breast and colorectal cancers between 2010 and 2015 in people living with HIV in France. <i>PLoS ONE</i> , 2022, 17, e0261069. | 1.1 | 4 |
| 192 | Stigma and care avoidance in people with unhealthy alcohol use: A call for research and action. <i>Journal of Hepatology</i> , 2022, 77, 1221-1222. | 1.8 | 4 |
| 193 | Effect of indinavir and higher CD4+ T-cell count on viral load response after 6 months of highly active Antiretroviral Therapy. <i>Clinical Therapeutics</i> , 1999, 21, 1313-1320. | 1.1 | 3 |
| 194 | Risk factors for adherence failure in HIV-infected sub-Saharan migrants living in France and travelling back to their native country. <i>International Journal of STD and AIDS</i> , 2014, 25, 389-390. | 0.5 | 3 |
| 195 | Increasing access to opioid maintenance treatment: The role of primary care in France. <i>International Journal of Drug Policy</i> , 2015, 26, 434-435. | 1.6 | 3 |
| 196 | HIV infection among persons who inject drugs. <i>Aids</i> , 2016, 30, 1858-1859. | 1.0 | 3 |
| 197 | The need for patient-tailored dosing of baclofen in future clinical trialsâ†. <i>European Neuropsychopharmacology</i> , 2018, 28, 656-657. | 0.3 | 3 |
| 198 | Impact of an educational intervention on risks associated with drug injection, and on psychosocial factors (PSF) involved in initiating and maintaining new health behaviors over time. <i>Addictive Behaviors</i> , 2018, 87, 222-230. | 1.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Profile, risk practices and needs of people who inject morphine sulfate: Results from the ANRS-AERLI study. <i>International Journal of Drug Policy</i> , 2018, 59, 3-9. | 1.6 | 3 |
| 200 | Evolution of patients' socio-behavioral characteristics in the context of DAA: Results from the French ANRS CO13 HEPAVIH cohort of HIV-HCV co-infected patients. <i>PLoS ONE</i> , 2018, 13, e0199874. | 1.1 | 3 |
| 201 | Cannabinoids and reduced risk of hepatic steatosis in HIV-HCV co-infection: paving the way for future clinical research. <i>Expert Review of Anti-Infective Therapy</i> , 2018, 16, 377-380. | 2.0 | 3 |
| 202 | Factors Associated with Virological Rebound in HIV-Positive Sub-Saharan Migrants Living in France After Traveling Back to Their Native Country: ANRS-VIHVO 2006-2009 Study. <i>Journal of Immigrant and Minority Health</i> , 2019, 21, 1342-1348. | 0.8 | 3 |
| 203 | Effectiveness of direct-acting antivirals for chronic hepatitis C treatment in migrant and non-migrant populations in France. <i>Liver International</i> , 2021, 41, 2328-2340. | 1.9 | 3 |
| 204 | Posttraumatic Stress Disorder as a Significant Correlate of Voluntary Antiretroviral Treatment Interruption in Adult HIV-Infected Patients Followed up in French Hospitals. <i>Journal of Clinical Psychiatry</i> , 2018, 79, . | 1.1 | 3 |
| 205 | Hepatitis Delta virus in migrants: The challenge of elimination (ANRS CO22 HEPATHER cohort). <i>Liver International</i> , 2022, 42, 249-252. | 1.9 | 3 |
| 206 | Severe liver fibrosis in the HCV cure era: Major effects of social vulnerability, diabetes, and unhealthy behaviors. <i>JHEP Reports</i> , 2022, 4, 100481. | 2.6 | 3 |
| 207 | The Dynamic of Adherence to Highly Active Antiretroviral Therapy: Results From the French National APROCO Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001, 28, 232-239. | 0.9 | 2 |
| 208 | Decentralization of access to antiretroviral therapy in Cameroon: correlates of HIV physicians' knowledge in HIV care. <i>Antiviral Therapy</i> , 2011, 16, 423-428. | 0.6 | 2 |
| 209 | Impaired patient-reported outcomes persist in HIV-HCV co-infected patients and in cirrhotic patients despite HCV clearance. <i>Journal of Viral Hepatitis</i> , 2018, 25, 314-315. | 1.0 | 2 |
| 210 | No influence of cannabis use on liver stiffness in HIV-HCV co-infected patients (ANRS CO13 HEPAVIH) <i>TJ ETQq0 0 0 rgBT / Overlock 10 TF</i> | 0.8 | 2 |
| 211 | Direct, indirect and total effect of HIV coinfection on the risk of non-liver-related cancer in hepatitis C virus-infected patients treated by direct-acting antivirals: a mediation analysis. <i>HIV Medicine</i> , 2021, 22, 924-935. | 1.0 | 2 |
| 212 | Post-HCV cure self-reported changes in physical activity, eating behaviours, and fatigue in people living with HIV (ANRS CO13 HEPAVIH). <i>Journal of Viral Hepatitis</i> , 2021, 28, 1665-1667. | 1.0 | 2 |
| 213 | Social vulnerability of patients co-infected with hepatitis B and hepatitis delta viruses: Data from the ANRS CO22 HEPATHER cohort. <i>Journal of Clinical Virology</i> , 2021, 144, 104987. | 1.6 | 2 |
| 214 | De la recherche communautaire à la transformation sociale: l'exemple du projet ANRS-AERLI sur l'accompagnement et l'éducation aux risques liés à l'injection. <i>Psychotropes (discontinued)</i> , 2007, Vol. 23, 57-72. | 1.0 | 2 |
| 215 | Reduced delays in time to first HIV consultation after diagnosis in France in the antiretroviral therapy era: the possible role of a free care system. <i>HIV Medicine</i> , 2011, 12, 383-384. | 1.0 | 1 |
| 216 | Non Adherence to Thienopyridine after Coronary Stenting. <i>American Journal of Cardiology</i> , 2011, 107, 1866-1867. | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Reconceptualizing Research on HIV Treatment Outcomes Among Criminalized Groups. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 59, 329-330. | 0.9 | 1 |
| 218 | Cocoa and Chocolate: Chemistry, Biochemistry, and Beneficial Brain Effects. , 2013, , 389-406. | | 1 |
| 219 | Time to combine intervention with prevention in countries where <scp>HIV</scp> is also driven by hazardous drinking. <i>Addiction</i> , 2013, 108, 221-222. | 1.7 | 1 |
| 220 | No condoms for prisoners: accumulating risks of HIV, STI but also hepatitis transmission. <i>Sexually Transmitted Infections</i> , 2013, 89, 310-310. | 0.8 | 1 |
| 221 | Securing opioid substitution treatment access and quality for people who inject drugs. <i>Aids</i> , 2015, 29, 975-976. | 1.0 | 1 |
| 222 | Role of community-based research in advocating <scp>HCV</scp> prevention and care. <i>Journal of the International AIDS Society</i> , 2017, 20, e25005. | 1.2 | 1 |
| 223 | Letter to the Editor: Patient-reported Outcomes for Nonalcoholic Fatty Liver Disease/Nonalcoholic Steatohepatitis: Rationale for Expanded Use. <i>Hepatology</i> , 2019, 70, 443-444. | 3.6 | 1 |
| 224 | Wine Consumption and Lower Risk of Advanced Liver Fibrosis: A True Effect or Unmeasured Confounding? A Longitudinal Analysis (ANRS CO13 HEPAVIH Cohort). <i>American Journal of Gastroenterology</i> , 2018, 113, 1729-1732. | 0.2 | 1 |
| 225 | Methadone in primary care in France: Using evidence for action against hepatitis C. <i>International Journal of Drug Policy</i> , 2019, 71, 91-92. | 1.6 | 1 |
| 226 | Risk of invasive cervical cancer among women with, or at risk for, HIV infection. <i>International Journal of Cancer</i> , 1999, 82, 334-337. | 2.3 | 1 |
| 227 | HCV cure: an appropriate moment to reduce cannabis use in people living with HIV? (ANRS CO13 HEPAVIH) <i>Tj ETQq1,1 0.784314 rgB</i> | 0.7 | 1 |
| 228 | Impact of the <scp>COVID</scp> -19 crisis on healthcare workers: The need to address quality of working life issues. <i>Respirology</i> , 2022, 27, 469-471. | 1.3 | 1 |
| 229 | Quality of life assessment in HIV clinical research in resource-limited settings: better late than never. <i>Tropical Medicine and International Health</i> , 2010, 15, no-no. | 1.0 | 0 |
| 230 | Efficacy and safety of boceprevir-based triple therapy in HCV cirrhotic patients awaiting liver transplantation (ANRS HC29 BOCEPRETRANSPLANT). <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017, 41, 56-65. | 0.7 | 0 |
| 231 | Unstable Housing Still a Barrier to Receiving HCV Treatment in France (ANRS CO13 HEPAVIH Cohort). <i>Digestive Diseases and Sciences</i> , 2017, 62, 2943-2944. | 1.1 | 0 |
| 232 | Reply to: "Coffee consumption and decreased all-cause mortality" What is the true estimate of effect? <i>Journal of Hepatology</i> , 2018, 68, 1106. | 1.8 | 0 |
| 233 | Une analyse de Twitter pour mieux comprendre les acteurs de la communication des nouvelles drogues et leurs discussions. , 2018, , . | | 0 |
| 234 | Alcohol Use Patterns and Liver Outcomes: Is There Really a Difference Between Drinking Beer and Drinking Wine?. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1650-1651. | 2.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----|-----------|
| 235 | Quality of Life in HIV Positive Injecting Drug Users. , 2010, , 3705-3725. | | 0 |