

Patrizia Carrieri

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5647412/patrizia-carrieri-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

225
papers

5,797
citations

38
h-index

68
g-index

239
ext. papers

6,887
ext. citations

5
avg, IF

5.09
L-index

#	Paper	IF	Citations
225	The clinical value of somatic TP53 gene mutations in 1,794 patients with breast cancer. <i>Clinical Cancer Research</i> , 2006 , 12, 1157-67	12.9	414
224	Obesity-associated gut microbiota is enriched in <i>Lactobacillus reuteri</i> and depleted in <i>Bifidobacterium animalis</i> and <i>Methanobrevibacter smithii</i> . <i>International Journal of Obesity</i> , 2012 , 36, 817-25	5.5	412
223	Risks factors and prevention of Q fever endocarditis. <i>Clinical Infectious Diseases</i> , 2001 , 33, 312-6	11.6	224
222	Failure to maintain long-term adherence to highly active antiretroviral therapy: the role of lipodystrophy. <i>Aids</i> , 2001 , 15, 2441-4	3.5	205
221	Adherence to HAART in French HIV-infected injecting drug users: the contribution of buprenorphine drug maintenance treatment. The Manif 2000 study group. <i>Aids</i> , 2000 , 14, 151-5	3.5	169
220	The dynamic of adherence to highly active antiretroviral therapy: results from the French National APROCO cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 28, 232-9	3.1	141
219	Risk of cancer following immunosuppression in organ transplant recipients and in HIV-positive individuals in southern Europe. <i>European Journal of Cancer</i> , 2007 , 43, 2117-23	7.5	111
218	Buprenorphine use: the international experience. <i>Clinical Infectious Diseases</i> , 2006 , 43 Suppl 4, S197-215	11.6	109
217	Nonadherence among HIV-infected injecting drug users: the impact of social instability. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002 , 31 Suppl 3, S149-53	3.1	106
216	Health-related quality of life after 1 year of highly active antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 32, 38-47	3.1	100
215	Factors associated with nonadherence to highly active antiretroviral therapy: a 5-year follow-up analysis with correction for the bias induced by missing data in the treatment maintenance phase. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 477-85	3.1	90
214	Cancer risk among men with, or at risk of, HIV infection in southern Europe. <i>Aids</i> , 2000 , 14, 553-9	3.5	90
213	Failure to maintain adherence to HAART in a cohort of French HIV-positive injecting drug users. <i>International Journal of Behavioral Medicine</i> , 2003 , 10, 1-14	2.6	88
212	Adjuvant endocrine therapy with tamoxifen in young women with breast cancer: determinants of interruptions vary over time. <i>Annals of Oncology</i> , 2012 , 23, 882-90	10.3	86
211	Model projections on the impact of HCV treatment in the prevention of HCV transmission among people who inject drugs in Europe. <i>Journal of Hepatology</i> , 2018 , 68, 402-411	13.4	77
210	Death rates in HIV-positive antiretroviral-naive patients with CD4 count greater than 350 cells per microL in Europe and North America: a pooled cohort observational study. <i>Lancet, The</i> , 2010 , 376, 340-5	4 ⁰	77
209	A case-control study on risk factors for Peyronie's disease. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 511-5	5.7	77

208	Risk of invasive cervical cancer among women with, or at risk for, HIV infection. <i>International Journal of Cancer</i> , 1999 , 82, 334-7	7.5	77
207	HIV infection among persons who inject drugs: ending old epidemics and addressing new outbreaks. <i>Aids</i> , 2016 , 30, 815-26	3.5	76
206	Health-related quality of life and patient-provider relationships in HIV-infected patients during the first three years after starting PI-containing antiretroviral treatment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2004 , 16, 649-61	2.2	76
205	Monitoring of HIV viral loads, CD4 cell counts, and clinical assessments versus clinical monitoring alone for antiretroviral therapy in rural district hospitals in Cameroon (Stratall ANRS 12110/ESTHER): a randomised non-inferiority trial. <i>Lancet Infectious Diseases</i> , 2011 , 11, 825-33	25.5	74
204	The French national prospective cohort of patients co-infected with HIV and HCV (ANRS CO13 HEPAVIH): early findings, 2006-2010. <i>BMC Infectious Diseases</i> , 2010 , 10, 303	4	71
203	Access to antiretroviral treatment among French HIV infected injection drug users: the influence of continued drug use. MANIF 2000 Study Group. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 4-8	5.1	70
202	B-cell non-Hodgkin lymphoma linked to <i>Coxiella burnetii</i> . <i>Blood</i> , 2016 , 127, 113-21	2.2	61
201	Self-reported fatigue and depressive symptoms as main indicators of the quality of life (QOL) of patients living with HIV and Hepatitis C: implications for clinical management and future research. <i>HIV Clinical Trials</i> , 2007 , 8, 320-7		60
200	Effect on HBs antigen clearance of addition of pegylated interferon alfa-2a to nucleos(t)ide analogue therapy versus nucleos(t)ide analogue therapy alone in patients with HBe antigen-negative chronic hepatitis B and sustained undetectable plasma hepatitis B virus DNA: a randomised, controlled, open-label trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 177-188	18.8	59
199	Reduced incidence of Kaposi's sarcoma and of systemic non-hodgkin's lymphoma in HIV-infected individuals treated with highly active antiretroviral therapy. <i>International Journal of Cancer</i> , 2003 , 103, 142-4	7.5	56
198	20 years into the Gambia Hepatitis Intervention Study: assessment of initial hypotheses and prospects for evaluation of protective effectiveness against liver cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3216-23	4	54
197	Risk factors for nosocomial sepsis in newborn intensive and intermediate care units. <i>European Journal of Pediatrics</i> , 1996 , 155, 315-22	4.1	54
196	Determinants of unplanned antiretroviral treatment interruptions among people living with HIV in Yaoundé, Cameroon (EVAL survey, ANRS 12-116). <i>Tropical Medicine and International Health</i> , 2008 , 13, 1470-8	2.3	51
195	Effect of motivational mobile phone short message service on aspirin adherence after coronary stenting for acute coronary syndrome. <i>International Journal of Cardiology</i> , 2013 , 168, 568-9	3.2	45
194	Factors associated with efavirenz discontinuation in a large community-based sample of patients. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2004 , 16, 558-64	2.2	45
193	The impact of ledipasvir/sofosbuvir on patient-reported outcomes in cirrhotic patients with chronic hepatitis C: the SIRIUS study. <i>Liver International</i> , 2016 , 36, 42-8	7.9	43
192	Efficacy and safety of direct-acting antiviral regimens in HIV/HCV-co-infected patients - French ANRS CO13 HEPAVIH cohort. <i>Journal of Hepatology</i> , 2017 , 67, 23-31	13.4	40
191	The negative impact of HBV/HCV coinfection on cirrhosis and its consequences. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 1054-1060	6.1	40

190	Clinical, Biologic, and Behavioral Predictors of Early Immunologic and Virologic Response in HIV-Infected Patients Initiating Protease Inhibitors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 27, 372-376	3.1	40
189	Investigation of a slaughterhouse-related outbreak of Q fever in the French Alps. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2002 , 21, 17-21	5.3	39
188	Acceptability of an "on-demand" pre-exposure HIV prophylaxis trial among men who have sex with men living in France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 468-77	2.2	38
187	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 ,	24.2	37
186	Increased systemic immune activation and inflammatory profile of long-term HIV-infected ART-controlled patients is related to personal factors, but not to markers of HIV infection severity. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1816-24	5.1	36
185	Predictors of non-adherence to methadone maintenance treatment in opioid-dependent individuals: implications for clinicians. <i>Current Pharmaceutical Design</i> , 2014 , 20, 4097-105	3.3	36
184	Usefulness of high clopidogrel maintenance dose according to CYP2C19 genotypes in clopidogrel low responders undergoing coronary stenting for non ST elevation acute coronary syndrome. <i>American Journal of Cardiology</i> , 2011 , 108, 760-5	3	35
183	Blood agar and Mycobacterium tuberculosis: the end of a dogma. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 1710-1	9.7	35
182	Immunosuppression and cancer: A comparison of risks in recipients of organ transplants and in HIV-positive individuals. <i>Transplantation Proceedings</i> , 2006 , 38, 3533-5	1.1	34
181	Drug injection cessation among HIV-infected injecting drug users. <i>Addictive Behaviors</i> , 2004 , 29, 1189-97	4.2	34
180	Innovative community-based educational face-to-face intervention to reduce HIV, hepatitis C virus and other blood-borne infectious risks in difficult-to-reach people who inject drugs: results from the ANRS-AERLI intervention study. <i>Addiction</i> , 2016 , 111, 94-106	4.6	34
179	Patient-reported outcomes to enhance person-centred HIV care. <i>Lancet HIV</i> , 2020 , 7, e59-e68	7.8	33
178	Monitoring of HIV viral load, CD4 cell count, and clinical assessment versus clinical monitoring alone for antiretroviral therapy in low-resource settings (Stratall ANRS 12110/ESTHER): a cost-effectiveness analysis. <i>Lancet Infectious Diseases</i> , 2013 , 13, 577-86	25.5	32
177	Patient-reported outcomes with direct-acting antivirals for the treatment of chronic hepatitis C: current knowledge and outstanding issues. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 259-268	4.2	31
176	Impact of HAART exposure and associated lipodystrophy on advanced liver fibrosis in HIV/HCV-coinfected patients. <i>Journal of Viral Hepatitis</i> , 2011 , 18, e307-14	3.4	31
175	Self-reported side-effects of anti-retroviral treatment among IDUs: a 7-year longitudinal study (APROCO-COPILOTE COHORT ANRS CO-8). <i>International Journal of Drug Policy</i> , 2007 , 18, 288-95	5.5	31
174	Expanding access to non-medicalized community-based rapid testing to men who have sex with men: an urgent HIV prevention intervention (the ANRS-DRAG study). <i>PLoS ONE</i> , 2013 , 8, e61225	3.7	31
173	Reevaluation of the risk of fetal death and malformation after Q Fever. <i>Clinical Infectious Diseases</i> , 2014 , 59, 256-60	11.6	30

172	Performance of HIV care decentralization from the patient's perspective: health-related quality of life and perceived quality of services in Cameroon. <i>Health Policy and Planning</i> , 2012 , 27, 301-15	3.4	28
171	Intercenter variability and time of onset: two crucial issues in the analysis of risk factors for nosocomial sepsis. <i>Pediatric Infectious Disease Journal</i> , 2003 , 22, 599-609	3.4	28
170	'Do HIV-infected injecting drug users over-report adherence to highly active antiretroviral therapy?' A comparison between patients' self-reports and serum protease inhibitor concentrations in the French Manif 2000 cohort study. <i>Aids</i> , 2001 , 15, 1075-7	3.5	28
169	The role of adherence in virological suppression in patients receiving anti-HBV analogues. <i>Antiviral Therapy</i> , 2012 , 17, 395-400	1.6	27
168	Longevity of popes and artists between the 13th and the 19th century. <i>International Journal of Epidemiology</i> , 2005 , 34, 1435-6	7.8	27
167	Antiphospholipid Antibody Syndrome With Valvular Vegetations in Acute Q Fever. <i>Clinical Infectious Diseases</i> , 2016 , 62, 537-44	11.6	26
166	Adherence to antiretroviral treatment in HIV-positive patients in the Cameroon context: promoting the use of medication reminder methods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57 Suppl 1, S40-3	3.1	26
165	Interventions to address substance use and sexual risk among gay, bisexual and other men who have sex with men who use methamphetamine: A systematic review. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 410-429	4.9	26
164	Health-related quality of life of people living with HIV followed up in hospitals in France: comparing trends and correlates between 2003 and 2011 (ANRS-VESPA and VESPA2 national surveys). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014 , 26 Suppl 1, S29-40	2.2	25
163	Determinants of the underreporting of alcohol consumption by HIV/HCV co-infected patients during face-to-face medical interviews: the role of the physician. <i>Drug and Alcohol Dependence</i> , 2011 , 116, 228-32	4.9	25
162	Prevalence of unsafe sex with one's steady partner either HIV-negative or of unknown HIV status and associated determinants in Cameroon (EVAL ANRS12-116 survey). <i>Sexually Transmitted Infections</i> , 2010 , 86, 148-54	2.8	25
161	Impact of short-term adherence on virological and immunological success of HAART: a case study among French HIV-infected IDUs. <i>International Journal of STD and AIDS</i> , 2001 , 12, 324-8	1.4	25
160	Correlates of general practitioners' recommendations to patients regarding vaccination for the 2009-2010 pandemic influenza (A/H1N1) in France: implications for future vaccination campaigns. <i>Vaccine</i> , 2014 , 32, 2281-7	4.1	23
159	Task shifting HIV care in rural district hospitals in Cameroon: evidence of comparable antiretroviral treatment-related outcomes between nurses and physicians in the Stratall ANRS/ESTHER trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 569-76	3.1	23
158	Assessing adherence to antiretroviral therapy in randomized HIV clinical trials: a review of currently used methods. <i>Expert Review of Anti-Infective Therapy</i> , 2013 , 11, 239-50	5.5	22
157	Higher risk of unsafe sex and impaired quality of life among patients not receiving antiretroviral therapy in Cameroon: results from the EVAL survey (ANRS 12-116). <i>Aids</i> , 2010 , 24 Suppl 1, S17-25	3.5	22
156	Monitoring quality and coverage of harm reduction services for people who use drugs: a consensus study. <i>Harm Reduction Journal</i> , 2017 , 14, 19	4.6	21
155	Comparison of risk factors in HIV-infected men who have sex with men, coinfecting or not with hepatitis C virus (ANRS VESPA2 French cross-sectional national survey). <i>Sexually Transmitted Infections</i> , 2015 , 91, 21-3	2.8	20

154	Time patterns of adherence and long-term virological response to non-nucleoside reverse transcriptase inhibitor regimens in the Stratall ANRS 12110/ESTHER trial in Cameroon. <i>Antiviral Therapy</i> , 2013 , 18, 29-37	1.6	19
153	Protective effect of coffee consumption on all-cause mortality of French HIV-HCV co-infected patients. <i>Journal of Hepatology</i> , 2017 , 67, 1157-1167	13.4	18
152	Evaluation of the SIMI system, an experimental computerised network for the surveillance of communicable diseases in Italy. <i>European Journal of Epidemiology</i> , 2000 , 16, 941-7	12.1	18
151	Treatment and Prophylactic Strategy for <i>Coxiella burnetii</i> Infection of Aneurysms and Vascular Grafts: A Retrospective Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e2810	1.8	18
150	Suicide risk in a representative sample of people receiving HIV care: Time to target most-at-risk populations (ANRS VESPA2 French national survey). <i>PLoS ONE</i> , 2017 , 12, e0171645	3.7	17
149	Physicians' and patients' adherence to antiretroviral prophylaxis after sexual exposure to HIV: results from South-Eastern France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008 , 20, 537-41	2.2	17
148	Impaired anger control as an underappreciated side effect of treatments for chronic HCV infection in HIV-HCV coinfecting patients. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 92-6	3	17
147	The macroeconomic consequences of renouncing to universal access to antiretroviral treatment for HIV in Africa: a micro-simulation model. <i>PLoS ONE</i> , 2012 , 7, e34101	3.7	17
146	Increased Uptake of HCV Testing through a Community-Based Educational Intervention in Difficult-to-Reach People Who Inject Drugs: Results from the ANRS-AERLI Study. <i>PLoS ONE</i> , 2016 , 11, e0157062	3.7	17
145	Delayed first consultation after diagnosis of HIV infection in Cameroon. <i>Aids</i> , 2009 , 23, 1015-9	3.5	16
144	No significant effect of cannabis use on the count and percentage of circulating CD4 T-cells in HIV-HCV co-infected patients (ANRS CO13-HEPAVIH French cohort). <i>Drug and Alcohol Review</i> , 2017 , 36, 227-238	3.2	15
143	Cannabis Use and Reduced Risk of Insulin Resistance in HIV-HCV Infected Patients: A Longitudinal Analysis (ANRS CO13 HEPAVIH). <i>Clinical Infectious Diseases</i> , 2015 , 61, 40-8	11.6	15
142	Impact of Alcohol and Coffee Intake on the Risk of Advanced Liver Fibrosis: A Longitudinal Analysis in HIV-HCV Coinfected Patients (ANRS HEPAVIH CO-13 Cohort). <i>Nutrients</i> , 2018 , 10,	6.7	15
141	Low alcohol consumption as a predictor of higher CD4+ cell count in HIV-treated patients: a french paradox or a proxy of healthy behaviors? The ANRS APROCO-COPILOTE CO-08 cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, e148-50	3.1	15
140	Thrombosis and antiphospholipid antibody syndrome during acute Q fever: A cross-sectional study. <i>Medicine (United States)</i> , 2017 , 96, e7578	1.8	15
139	Adding HCV treatment to HIV treatment in HIV-HCV coinfecting patients: the impact on the different dimensions of fatigue and self-reported side effects. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 413-21	4.8	15
138	The detection of non-adherence by self-administered questionnaires can be optimized by protease inhibitor plasma concentration determination. <i>Aids</i> , 2003 , 17, 1096-9	3.5	15
137	Empowering HIV testing as a prevention tool: targeting interventions for high-risk men who have sex with men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 1039-45	2.2	14

136	Positive impact of hepatitis C virus (HCV) treatment on antiretroviral treatment adherence in human immunodeficiency virus-HCV coinfecting patients: one more argument for expanded access to HCV treatment for injecting drug users. <i>Addiction</i> , 2012 , 107, 152-9	4.6	14
135	Prevalence of immunity to hepatitis viruses A and B in a large cohort of HIV/HCV-coinfecting patients, and factors associated with HAV and HBV vaccination. <i>Vaccine</i> , 2011 , 29, 8656-60	4.1	14
134	Chronic q Fever detection in the Netherlands. <i>Clinical Infectious Diseases</i> , 2011 , 53, 1170-1	11.6	14
133	Mandatory prenatal screening for the human immunodeficiency virus: the experience in south-eastern France of a national policy, 1992-1994. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998 , 105, 269-74	3.7	14
132	Daily cannabis and reduced risk of steatosis in human immunodeficiency virus and hepatitis C virus-co-infected patients (ANRS CO13-HEPAVIH). <i>Journal of Viral Hepatitis</i> , 2018 , 25, 171-179	3.4	14
131	High levels of alcohol consumption increase the risk of advanced hepatic fibrosis in HIV/hepatitis C virus-coinfecting patients: a sex-based analysis using transient elastography at enrollment in the HEPAVIH ANRS CO13 cohort. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1190-2	11.6	13
130	Individual and structural factors associated with HIV status disclosure to main partner in Cameroon: ANRS 12-116 EVAL survey, 2006-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57 Suppl 1, S22-6	3.1	13
129	Psychosocial correlates of inconsistent condom use among HIV-infected patients enrolled in a structured ART interruptions trial in Côte d'Ivoire: results from the TRIVACAN trial (ANRS 1269). <i>Tropical Medicine and International Health</i> , 2010 , 15, 706-12	2.3	13
128	Oral contraception and unprotected sex with occasional partners of women HIV-infected through injection drug use. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2006 , 18, 795-800	2.2	13
127	Impact of HAART-related side effects on unsafe sexual behaviours in HIV-infected injecting drug users: 7-year follow up. <i>Aids</i> , 2004 , 18, 1321-5	3.5	13
126	Impact of drug maintenance treatment on injection practices among French HIV-infected IDUs. The MANIF 2000 Study Group. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2000 , 12, 461-70	2.2	13
125	European 'NAFLD Preparedness Index' - Is Europe ready to meet the challenge of fatty liver disease?. <i>JHEP Reports</i> , 2021 , 3, 100234	10.3	13
124	<i>Tropheryma whipplei</i> DNA in bronchoalveolar lavage samples: a case control study. <i>Clinical Microbiology and Infection</i> , 2016 , 22, 875-879	9.5	13
123	Screening, diagnosis and care cascade for viral hepatitis B and C in Yaoundé, Cameroon: a qualitative study of patients and health providers coping with uncertainty and unbearable costs. <i>BMJ Open</i> , 2019 , 9, e025415	3	12
122	"Everybody living with a chronic disease is entitled to be cured": Challenges and opportunities in scaling up access to direct-acting antiviral hepatitis C virus treatment among people who inject drugs. <i>International Journal of Drug Policy</i> , 2020 , 81, 102766	5.5	12
121	Desire for a child among HIV-infected women receiving antiretroviral therapy in Cameroon: results from the national survey EVAL (ANRS 12-116). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 441-51	2.2	12
120	The EASL-Lancet Liver Commission: protecting the next generation of Europeans against liver disease complications and premature mortality. <i>Lancet, The</i> , 2021 ,	4.0	12
119	Visiting one's native country: the risks of nonadherence in HIV-infected sub-Saharan migrants--ANRS VIHVO study. <i>Journal of the International Association of Providers of AIDS Care</i> , 2013 , 12, 407-13	1.7	11

118	Non-adherence to aspirin in patients undergoing coronary stenting: negative impact of comorbid conditions and implications for clinical management. <i>Archives of Cardiovascular Diseases</i> , 2011 , 104, 306-312	2.7	11
117	Statistical fallibility and the longevity of popes: William Farr meets Wilhelm Lexis. <i>International Journal of Epidemiology</i> , 2006 , 35, 802-5	7.8	11
116	20-years of population-based cancer registration in hepatitis B and liver cancer prevention in the Gambia, West Africa. <i>PLoS ONE</i> , 2013 , 8, e75775	3.7	11
115	Lower HCV treatment uptake in women who have received opioid agonist therapy before and during the DAA era: The ANRS FANTASIO project. <i>International Journal of Drug Policy</i> , 2019 , 72, 61-68	5.5	10
114	HCV seropositivity in inmates and in the general population: an averaging approach to establish priority prevention interventions. <i>BMJ Open</i> , 2014 , 4, e005694	3	10
113	Impact of HCV treatment and depressive symptoms on adherence to HAART among HIV-HCV-coinfected patients: results from the ANRS-CO13-HEPAVIH cohort. <i>Antiviral Therapy</i> , 2014 , 19, 171-8	1.6	10
112	Consensus statement on the role of health systems in advancing the long-term well-being of people living with HIV. <i>Nature Communications</i> , 2021 , 12, 4450	17.4	10
111	Factors associated with perceived loss of libido in people who inject opioids: Results from a community-based survey in France. <i>Drug and Alcohol Dependence</i> , 2018 , 190, 121-127	4.9	9
110	Engaging HIV-HCV co-infected patients in HCV treatment: the roles played by the prescribing physician and patients' beliefs (ANRS CO13 HEPAVIH cohort, France). <i>BMC Health Services Research</i> , 2012 , 12, 59	2.9	9
109	Self-reported alcohol abuse in HIV-HCV co-infected patients: a better predictor of HIV virological rebound than physician's perceptions (HEPAVIH ARNS CO13 cohort). <i>Addiction</i> , 2013 , 108, 1250-8	4.6	9
108	Role of treatment for depressive symptoms in relieving the impact of fatigue in HIV-HCV co-infected patients: ANRS Co13 Hepavih, France, 2006-2008. <i>Journal of Viral Hepatitis</i> , 2010 , 17, 650-60 ³⁻⁴		9
107	Impact of immunodepression and moderate alcohol consumption on coronary and other arterial disease events in an 11-year cohort of HIV-infected patients on antiretroviral therapy. <i>BMJ Open</i> , 2012 , 2,	3	9
106	Incidence, medical and socio-behavioural predictors of psychiatric events in an 11-year follow-up of HIV-infected patients on antiretroviral therapy. <i>Antiviral Therapy</i> , 2012 , 17, 1079-83	1.6	9
105	Adherence as a predictor of sexual behaviors in people living with HIV/AIDS during the first year of antiretroviral therapy in rural Cameroon: data from Stratall ANRS 12110/ESTHER trial. <i>PLoS ONE</i> , 2012 , 7, e36118	3.7	9
104	Severe liver disease related to chronic hepatitis C virus infection in treatment-naive patients: epidemiological characteristics and associated factors at first expert centre visit, France, 2000 to 2007 and 2010 to 2014. <i>Eurosurveillance</i> , 2017 , 22,	19.8	9
103	Efficacy, safety and patient-reported outcomes of ledipasvir/sofosbuvir in NS3/4A protease inhibitor-experienced individuals with hepatitis C virus genotype 1 and HIV coinfection with and without cirrhosis (ANRS HC31 SOFTRIH study). <i>HIV Medicine</i> , 2018 , 19, 227-237	2.7	9
102	Significant reductions in alcohol use after hepatitis C treatment: results from the ANRS CO13-HEPAVIH cohort. <i>Addiction</i> , 2017 , 112, 1669-1679	4.6	8
101	Psychometric assessment of health-related quality of life and symptom experience in HIV patients treated with antiretroviral therapy. <i>Quality of Life Research</i> , 2015 , 24, 1407-18	3.7	8

100	Scaling up combined community-based HIV prevention interventions targeting truck drivers in Morocco: effectiveness on HIV testing and counseling. <i>BMC Infectious Diseases</i> , 2015 , 15, 208	4	8
99	Willingness to receive intravenous buprenorphine treatment in opioid-dependent people refractory to oral opioid maintenance treatment: results from a community-based survey in France. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017 , 12, 46	3.4	8
98	Hospitalization for depressive syndrome in a cohort of HIV-infected patients contaminated through injecting drug use: MANIF 2000 cohort, France, 1995-1999. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2003 , 15, 729-34	2.2	8
97	Serum Clara cell protein (CC16) in healthy young smokers. <i>Biomarkers</i> , 2000 , 5, 158-64	2.6	8
96	Factors Associated with HIV Status Disclosure in HIV-Infected Sub-Saharan Migrants Living in France and Successfully Treated with Antiretroviral Therapy: Results from the ANRS-VIHVO Study. <i>Journal of Immigrant and Minority Health</i> , 2017 , 19, 843-850	2.2	7
95	Factors associated with guideline-based hepatitis C virus (HCV) treatment initiation in HIV/HCV-coinfected patients: role of comorbidities and physicians' perceptions. <i>HIV Medicine</i> , 2013 , 14, 430-6	2.7	7
94	Proximity to HIV is associated with a high rate of HIV testing among men who have sex with men living in Douala, Cameroon. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 1020-7	2.2	7
93	HIV screening for pregnant women in south eastern France: evolution 1992-1994-1996. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998 , 76, 5-9	2.4	7
92	Depressive symptoms and exposure to efavirenz in West African HIV-infected adults. <i>HIV Clinical Trials</i> , 2008 , 9, 445-7		7
91	Pain in methadone patients: Time to address undertreatment and suicide risk (ANRS-Methaville trial). <i>PLoS ONE</i> , 2017 , 12, e0176288	3.7	7
90	Burden and impacts of chronic hepatitis B infection in rural Senegal: study protocol of a cross-sectional survey in the area of Niakhar (AmBASS ANRS 12356). <i>BMJ Open</i> , 2019 , 9, e030211	3	7
89	Untreated alcohol use disorder in people who inject drugs (PWID) in France: a major barrier to HCV treatment uptake (the ANRS-FANTASIO study). <i>Addiction</i> , 2020 , 115, 573-582	4.6	7
88	Increased mortality in HIV/HCV-coinfected compared to HCV-monoinfected patients in the DAA era due to non-liver-related death. <i>Journal of Hepatology</i> , 2021 , 74, 37-47	13.4	7
87	Decrease in self-reported offences and incarceration rates during methadone treatment: A comparison between patients switching from buprenorphine to methadone and maintenance treatment incident users (ANRS-Methaville trial). <i>International Journal of Drug Policy</i> , 2017 , 39, 86-91	5.5	6
86	Variations in Cannabis Use Level and Correlates in Opiate-Users on Methadone Maintenance Treatment: A French Prospective Study. <i>Journal of Substance Abuse Treatment</i> , 2015 , 58, 100-5	4.2	6
85	Importance of the patient-physician interaction in assessing acceptability of HIV cure trials. <i>HIV Medicine</i> , 2018 , 19, e56-e57	2.7	6
84	Prediction of HIV drug resistance based on virologic, immunologic, clinical, and/or adherence criteria in the Stratall ANRS 12110/ESTHER trial in Cameroon. <i>Clinical Infectious Diseases</i> , 2013 , 57, 604-7 ^{11.6}		6
83	Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon [Data from the STRATALL ANRS 12110/ESTHER trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 347-355	2.2	6

82	Factors associated with DAA virological treatment failure and resistance-associated substitutions description in HIV/HCV coinfecting patients. <i>World Journal of Hepatology</i> , 2018 , 10, 856-866	3.4	6
81	Patient-reported symptoms during direct-acting antiviral treatment: A real-life study in HIV-HCV coinfecting patients (ANRS CO13 HEPAVIH). <i>Journal of Hepatology</i> , 2020 , 72, 588-591	13.4	6
80	Short article: Fatigue in the long term after HCV treatment in HIV-HCV-coinfecting patients: functional limitations persist despite viral clearance in patients exposed to peg-interferon/ribavirin-containing regimens (ANRS CO13-HEPAVICH cohort). <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 1003-7	2.2	6
79	A reduced factor structure for the PROQOL-HIV questionnaire provided reliable indicators of health-related quality of life. <i>Journal of Clinical Epidemiology</i> , 2016 , 72, 116-25	5.7	6
78	Prevention and care of hepatitis B in the rural region of Fatick in Senegal: a healthcare workers' perspective using a mixed methods approach. <i>BMC Health Services Research</i> , 2019 , 19, 627	2.9	5
77	Self-Reported Bothersome Symptoms Across Different Socioepidemiological Groups of People Living With HIV Attending French Hospitals: Results From the ANRS-VESPA2 Survey. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 110-119	4.8	5
76	Using patient-reported outcomes to improve the management of co-infection with HIV and HCV: the ANRS CO13 HEPAVICH cohort. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 351-8	4.2	5
75	Determinants of benzodiazepine use in a representative population of HIV-infected individuals: the role of HIV status disclosure (ANRS-EN12-VESPA study). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 1163-70	2.2	5
74	Expanded access to SEPs and other harm reduction measures in France. <i>Addiction</i> , 2009 , 104, 1447-8	4.6	5
73	Relationship between HIV-1 viral load and continued drug use in untreated infected injection drug users. <i>Addiction Biology</i> , 1999 , 4, 197-202	4.6	5
72	Twelve-year mortality in HIV-infected patients receiving antiretroviral therapy: the role of social vulnerability. The ANRS CO8 APROCO-COPILOTE cohort. <i>Antiviral Therapy</i> , 2015 , 20, 763-72	1.6	5
71	Cannabis use is associated with a lower risk of diabetes in chronic hepatitis C-infected patients (ANRS CO22 Hepather cohort). <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1473-1483	3.4	5
70	HCV-Related Mortality Among HIV/HCV Co-infected Patients: The Importance of Behaviors in the HCV Cure Era (ANRS CO13 HEPAVICH Cohort). <i>AIDS and Behavior</i> , 2020 , 24, 1069-1084	4.3	5
69	Changes in supervised drug-injecting practices following a community-based educational intervention: A longitudinal analysis. <i>Drug and Alcohol Dependence</i> , 2018 , 192, 1-7	4.9	5
68	Health-Related Quality of Life in Chronic HCV-Infected Patients Switching to Pegylated-Interferon-Free Regimens (ANRS CO20 CUPIC Cohort Study and SIRIUS Trial). <i>Patient</i> , 2017 , 10, 605-614	3.7	4
67	Spontaneous and post-treatment HCV clearance: relationships with health-related quality of life in HIV infection (ANRS-VESPA2 study). <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 701-13	4.2	4
66	Health-care-associated bloodstream infections in France. <i>Lancet Infectious Diseases</i> , 2013 , 13, 656	25.5	4
65	De jure decriminalisation of cannabis use matters: some recent trends from France. <i>International Journal of Drug Policy</i> , 2013 , 24, 634-5	5.5	4

64	Correlates of HIV sustained viral suppression in HIV/hepatitis C virus coinfecting patients: possible role of the hepatitis C virus sustained viral response. <i>Aids</i> , 2014 , 28, 1155-60	3.5	4
63	PASSI d'Argento (Silver Steps): the main features of the new nationwide surveillance system for the ageing Italian population, Italy 2013-2014. <i>Annali Dell'istituto Superiore Di Sanita</i> , 2016 , 52, 536-542	1.6	4
62	Life after hepatitis C cure in HIV-infected people who inject drugs and men who have sex with men treated with direct-acting antivirals in France: Health perceptions and experiences from qualitative and quantitative findings (ANRS CO13 HEPAVIH). <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1462-1472	3.4	4
61	Psychiatric and substance use disorders in HIV/hepatitis C virus (HCV)-coinfecting patients: does HCV clearance matter? [Agence Nationale de Recherche sur le SIDA et les Hépatites Virales (ANRS) HEPAVIH CO13 cohort]. <i>HIV Medicine</i> , 2016 , 17, 758-765	2.7	4
60	Addition of boceprevir to PEG-interferon/ribavirin in HIV-HCV-Genotype-1-coinfecting, treatment-experienced patients: efficacy, safety, and pharmacokinetics data from the ANRS HC27 study. <i>HIV Clinical Trials</i> , 2016 , 17, 63-71		4
59	Elevated Fatty Liver Index as a Risk Factor for All-Cause Mortality in Human Immunodeficiency Virus-Hepatitis C Virus-Coinfecting Patients (ANRS CO13 HEPAVIH Cohort Study). <i>Hepatology</i> , 2020 , 71, 1182-1197	11.2	4
58	Drug consumption rooms in Catalonia: A comprehensive evaluation of social, health and harm reduction benefits. <i>International Journal of Drug Policy</i> , 2018 , 62, 24-29	5.5	4
57	Impact of drug consumption rooms on risk practices and access to care in people who inject drugs in France: the COSINUS prospective cohort study protocol. <i>BMJ Open</i> , 2019 , 9, e023683	3	3
56	Increasing access to opioid maintenance treatment: the role of primary care in France. <i>International Journal of Drug Policy</i> , 2015 , 26, 434-5	5.5	3
55	The need for patient-tailored dosing of baclofen in future clinical trials. <i>European Neuropsychopharmacology</i> , 2018 , 28, 656-657	1.2	3
54	HIV infection among persons who inject drugs: ending old epidemics and addressing new outbreaks: authors' reply. <i>Aids</i> , 2016 , 30, 1858-9	3.5	3
53	Risk factors for adherence failure in HIV-infected sub-Saharan migrants living in France and travelling back to their native country. <i>International Journal of STD and AIDS</i> , 2014 , 25, 389-90	1.4	3
52	Effect of indinavir and higher CD4+ T-cell count on viral load response after 6 months of highly active antiretroviral therapy. <i>Clinical Therapeutics</i> , 1999 , 21, 1313-20	3.5	3
51	Elevated coffee consumption is associated with a lower risk of elevated liver fibrosis biomarkers in patients treated for chronic hepatitis B (ANRS CO22 Hepather cohort).. <i>Clinical Nutrition</i> , 2022 , 41, 610-619	5.9	3
50	Posttraumatic Stress Disorder as a Significant Correlate of Voluntary Antiretroviral Treatment Interruption in Adult HIV-Infected Patients Followed up in French Hospitals: Data From the ANRS-VESPA2 National Survey. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	3
49	Hepatitis C virus-microelimination program and patient trajectories after hepatitis C virus cure in an outpatient HIV clinical unit. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1212-1221	2.2	3
48	The impact of coffee consumption on fibrosis and steatosis in HIV-HCV co-infected patients. <i>Journal of Hepatology</i> , 2018 , 68, 845-847	13.4	3
47	Hepatitis B testing, treatment, and virologic suppression in HIV-infected patients in Cameroon (ANRS 12288 EVOLCAM). <i>BMC Infectious Diseases</i> , 2020 , 20, 49	4	2

46	Benefits of cannabis use for metabolic disorders and survival in people living with HIV with or without hepatitis C co-infection. <i>Aids</i> , 2020 , 34, 953-954	3.5	2
45	Impact of an educational intervention on risks associated with drug injection, and on psychosocial factors (PSF) involved in initiating and maintaining new health behaviors over time. <i>Addictive Behaviors</i> , 2018 , 87, 222-230	4.2	2
44	Evolution of patients' socio-behavioral characteristics in the context of DAA: Results from the French ANRS CO13 HEPAVIH cohort of HIV-HCV co-infected patients. <i>PLoS ONE</i> , 2018 , 13, e0199874	3.7	2
43	Decentralization of access to antiretroviral therapy in Cameroon: correlates of HIV physicians' knowledge in HIV care. <i>Antiviral Therapy</i> , 2011 , 16, 423-8	1.6	2
42	Of Rats And Men: Peer Presence And Familiarity Are Key Factors Which Reduce Drug Intake		2
41	Coffee Intake and Neurocognitive Performance in HIV/HCV Coinfected Patients (ANRS CO13 HEPAVIH). <i>Nutrients</i> , 2020 , 12,	6.7	2
40	HCV Cure and Cannabis Abstinence Facilitate Tobacco Smoking Quit Attempts in HIV-HCV Co-Infected Patients (ANRS CO13 HEPAVIH Cohort Study). <i>AIDS and Behavior</i> , 2021 , 25, 4141-4153	4.3	2
39	Factors Associated with Virological Rebound in HIV-Positive Sub-Saharan Migrants Living in France After Traveling Back to Their Native Country: ANRS-VIHVO 2006-2009 Study. <i>Journal of Immigrant and Minority Health</i> , 2019 , 21, 1342-1348	2.2	2
38	No influence of cannabis use on liver stiffness in HIV-HCV co-infected patients (ANRS CO13 HEPAVIH cohort study). <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 274-276	2.2	2
37	Impaired patient-reported outcomes persist in HIV-HCV co-infected patients and in cirrhotic patients despite HCV clearance. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 314-315	3.4	2
36	Incidence of cervical, breast and colorectal cancers between 2010 and 2015 in people living with HIV in France.. <i>PLoS ONE</i> , 2022 , 17, e0261069	3.7	2
35	France removes hepatitis C treatment prescriber restrictions-But what is the impact of the delay for key populations?. <i>Liver International</i> , 2019 , 39, 2418-2419	7.9	1
34	Methadone in primary care in France: Using evidence for action against hepatitis C. <i>International Journal of Drug Policy</i> , 2019 , 71, 91-92	5.5	1
33	Cocoa and Chocolate: Chemistry, Biochemistry, and Beneficial Brain Effects 2013 , 389-406		1
32	Time to combine intervention with prevention in countries where HIV is also driven by hazardous drinking: The journal publishes both invited and unsolicited letters. <i>Addiction</i> , 2013 , 108, 221-2	4.6	1
31	No condoms for prisoners: accumulating risks of HIV, STI but also hepatitis transmission. <i>Sexually Transmitted Infections</i> , 2013 , 89, 310	2.8	1
30	Reduced delays in time to first HIV consultation after diagnosis in France in the antiretroviral therapy era: the possible role of a free care system. <i>HIV Medicine</i> , 2011 , 12, 383-4	2.7	1
29	Non adherence to thienopyridine after coronary stenting. <i>American Journal of Cardiology</i> , 2011 , 107, 1866-7	3	1

28	The Dynamic of Adherence to Highly Active Antiretroviral Therapy: Results From the French National APROCO Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 28, 232-239	3.1	1
27	Effectiveness of direct-acting antivirals for chronic hepatitis C treatment in migrant and non-migrant populations in France. <i>Liver International</i> , 2021 , 41, 2328-2340	7.9	1
26	Cannabis use and reduced risk of elevated fatty liver index in HIV-HCV co-infected patients: a longitudinal analysis (ANRS CO13 HEPAVIH). <i>Expert Review of Anti-Infective Therapy</i> , 2021 , 19, 1147-1156	5.5	1
25	Letter to the Editor: Patient-Reported Outcomes for Nonalcoholic Fatty Liver Disease/Nonalcoholic Steatohepatitis: Rationale for Expanded Use. <i>Hepatology</i> , 2019 , 70, 443-444	11.2	1
24	Wine Consumption and Lower Risk of Advanced Liver Fibrosis: A True Effect or Unmeasured Confounding? A Longitudinal Analysis (ANRS CO13 HEPAVIH Cohort). <i>American Journal of Gastroenterology</i> , 2018 , 113, 1729-1732	0.7	1
23	Direct, indirect and total effect of HIV coinfection on the risk of non-liver-related cancer in hepatitis C virus-infected patients treated by direct-acting antivirals: a mediation analysis. <i>HIV Medicine</i> , 2021 , 22, 924-935	2.7	1
22	Post-HCV cure self-reported changes in physical activity, eating behaviours, and fatigue in people living with HIV (ANRS CO13 HEPAVIH). <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1665-1667	3.4	1
21	Social vulnerability of patients co-infected with hepatitis B and hepatitis delta viruses: Data from the ANRS CO22 HEPATHER cohort. <i>Journal of Clinical Virology</i> , 2021 , 144, 104987	14.5	1
20	Late presentation for HCV care: Time to target people with diabetes and/or hazardous alcohol use (ANRS CO22 HEPATHER cohort). <i>Liver International</i> , 2021 ,	7.9	1
19	Risk of invasive cervical cancer among women with, or at risk for, HIV infection 1999 , 82, 334		1
18	Use of psychoactive substances by night-shift hospital healthcare workers during the first wave of the COVID-19 pandemic: a cross-sectional study based in Parisian public hospitals (ALADDIN).. <i>BMJ Open</i> , 2022 , 12, e055699	3	1
17	Hepatitis B in Senegal: A Successful Infant Vaccination Program but Urgent Need to Scale Up Screening and Treatment (ANRS 12356 AmbASS survey).. <i>Hepatology Communications</i> , 2021 ,	6	1
16	Impact of the COVID-19 crisis on healthcare workers: The need to address quality of working life issues.. <i>Respirology</i> , 2022 , 27, 469-471	3.6	1
15	Role of community-based research in advocating HCV prevention and care. <i>Journal of the International AIDS Society</i> , 2017 , 20, e25005	5.4	0
14	Correlates of Self-Reported Cotton Fever Experience among People Who Inject Opioids. <i>Substance Use and Misuse</i> , 2020 , 55, 1021-1027	2.2	0
13	Profile, risk practices and needs of people who inject morphine sulfate: Results from the ANRS-AERLI study. <i>International Journal of Drug Policy</i> , 2018 , 59, 3-9	5.5	0
12	Evaluation of a novel therapeutic education programme for people with alcohol use disorder in France: a mixed-methods intervention study protocol (ETHER).. <i>Harm Reduction Journal</i> , 2022 , 19, 2	4.6	0
11	Peer presence and familiarity as key factors to reduce cocaine intake in both rats and humans: an effect mediated by the subthalamic nucleus.. <i>Psychopharmacology</i> , 2022 , 239, 1097	4.7	0

10	Hepatitis Delta virus in migrants: The challenge of elimination (ANRS CO22 HEPATHER cohort). <i>Liver International</i> , 2021 ,	7.9	o
9	HCV cure: an appropriate moment to reduce cannabis use in people living with HIV? (ANRS CO13 HEPAVIH data).. <i>AIDS Research and Therapy</i> , 2022 , 19, 15	3	o
8	Reply to: "Coffee consumption and decreased all-cause mortality - What is the true estimate of effect?". <i>Journal of Hepatology</i> , 2018 , 68, 1106	13.4	
7	Efficacy and safety of boceprevir-based triple therapy in HCV cirrhotic patients awaiting liver transplantation (ANRS HC29 BOCEPRETRANSPLANT). <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2017 , 41, 56-65	2.4	
6	Unstable Housing Still a Barrier to Receiving HCV Treatment in France (ANRS CO13 HEPAVIH Cohort). <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2943-2944	4	
5	Quality of life assessment in HIV clinical research in resource-limited settings: better late than never. <i>Tropical Medicine and International Health</i> , 2010 , 15, 1008-10	2.3	
4	De la recherche communautaire à la transformation sociale: l'exemple du projet ANRS-AERLI sur l'accompagnement et l'éducation aux risques liés à l'injection. <i>Psychotropes (discontinued)</i> , 2017 , 23, 57	0.1	
3	Quality of Life in HIV Positive Injecting Drug Users 2010 , 3705-3725		
2	Alcohol Use Patterns and Liver Outcomes: Is There Really a Difference Between Drinking Beer and Drinking Wine?. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1650-1651	6.9	
1	Severe liver fibrosis in the HCV cure era: Major effects of social vulnerability, diabetes, and unhealthy behaviors.. <i>JHEP Reports</i> , 2022 , 4, 100481	10.3	