

Pierre Berini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5648021/publications.pdf>

Version: 2024-02-01

304
papers

9,974
citations

57752

44
h-index

39667

94
g-index

309
all docs

309
docs citations

309
times ranked

6692
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-range surface plasmon polaritons. <i>Advances in Optics and Photonics</i> , 2009, 1, 484.	25.5	839
2	Surface plasmonâ€“polariton amplifiers and lasers. <i>Nature Photonics</i> , 2012, 6, 16-24.	31.4	736
3	Plasmon-polariton waves guided by thin lossy metal films of finite width: Bound modes of symmetric structures. <i>Physical Review B</i> , 2000, 61, 10484-10503.	3.2	662
4	Plasmon-polariton waves guided by thin lossy metal films of finite width: Bound modes of asymmetric structures. <i>Physical Review B</i> , 2001, 63, .	3.2	366
5	Amplification of long-range surface plasmons by a dipolar gain medium. <i>Nature Photonics</i> , 2010, 4, 382-387.	31.4	366
6	Experimental observation of plasmonâ€“polariton waves supported by a thin metal film of finite width. <i>Optics Letters</i> , 2000, 25, 844.	3.3	288
7	Demonstration of integrated optics elements based on long-ranging surface plasmon polaritons. <i>Optics Express</i> , 2005, 13, 977.	3.4	276
8	Figures of merit for surface plasmon waveguides. <i>Optics Express</i> , 2006, 14, 13030.	3.4	255
9	Thin-Film Schottky Barrier Photodetector Models. <i>IEEE Journal of Quantum Electronics</i> , 2010, 46, 633-643.	1.9	248
10	Plasmonâ€“polariton modes guided by a metal film of finite width. <i>Optics Letters</i> , 1999, 24, 1011.	3.3	197
11	Surface plasmon photodetectors and their applications. <i>Laser and Photonics Reviews</i> , 2014, 8, 197-220.	8.7	186
12	Surface plasmon waveguide Schottky detector. <i>Optics Express</i> , 2010, 18, 8505.	3.4	179
13	Figures of merit for 2D surface plasmon waveguides and application to metal stripes. <i>Optics Express</i> , 2007, 15, 12174.	3.4	172
14	Laser-induced plasmonic colours on metals. <i>Nature Communications</i> , 2017, 8, 16095.	12.8	161
15	Bulk and surface sensitivities of surface plasmon waveguides. <i>New Journal of Physics</i> , 2008, 10, 105010.	2.9	157
16	Passive integrated optics elements based on long-range surface plasmon polaritons. <i>Journal of Lightwave Technology</i> , 2006, 24, 477-494.	4.6	148
17	One-dimensional surface phonon polaritons in boron nitride nanotubes. <i>Nature Communications</i> , 2014, 5, 4782.	12.8	140
18	Time-asymmetric loop around an exceptional point over the full optical communications band. <i>Nature</i> , 2018, 562, 86-90.	27.8	139

#	ARTICLE	IF	CITATIONS
19	Efficient and accurate numerical analysis of multilayer planar optical waveguides in lossy anisotropic media. <i>Optics Express</i> , 2000, 7, 260.	3.4	131
20	Long-Range Surface Plasmons on Ultrathin Membranes. <i>Nano Letters</i> , 2007, 7, 1376-1380.	9.1	118
21	Biosensing using straight long-range surface plasmon waveguides. <i>Optics Express</i> , 2013, 21, 698.	3.4	112
22	Thermally Activated Variable Attenuation of Long-Range Surface Plasmon-Polariton Waves. <i>Journal of Lightwave Technology</i> , 2006, 24, 4391-4402.	4.6	106
23	Demonstration of Bragg gratings based on long ranging surface plasmon polariton waveguides. <i>Optics Express</i> , 2005, 13, 4674.	3.4	99
24	Schottky contact surface-plasmon detector integrated with an asymmetric metal stripe waveguide. <i>Applied Physics Letters</i> , 2009, 95, .	3.3	99
25	Theory of surface plasmon-polariton amplification in planar structures incorporating dipolar gain media. <i>Physical Review B</i> , 2008, 78, .	3.2	93
26	Plasmon-polariton modes guided by a metal film of finite width bounded by different dielectrics. <i>Optics Express</i> , 2000, 7, 329.	3.4	90
27	On the convergence and accuracy of the FDTD method for nanoplasmonics. <i>Optics Express</i> , 2015, 23, 10481.	3.4	83
28	Extremely broadband, on-chip optical nonreciprocity enabled by mimicking nonlinear anti-adiabatic quantum jumps near exceptional points. <i>Nature Communications</i> , 2017, 8, 14154.	12.8	83
29	Serological Diagnosis of Dengue Infection in Blood Plasma Using Long-Range Surface Plasmon Waveguides. <i>Analytical Chemistry</i> , 2014, 86, 1735-1743.	6.5	72
30	Plasmonic colours predicted by deep learning. <i>Scientific Reports</i> , 2019, 9, 8074.	3.3	66
31	An experimental study of the effects of harmonic loading on microwave MESFET oscillators and amplifiers. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1994, 42, 943-950.	4.6	65
32	Surface-plasmon Schottky contact detector based on a symmetric metal stripe in silicon. <i>Optics Letters</i> , 2010, 35, 529.	3.3	65
33	High-responsivity sub-bandgap hot-hole plasmonic Schottky detectors. <i>Optics Express</i> , 2016, 24, 22544.	3.4	58
34	Efficient Mode Transfer on a Compact Silicon Chip by Encircling Moving Exceptional Points. <i>Physical Review Letters</i> , 2020, 124, 153903.	7.8	58
35	AFM study of BSA adlayers on Au stripes. <i>Applied Surface Science</i> , 2007, 253, 9209-9214.	6.1	56
36	Plasmonic Nanostructured Metalâ€“Oxideâ€“Semiconductor Reflection Modulators. <i>Nano Letters</i> , 2015, 15, 2304-2311.	9.1	56

#	ARTICLE	IF	CITATIONS
37	A comparison of wavelength dependent polarization dependent loss measurements in fiber gratings. IEEE Transactions on Instrumentation and Measurement, 2000, 49, 1231-1239.	4.7	53
38	Detection of dengue NS1 antigen using long-range surface plasmon waveguides. Biosensors and Bioelectronics, 2016, 78, 132-139.	10.1	53
39	Long-range surface plasmon-polariton mode cutoff and radiation in embedded strip waveguides. Journal of Applied Physics, 2006, 100, 043104.	2.5	51
40	Thin Au surface plasmon waveguide Schottky detectors on p-Si. Nanotechnology, 2012, 23, 444011.	2.6	51
41	Observation of exceptional points in reconfigurable non-Hermitian vector-field holographic lattices. Nature Communications, 2016, 7, 12201.	12.8	51
42	Fabrication of surface plasmon waveguides and devices in Cytop with integrated microfluidic channels. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, 729-735.	1.2	49
43	Fano resonances in plasmonic heptamer nano-hole arrays. Optics Express, 2017, 25, 18566.	3.4	49
44	Material characterization using a quasi-optical measurement system. IEEE Transactions on Instrumentation and Measurement, 2003, 52, 333-336.	4.7	47
45	Highly tunable nanoscale metal-insulator-metal split ring core ring resonators (SRCRRs). Optics Express, 2013, 21, 79.	3.4	44
46	Selective capture of human red blood cells based on blood group using long-range surface plasmon waveguides. Biosensors and Bioelectronics, 2014, 53, 117-122.	10.1	44
47	Curved long-range surface plasmon-polariton waveguides. Optics Express, 2006, 14, 2365.	3.4	43
48	Atomically flat symmetric elliptical nanohole arrays in a gold film for ultrasensitive refractive index sensing. Lab on A Chip, 2013, 13, 2541.	6.0	42
49	Modeling surface plasmon-polariton gain in planar metallic structures. Optics Express, 2009, 17, 20191.	3.4	40
50	Plasmonic photodetector with terahertz electrical bandwidth. Applied Physics Letters, 2014, 104, .	3.3	40
51	Parityâ€“Time Symmetry Synthetic Lasers: Physics and Devices. Advanced Optical Materials, 2019, 7, 1900694.	7.3	40
52	Bragg gratings based on long-range surface plasmon-polariton waveguides: comparison of theory and experiment. IEEE Journal of Quantum Electronics, 2005, 41, 1480-1491.	1.9	39
53	Long-range surface plasmon-polariton waveguides and devices in lithium niobate. Journal of Applied Physics, 2007, 101, 113114.	2.5	39
54	Mach-Zehnder refractometric sensor using long-range surface plasmon waveguides. Applied Physics Letters, 2013, 103, .	3.3	38

#	ARTICLE	IF	CITATIONS
55	Detection of leukemia markers using long-range surface plasmon waveguides functionalized with Protein G. Lab on A Chip, 2015, 15, 4156-4165.	6.0	37
56	Modeling lossy anisotropic dielectric waveguides with the method of lines. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 749-759.	4.6	34
57	Infrared Performance of Symmetric Surface-Plasmon Waveguide Schottky Detectors in Si. Journal of Lightwave Technology, 2011, 29, 1852-1860.	4.6	34
58	Single-mode surface plasmon distributed feedback lasers. Nanoscale, 2018, 10, 5914-5922.	5.6	34
59	Tunable Plasmonic Metasurfaces for Optical Phased Arrays. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-16.	2.9	33
60	Long-range surface plasmon polariton mode cutoff and radiation in slab waveguides. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 1971.	1.5	32
61	Demonstration of surface sensing using long-range surface plasmon waveguides on silica. Sensors and Actuators B: Chemical, 2008, 134, 455-461.	7.8	32
62	Long range surface plasmons on asymmetric suspended thin film structures for biosensing applications. Optics Express, 2010, 18, 19009.	3.4	32
63	Selective detection of bacteria in urine with a long-range surface plasmon waveguide biosensor. Biomedical Optics Express, 2015, 6, 2908.	2.9	32
64	Periodic plasmonic nanoantennas in a piecewise homogeneous background. Optics Express, 2012, 20, 18044.	3.4	31
65	Bloch Long-Range Surface Plasmon Polaritons on Metal Stripe Waveguides on a Multilayer Substrate. ACS Photonics, 2017, 4, 593-599.	6.6	30
66	Long-Range Surface Plasmons Along Membrane-Supported Metal Stripes. IEEE Journal of Selected Topics in Quantum Electronics, 2008, 14, 1479-1495.	2.9	29
67	Nonlinear optics of surface plasmon polaritons in subwavelength graphene ribbon resonators. Optics Express, 2016, 24, 708.	3.4	29
68	Topography Tuning for Plasmonic Color Enhancement via Picosecond Laser Bursts. Advanced Optical Materials, 2018, 6, 1800189.	7.3	29
69	Helium focused ion beam direct milling of plasmonic heptamer-arranged nanohole arrays. Nanophotonics, 2020, 9, 393-399.	6.0	29
70	Schottky-contact plasmonic dipole rectenna concept for biosensing. Optics Express, 2013, 21, 4328.	3.4	28
71	Theoretical performance of Bragg gratings based on long-range surface plasmon-polariton waveguides. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 1757.	1.5	27
72	Grating couplers for broadside input and output coupling of long-range surface plasmons. Optics Express, 2010, 18, 8006.	3.4	26

#	ARTICLE	IF	CITATIONS
73	Long-range surface plasmon-polariton mode cutoff and radiation. Applied Physics Letters, 2006, 88, 051119.	3.3	24
74	Optimization of Long-Range Surface Plasmon Waveguides for Attenuation-Based Biosensing. Journal of Lightwave Technology, 2015, 33, 3234-3242.	4.6	24
75	Spontaneous emission in long-range surface plasmon-polariton amplifiers. Physical Review B, 2011, 83, .	3.2	23
76	Air gaps in metal stripe waveguides supporting long-range surface plasmon polaritons. Journal of Applied Physics, 2007, 102, 033112.	2.5	22
77	Ordered gold nanoparticle arrays on glass and their characterization. Journal of Colloid and Interface Science, 2013, 410, 1-10.	9.4	22
78	Enhanced Raman scattering in graphene by plasmonic resonant Stokes emission. Nanophotonics, 2014, 3, 363-371.	6.0	22
79	Modeling and Characterization of Antireflection Coatings with Embedded Silver Nanoparticles for Silicon Solar Cells. Plasmonics, 2015, 10, 1525-1536.	3.4	22
80	Theoretical biosensing performance of surface plasmon polariton Bragg gratings. Applied Optics, 2015, 54, 1673.	1.8	22
81	Dual-polarization plasmonic metasurface for nonlinear optics. Optics Letters, 2015, 40, 2874.	3.3	22
82	Long-Range Surface Plasmon-Polariton Waveguide Biosensors for Disease Detection. Journal of Lightwave Technology, 2016, 34, 4673-4681.	4.6	22
83	Hydrogen sensing with Pd-coated long-range surface plasmon membrane waveguides. Nanoscale, 2016, 8, 4284-4290.	5.6	22
84	Optical Beam Steering Using Tunable Metasurfaces. ACS Photonics, 2022, 9, 2204-2218.	6.6	22
85	Long-range surface plasmon-polariton waveguides in silica. Journal of Applied Physics, 2007, 102, 053105.	2.5	21
86	Toposelective Electrochemical Desorption of Thiol SAMs from Neighboring Polycrystalline Gold Surfaces. Langmuir, 2008, 24, 12097-12101.	3.5	21
87	Fabrication of surface plasmon waveguides and integrated components on Cytop. Microelectronic Engineering, 2010, 87, 1914-1921.	2.4	21
88	Passive long-range surface plasmon-polariton devices in Cytop. Applied Optics, 2012, 51, 1459.	1.8	21
89	Bulk Sensing Using a Long-Range Surface-Plasmon Dual-Output Mach-Zehnder Interferometer. Journal of Lightwave Technology, 2016, 34, 2631-2638.	4.6	20
90	Vectorial control of nonlinear emission via chiral butterfly nanoantennas: generation of pure high order nonlinear vortex beams. Optics Express, 2017, 25, 2569.	3.4	20

#	ARTICLE	IF	CITATIONS
91	Lipid Reassembly in Asymmetric Langmuir–Blodgett/Langmuir–Schaeffer Bilayers. <i>Langmuir</i> , 2013, 29, 221-227.	3.5	19
92	Biomolecular kinetics analysis using long-range surface plasmon waveguides. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 114-120.	7.8	19
93	Origin of third harmonic generation in plasmonic nanoantennas. <i>Optical Materials Express</i> , 2017, 7, 1575.	3.0	19
94	External cavity laser using a long-range surface plasmon grating as a distributed Bragg reflector. <i>Applied Physics Letters</i> , 2007, 91, 181114.	3.3	18
95	Broadside excitation of surface plasmon waveguides on Cytop. <i>Applied Physics Letters</i> , 2009, 94, .	3.3	18
96	Long-range surface plasmon triple-output Mach-Zehnder interferometers. <i>Optics Express</i> , 2014, 22, 4006.	3.4	18
97	Light-opals interaction modeling by direct numerical solution of Maxwell's equations. <i>Optics Express</i> , 2014, 22, 27739.	3.4	18
98	Passivation of Plasmonic Colors on Bulk Silver by Atomic Layer Deposition of Aluminum Oxide. <i>Langmuir</i> , 2018, 34, 4998-5010.	3.5	18
99	Polaritonic frequency-comb generation and breather propagation in a negative-index metamaterial with a cold four-level atomic medium. <i>Physical Review A</i> , 2019, 99, .	2.5	18
100	Surface plasmon waveguide Schottky detectors operating near breakdown. <i>Physica Status Solidi - Rapid Research Letters</i> , 2010, 4, 283-285.	2.4	17
101	Detection of Small Molecules Using Long-Range Surface Plasmon Polariton Waveguides. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 103-112.	2.9	17
102	Subbandgap Asymmetric Surface Plasmon Waveguide Schottky Detectors on Silicon. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013, 19, 4600209-4600209.	2.9	17
103	On the performance of optical phased array technology for beam steering: effect of pixel limitations. <i>Optics Express</i> , 2020, 28, 31637.	3.4	17
104	Wafer-bonded surface plasmon waveguides. <i>Applied Physics Letters</i> , 2007, 90, 061108.	3.3	16
105	Fabrication of surface plasmon waveguides and integrated components on ultrathin freestanding membranes. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2008, 26, 1383-1391.	2.1	16
106	Broadside coupling to long-range surface plasmons using an angle-cleaved optical fiber. <i>Applied Physics Letters</i> , 2008, 92, .	3.3	16
107	On the Convergence and Accuracy of Numerical Mode Computations of Surface Plasmon Waveguides. <i>Journal of Computational and Theoretical Nanoscience</i> , 2009, 6, 2040-2053.	0.4	16
108	Near infrared amplified spontaneous emission in a dye-doped polymeric waveguide for active plasmonic applications. <i>Optics Express</i> , 2014, 22, 12452.	3.4	16

#	ARTICLE	IF	CITATIONS
109	Long-range surface plasmon Y-junctions for referenced biosensing. <i>Optics Express</i> , 2015, 23, 31098.	3.4	16
110	Characterization of grating-coupled long range surface plasmon polariton membrane waveguides. <i>Optics Express</i> , 2015, 23, 17421.	3.4	16
111	Surface plasmon enhanced photodetectors based on internal photoemission. <i>Journal of Photonics for Energy</i> , 2016, 6, 042511.	1.3	16
112	Low detection limits using sandwich and inhibition assays on long-range surface plasmon waveguide biosensors. <i>Sensors and Actuators B: Chemical</i> , 2018, 273, 1156-1161.	7.8	16
113	Electrochemical Differentiation and TOF-SIMS Characterization of Thiol-Coated Gold Features for (Bio)chemical Sensor Applications. <i>Journal of the Electrochemical Society</i> , 2009, 156, J386.	2.9	15
114	Long-Range Surface Plasmon-Polariton Waveguide Biosensors for Human Cardiac Troponin I Detection. <i>Sensors</i> , 2019, 19, 631.	3.8	15
115	Characterization of wavelength-selective fiber-optic devices using a modified phase-shift method. <i>Journal of Lightwave Technology</i> , 2001, 19, 717-731.	4.6	14
116	Guiding Light with Long-Range Plasmons. <i>Optics and Photonics News</i> , 2008, 19, 28.	0.5	14
117	Frequency pulling and line-shape broadening in graphene Raman spectra by resonant Stokes surface plasmon polaritons. <i>Physical Review B</i> , 2015, 91, .	3.2	14
118	Single-mode lasers and parity-time symmetry broken gratings based on active dielectric-loaded long-range surface plasmon polariton waveguides. <i>Optics Express</i> , 2015, 23, 19922.	3.4	14
119	Unidirectional Bragg Gratings Using Parity-Time Symmetry Breaking in Plasmonic Systems. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016, 22, 48-59.	2.9	14
120	Nanoscale Schottky contact surface plasmon "œpoint detectors" for optical beam scanning applications. <i>Applied Optics</i> , 2017, 56, 3329.	2.1	13
121	Grating couplers for (Bloch) long-range surface plasmons on metal stripe waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019, 36, 1921.	2.1	13
122	A comprehensive study of numerical anisotropy and dispersion in 3-D TLM meshes. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1995, 43, 1173-1181.	4.6	12
123	Fabrication of surface plasmon waveguides on thin CYTOP membranes. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009, 27, 614-619.	2.1	12
124	Long-range surface plasmon single-mode laser concepts. <i>Journal of Applied Physics</i> , 2012, 112, 063115.	2.5	12
125	Fabrication of a plasmonic modulator incorporating an overlaid grating coupler. <i>Nanotechnology</i> , 2014, 25, 495202.	2.6	12
126	Mid-infrared surface phonon polaritons in boron-nitride nanotubes. <i>Journal of Optics (United Kingdom)</i> , 2011, 12, 121202.	2.2	12

#	ARTICLE	IF	CITATIONS
127	Fabrication of long-range surface plasmon-polariton Bragg gratings with microfluidic channels in Cytop claddings. <i>Microelectronic Engineering</i> , 2015, 135, 38-44.	2.4	12
128	Confinement and deposition of solution droplets on solvophilic surfaces using a flat high surface energy guide. <i>Lab on A Chip</i> , 2007, 7, 483.	6.0	11
129	Mechanical Properties of Thin Free-Standing CYTOP Membranes. <i>Journal of Microelectromechanical Systems</i> , 2010, 19, 700-705.	2.5	11
130	Theory of noise in high-gain surface plasmon-polariton amplifiers incorporating dipolar gain media. <i>Optics Express</i> , 2011, 19, 20506.	3.4	11
131	Modeling and design of hydrogen gas sensors based on a membrane-supported surface plasmon waveguide. <i>Sensors and Actuators B: Chemical</i> , 2012, 161, 285-291.	7.8	11
132	Multichannel Transmission Through a Gold Strip Plasmonic Waveguide Embedded in Cytop. <i>IEEE Photonics Journal</i> , 2013, 5, 2201811-2201811.	2.0	11
133	Visible light driven plasmonic photochemistry on nano-textured silver. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 238-246.	2.8	11
134	Integrated multichannel Young's interferometer sensor based on long-range surface plasmon waveguides. <i>Optics Express</i> , 2019, 27, 25470.	3.4	11
135	Characterization of chromatic dispersion and polarization sensitivity in fiber gratings. <i>IEEE Transactions on Instrumentation and Measurement</i> , 1999, 48, 939-943.	4.7	10
136	Measuring gain and noise in active long-range surface plasmon-polariton waveguides. <i>Review of Scientific Instruments</i> , 2011, 82, 033107.	1.3	10
137	Thermo-optic characterization of long-range surface-plasmon devices in Cytop. <i>Applied Optics</i> , 2013, 52, 162.	1.8	10
138	Spatially nonreciprocal Bragg gratings based on surface plasmons. <i>Applied Physics Letters</i> , 2014, 105, .	3.3	10
139	Long-range surface plasmons on gold-coated single-mode fibers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2014, 31, 2354.	2.1	10
140	Bulk sensing using a long-range surface-plasmon triple-output Mach-Zehnder interferometer. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 1068.	2.1	10
141	Viability assessment of bacteria using long-range surface plasmon waveguide biosensors. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	10
142	Helium ion beam lithography and liftoff. <i>Nano Futures</i> , 2021, 5, 025003.	2.2	10
143	Generation of structured coherent extreme ultraviolet beams from an MgO crystal. <i>Optics Express</i> , 2021, 29, 24161.	3.4	10
144	Grating couplers fabricated by e-beam lithography for long-range surface plasmon waveguides embedded in a fluoropolymer. <i>Applied Optics</i> , 2019, 58, 2994.	1.8	10

#	ARTICLE	IF	CITATIONS
145	Normal mode analysis and characterization of an InGaAs/GaAs MQW field-induced optical waveguide including electrode effects. <i>Journal of Lightwave Technology</i> , 1996, 14, 2422-2435.	4.6	9
146	Modeling and design of GaAs traveling-wave electrooptic modulators based on the planar microstrip structure. <i>Journal of Lightwave Technology</i> , 2006, 24, 2368-2379.	4.6	9
147	Fabrication of long-range surface plasmon-polariton waveguides in lithium niobate on silicon. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 692-700.	2.1	9
148	Noise Cancellation in Long-Range Surface Plasmon Dual-Output Mach-Zehnder Interferometers. <i>Journal of Lightwave Technology</i> , 2013, 31, 2606-2612.	4.6	9
149	Fabrication of long-range surface plasmon hydrogen sensors on Cytop membranes integrating grating couplers. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2015, 33, 021201.	1.2	9
150	Laser-written colours on silver: optical effect of alumina coating. <i>Nanophotonics</i> , 2019, 8, 807-822.	6.0	9
151	Fabrication of Bloch Long Range Surface Plasmon Waveguides Integrating Counter Electrodes and Microfluidic Channels for Multimodal Biosensing. <i>Journal of Microelectromechanical Systems</i> , 2021, 30, 686-695.	2.5	9
152	Fabrication of high frequency SAW devices using tri-layer lift-off photolithography. <i>Microelectronic Engineering</i> , 2022, 253, 111671.	2.4	9
153	Modeling and design of GaAs traveling-wave electrooptic modulators based on capacitively loaded coplanar strips. <i>Journal of Lightwave Technology</i> , 2006, 24, 544-554.	4.6	8
154	Broadside coupling to long-range surface plasmons in metal stripes using prisms, particles, and an atomic force microscope probe. <i>Review of Scientific Instruments</i> , 2008, 79, 073106.	1.3	8
155	Design of microfluidic channels separated by an ultra-thin free-standing dielectric membrane. <i>Microfluidics and Nanofluidics</i> , 2009, 6, 17-26.	2.2	8
156	Broadside Excitation of Long-Range Surface Plasmons via Grating Coupling. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1831-1833.	2.5	8
157	Schottky photodetector integration on LOCOS-defined SOI waveguides. , 2010, , .		8
158	A contact angle and ToF-SIMS study of SAMs-thiol interactions on polycrystalline gold. <i>Applied Surface Science</i> , 2011, 257, 4038-4043.	6.1	8
159	Plasmonic gain in long-range surface plasmon polariton waveguides bounded symmetrically by dye-doped polymer. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	8
160	Nonlinear optics rules magnetism. <i>Nature Photonics</i> , 2016, 10, 74-75.	31.4	8
161	Straight Long-Range Surface Plasmon Polariton Waveguide Sensor Operating at $\lambda_0 = 850$ nm. <i>Sensors</i> , 2020, 20, 2507.	3.8	8
162	Hot embossing of microfluidics in cyclic-olefin co-polymer using a wafer aligner-bonder. <i>Microsystem Technologies</i> , 2021, 27, 3899-3906.	2.0	8

#	ARTICLE	IF	CITATIONS
163	Non-specific adsorption of protein to microfluidic materials. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 208, 112138.	5.0	8
164	Design of an Efficient Fabry-Perot Biosensor Using High-Contrast Slanted Grating Couplers on a Dual-Core Single-Mode Optical Fiber Tip. <i>IEEE Sensors Journal</i> , 2021, 21, 19705-19713.	4.7	8
165	Integrated optics devices for long-ranging surface plasmons: fabrication challenges and solutions. , 2005, 5720, 173.		7
166	Teardrop-shaped surface-plasmon resonators. <i>Optics Express</i> , 2012, 20, 6472.	3.4	7
167	Chip-Scale Electrochemical Differentiation of SAM-Coated Gold Features Using a Probe Array. <i>Journal of the Electrochemical Society</i> , 2012, 159, J77-J82.	2.9	7
168	Gain optimization, bleaching, and e-beam structuring of IR-140 doped PMMA and integration with plasmonic waveguides. <i>Optical Materials Express</i> , 2017, 7, 3963.	3.0	7
169	Multichannel Long-Range Surface Plasmon Waveguides for Parallel Biosensing. <i>Journal of Lightwave Technology</i> , 2018, 36, 5536-5546.	4.6	7
170	Ultrasensitive nanoplasmonic biosensor based on interferometric excitation of multipolar plasmonic modes. <i>Optics Express</i> , 2021, 29, 17365.	3.4	7
171	Fano resonances in nanohole oligomers in a gold film. <i>Journal of Applied Physics</i> , 2021, 129, .	2.5	7
172	Highlighting recent progress in long-range surface plasmon polaritons: guest editorial. <i>Advances in Optics and Photonics</i> , 2019, 11, ED19.	25.5	7
173	Effect of ps-laser repetition rate on colour rendition, nanoparticle morphology and surface chemistry on silver [Invited]. <i>Optical Materials Express</i> , 2019, 9, 457.	3.0	7
174	Subwavelength Photonics. <i>Optics and Photonics News</i> , 2017, 28, 34.	0.5	7
175	Correction and Extraction Techniques for Dielectric Constant Determination Using a Ka-Band Free-Space Measurement System. , 2002, , .		6
176	Long-range substantially nonradiative metallo-dielectric waveguide. <i>Optics Letters</i> , 2009, 34, 223.	3.3	6
177	Investigating the Optical Properties of a Laser Induced 3D Self-Assembled Carbon-Metal Hybrid Structure. <i>Small</i> , 2019, 15, e1900512.	10.0	6
178	Reactive Ion Etching of Cytop and Investigation of Residual Microstructures. <i>Journal of Microelectromechanical Systems</i> , 2020, 29, 228-235.	2.5	6
179	Infrared surface plasmons on a Au waveguide electrode open new redox channels associated with the transfer of energetic carriers. <i>Science Advances</i> , 2022, 8, eabm9303.	10.3	6
180	Long-range plasmon-polariton wave propagation in thin metal films of finite width excited using an end-fire technique. , 2000, 4087, 534.		5

#	ARTICLE	IF	CITATIONS
181	End-Facet Polishing of Surface Plasmon Waveguides in Lithium Niobate. IEEE Transactions on Advanced Packaging, 2008, 31, 479-483.	1.6	5
182	Radiation Suppressing Metalloïdielectric Optical Waveguides. Journal of Lightwave Technology, 2009, 27, 2800-2808.	4.6	5
183	Fabrication of surface plasmon waveguides in CYTOP. Proceedings of SPIE, 2012, , .	0.8	5
184	Surface sensitivity of straight long-range surface plasmon waveguides for attenuation-based biosensing. Applied Physics A: Materials Science and Processing, 2014, 117, 527-535.	2.3	5
185	Ultrafast Surface Plasmon IIIïV Photodetectors Based on Nanomonopoles. Journal of Lightwave Technology, 2016, 34, 4682-4687.	4.6	5
186	Fabrication of a high-speed plasmonic reflection/transmission modulator. AIP Advances, 2021, 11, .	1.3	5
187	Tri-layer contact photolithography process for high-resolution lift-off. Microelectronic Engineering, 2021, 241, 111545.	2.4	5
188	Plasmonic heptamer-arranged nanoholes in a gold film on the end-facet of a photonic crystal fiber. Optics Letters, 2021, 46, 4482.	3.3	5
189	Structural and oxide-based colours on laser textured copper. Applied Surface Science, 2022, 583, 152440.	6.1	5
190	Advances in the development of simulation tools for integrated optics devices: FDTD, BPM, and mode-solving techniques. , 2001, , .		4
191	Surface plasmon waveguide devices with Tg-bonded Cytop claddings. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 062601.	1.2	4
192	Electromagnetic fields near plasmonic wedges. Optics Letters, 2012, 37, 1667.	3.3	4
193	Surface plasmon photodetectors. Proceedings of SPIE, 2013, , .	0.8	4
194	Fabrication of metal strip waveguides for optical and microwave data transmission. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2015, 33, 061208.	1.2	4
195	Simultaneous high-capacity optical and microwave data transmission over metal waveguides. Optics Express, 2015, 23, 14135.	3.4	4
196	Wafer-bonded surface plasmon waveguide sensors with in-plane microfluidic interfaces. Journal of Micromechanics and Microengineering, 2020, 30, 095004.	2.6	4
197	Electrochemical Performance of Lithographically-Defined Micro-Electrodes for Integration and Device Applications. Chemosensors, 2021, 9, 277.	3.6	4
198	Design and construction of a Raman microscope and characterization of plasmon-enhanced Raman scattering in graphene. Journal of the Optical Society of America B: Optical Physics, 2019, 36, F49.	2.1	4

#	ARTICLE	IF	CITATIONS
199	Directional coupling with parity-time symmetric Bragg gratings. <i>Optics Express</i> , 2022, 30, 5167.	3.4	4
200	High-resolution surface acoustic wave (SAW) strain sensor based on acoustic Fabry-Pérot resonance. <i>Sensors and Actuators A: Physical</i> , 2022, 338, 113504.	4.1	4
201	Efficient and accurate numerical analysis of multilayer planar optical waveguides. , 1999, 3795, 676.		3
202	Formation and electrochemical desorption of self-assembled monolayers as studied by ToF-SIMS. <i>Surface and Interface Analysis</i> , 2011, 43, 993-997.	1.8	3
203	Solid Lipid Nanoparticles - SLN. , 2012, , 2471-2487.		3
204	Morphology and expression status investigations of specific surface markers on B-cell chronic lymphocytic leukemia cells. <i>Microscopy Research and Technique</i> , 2013, 76, 1147-1153.	2.2	3
205	Electrochemistry of Au-SAM-Protein Stacks. <i>Journal of the Electrochemical Society</i> , 2013, 160, H22-H27.	2.9	3
206	Plasmonic Fano interference produced by gold nano-disks on a dielectric Bragg stack. <i>Journal of Applied Physics</i> , 2015, 118, .	2.5	3
207	Modeling of long range surface plasmon polariton cladded membrane waveguides with integrated grating couplers as hydrogen sensors. <i>Journal of Applied Physics</i> , 2015, 117, 163108.	2.5	3
208	Surface plasmon near-field back-action and displacement of enhanced Raman scattering spectrum in graphene. <i>Journal of Optics (United Kingdom)</i> , 2016, 18, 074008.	2.2	3
209	Fabrication of long range surface plasmon waveguide biosensors in a low-index fluoropolymer. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2018, 36, 042601.	1.2	3
210	Reconfigurable carbon quantum emitters from CO2 gas reduced via surface plasmons. <i>Optica</i> , 2021, 8, 708.	9.3	3
211	<title>Attenuated total reflection modulator based on surface plasmon excitation</title>. , 2001, , .		2
212	Long-range surface plasmon waveguides and devices in lithium niobate: preliminary results. , 2007, , .		2
213	Active plasmonic and metamaterials and devices. <i>Proceedings of SPIE</i> , 2010, , .	0.8	2
214	Long range surface plasmon polariton waveguides for hydrogen sensing. <i>Proceedings of SPIE</i> , 2013, , .	0.8	2
215	Selective detection of bacteria in urine with a LRSPP waveguide biosensor. , 2015, , .		2
216	Nanofabrication of plasmonic structures on insulating substrates by resist-on-metal bilayer lift-off. <i>Nanotechnology</i> , 2019, 30, 054003.	2.6	2

#	ARTICLE	IF	CITATIONS
217	Strong and Short Bragg Waveguide Gratings With Trapezoidal-Shaped Grooves. Journal of Lightwave Technology, 2021, 39, 4395-4401.	4.6	2
218	Long-Range Plasmonic Waveguide Sensors. Biological and Medical Physics Series, 2020, , 29-55.	0.4	2
219	Surface plasmon-polariton mode amplification in long range waveguides. Proceedings of SPIE, 2008, , .	0.8	1
220	Surface plasmon detectors on silicon. , 2012, , .		1
221	Focus issue on surface plasmon photonics introduction. Optics Express, 2013, 21, 27286.	3.4	1
222	Selective biosensing using straight long-range surface plasmon waveguides. Proceedings of SPIE, 2013, , .	0.8	1
223	Amplification and Lasing with Surface Plasmon Polaritons. Handbook of Surface Science, 2014, 4, 309-328.	0.3	1
224	Surface plasmon enhanced optoelectronics. , 2014, , .		1
225	Parity-time symmetry-broken Bragg grating operating with long-range surface plasmon polaritons. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	2.3	1
226	Biosensing using long-range surface plasmon waveguides. , 2017, , .		1
227	Surface Plasmon Enhanced Schottky Detectors. Springer Series in Solid-state Sciences, 2017, , 191-209.	0.3	1
228	Computational Electrodynamics - A Powerful Tool for Nanophotonics and Microscopy. MRS Advances, 2018, 3, 753-760.	0.9	1
229	Deep Learning and Inverse Design in Plasmonic. , 2019, , .		1
230	Optical beam steering for LIDAR via tunable plasmonic metasurfaces. , 2020, , .		1
231	Nanophotonic optical phased arrays: opportunities and limitations. , 2020, , .		1
232	Measurement of long-range surface plasmon-polariton devices in Cytop. Proceedings of SPIE, 2011, , .	0.8	1
233	Investigating the Optical Properties of a Novel 3D Self-Assembled Metamaterial made of Carbon Intercalated with Bimetal Nanoparticles. , 2018, , .		1
234	Gain and noise in long-range surface plasmon-polariton amplifiers. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
235	Optical plasmonic biosensor for leukemia detection. SPIE Newsroom, 0, , .	0.1	1
236	Plasmonic colours on bulk metals: laser coloring of large areas exhibiting high topography. , 2018, , .		1
237	Optical and electrical performance of Schottky diodes on low loss SOI waveguides. OSA Continuum, 2019, 2, 74.	1.8	1
238	Measuring Velocity, Attenuation, and Reflection in Surface Acoustic Wave Cavities Through Acoustic Fabry-Pirot Spectra. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2022, PP, 1-1.	3.0	1
239	Multiwavelength characterization of a traveling-wave photodetector including electrode effects. , 1998, 3491, 860.		0
240	Polarization mode dispersion and polarization-dependent loss measurements in fiber gratings. , 1998, 3491, 133.		0
241	Modeling dielectric waveguiding structures with the method of lines. , 1998, , .		0
242	Optimum design of a wideband traveling-wave photodetector on InP for use at 1.55 μ m. , 1999, , .		0
243	<title>Modified phase-shift method for the characterization of fiber gratings: accuracy and comparison with other methods</title>. , 1999, , .		0
244	<title>Proximity effect of conductors in optical waveguide devices: coupling to plasmon-polariton modes</title>. , 2000, , .		0
245	Frequency-dependent group delay responses due to chromatic dispersion and PMD in Bragg dispersion compensators. , 2000, 4087, 389.		0
246	INTEGRATED OPTICS BASED ON LONG-RANGE SURFACE PLASMON POLARITONS. , 2007, , 217-233.		0
247	Sensitivities and amplification of surface plasmons. , 2009, , .		0
248	Selective functionalization of gold arms of a surface plasmon polariton Mach-Zehnder interferometer for biosensing. , 2009, , .		0
249	Characterization of biosensing waveguides on Cytop. , 2010, , .		0
250	Fabrication and mechanical properties of surface plasmon waveguide biosensors on thin CYTOP membranes. Proceedings of SPIE, 2010, , .	0.8	0
251	Spontaneous and Stimulated Emission into Surface Plasmons. , 2010, , .		0
252	AMPLIFICATION AND LASING WITH SURFACE-PLASMON POLARITONS. World Scientific Series in Nanoscience and Nanotechnology, 2011, , 101-122.	0.1	0

#	ARTICLE	IF	CITATIONS
253	Amplification of surface plasmons. , 2011, , .		0
254	Sensing of bacteria immobilised under static conditions using long-range surface plasmon waveguides in Cytop. Proceedings of SPIE, 2011, , .	0.8	0
255	Au and Ag Nano-Particle Embedded Plasmonic Metal-Slotted Polymer Electro-Optic Waveguide Modulator. , 2011, , .		0
256	Amplification of Surface Plasmons: Theory and Experiment. , 2011, , .		0
257	Design of hydrogen gas sensors based on surface plasmon waveguides. Proceedings of SPIE, 2011, , .	0.8	0
258	Solar Cells. , 2012, , 2459-2459.		0
259	Plasmonic dipole antennas on silicon. Proceedings of SPIE, 2012, , .	0.8	0
260	Grating coupler excitation of membrane supported long range surface plasmons. , 2012, , .		0
261	siRNA Delivery. , 2012, , 2429-2429.		0
262	Small-Angle Scattering. , 2012, , 2437-2437.		0
263	Silver (Ag). , 2012, , 2420-2420.		0
264	Synthesis of Subnanometric Metal Nanoparticles. , 2012, , 2639-2648.		0
265	Surface Plasmon Enhanced Optical Bistability and Optical Switching. , 2012, , 2583-2591.		0
266	Smart Carbon Nanotube-Polymer Composites. , 2012, , 2451-2451.		0
267	Analysis of localized surface plasmon resonance in glass-supported gold nanoparticles with a hexagonal pattern. , 2013, , .		0
268	Schottky-contact plasmonic rectenna for biosensing. Proceedings of SPIE, 2013, , .	0.8	0
269	Solid state long range surface plasmon polariton single mode lasers. , 2013, , .		0
270	Long-Range Surface Plasmon Polariton Excitation Using Tilted Fiber Bragg Gratings. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
271	Plasmonic optoelectronics on silicon. , 2014, , .		0
272	Surface plasmon nanoantenna-based photodetector with Terahertz electrical bandwidth. , 2014, , .		0
273	Focus Issue on surface plasmon photonics introduction. Optics Express, 2015, 23, 32075.	3.4	0
274	Characterization of long-range surface plasmon Bragg gratings with microfluidic channels. , 2015, , .		0
275	Pd Schottky barrier photodetector integrated with LOCOS-defined SOI waveguides. , 2015, , .		0
276	Long-range surface plasmon-polariton waveguide biosensors for disease detection. , 2015, , .		0
277	Surface plasmon amplification and active nonreciprocal gratings. Proceedings of SPIE, 2015, , .	0.8	0
278	On-chip nonlinear plasmonics with graphene-metal nanostructures. , 2015, , .		0
279	FDTD method and HPC for plasmonic nanoantennas. , 2015, , .		0
280	Long-range surface plasmon multiple output Mach-Zehnder interferometers. , 2015, , .		0
281	Plasmonic metasurfaces for nonlinear optics. , 2016, , .		0
282	Active asymmetric plasmonic Bragg gratings. Proceedings of SPIE, 2016, , .	0.8	0
283	Electrical performance analysis of a CPW capable of transmitting microwave and optical signals. International Journal of Microwave and Wireless Technologies, 2017, 9, 1679-1686.	1.9	0
284	Active Plasmonics, Plasmonic Amplification and Lasing. World Scientific Series in Nanoscience and Nanotechnology, 2017, , 1-37.	0.1	0
285	Gain and bleaching investigation of IR-140 doped PMMA. , 2017, , .		0
286	Determination of biomolecular interaction kinetics using surface plasmon waveguides. , 2017, , .		0
287	Plasmonic photodetector with THz electrical bandwidth. , 2017, , .		0
288	Long-Range Surface Plasmon Lasers. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
289	Triple Fano resonances in plasmonic heptamer nano-hole arrays: Symmetric and asymmetric structures. , 2018, , .		0
290	Surface Plasmon Optoelectronics on Silicon. , 2019, , .		0
291	Simulation of nanophotonic nonlinear metasurfaces. , 2019, , .		0
292	Enhanced hydroxylation and carbon dioxide uptake on nanotextured silver oxide. Applied Surface Science, 2020, 520, 146300.	6.1	0
293	Refractive Index Sensor Based on Long-Range Surface Plasmon Polariton Waveguide. Lecture Notes in Electrical Engineering, 2021, , 71-75.	0.4	0
294	Surface Plasmon-Polariton Waveguides and Components. , 2010, , 8â€šÃ„Ã-1-8â€šÃ„Ã-18.		0
295	Active and Passive Surface Plasmon Photonics. , 2011, , .		0
296	Amplification and Lasing with Surface Plasmons: Review of Recent Progress. , 2011, , .		0
297	Periodic structures in plasmonics. , 2012, , .		0
298	Surface Plasmon-Polariton-Based Detectors. , 2016, , 3967-3976.		0
299	Shifted plasmonic nanorods to enhance the density of hot-spots for surface-based nonlinear optics. , 2016, , .		0
300	Optoelectronic metasurfaces. , 2017, , .		0
301	Optoelectronic metasurfaces: modulation and detection. , 2018, , .		0
302	Nonlinear plasmonic metasurfaces. , 2018, , .		0
303	Long-range surface plasmon waveguide biosensors for disease detection. , 2019, , .		0
304	Surface plasmon optoelectronics and exceptional point waveguides on silicon. , 2019, , .		0