
## **Philippe Colombat**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5648365/publications.pdf

Version: 2024-02-01



#	Article	lF	CITATIONS
1	Investigating a Participatory Intervention in Multidisciplinary Cancer Care Teams Using an Integrative Organizational Model: A Study Protocol. Frontiers in Psychology, 2022, 13, 798863.	1.1	2
2	The Participatory Approach: A Specific French Organizational Model at the Department Level to Serve the Quality of Work Life of Healthcare Providers and the Quality of Care in Pediatric Oncology. Cancer Management and Research, 2021, Volume 13, 2763-2771.	0.9	6
3	Hypercalcemia is associated with a poor prognosis in lymphoma a retrospective monocentric matched-control study and extensive review of published reported cases. Annals of Hematology, 2020, 99, 229-239.	0.8	10
4	The effects of job demands on nurses' burnout and presenteeism through sleep quality and relaxation. Journal of Clinical Nursing, 2020, 29, 583-592.	1.4	58
5	A test of work motivation profile similarity across four distinct samples of employees. Journal of Occupational and Organizational Psychology, 2020, 93, 988-1030.	2.6	19
6	Managerial style and wellâ€being among psychiatric nurses: A prospective study. Journal of Psychiatric and Mental Health Nursing, 2019, 26, 265-273.	1.2	10
7	Nonlinear pharmacokinetics of rituximab in nonâ€Hodgkin lymphomas: A pilot study. British Journal of Clinical Pharmacology, 2019, 85, 2002-2010.	1.1	14
8	Beyond working conditions, psychosocial predictors of job satisfaction, and work engagement among French dentists and dental assistants. Journal of Applied Biobehavioral Research, 2019, 24, e12152.	2.0	10
9	The effects of work factors on nurses' job satisfaction, quality of care and turnover intentions in oncology. Journal of Advanced Nursing, 2018, 74, 1208-1219.	1.5	56
10	Rituximab maintenance versus observation following abbreviated induction with chemoimmunotherapy in elderly patients with previously untreated chronic lymphocytic leukaemia (CLL 2007 SA): an open-label, randomised phase 3 study. Lancet Haematology,the, 2018, 5, e82-e94.	2.2	23
11	The Role of Workers' Motivational Profiles in Affective and Organizational Factors. Journal of Happiness Studies, 2018, 19, 1151-1174.	1.9	41
12	R-CHOP 14 with or without radiotherapy in nonbulky limited-stage diffuse large B-cell lymphoma. Blood, 2018, 131, 174-181.	0.6	121
13	Organizational and Managerial Resources and Quality of Care in French Pediatric Oncology Nursing. Journal of Pediatric Oncology Nursing, 2017, 34, 406-413.	1.5	9
14	Evaluating abbreviated induction with fludarabine, cyclophosphamide, and dose-dense rituximab in elderly patients with chronic lymphocytic leukemia. Leukemia and Lymphoma, 2016, 57, 328-334.	0.6	9
15	Burnout syndrome in oncology and hematology healthcare professionnals. Hematologie, 2015, 21, 280-288.	0.0	6
16	Emergence of community-acquired Clostridium difficile infection: the experience of a French hospital and review of the literature. International Journal of Infectious Diseases, 2015, 37, 36-41.	1.5	41
17	Decisional Early Interim 18F-Fluoro-2-Deoxy-D-Glucose Positron Emission Tomography after Two Cycles of Chemotherapy in de novo Hodgkin Lymphoma. Acta Haematologica, 2015, 133, 172-178.	0.7	4
18	Do Transactive Memory and Participative Teamwork Improve Nurses' Quality of Work Life?. Western Journal of Nursing Research, 2014, 36, 329-345.	0.6	15

#	Article	IF	CITATIONS
19	Could a citrus keep the haematologist away?. British Journal of Haematology, 2014, 166, 298-300.	1.2	1
20	A phase 1 dose escalation study of idarubicin combined with methotrexate, vindesine, and prednisolone for untreated elderly patients with primary central nervous system lymphoma: The GOELAMS LCP 99 trial. American Journal of Hematology, 2014, 89, 1024-1029.	2.0	21
21	Interferon alpha with or without rituximab achieves a high response rate and durable responses in relapsed FL: 17Âyears' experience in a single centre. Annals of Hematology, 2014, 93, 147-156.	0.8	6
22	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	0.8	115
23	Publié dans Hématologie vol. 11, n0Â1, janvier-février 2005. Hematologie, 2014, 20, 12-21.	0.0	8
24	The participative approach in the care: a model inspired by hematology. Hematologie, 2014, 20, 258-263.	0.0	2
25	The mediating role of organizational justice in the relationship between transformational leadership and nurses' quality of work life: A cross-sectional questionnaire survey. International Journal of Nursing Studies, 2013, 50, 1359-1367.	2.5	115
26	Intermediate stage Hodgkin lymphoma in partial remission after three or four courses of doxorubicin, bleomycin, vinblastine dacarbazine: no benefit of one course of intensive chemotherapy before irradiation. Leukemia and Lymphoma, 2013, 54, 76-82.	0.6	0
27	Procedural justice, supervisor autonomy support, work satisfaction, organizational identification and job performance: the mediating role of need satisfaction and perceived organizational support. Journal of Advanced Nursing, 2013, 69, 2560-2571.	1.5	114
28	Perceived organizational support, motivation, and engagement among police officers Professional Psychology: Research and Practice, 2013, 44, 46-55.	0.6	107
29	A Randomized Study of Interferon αâ€⊉b Versus No Treatment as Consolidation After High Dose Therapy and Autologous Stem Cell Transplantation for Patients With Relapsed Lymphoma. Oncologist, 2013, 18, 1189-1189.	1.9	5
30	Impact of [ <sup>18</sup> F]Fluorodeoxyglucose Positron Emission Tomography Response Evaluation in Patients With High–Tumor Burden Follicular Lymphoma Treated With Immunochemotherapy: A Prospective Study From the Groupe d'Etudes des Lymphomes de l'Adulte and GOELAMS. Journal of Clinical Oncology, 2012, 30, 4317-4322.	0.8	168
31	The Impact of Organizational Factors on Psychological Needs and Their Relations with Well-Being. Journal of Business and Psychology, 2012, 27, 437-450.	2.5	179
32	Relationships between the characteristics of oncohematology services providing palliative care and the sociodemographic characteristics of caregivers using health indicators: social support, perceived stress, coping strategies, and quality of work life. Supportive Care in Cancer, 2012, 20, 607-614.	1.0	25
33	Safety and Efficacy of Abbreviated Induction with Oral Fludarabine (F) and Cyclophosphamide (C) Combined with Dose-Dense IV Rituximab (R) in Previously Untreated Patients with Chronic Lymphocytic Leukemia (CLL) Aged > 65 years : Results of a Multicenter Trial (LLC 2007 SA) On Behalf of the French Goelams/Fcgcll-WM Intergroup, Blood, 2012, 120, 434-434.	0.6	12
34	Evaluation of the (R)VAD+C regimen for the treatment of newly diagnosed mantle cell lymphoma. Combined results of two prospective phase II trials from the French GOELAMS group. Haematologica, 2010, 95, 1350-1357.	1.7	36
35	Rapid and durable molecular response of refractory T-cell large granular lymphocyte leukemia after alemtuzumab treatment. Leukemia Research, 2010, 34, e197-e199.	0.4	8
36	Juvenile xanthogranuloma with hematological dysfunction treated with 2CDAâ€AraC. Pediatric Blood and Cancer, 2010, 55, 757-760.	0.8	10

#	Article	IF	CITATIONS
37	Influence of methotrexate exposure on outcome in patients treated with MBVP chemotherapy for primary central nervous system lymphoma. British Journal of Clinical Pharmacology, 2010, 70, 367-375.	1.1	9
38	Upfront VIPâ€reinforcedâ€ABVD (VIPâ€rABVD) is not superior to CHOP/21 in newly diagnosed peripheral T cell lymphoma. Results of the randomized phase III trial GOELAMS‣TP95. British Journal of Haematology, 2010, 151, 159-166.	1.2	137
39	La transfusion dansÂlesÂhémopathies enÂfin deÂvie: aspects éthiques etÂorganisationnels. Hematologie, 2010, 16, 228-234.	0.0	6
40	High-dose therapy followed by autologous purged stem cell transplantation and doxorubicin-based chemotherapy in patients with advanced follicular lymphoma: a randomized multicenter study by the GOELAMS with final results after a median follow-up of 9 years. Blood, 2009, 113, 995-1001.	0.6	144
41	High-dose therapy and autologous stem cell transplantation versus conventional therapy for patients with advanced Hodgkin's lymphoma responding to front-line therapy: long-term results. Haematologica, 2009, 94, 146-148.	1.7	66
42	Phase I/II Study of Escalating Doses of Idarubicin in Combination with Methotrexate, Vindesine and Prednisolone in Patients with Primary Central Nervous System Lymphoma: Results of the GOELAMS LCP99 Multicenter Trial Blood, 2009, 114, 2694-2694.	0.6	2
43	Late Relapse of Localized High-Grade Non-Hodgkin's Lymphoma: Clinical and Biological Features. Blood, 2008, 112, 2603-2603.	0.6	2
44	High-Dose Chemotherapy Followed by Autologous Stem Cell Transplantation (auto-SCT) Versus CHOP Regimen in Patients with Untreated Aggressive Non-Hodgkin's Lymphoma: An Update of the GOELAMS 072 Trial with a Median Follow-up of 9.8 Years. Blood, 2008, 112, 770-770.	0.6	11
45	The Role of Platelet/Endothelial Cell Adhesion Molecule–1 (CD31) and CD38 Antigens in Marrow Microenvironmental Retention of Acute Myelogenous Leukemia Cells. Cancer Research, 2007, 67, 8624-8632.	0.4	32
46	A uniform activated B-cell–like immunophenotype might explain the poor prognosis of primary central nervous system lymphomas: analysis of 83 cases. Blood, 2006, 107, 190-196.	0.6	335
47	CXCL12 polymorphism and malignant cell dissemination/tissue infiltration in acute myeloid leukemia. FASEB Journal, 2006, 20, 1913-1915.	0.2	49
48	The VIP-ABVD Regimen Is Not Superior to the CHOP 21 for the Treatment of Non Epidermotropic Peripheral T Cell Lymphoma. Final Results of the "LTP95―Protocol of the GOELAMS Blood, 2006, 108, 2464-2464.	0.6	9
49	Single Treatment with Rituximab Monotherapy for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with Extended Follow-Up (F/Up) of 7 Years Blood, 2006, 108, 486-486.	0.6	41
50	The Extramedullar Dissemination of Acute Myeloid Leukemic Cells Depends on CD31 (PECAM-1) and CD38 Coexpression Level Blood, 2006, 108, 1896-1896.	0.6	1
51	High-dose therapy followed by autologous purged stem-cell transplantation and doxorubicin-based chemotherapy in patients with advanced follicular lymphoma: a randomized multicenter study by GOELAMS. Blood, 2005, 105, 3817-3823.	0.6	176
52	Preliminary Results of a Prospective Randomized Study Comparing First Line Conventional Therapy Versus High Dose Therapy with Autologous CD34+ Purified Progenitor Cell Support in B CLL Patients with B and C Binet Stages: The GOELAMS LLC98 Study Blood, 2005, 106, 152-152.	0.6	5
53	Rituximab-Dependent Cytotoxicity by Natural Killer Cells. Cancer Research, 2004, 64, 4664-4669.	0.4	395
54	Initial Treatment of Aggressive Lymphoma with High-Dose Chemotherapy and Autologous Stem-Cell Support. New England Journal of Medicine, 2004, 350, 1287-1295.	13.9	324

#	Article	IF	CITATIONS
55	Single 4-Dose Rituximab Treatment for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with a Follow-Up (F/Up) of at Least 5 Years Blood, 2004, 104, 585-585.	0.6	12
56	Rituximab Given after High Dose Therapy and Autologous Stem Cell Transplantation Induces Durable Clearance of Minimal Residual Disease in about Half of the Patients with Follicular Non Hodgkin's Lymphoma : 36 Months Results of a Multicenter Open Label Phase II Trial (M39012 Trial) Blood, 2004, 104, 747-747.	0.6	5
57	Front-Line High-Dose Chemotherapy (HDT) Combined with Rituximab for Adults with Aggressive Large B-Cell Lymphoma (DLBCL) : Goelams 074 Trial Blood, 2004, 104, 902-902.	0.6	2
58	Long-term marrow reconstitutive ability of autologous grafts in lymphoma patients using peripheral blood mobilized with granulocyte colony-stimulating factor or granulocyte-macrophage colony-stimulating factor compared to bone marrow. Experimental Hematology, 2003, 31, 89-97.	0.2	8
59	Stromal-derived factor 1 and matrix metalloproteinase 9 levels in bone marrow and peripheral blood of patients mobilized by granulocyte colony-stimulating factor and chemotherapy. Relationship with mobilizing capacity of haematopoietic progenitor cells. British Journal of Haematology, 2003, 122, 918-926.	1.2	40
60	High-Dose Therapy and Autologous Stem-Cell Transplantation Versus Conventional Therapy for Patients With Advanced Hodgkin's Lymphoma Responding to Front-Line Therapy. Journal of Clinical Oncology, 2003, 21, 2320-2325.	0.8	106
61	Quantitative and Qualitative Analysis of the Human Primitive Progenitor Cell Compartment after Autologous Stem Cell Transplantation. Journal of Hematotherapy and Stem Cell Research, 2002, 11, 359-368.	1.8	8
62	Decreased Stroma Adhesion Capacity of CD34+Progenitor Cells from Mobilized Peripheral Blood Is Not Lineage- or Stage-Specific and Is Associated with Lowl <sup>2</sup> 1 andl <sup>2</sup> 2 Integrin Expression. Journal of Hematotherapy and Stem Cell Research, 2002, 11, 491-500.	1.8	16
63	Therapeutic activity of humanized anti-CD20 monoclonal antibody and polymorphism in IgG Fc receptor Fcl <sup>3</sup> RIIIa gene. Blood, 2002, 99, 754-758.	0.6	1,819
64	Stage I-IIE Primary Non-Hodgkin's Lymphoma of the Testis: Results of a Prospective Trial by the GOELAMS Study Group. Clinical Lymphoma and Myeloma, 2002, 3, 167-172.	2.1	58
65	Frequency and differentiation capacity of circulating LTC-IC mobilized by G-CSF or GM-CSF following chemotherapy A comparison with steady-state bone marrow and peripheral blood. Experimental Hematology, 2002, 30, 74-81.	0.2	16
66	All-trans retinoic acid prevents apoptosis of human marrow CD34+ cells deprived of haematopoietic growth factors. British Journal of Haematology, 2002, 118, 289-295.	1.2	8
67	Phosphatidylinositol 3-kinases are involved in the all-transretinoic acid-induced upregulation of CD38 antigen on human haematopoietic cells. British Journal of Haematology, 2002, 118, 535-544.	1.2	12
68	Induction of monocyte tissue factor expression by antibodies to heparin–platelet factor 4 complexes developed in heparin-induced thrombocytopenia. Blood, 2001, 97, 3300-3302.	0.6	191
69	Association between the SDF1- 3′A allele and high levels of CD34+ progenitor cells mobilized into peripheral blood in humans. British Journal of Haematology, 2001, 113, 247-250.	1.2	65
70	Multiple myeloma in elderly patients: presenting features and outcome. European Journal of Haematology, 2001, 66, 11-17.	1.1	35
71	Glimepiride-Induced Thrombocytopenic Purpura. Annals of Pharmacotherapy, 2000, 34, 120-120.	0.9	23
72	Comparison of High-Dose Therapy and Autologous Stem-Cell Transplantation With Conventional Therapy for Hodgkin's Disease Induction Failure: A Case-Control Study. Journal of Clinical Oncology, 1999, 17, 222-222.	0.8	147

#	Article	IF	CITATIONS
73	Intensive Therapy with Autologous Stem Cell Transplantation as First-Line Therapy in Poor-Risk Hodgkin's Disease and Analysis of Predictive Factors of Outcome. Leukemia and Lymphoma, 1999, 34, 305-313.	0.6	6
74	A rapid single-laser flow cytometric method for discrimination of early apoptotic cells in a heterogenous cell population. British Journal of Haematology, 1999, 104, 530-537.	1.2	70
75	All-trans-retinoic acid up-regulates CD38 but not c-Kit antigens on human marrow CD34+cells without recruitment into cell cycle. British Journal of Haematology, 1998, 103, 343-350.	1.2	10
76	Mediastinal Large-Cell Lymphoma with Sclerosis Refractory to Conventional Chemotherapy can Respond after Daily Oral Cyclophosphamide. Leukemia and Lymphoma, 1998, 29, 199-203.	0.6	1
77	Changes in the Functional Capacity of Marrow Stromal Cells after Autologous Bone Marrow Transplantation. Leukemia and Lymphoma, 1998, 29, 533-546.	0.6	29
78	Cytokines released <i>in vitro</i> by stromal cells from autologous bone marrow transplant patients with lymphoid malignancy. European Journal of Haematology, 1998, 61, 100-108.	1.1	12
79	Development of Listeriosis during Vancomycin Therapy in a Neutropenic Patient. Scandinavian Journal of Infectious Diseases, 1996, 28, 415-416.	1.5	6
80	High-Dose Therapy and Autologous Bone Marrow Transplantation in First Complete or Partial Remission for Poor Prognosis Hodgkin's Disease. Leukemia and Lymphoma, 1996, 20, 259-266.	0.6	19
81	Simultaneous occurrence of acute myelogenous leukemia and seminoma of the testis. Cancer Chemotherapy and Pharmacology, 1992, 30, 233-234.	1.1	5
82	Cutaneous toxicity of autologous bone marrow transplantation in nonseminomatous germ cell tumors. Cancer, 1990, 65, 1143-1145.	2.0	4
83	High-Dose Therapy and Autologous Bone Marrow Transplantation after Failure of Conventional Chemotherapy in Adults with Intermediate-Grade or High-Grade Non-Hodgkin's Lymphoma. New England Journal of Medicine, 1987, 316, 1493-1498.	13.9	767