

Cheng-Peng Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5649619/cheng-peng-li-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

4,236
citations

34
h-index

64
g-index

112
ext. papers

4,745
ext. citations

5.2
avg, IF

5.91
L-index

#	Paper	IF	Citations
100	Metal-organic Framework Supported Au Nanoparticles With Organosilicone Coating for High-efficiency Electrocatalytic N ₂ Reduction to NH ₃ . <i>Applied Catalysis B: Environmental</i> , 2021 , 120840	21.8	27
99	Multi-responsive fluorescent switches and iodine capture of porous hydrogen-bonded self-assemblies. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 9932-9940	7.1	1
98	Metal and Co-Catalyst Free CO ₂ Conversion with a Bifunctional Covalent Organic Framework (COF). <i>ChemCatChem</i> , 2020 , 12, 5192-5199	5.2	5
97	Boosting Activity on Co ₄ N Porous Nanosheet by Coupling CeO ₂ for Efficient Electrochemical Overall Water Splitting at High Current Densities. <i>Advanced Functional Materials</i> , 2020 , 30, 1910596	15.6	110
96	A Highly Efficient Coordination Polymer for Selective Trapping and Sensing of Perrhenate/Per technetate. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15246-15254	9.5	24
95	Optimizing Strategy for Enhancing the Stability and TcO Sequestration of Poly(ionic liquids)@MOFs Composites. <i>ACS Central Science</i> , 2020 , 6, 2354-2361	16.8	12
94	Hybrid Nanosheet Arrays: Boosting Activity on Co ₄ N Porous Nanosheet by Coupling CeO ₂ for Efficient Electrochemical Overall Water Splitting at High Current Densities (Adv. Funct. Mater. 32/2020). <i>Advanced Functional Materials</i> , 2020 , 30, 2070213	15.6	0
93	Coupling NiCo Alloy and CeO ₂ to Enhance Electrocatalytic Hydrogen Evolution in Alkaline Solution. <i>Advanced Sustainable Systems</i> , 2020 , 4, 2000122	5.9	11
92	Construction of electrochemical aptasensors with Ag(I) metal-organic frameworks toward high-efficient detection of ultra-trace penicillin. <i>Applied Surface Science</i> , 2020 , 531, 147342	6.7	23
91	Hierarchically Nanoporous TS-1 Zeolites for Catalytic Oxidation Desulfurization of Liquid Fuels. <i>ACS Applied Nano Materials</i> , 2020 , 3, 9393-9400	5.6	5
90	Ultra-highly selective trapping of perrhenate/per technetate by a flexible cationic coordination framework. <i>Chemical Communications</i> , 2019 , 55, 1841-1844	5.8	30
89	Rational Construction of an Exceptionally Stable MOF Catalyst with Metal-Adeninate Vertices toward CO Cycloaddition under Mild and Cocatalyst-Free Conditions. <i>Chemistry - A European Journal</i> , 2019 , 25, 11474-11480	4.8	29
88	Metal-Assembled, Resorcin[4]arene-Based Molecular Trimer for Efficient Removal of Toxic Dichromate Pollutants and Knoevenagel Condensation Reaction. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 15591-15597	9.5	26
87	Encapsulation of an Ionic Metalloporphyrin into a Zeolite Imidazolate Framework in situ for CO Chemical Transformation via Host-Guest Synergistic Catalysis. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 958-962	4.5	24
86	Doubly Interpenetrated Zn ₄ O-Based Metal-organic Framework for CO ₂ Chemical Transformation and Antibiotic Sensing. <i>Crystal Growth and Design</i> , 2019 , 19, 5228-5236	3.5	23
85	Nanoporous Gold Embedded ZIF Composite for Enhanced Electrochemical Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 15362-15366	16.4	97
84	Mechanism-Property Correlation in Coordination Polymer Crystals toward Design of a Superior Sorbent. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 42375-42384	9.5	15

83	Nanoporous Gold Embedded ZIF Composite for Enhanced Electrochemical Nitrogen Fixation. <i>Angewandte Chemie</i> , 2019 , 131, 15506-15510	3.6	42
82	Divergent Structural Transformations in 3D Ag(I) Porous Coordination Polymers Induced by Solvent and Anion Exchanges. <i>Crystal Growth and Design</i> , 2019 , 19, 2235-2244	3.5	9
81	Design of a Highly-Stable Pillar-Layer Zinc(II) Porous Framework for Rapid, Reversible, and Multi-Responsive Luminescent Sensor in Water. <i>Crystal Growth and Design</i> , 2019 , 19, 694-703	3.5	110
80	Controlled Crystal Transformations of a Chiral Conglomerate with Heterotactic Helical Coordination Arrays. <i>Crystal Growth and Design</i> , 2018 , 18, 4252-4256	3.5	7
79	Mechanisms of Solvent-Mediated Structural Transformations for Dynamic Crystals of Supramolecular Coordination Systems. <i>Chemistry - A European Journal</i> , 2018 , 24, 13072-13077	4.8	2
78	A Double-Walled Bimetal-Organic Framework for Antibiotics Sensing and Size-Selective Catalysis. <i>Inorganic Chemistry</i> , 2018 , 57, 15062-15068	5.1	42
77	Water-Stable Metal-Organic Framework for Effective and Selective CrO Capture through Single-Crystal to Single-Crystal Anion Exchange. <i>Inorganic Chemistry</i> , 2018 , 57, 11746-11752	5.1	27
76	Structural Transformations Induced by Selective and Irreversible Anion Exchanges for a Layered Ag(I) Nitrite Coordination Polymer. <i>Crystal Growth and Design</i> , 2017 , 17, 2024-2033	3.5	15
75	Tracking the Superefficient Anion Exchange of a Dynamic Porous Material Constructed by Ag(I) Nitrate and Tripyridyltriazole via Multistep Single-Crystal to Single-Crystal Transformations. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 7202-7208	9.5	35
74	A 2D Zn(II) metal-organic framework to show selective removal of Neutral Red (NR) from water. <i>Inorganic Chemistry Communication</i> , 2017 , 80, 36-40	3.1	8
73	Water-Mediated Structural Transformations of Cu 5-Halonicotinate Coordination Networks with Distinct Mechanisms. <i>Chemistry - A European Journal</i> , 2017 , 23, 12985-12990	4.8	9
72	A nanoporous Ag(i) coordination polymer for selective adsorption of carcinogenic dye Acid Red 26. <i>Chemical Communications</i> , 2017 , 53, 4767-4770	5.8	65
71	Water-Mediated Structural Transformations of CuII 5-Halonicotinate Coordination Networks with Distinct Mechanisms. <i>Chemistry - A European Journal</i> , 2017 , 23, 12959-12959	4.8	
70	Highly efficient CrO removal of a 3D metal-organic framework fabricated by tandem single-crystal to single-crystal transformations from a 1D coordination array. <i>Chemical Communications</i> , 2017 , 53, 9206-9209	5.8	58
69	Interconvertible structural transformations between two Zn(II) interpenetrating coordination polymers. <i>Inorganic Chemistry Communication</i> , 2016 , 71, 61-64	3.1	3
68	Anion-Directed Entangling Coordination Networks: Luminescence Sensing and Magnetic Properties. <i>ChemPlusChem</i> , 2016 , 81, 857-863	2.8	10
67	Dual structure evolution of a Ag(i) supramolecular framework triggered by anion-exchange: replacement of terminal ligand and switching of network interpenetration degree. <i>Chemical Communications</i> , 2016 , 52, 11060-3	5.8	22
66	Anion-directed assembly and crystal transformation of Ag(I) coordination polymers with a versatile tripyridyltriazole ligand 3,4-bis(2-pyridyl)-5-(4-pyridyl)-1,2,4-triazole. <i>Journal of Solid State Chemistry</i> , 2015 , 223, 95-103	3.3	13

65	Pseudohalide anion directed assemblies of two Cu(I) complexes based on 3-(2-pyridyl)-4,5-bis(3-pyridyl)-1,2,4-triazole. <i>Transition Metal Chemistry</i> , 2015 , 40, 341-345	2.1	1
64	Halide/pseudohalide-directed cadmium(II) coordination polymers based on 3-phenyl-5-(2-pyridyl)-4-(4-pyridyl)-4H-1,2,4-triazole. <i>Polyhedron</i> , 2015 , 91, 104-109	2.7	7
63	A porous metal-organic framework as active catalyst for multiple C-N/C-O bond formation reactions. <i>Inorganic Chemistry Communication</i> , 2015 , 61, 13-15	3.1	11
62	Fine-tuning on the structures of 3D Cu(II)/5-methylnicotinate coordination polymers via three different synthetic approaches. <i>Inorganic Chemistry Communication</i> , 2015 , 61, 160-164	3.1	2
61	Dynamic structural transformations of coordination supramolecular systems upon exogenous stimulation. <i>Chemical Communications</i> , 2015 , 51, 2768-81	5.8	92
60	Ligand Symmetry Modulation for Designing a Mesoporous Metal-Organic Framework: Dual Reactivity to Transition and Lanthanide Metals for Enhanced Functionalization. <i>Chemistry - A European Journal</i> , 2015 , 21, 9713-9	4.8	53
59	Exceptional sensitivity to the synthetic approach and halogen substituent for Zn(II) coordination assemblies with 5-halonicotinic acids. <i>Dalton Transactions</i> , 2015 , 44, 11109-18	4.3	18
58	Anion-directed assembly of two Ag(I) complexes based on 2,2'-(4H-1,2,4-triazole-3,4-diyl)dipyridine. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2015 , 41, 695-700	1.6	
57	Self-assembly of Two 2D Copper(II) Coordination Networks with Tetrachloro-1,3-benzenedicarboxylate: Solvent Effects, Supramolecular Interactions, and Luminescence Behavior. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 1810-1815	1.3	3
56	Solvent-mediated assembly of chiral/achiral hydrophilic Ca(II)-tetrafluoroterephthalate coordination frameworks: 3D chiral water aggregation, structural transformation and selective CO ₂ adsorption. <i>CrystEngComm</i> , 2014 , 16, 7673-7680	3.3	26
55	3D pillared-layer coordination frameworks constructed from 4-(1,2,4-triazole)benzoic acid and different [M(HCOO)] _n layers. <i>Inorganic Chemistry Communication</i> , 2014 , 48, 94-98	3.1	4
54	Structural diversity of 5-methylnicotinate coordination assemblies regulated by metal-ligating tendency and metal-dependent anion effect. <i>CrystEngComm</i> , 2014 , 16, 6433	3.3	17
53	Divergent kinetic and thermodynamic hydration of a porous Cu(II) coordination polymer with exclusive CO ₂ sorption selectivity. <i>Journal of the American Chemical Society</i> , 2014 , 136, 10906-9	16.4	213
52	Structural diversity and fluorescent properties of Cd(II) coordination polymers with 5-halonicotinates regulated by solvent and ligand halogen-substituting effect. <i>CrystEngComm</i> , 2013 , 15, 9713	3.3	29
51	Ligand-directed assembly of distinct 1-D Cd(II) coordination polymers with a bent dipyridyl derivative and two isophthalates bearing different 5-substituents. <i>Journal of Coordination Chemistry</i> , 2013 , 66, 2012-2022 ¹⁰	1.6	
50	Design and construction of coordination polymers with mixed-ligand synthetic strategy. <i>Coordination Chemistry Reviews</i> , 2013 , 257, 1282-1305	23.2	648
49	Solvent-regulated assemblies of silver(I) and cadmium(II) supramolecular complexes with versatile tripyridyltriazole multidentate ligands. <i>Inorganica Chimica Acta</i> , 2013 , 395, 212-217	2.7	8
48	Three distinct cadmium coordination polymers with a multidentate tripyridyl-substituted triazole tecton regulated by halide anions. <i>Journal of Molecular Structure</i> , 2013 , 1051, 259-264	3.4	2

47	Distinct 2-D and 3-D Co(II) coordination polymers with 5-bromonicotinate induced by different synthetic approaches. <i>Inorganic Chemistry Communication</i> , 2013 , 36, 105-108	3.1	10
46	Two 3D open coordination frameworks constructed by Cd(II) or Zn(II) perchlorate and 4-(4-pyridyl)-3,5-bis(2-pyridyl)-1,2,4-triazole showing selective anion-exchange behaviors to acetate. <i>Inorganic Chemistry Communication</i> , 2013 , 38, 70-73	3.1	8
45	A 3-D metal-organic framework of Cu(II) perchlorate and 2-(2-pyridyl)-5-(4-pyridyl)-1,3,4-oxadiazole showing the exclusive anion-exchange selectivity to benzoate. <i>Inorganic Chemistry Communication</i> , 2012 , 15, 172-175	3.1	14
44	Exceptional crystallization diversity and solid-state conversions of Cd(II) coordination frameworks with 5-bromonicotinate directed by solvent media. <i>Chemistry - A European Journal</i> , 2012 , 18, 12437-45	4.8	57
43	Substituent effect of R-isophthalates (R = H, CH ₃ , OCH ₃ , tBu, OH, and NO ₂) on the construction of Cd(II) coordination polymers incorporating a dipyridyl tecton 2,5-bis(3-pyridyl)-1,3,4-oxadiazole. <i>CrystEngComm</i> , 2011 , 13, 1885-1893	3.3	82
42	Coordination polymers of macrocyclic oxamide with 1,3,5-benzenetricarboxylate: syntheses, crystal structures and magnetic properties. <i>Dalton Transactions</i> , 2011 , 40, 5528-37	4.3	21
41	Role of solvents in coordination supramolecular systems. <i>Chemical Communications</i> , 2011 , 47, 5958-72	5.8	565
40	Destruction and reconstruction of the robust [Cu ₂ (OOCR) ₄] unit during crystal structure transformations between two coordination polymers. <i>Chemical Communications</i> , 2011 , 47, 8088-90	5.8	81
39	Inducing effect of additive agents on coordination assembly of silver(I) nitrate with 3,5-bis(2-pyridyl)-4-amino-1,2,4-triazole: supramolecular isomerism and interconversion. <i>Inorganic Chemistry</i> , 2011 , 50, 9284-9	5.1	66
38	Cadmium(II) and zinc(II) coordination polymers with mixed building blocks of benzenedicarboxyl and 2,5-bipyridyl-1,3,4-oxadiazole: Syntheses, crystal structures, and properties. <i>Inorganica Chimica Acta</i> , 2011 , 378, 206-212	2.7	7
37	Recent advances in Cd(II) coordination polymers: Structural aspects, adaptable assemblies, and potential applications. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 502-513	3.1	50
36	Cu(II) and Zn(II) Coordination Frameworks with Benzene-1,2,3-tricarboxylate Tecton and Flexible Dipyridyl Co-Ligand: A New Type of Entangled Architecture and a Unique 4-Connected Topological Network. <i>Crystal Growth and Design</i> , 2011 , 11, 3309-3312	3.5	41
35	Syntheses, Crystal Structures, and Thermal Stability of Metal-Directed Co(II) and Cu(II) Coordination Assemblies with Mixed Ligands of 5-Methylisophthalic Acid and 2,5-Bis(4-Pyridyl)-1,3,4-Oxadiazole. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2011 , 41, 676-682		
34	A 3D Cu(II) coordination framework with μ -/ μ -oxalato anions and a bent dipyridyl coligand: unique zeolite-type NiP ₂ topological network and magnetic properties. <i>Inorganic Chemistry</i> , 2011 , 50, 6850-2	5.1	29
33	Di- μ -chlorido-bis-[[4-amino-3,5-bis-(2-pyrid-yl)-4H-1,2,4-triazole- μ]chloridomercury(II)]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m1180		2
32	3,4-Bis(2-pyrid-yl)-5-(3-pyrid-yl)-4H-1,2,4-triazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o1189		1
31	2,5-Bis(5-methyl-pyrazin-2-yl)-1,3,4-oxadiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o1416		
30	trans-Bis[4-amino-3,5-bis-(2-pyrid-yl)-4H-1,2,4-triazole- μ]diaqua-cobalt(II) bis-(3-carb-oxy-5-nitro-benzoate). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m1344-5		

29	Structural diversification and metal-directed assembly of coordination architectures based on tetrabromoterephthalic acid and a bent dipyridyl tecton 2,5-bis(4-pyridyl)-1,3,4-oxadiazole. <i>CrystEngComm</i> , 2010 , 12, 4392	3.3	38
28	An Unprecedented Eight-Connected Self-Penetrating Coordination Framework Based on Cage-Shaped [Pb ₆ (μ-O) ₂ (O ₂ C) ₈] Clusters. <i>Crystal Growth and Design</i> , 2010 , 10, 2037-2040	3.5	121
27	Delicate Substituent Effect of Benzene-1,2,3-Tricarboxyl Tectons on Structural Assembly of Unusual Self-Penetrating Coordination Frameworks. <i>Crystal Growth and Design</i> , 2010 , 10, 3036-3043	3.5	99
26	Metal-Involved Solvothermal Interconversions of Pyrazinyl Substituted Azole Derivatives: Controllability and Mechanism. <i>Crystal Growth and Design</i> , 2010 , 10, 5034-5042	3.5	36
25	Supramolecular Coordination Complexes with 5-Sulfoisophthalic Acid and 2,5-Bipyridyl-1,3,4-Oxadiazole: Specific Sensitivity to Acidity for Cd(II) Species. <i>Crystal Growth and Design</i> , 2010 , 10, 2650-2660	3.5	88
24	Structural Modulation and Properties of Silver(I) Coordination Frameworks with Benzenedicarboxyl Tectons and trans-1-(2-Pyridyl)-2-(4-pyridyl)ethylene Spacer. <i>Crystal Growth and Design</i> , 2010 , 10, 1623-1632	3.5	58
23	Multifarious Zn(II) and Cd(II) coordination frameworks constructed by a versatile trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene tecton and various benzenedicarboxyl ligands. <i>CrystEngComm</i> , 2010 , 12, 834-844	3.3	30
22	Copper(II) 5-methoxyisophthalate coordination polymers incorporating dipyridyl co-ligands: syntheses, crystal structures, and magnetic properties. <i>Dalton Transactions</i> , 2010 , 39, 2301-8	4.3	84
21	Coordination Assemblies of Co(II)/Cu(II)/Zn(II)/Cd(II) with 2,5-Bipyridyl-1,3,4-Oxadiazole and Dicyanamide Anion: Structural Diversification and Properties. <i>Crystal Growth and Design</i> , 2010 , 10, 3285-3296	3.5	34
20	Zn(II) and Cd(II) Coordination Polymers Assembled from a Versatile Tecton 5-Nitro-1,2,3-benzenetricarboxylic Acid and N,N'-Donor Ancillary Coligands. <i>Crystal Growth and Design</i> , 2010 , 10, 2641-2649	3.5	83
19	Cu(II), Co(II), and Ni(II) complexes with R-isophthalate (R = CH ₃ or OCH ₃) and a bent dipyridyl 2,5-bis(3-pyridyl)-1,3,4-oxadiazole: Structural diversification induced by metal ion and substituent of ligand. <i>Journal of Molecular Structure</i> , 2010 , 975, 147-153	3.4	15
18	Mixed-ligand metallosupramolecular complexes with Brn-terephthalic acid (n=1 or 4) and a versatile bent dipyridyl tecton: Structural modulation by substituent effect of the ligand and metal ion. <i>Polyhedron</i> , 2010 , 29, 463-469	2.7	18
17	Structural modulation of Cd(II) supramolecular frameworks with a versatile 2,4-dipyridyl-type building block and different dicarboxylate ligands. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 1470-1478		9
16	Cobalt(II), silver(I), and lead(II) tetrabromoterephthalates exhibiting the 1-D linear chain, 2-D CdCl ₂ -type layer, and 3-D penta-nodal mixed-connecting coordination frameworks. <i>Polyhedron</i> , 2009 , 28, 505-510	2.7	19
15	Mixed-ligand complexes with trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene terminal and different aromatic polycarboxyl linkers: Synergistic modulation of metallosupramolecular architectures via coordinative and secondary interactions. <i>Polyhedron</i> , 2009 , 28, 2347-2354	2.7	6
14	Novel Hg(II) and Mn(II) supramolecular complexes with a versatile building block 5-(4-pyridyl)-1,3,4-oxadiazole-2-thiolate involving in situ ligand formation. <i>Inorganic Chemistry Communication</i> , 2009 , 12, 1038-1041	3.1	5
13	Unusual anion effect on the direction of three-dimensional (3-D) channel-like silver(I) coordination frameworks with isonicotinic acid N-oxide. <i>CrystEngComm</i> , 2009 , 11, 1536	3.3	55
12	[[Cd ₂ (pyt) ₂ (chdc)(H ₂ O)](H ₂ O) ₂] _n : A unique bilayer coordination polymer with mixed-connected network topology (Hpyt = 5-(4-pyridyl)-1,3,4-oxadiazole-2-thiol and H ₂ chdc = 1,4-cyclohexanedicarboxylic acid). <i>Inorganic Chemistry Communication</i> , 2008 , 11, 326-329	3.1	22

11	Solvent-regulated assembly of 1-D and 2-D ZnII coordination polymers with tetrabromoterephthalate. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 1405-1408	3.1	39
10	Interplay of coordinative and supramolecular interactions in engineering unusual crystalline architectures of low-dimensional metal- β -ketoamato complexes under co-ligand intervention. <i>CrystEngComm</i> , 2007 , 9, 1011	3.3	72
9	New supramolecular complexes generated from MnII, FeII, CoII, ZnII, FeIII with a bent dipyridyl ligand: Metal- and anion-directed assembly. <i>Inorganica Chimica Acta</i> , 2007 , 360, 2169-2174	2.7	6
8	Bis(2,5-di-4-pyridyl-1,3,4-oxadiazole)silver(I) nitrate monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, m3044-m3044		1
7	Hierarchical regulated assembly of new metallosupramolecular networks based on metal thiocyanate and trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene (bpe) via multiple interactions. <i>CrystEngComm</i> , 2006 , 8, 552	3.3	35
6	Metal-Controlled Assembly of Coordination Polymers with the Flexible Building Block 4-Pyridylacetic Acid (Hpya). <i>Crystal Growth and Design</i> , 2006 , 6, 335-341	3.5	79
5	Configuration flexibility of 2,5-bis(3-pyridyl)-1,3,4-oxadiazole in controllable cocrystallization with 3-hydroxybenzoic acid. <i>Journal of Molecular Structure</i> , 2006 , 791, 131-136	3.4	3
4	Metal-directed 1-D molecular-box based coordination polymers with mono- and di-nuclear nodes □ Construction of 3-D supramolecular networks via hydrogen bonding and S π S interactions. <i>Inorganica Chimica Acta</i> , 2006 , 359, 1690-1696	2.7	22
3	Distinct CdII and CoII thiocyanate coordination complexes with 2,5-bis(pyrazinyl)-1,3,4-oxadiazole: Metal-directed assembly of a 1-D polymeric chain and a 3-D supramolecular network. <i>Inorganica Chimica Acta</i> , 2006 , 359, 2575-2582	2.7	34
2	2,5-Bis(4-pyridyl)-1,3,4-thiadiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004 , 60, o706-o707		3
1	Covalent Organic Frameworks(COFs) for Sequestration of 99TCO4 □ <i>Chemical Research in Chinese Universities</i> , 1	2.2	0