

Thomas Thomberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5651938/publications.pdf>

Version: 2024-02-01

81
papers

1,824
citations

279487

23
h-index

276539

41
g-index

81
all docs

81
docs citations

81
times ranked

1829
citing authors

#	ARTICLE	IF	CITATIONS
1	Bulk synthesis of stoichiometric/meteoritic troilite (FeS) by high-temperature pyrite decomposition and pyrrhotite melting. <i>Meteoritics and Planetary Science</i> , 2022, 57, 588-602.	0.7	4
2	Electrochemical Characteristics of Zn-Ion Hybrid Supercapacitors Based on Aqueous Solution of Different Electrolytes. <i>Journal of the Electrochemical Society</i> , 2022, 169, 020512.	1.3	10
3	Preparation of nanofibrous materials activated with metal clusters for active and long-lasting air filters. <i>Separation and Purification Technology</i> , 2022, 288, 120697.	3.9	6
4	Investigation of Oxygen Reduction on Platinum Nanoparticles Deposited Onto Peat-Derived Carbon Carrier. <i>ECS Transactions</i> , 2022, 108, 49-58.	0.3	1
5	Characterisation of Novel Nitrogen Doped Reduced Graphene Oxide. <i>ECS Transactions</i> , 2022, 108, 99-109.	0.3	0
6	Investigation of Oxygen Reduction on Platinum Nanoparticles Deposited Onto Peat-Derived Carbon Carrier. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 1498-1498.	0.0	0
7	Characterisation of Novel Nitrogen Doped Reduced Graphene Oxide. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 1509-1509.	0.0	0
8	Carbide-Derived Carbons: WAXS and Raman Spectra for Detailed Structural Analysis. <i>Journal of Carbon Research</i> , 2021, 7, 29.	1.4	10
9	Bis(trifluoromethanesulfonyl)imide Metallic Salts Based Electrolytes for Electrochemical Capacitor Application: Theoretical vs Experimental Performance. <i>Journal of the Electrochemical Society</i> , 2021, 168, 070528.	1.3	3
10	Zn(ClO ₄) ₂ aqueous solution-based Zn thin foil carbon cloth two-electrode single-cell characteristics. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 2869-2880.	1.2	5
11	The electrochemical behaviour of protic quaternary amine based room-temperature ionic liquid N2210(OTf) at negatively and positively polarized micro-mesoporous carbon electrode investigated by in situ X-ray photoelectron spectroscopy, in situ mass-spectroscopy, cyclic voltammetry and electrochemical impedance spectroscopy methods. <i>Journal of Electroanalytical Chemistry</i> , 2021, 897, 115561.	1.9	3
12	The Electrochemical Behaviour of Quaternary Amine-Based Room-Temperature Ionic Liquid N4111(TFSI). <i>Catalysts</i> , 2021, 11, 1315.	1.6	2
13	Hydrothermal and peat-derived carbons as electrode materials for high-efficient electrical double-layer capacitors. <i>Journal of Applied Electrochemistry</i> , 2020, 50, 15-32.	1.5	17
14	Iodide ion containing ionic liquid mixture based asymmetrical capacitor performance. <i>Journal of Energy Storage</i> , 2020, 32, 101845.	3.9	8
15	Effect of Zinc Chloride Activation on D-Glucose Derived Carbons Based Capacitors Performance in Ionic Liquid. <i>Journal of the Electrochemical Society</i> , 2020, 167, 080533.	1.3	8
16	Effect of alkali and halide ion doping on the energy storage characteristics of ionic liquid based supercapacitors. <i>Electrochimica Acta</i> , 2019, 319, 82-87.	2.6	12
17	Enhanced Power Performance of Highly Mesoporous Sol-Gel TiC Derived Carbons in Ionic Liquid and Non-Aqueous Electrolyte Based Capacitors. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2887-A2895.	1.3	11
18	Electrical Double Layer Capacitors Based on Steam and CO ₂ -Steam Co-Activated Carbon Electrodes and Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2019, 166, A1558-A1567.	1.3	13

#	ARTICLE	IF	CITATIONS
19	Potassium Salts Based Non-Aqueous Electrolytes for Electrical Double Layer Capacitors: A Comparison with LiPF ₆ and NaPF ₆ Based Electrolytes. Journal of the Electrochemical Society, 2018, 165, A3862-A3870.	1.3	12
20	Steam and Carbon Dioxide Co-Activated Silicon Carbide-Derived Carbons for High Power Density Electrical Double Layer Capacitors. Journal of the Electrochemical Society, 2018, 165, A2357-A2364.	1.3	7
21	Influence of porosity parameters and electrolyte chemical composition on the power densities of non-aqueous and ionic liquid based supercapacitors. Electrochimica Acta, 2018, 283, 931-948.	2.6	37
22	Synthesis of Porous Carbon By Hydrothermal Carbonization and Zinc Chloride Activation of Granulated White Sugar for Supercapacitor Application. ECS Meeting Abstracts, 2018, MA2018-02, 132-132.	0.0	1
23	Influence of the Pore Shape and Size Distribution in Hierarchically Porous Electrodes on Energy and Power Densities of Electrochemical Devices. ECS Meeting Abstracts, 2018, , .	0.0	0
24	Application of Some Carbon Fabrics as Outstanding Supercapacitor Electrode Materials in Acetonitrile Based Electrolyte. Journal of the Electrochemical Society, 2017, 164, A453-A460.	1.3	4
25	Synthesis and characterization of d-glucose derived nanospheric hard carbon negative electrodes for lithium- and sodium-ion batteries. Electrochimica Acta, 2017, 253, 536-544.	2.6	67
26	Carbon for Energy Storage Derived from Granulated White Sugar by Hydrothermal Carbonization and Subsequent Zinc Chloride Activation. Journal of the Electrochemical Society, 2017, 164, A1866-A1872.	1.3	32
27	D-Glucose Derived Carbon Materials Activated by Zinc Chloride, Potassium Hydroxide or Mixture of Them for Supercapacitor Electrodes. ECS Meeting Abstracts, 2017, , .	0.0	0
28	Optimizing the Electrolyte for Glucose-Derived Carbon Based Na-Ion Battery. ECS Meeting Abstracts, 2017, , .	0.0	0
29	Influence of the Pore Shape and Size Distribution in Hierarchically Porous Electrodes on Energy and Power Densities of Electrochemical Devices. ECS Meeting Abstracts, 2017, , .	0.0	0
30	Granulated White Sugar Derived Carbon Material for Energy Storage Application. ECS Meeting Abstracts, 2017, , .	0.0	0
31	Electrochemical Investigation of 1-Ethyl-3-methylimidazolium Bromide and Tetrafluoroborate Mixture at Bi(111) Electrode Interface. Journal of the Electrochemical Society, 2016, 163, H723-H730.	1.3	26
32	Microporous and mesoporous carbons for energy storage synthesized by activation of carbonaceous material by zinc chloride, potassium hydroxide or mixture of them. Journal of Power Sources, 2016, 326, 624-634.	4.0	68
33	Supercapacitors Based on Activated Silicon Carbide-Derived Carbon Materials and Ionic Liquid. Journal of the Electrochemical Society, 2016, 163, A1317-A1325.	1.3	33
34	Oxygen Electroreduction on Platinum Nanoparticles Activated Electrodes Deposited onto D-Glucose Derived Carbon Support in 0.1 M KOH. Journal of the Electrochemical Society, 2016, 163, F1251-F1257.	1.3	14
35	Characteristics of Capacitors Based on Ionic Liquids: From Dielectric Polymers to Redox-Active Adsorbed Species. ECS Transactions, 2016, 75, 161-170.	0.3	6
36	D-Glucose Derived Nanospheric Hard Carbon Electrodes for Room-Temperature Sodium-Ion Batteries. Journal of the Electrochemical Society, 2016, 163, A1619-A1626.	1.3	66

#	ARTICLE	IF	CITATIONS
37	Ionic liquid-1,2-dimethoxyethane mixture as electrolyte for high power density supercapacitors. <i>Journal of Energy Chemistry</i> , 2016, 25, 609-614.	7.1	21
38	Carbon Dioxide Activated SiC-CDC: Attractive Material for Supercapacitor Electrodes. <i>ECS Transactions</i> , 2015, 69, 1-10.	0.3	1
39	Supercapacitors Based on Mixture of Room Temperature Ionic Liquids Containing Specifically Adsorbed Iodide Anions. <i>ECS Transactions</i> , 2015, 64, 1-11.	0.3	6
40	Different Carbide Derived Nanoporous Carbon Supports and Electroreduction of Oxygen. <i>ECS Transactions</i> , 2015, 66, 69-80.	0.3	4
41	High power density supercapacitors based on the carbon dioxide activated d-glucose derived carbon electrodes and 1-ethyl-3-methylimidazolium tetrafluoroborate ionic liquid. <i>Journal of Power Sources</i> , 2015, 280, 667-677.	4.0	111
42	Low Temperature Performance of Electrochemical Double-Layer Capacitor based on Electrospun Half-Cells. <i>Journal of the Electrochemical Society</i> , 2015, 162, A5031-A5036.	1.3	6
43	Huge enhancement of energy storage capacity and power density of supercapacitors based on the carbon dioxide activated microporous SiC-CDC. <i>Electrochimica Acta</i> , 2015, 161, 364-370.	2.6	75
44	Separator Materials Influence on Supercapacitors Performance in Viscous Electrolytes. <i>ECS Transactions</i> , 2015, 64, 41-49.	0.3	7
45	Oxygen Electroreduction on Platinum Nanoparticles Deposited onto D-Glucose Derived Carbon. <i>Journal of the Electrochemical Society</i> , 2015, 162, F651-F660.	1.3	9
46	Supercapacitors Based on Propylene Carbonate Solution Operating from -45 °C to 100 °C. <i>ECS Transactions</i> , 2015, 64, 31-40.	0.3	3
47	Supercapacitors Based on Propylene Carbonate with Addition of Sulfur Containing Organic Solvents. <i>ECS Transactions</i> , 2015, 64, 21-30.	0.3	1
48	D-Glucose Derived Micro/Mesoporous Carbons for Ultra-High Rate Supercapacitor Application. <i>ECS Transactions</i> , 2014, 58, 3-12.	0.3	0
49	Supercapacitors Based on Propylene Carbonate with Small Addition of Different Sulfur Containing Organic Solvents. <i>Journal of the Electrochemical Society</i> , 2014, 161, A1284-A1290.	1.3	14
50	Fluoroethylene Carbonate and Propylene Carbonate Mixtures Based Electrolytes for Supercapacitors. <i>ECS Transactions</i> , 2014, 58, 71-79.	0.3	5
51	Application of multistep electrospinning method for preparation of electrical double-layer capacitor half-cells. <i>Electrochimica Acta</i> , 2014, 119, 72-77.	2.6	17
52	Electrochemical Double Layer Capacitors Based on Propylene Carbonate Solution Operating from -45 °C to 100 °C. <i>Journal of the Electrochemical Society</i> , 2014, 161, A712-A717.	1.3	9
53	Novel micromesoporous carbon materials synthesized from tantalum hafnium carbide and tungsten titanium carbide. <i>Carbon</i> , 2014, 67, 607-616.	5.4	46
54	A Type High Capacitance Supercapacitor Based on Mixed Room Temperature Ionic Liquids Containing Specifically Adsorbed Iodide Anions. <i>Journal of the Electrochemical Society</i> , 2014, 161, A222-A227.	1.3	69

#	ARTICLE	IF	CITATIONS
55	Specific Performance of Supercapacitors at Lower Temperatures Based on Different Separator Materials. <i>Journal of the Electrochemical Society</i> , 2013, 160, A449-A457.	1.3	25
56	Supercapacitors based on carbide-derived carbons synthesised using HCl and Cl ₂ as reactants. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 19-28.	1.2	42
57	Influence of separator properties on electrochemical performance of electrical double-layer capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2013, 689, 8-20.	1.9	42
58	Carbon materials for supercapacitor application by hydrothermal carbonization of D-glucose. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013, 49, 012020.	0.3	3
59	Fluoroethylene Carbonate as Co-Solvent for Propylene Carbonate Based Electrical Double Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1025-A1030.	1.3	19
60	High Power Density Supercapacitors Based on the Carbon Dioxide Activated D-Glucose Derived Carbon Electrodes and Acetonitrile Electrolyte. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1834-A1841.	1.3	47
61	Polymorphic Behavior and Morphology of Electrospun Poly(Vinylidene Fluoride) Separator Materials for Non-Aqueous Electrolyte Based Electric Double Layer Capacitors. <i>ECS Transactions</i> , 2013, 50, 49-58.	0.3	8
62	Comparative Study of Using Chlorine and Hydrogen Chloride for Synthesis of Titanium Carbide Derived Carbon. <i>ECS Transactions</i> , 2013, 50, 3-12.	0.3	1
63	Replacing Chlorine with Hydrogen Chloride as a Possible Reactant for Synthesis of Titanium Carbide Derived Carbon Powders for High-Technology Devices. <i>IOP Conference Series: Materials Science and Engineering</i> , 2013, 49, 012018.	0.3	1
64	Electrochemical Behavior of $\hat{\pm}$ -Tungsten Carbide-Derived Carbon Based Electric Double-Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2012, 159, A208-A213.	1.3	23
65	Specific performance of electrical double layer capacitors based on different separator materials in room temperature ionic liquid. <i>Electrochemistry Communications</i> , 2012, 22, 77-80.	2.3	51
66	Mesoporous carbide-derived carbons prepared from different chromium carbides. <i>Microporous and Mesoporous Materials</i> , 2011, 141, 88-93.	2.2	55
67	Nanostructured carbide-derived carbon synthesized by chlorination of tungsten carbide. <i>Carbon</i> , 2011, 49, 4427-4433.	5.4	76
68	Energy and power performance of electrochemical double-layer capacitors based on molybdenum carbide derived carbon. <i>Electrochimica Acta</i> , 2010, 55, 3138-3143.	2.6	99
69	Comparison of Electrospun and Commercially Available Separator Materials for Supercapacitors. <i>ECS Transactions</i> , 2009, 19, 23-32.	0.3	5
70	Influence of Mesoporous Separator Properties on the Parameters of Electrical Double-Layer Capacitor Single Cells. <i>Journal of the Electrochemical Society</i> , 2009, 156, A334.	1.3	48
71	Energy and power performance of vanadium carbide derived carbon electrode materials for supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2009, 630, 55-62.	1.9	72
72	Nanoscale fine-tuning of porosity of carbide-derived carbon prepared from molybdenum carbide. <i>Carbon</i> , 2009, 47, 23-29.	5.4	128

#	ARTICLE	IF	CITATIONS
73	Impedance spectroscopy data for S ₂ O ₈ ²⁻ anion electroreduction at Bi(111) plane. <i>Electrochimica Acta</i> , 2008, 53, 3337-3349.	2.6	11
74	Micro- and Mesoporous Carbide-Derived Carbon Materials and Polymer Membranes for Supercapacitors. <i>ECS Transactions</i> , 2008, 16, 57-67.	0.3	14
75	Advanced nanostructured carbon materials for electrical double layer capacitors. <i>Journal of Physics: Conference Series</i> , 2007, 93, 012002.	0.3	2
76	Synthesis and characterisation of nanoporous carbide-derived carbon by chlorination of vanadium carbide. <i>Carbon</i> , 2007, 45, 2717-2722.	5.4	109
77	Electroreduction of Complex Ions at Bismuth and Cadmium Single Crystal Plane Electrodes. <i>ECS Transactions</i> , 2006, 1, 9-17.	0.3	2
78	Impedance spectroscopy data for anions electroreduction kinetics at Cd(0001) plane electrode. <i>Journal of Electroanalytical Chemistry</i> , 2006, 586, 237-246.	1.9	14
79	The kinetics of electroreduction of peroxodisulfate ions on single crystal cadmium and bismuth electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2005, 582, 130-143.	1.9	12
80	The kinetics of electroreduction of peroxodisulfate anion on electrochemically polished Cd(0001) plane. <i>Electrochimica Acta</i> , 2004, 49, 1271-1279.	2.6	8
81	Electroreduction of peroxodisulfate anion at a Cd(0001) single-crystal plane electrode. <i>Journal of Electroanalytical Chemistry</i> , 2000, 485, 89-93.	1.9	17