

# Jung Han Yoon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/565226/publications.pdf>

Version: 2024-02-01

105  
papers

1,136  
citations

471061

17  
h-index

476904

29  
g-index

105  
all docs

105  
docs citations

105  
times ranked

2043  
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with motor severity in vascular parkinsonism with normal dopamine transporter imaging. <i>Parkinsonism and Related Disorders</i> , 2022, 94, 99-103.	1.1	3
2	Association of plasma $\alpha$ -synuclein with cardiac 123I-MIBG scintigraphy in early Parkinson's disease. <i>Neuroscience Letters</i> , 2022, 770, 136399.	1.0	5
3	The First Korean Family of Spinocerebellar Ataxia 21 (ATX-TMEM240) with Facial Dystonic Phenotype. <i>Cerebellum</i> , 2022, , 1.	1.4	0
4	Unpredictable motor fluctuations caused by cholecystitis in Parkinson's disease. <i>Acta Neurologica Belgica</i> , 2022, , 1.	0.5	0
5	Dual-Phase 18F-FP-CIT PET in 2 Different Clinical Phenotypes of Sporadic Creutzfeldt-Jakob Disease. <i>Clinical Nuclear Medicine</i> , 2022, 47, e548-e549.	0.7	2
6	Normal presynaptic dopaminergic neurons in corticobasal syndrome with MAPT gene mutation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 729-730.	3.3	0
7	Impact of genetic variants on major bleeding after percutaneous coronary intervention based on a prospective multicenter registry. <i>Scientific Reports</i> , 2021, 11, 1790.	1.6	0
8	A novel task-specific dystonia: running-induced cervical dystonia in a triathlete. <i>Neurological Sciences</i> , 2021, 42, 3051-3052.	0.9	3
9	Impact of genetic variants on clinical outcome after percutaneous coronary intervention in elderly patients. <i>Aging</i> , 2021, 13, 6506-6524.	1.4	1
10	Automated assessment of the substantia nigra on susceptibility map-weighted imaging using deep convolutional neural networks for diagnosis of Idiopathic Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 85, 84-90.	1.1	15
11	Five-year clinical outcomes of the first Korean-made sirolimus-eluting coronary stent with abluminal biodegradable polymer. <i>Medicine (United States)</i> , 2021, 100, e25765.	0.4	1
12	Aspirin versus clopidogrel for chronic maintenance monotherapy after percutaneous coronary intervention (HOST-EXAM): an investigator-initiated, prospective, randomised, open-label, multicentre trial. <i>Lancet, The</i> , 2021, 397, 2487-2496.	6.3	162
13	Plasma neurofilament light chain level and orthostatic hypotension in early Parkinson's disease. <i>Journal of Neural Transmission</i> , 2021, 128, 1853-1861.	1.4	9
14	A First-in-Man Clinical Evaluation of Sirolimus and Ascorbic Acid-Eluting Stent Systems: a Multicenter, Subject-Blinded, Randomized Study. <i>Korean Circulation Journal</i> , 2021, 51, 1001.	0.7	4
15	Ataxia Associated with CADASIL: a Pathology-Confirmed Case Report and Literature Review. <i>Cerebellum</i> , 2020, 19, 907-910.	1.4	5
16	Verifying Death Reports in the Platelet Inhibition and Patient Outcomes (PLATO) Trial. <i>American Journal of Therapeutics</i> , 2020, 27, e563-e572.	0.5	5
17	Guideline-directed therapy at discharge in patients with heart failure and atrial fibrillation. <i>Heart</i> , 2020, 106, 292-298.	1.2	12
18	Additional value of MRI perfusion-weighted imaging during a DWI-negative period in sporadic CJD mimicking LGI1 encephalitis. <i>Parkinsonism and Related Disorders</i> , 2020, 74, 64-66.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Areas of white matter hyperintensities and motor symptoms of Parkinson disease. <i>Neurology</i> , 2020, 95, e291-e298.	1.5	24
20	Anti-NMDA receptor encephalitis presenting as catatonia associated with pheochromocytoma. <i>Parkinsonism and Related Disorders</i> , 2020, 72, 62-64.	1.1	3
21	Assessment of the Efficacy of Lowering LDL Cholesterol with Rosuvastatin 10 mg in Four Korean Statin Benefit Groups as per ACC/AHA Guidelines (NewStaR4G). <i>Journal of Clinical Medicine</i> , 2020, 9, 916.	1.0	1
22	Is an Isolated Weight-Holding Tremor a New Subtype of Isometric Tremor?. <i>Yonsei Medical Journal</i> , 2020, 61, 644.	0.9	1
23	Unilateral elbow joint festination in early Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 65, 286-287.	1.1	1
24	Dual-phase 18F-FP-CIT PET in corticobasal syndrome underlying AD pathology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2208-2209.	3.3	3
25	Impaired endothelial function may predict treatment response in restless legs syndrome. <i>Journal of Neural Transmission</i> , 2019, 126, 1051-1059.	1.4	8
26	Dual-Phase 18F-FP-CIT PET in Corticobasal Syndrome. <i>Clinical Nuclear Medicine</i> , 2019, 44, e49-e50.	0.7	7
27	Prognostic Effect of Guideline-Directed Therapy Is More Noticeable Early in the Course of Heart Failure. <i>Journal of Korean Medical Science</i> , 2019, 34, e133.	1.1	11
28	Effects of genetic variants on platelet reactivity and one-year clinical outcomes after percutaneous coronary intervention: A prospective multicentre registry study. <i>Scientific Reports</i> , 2018, 8, 1229.	1.6	26
29	Hypoglycemia-induced parkinsonism with vasogenic basal ganglia lesion. <i>Parkinsonism and Related Disorders</i> , 2018, 49, 112-113.	1.1	6
30	Steroid-induced hyperglycemic chorea in a patient without diabetes mellitus. <i>Neurological Sciences</i> , 2018, 39, 797-798.	0.9	1
31	Validation of the MAGGIC (Meta-Analysis Global Group in Chronic Heart Failure) heart failure risk score and the effect of adding natriuretic peptide for predicting mortality after discharge in hospitalized patients with heart failure. <i>PLoS ONE</i> , 2018, 13, e0206380.	1.1	40
32	Is There a Sex-Related Difference in the Obesity Paradox in Systolic Heart Failure? Sex-Related Difference in the Obesity Paradox. <i>Yonsei Medical Journal</i> , 2018, 59, 57.	0.9	21
33	Early differentiation of dementia with Lewy bodies and Alzheimer's disease: Heart rate variability at mild cognitive impairment stage. <i>Clinical Neurophysiology</i> , 2018, 129, 1570-1578.	0.7	25
34	Transradial versus transfemoral intervention in non-STsegment elevation acute coronary syndrome patients undergoing percutaneous coronary intervention: the Korean transradial intervention registry of 1 285 patients. <i>Cardiovascular Journal of Africa</i> , 2018, 29, 374-380.	0.2	3
35	A case of Wilson's disease presenting with paroxysmal dystonia. <i>Neurological Sciences</i> , 2017, 38, 1881-1882.	0.9	6
36	Dopa-responsive dystonia presenting with predominant hemifacial dystonia. <i>Acta Neurologica Belgica</i> , 2017, 117, 955-956.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Cardiac sympathetic denervation and dementia in de novo Parkinson's disease: A 7-year follow-up study. <i>Journal of the Neurological Sciences</i> , 2017, 381, 291-295.	0.3	14
38	Cigarette smoking is an independent risk factor for post-stroke delirium. <i>BMC Neurology</i> , 2017, 17, 56.	0.8	18
39	Prognostic value of short-term follow-up BNP in hospitalized patients with heart failure. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 215.	0.7	41
40	Clinical and Angiographic Outcomes of the First Korean-made Sirolimus-Eluting Coronary Stent with Abluminal Bioresorbable Polymer. <i>Korean Circulation Journal</i> , 2017, 47, 898.	0.7	5
41	Comparison of Clinical Outcomes between the Right and Left Radial Artery Approaches from the Korean Transradial Coronary Intervention Registry. <i>Yonsei Medical Journal</i> , 2017, 58, 521.	0.9	8
42	Isoproterenol Enhances Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis in Human Embryonic Kidney Cells through Death Receptor 5 up-Regulation. <i>Korean Circulation Journal</i> , 2016, 46, 93.	0.7	12
43	Efficacy and safety of two fixed-dose combinations of S-amlodipine and telmisartan (CKD-828) versus S-amlodipine monotherapy in patients with hypertension inadequately controlled using S-amlodipine monotherapy: an 8-week, multicenter, randomized, double-blind, Phase III clinical study. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3817-3826.	2.0	9
44	Prognostic impact of preexisting hypertension and high systolic blood pressure at admission in patients hospitalized for systolic heart failure. <i>Journal of Cardiology</i> , 2016, 67, 418-423.	0.8	13
45	Olfactory dysfunction is related to postoperative delirium in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2016, 123, 589-594.	1.4	5
46	Heart rate variability to differentiate essential tremor from early-stage tremor-dominant Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2016, 368, 55-58.	0.3	10
47	Reversible chorea and parkinsonism in a patient with systemic lupus erythematosus. <i>Neurological Sciences</i> , 2016, 37, 491-492.	0.9	4
48	Pseudo-dominant inheritance in Wilson's disease. <i>Neurological Sciences</i> , 2016, 37, 153-155.	0.9	3
49	Comparisons of Clinical and Procedural Outcomes Between Transradial and Transfemoral Approaches in Percutaneous Coronary Intervention (from the Korean Transradial Intervention Prospective) <i>Tj ETQq1 1 0.784314.orgBT /Overlock 10</i>	0.7	5
50	Comparison of Frequency of Bleeding and Major Adverse Cardiac Events After Transradial Versus Transfemoral Intervention in the Recent Antiplatelet Era. <i>American Journal of Cardiology</i> , 2016, 117, 1588-1595.	0.7	5
51	Comparison of Transradial and Transfemoral Approaches for Percutaneous Coronary Intervention in Patients With Acute Coronary Syndrome and Anemia. <i>American Journal of Cardiology</i> , 2016, 117, 1582-1587.	0.7	7
52	The Utility of Segmental Analysis in Cardiac I-123 MIBG SPECT in Parkinson's Disease. <i>Nuclear Medicine and Molecular Imaging</i> , 2015, 49, 298-302.	0.6	5
53	Addition of N-terminal Pro-B-type Natriuretic Peptide Levels to Electrocardiography Criteria for Detection of Left Ventricular Hypertrophy: The ARIRANG Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 407.	1.1	1
54	Olfactory function and neuropsychological profile to differentiate dementia with Lewy bodies from Alzheimer's disease in patients with mild cognitive impairment: A 5-year follow-up study. <i>Journal of the Neurological Sciences</i> , 2015, 355, 174-179.	0.3	62

#	ARTICLE	IF	CITATIONS
55	Randomized Comparisons Between Different Stenting Approaches for Bifurcation Coronary Lesions With or Without Side Branch Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 550-560.	1.1	74
56	Cerebral Microbleeds in Patients with Dementia with Lewy Bodies and Parkinson Disease Dementia. <i>American Journal of Neuroradiology</i> , 2015, 36, 1642-1647.	1.2	28
57	Spontaneous disappearance of Holmesâ€™ tremor in a patient with a midbrain cavernous hemangioma. <i>Neurological Sciences</i> , 2015, 36, 2137-2138.	0.9	4
58	A prospective study of total sleep duration and incident metabolic syndrome: the ARIRANG study. <i>Sleep Medicine</i> , 2015, 16, 1511-1515.	0.8	57
59	Vitamin D deficiency and its relationship with endothelial dysfunction in patients with early Parkinsonâ€™s disease. <i>Journal of Neural Transmission</i> , 2015, 122, 1685-1691.	1.4	18
60	Impaired vascular endothelial function in patients with restless legs syndrome: a new aspect of the vascular pathophysiology. <i>Journal of the Neurological Sciences</i> , 2015, 359, 207-210.	0.3	26
61	Abstract 18163: A Prospective Study of Fatty Liver Index and Incident Hypertension. <i>Circulation</i> , 2015, 132, .	1.6	0
62	Endothelial dysfunction and hyperhomocysteinemia in Parkinson's disease: Flow-mediated dilation study. <i>Movement Disorders</i> , 2014, 29, 1551-1555.	2.2	19
63	The Mild Cognitive Impairment Stage of Dementia With Lewy Bodies and Parkinson Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2014, 28, 151-155.	0.6	21
64	Multicenter randomized trial of 3-month cilostazol use in addition to dual antiplatelet therapy after biolimus-eluting stent implantation for long or multivessel coronary artery disease. <i>American Heart Journal</i> , 2014, 167, 241-248.e1.	1.2	20
65	Impact of Female Gender on Bleeding Complications After Transradial Coronary Intervention (from Tj ETQq1 1 0.784314 rgBT /Overl... 2002-2006.	0.7	17
66	The association between serum adiponectin and carotid intima media thickness in community based cohort in Korea: The ARIRANG study. <i>Molecular and Cellular Toxicology</i> , 2011, 7, 33-38.	0.8	5
67	Response to Letter Regarding Article, "Triple Versus Dual Antiplatelet Therapy in Patients With Acute ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention" <i>Circulation</i> , 2010, 121, .	1.6	0
68	Distal Migration of Thrombus during Intra-Arterial Thrombolysis. <i>European Neurology</i> , 2010, 63, 62-63.	0.6	7
69	B-Type Natriuretic Peptide and Long-Term Prognosis in Low-Risk Patients With Unstable Angina. <i>Korean Circulation Journal</i> , 2009, 39, 26.	0.7	0
70	Dystonic hand tremor in a patient with Wernicke encephalopathy. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 479-481.	1.1	6
71	Clinical and laboratory characteristics of atopic myelitis: Korean experience. <i>Journal of the Neurological Sciences</i> , 2009, 285, 154-158.	0.3	17
72	Movement disorders at a university hospital emergency room. <i>Journal of Neurology</i> , 2008, 255, 745-749.	1.8	10

#	ARTICLE	IF	CITATIONS
73	Can aspirin resistance be clinically predicted in stroke patients?. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 110-116.	0.6	24
74	Clinical MRI Cutoff Points for Predicting Lacunar Stroke May Not Exist: Need for a Grading rather than a Dichotomizing System. <i>Cerebrovascular Diseases</i> , 2007, 24, 520-529.	0.8	16
75	Subtraction Brain SPECT Imaging in a Patient With Paroxysmal Exercise-Induced Dystonia. <i>Archives of Neurology</i> , 2007, 64, 1652.	4.9	9
76	Aspirin and Clopidogrel Resistance in Drug Eluting Stent Era. <i>Korean Circulation Journal</i> , 2007, 37, 135.	0.7	7
77	Transradial Coronary Intervention: Comparison of the Left and Right Radial Artery Approach. <i>Korean Circulation Journal</i> , 2006, 36, 780.	0.7	2
78	The Relationship between the Early Follow-Up BNP Level and Congestive Status or Prognosis in Acute Heart Failure. <i>Korean Circulation Journal</i> , 2006, 36, 200.	0.7	11
79	The Early Changing Pattern of the B-Type Natriuretic Peptide Concentration and its Significance as a Prognostic Marker after Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2006, 36, 526.	0.7	7
80	Is B-type Natriuretic Peptide(BNP) Measurement Useful Test for Diagnosing Systolic Heart Failure in Patients with Moderate to Severe Renal Insufficiency?. <i>Korean Circulation Journal</i> , 2005, 35, 897.	0.7	7
81	LB30057, a Direct Thrombin Inhibitor, the Effect of Restenosis in Porcine Coronary Injury Model. <i>Korean Circulation Journal</i> , 2005, 35, 15.	0.7	0
82	A Diagnostic Value of Ischemia Modified Albumin in Patients with Suspected Acute Coronary Syndrome with Normal EKG and Cardiac Markers. <i>Korean Circulation Journal</i> , 2005, 35, 928.	0.7	3
83	The Clinical Significance of Serum-Hydroxyproline in Acute Coronary Syndrome. <i>Sunhwan'gi</i> , 2004, 34, 1148.	0.3	0
84	Five Cases of Coronary Arteriovenous Fistula from Coronary Artery to Left Ventricle. <i>Sunhwan'gi</i> , 2004, 34, 992.	0.3	0
85	A Case of Torsades de Pointes Induced by Complete Atrioventricular Block and Hypokalemia. <i>Sunhwan'gi</i> , 2004, 34, 220.	0.3	3
86	A Case of Percutaneous Aspiration Thromboembolectomy of the Common Femoral Artery, Using the PercuSurge GuardWire(TM) System, with a 7 Fr. Guiding Catheter. <i>Sunhwan'gi</i> , 2004, 34, 804.	0.3	0
87	The Clinical Experiences of B-type Natriuretic Peptide Blood Concentrations for Diagnosis in Congestive Heart Failure : The Single Hospital Experience Based on the Large Clinical Database. <i>Sunhwan'gi</i> , 2004, 34, 684.	0.3	14
88	Predictive Factors of Survival for Intra-aortic Balloon Pump in Acute Myocardial Infarction Treated with Angioplasty. <i>Sunhwan'gi</i> , 2003, 33, 22.	0.3	2
89	A Case of Percutaneous Removal of Cutted Left Atrial Pressure Catheter after Mitral Valve Replacement. <i>Sunhwan'gi</i> , 2003, 33, 72.	0.3	0
90	Efficacy of Embolic Protection using PercuSurge GuardWire System During Primary Percutaneous Coronary Intervention with the Lesions Suggesting Large Thrombus Burden. <i>Sunhwan'gi</i> , 2003, 33, 1103.	0.3	0

#	ARTICLE	IF	CITATIONS
91	The Effect of Farnesyl Transferase Inhibitor on the Proliferation of Vascular Smooth Muscle Cells and Neointima Formation. Sunhwan'gi, 2003, 33, 311.	0.3	0
92	A Case of Cardiac Metastasis from Lung Cancer Presented with Persistent ST Segment Elevation Simulating Acute Myocardial Infarction. Sunhwan'gi, 2003, 33, 431.	0.3	0
93	The Comparison of Reasons for not Receiving Reperfusion Therapy on Acute Myocardial Infarction for the Recent 10 Years. Sunhwan'gi, 2002, 32, 974.	0.3	1
94	A Case of Behcet's Disease Presenting with Aneurysm of Abdominal Aorta and Hemorrhagic Ulcerative Lesion of Terminal Ileum. Sunhwan'gi, 2001, 31, 1066.	0.3	1
95	A Case of Primary Antiphospholipid Antibody Syndrome with Multiple Thromboses Including Thrombotic Occlusion of Abdominal Aorta. Sunhwan'gi, 2001, 31, 707.	0.3	0
96	Reconsideration for current guideline of lipid-lowering therapy in patients with coronary artery disease. Sunhwan'gi, 2001, 31, 767.	0.3	2
97	Guidewire-induced coronary artery perforation treated with transcatheter injection of polyvinyl alcohol form. Catheterization and Cardiovascular Interventions, 2001, 52, 231-234.	0.7	36
98	LB30057, A Direct Thrombin Inhibitor, Inhibits Vascular Smooth Muscle Cell proliferation in vitro and the Neointimal Hyperplasia in Rat Carotid Injury Model. Sunhwan'gi, 2001, 31, 909.	0.3	1
99	The Severity of Extent of Coronary Atherosclerosis Related to Plasma Homocysteine. Sunhwan'gi, 2000, 30, 31.	0.3	2
100	A Case of Transradial Approach to Carotid Artery Angioplasty and Stenting in Left Internal Carotid Stenosis. Sunhwan'gi, 2000, 30, 359.	0.3	0
101	The Study of Branching Anomaly and Tortuosity of Radial Artery for Trans-Radial Coronary Procedure. Sunhwan'gi, 2000, 30, 82.	0.3	4
102	Hemodynamic Effects of Simultaneous Sterno-Thoracic Cardiopulmonary Resuscitation (SST-CPR) in Canine Model of Cardiac Arrest. Sunhwan'gi, 1999, 29, 1105.	0.3	1
103	Bilateral coronary arteriovenous fistula coexistent with atrial septal defect and pulmonary stenosis. Yonsei Medical Journal, 1997, 38, 190.	0.9	3
104	Percutaneous mitral balloon valvuloplasty in patients with restenosis after surgical commissurotomy: a comparative study. Yonsei Medical Journal, 1993, 34, 243.	0.9	7
105	Comparison of outcome among double, bifoil and Inoue balloon techniques for percutaneous mitral valvuloplasty in mitral stenosis. Yonsei Medical Journal, 1992, 33, 48.	0.9	3