

Suzanne M M Verstappen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/565257/suzanne-m-m-verstappen-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

2,270
citations

27
h-index

42
g-index

144
ext. papers

2,896
ext. citations

4.2
avg, IF

5.05
L-index

#	Paper	IF	Citations
110	The burden of musculoskeletal disease. <i>Medicine</i> , 2022 , 50, 82-84	0.6	0
109	2021 EULAR recommendations regarding lifestyle behaviours and work participation to prevent progression of rheumatic and musculoskeletal diseases.. <i>Annals of the Rheumatic Diseases</i> , 2022 ,	2.4	5
108	Smoking, alcohol consumption and disease-specific outcomes in rheumatic and musculoskeletal diseases (RMDs): systematic reviews informing the 2021 EULAR recommendations for lifestyle improvements in people with RMDs.. <i>RMD Open</i> , 2022 , 8,	5.9	1
107	Preferred Methods of Measuring Work Participation: An International Survey Among Trialists and Cochrane Systematic Reviewers.. <i>Journal of Occupational Rehabilitation</i> , 2022 , 1	3.6	0
106	Effects of physical exercise and body weight on disease-specific outcomes of people with rheumatic and musculoskeletal diseases (RMDs): systematic reviews and meta-analyses informing the 2021 EULAR recommendations for lifestyle improvements in people with RMDs.. <i>RMD Open</i> , 2022 , 8,	5.9	3
105	Extensive variability of work participation outcomes measured in randomized controlled trials: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2021 , 142, 60-99	5.7	3
104	Prevalence and predictors of adverse events with methotrexate mono- and combination-therapy for rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 2021 , 60, 4001-4017	3.9	5
103	EULAR Points to Consider (PtC) for designing, analysing and reporting of studies with work participation as an outcome domain in patients with inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1116-1123	2.4	2
102	OMERACT consensus-based operational definition of contextual factors in rheumatology clinical trials: A mixed methods study. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 601-606	5.3	2
101	Researchers' Perspectives on methodological challenges and outcomes selection in interventional studies targeting medication adherence in rheumatic diseases: an OMERACT-adherence study. <i>BMC Rheumatology</i> , 2021 , 5, 26	2.9	
100	Predicting presenteeism using measures of health status. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
99	Common Functional Ability Score for Young People With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 947-954	4.7	1
98	Changes in the illness perceptions of patients with rheumatoid arthritis over the first year of methotrexate therapy. <i>Rheumatology</i> , 2021 , 60, 2355-2365	3.9	5
97	Do people with rheumatoid arthritis maintain their physical activity level at treatment onset over the first year of methotrexate therapy?. <i>Rheumatology</i> , 2021 , 60, 4633-4642	3.9	2
96	Do associations between education and obesity vary depending on the measure of obesity used? A systematic literature review and meta-analysis. <i>SSM - Population Health</i> , 2021 , 15, 100884	3.8	2
95	Predictors of presenteeism, absenteeism and job loss in patients commencing methotrexate or biologic therapy for rheumatoid arthritis. <i>Rheumatology</i> , 2020 , 59, 2908-2919	3.9	6
94	Long-term outcomes of patients who rate symptoms of rheumatoid arthritis as satisfactory. <i>Rheumatology</i> , 2020 , 59, 1853-1861	3.9	6

93	Scope of Outcomes in Trials and Observational Studies of Interventions Targeting Medication Adherence in Rheumatic Conditions: A Systematic Review. <i>Journal of Rheumatology</i> , 2020 , 47, 1565-1574 ^{4.1}	4.1	6
92	The impact of lifestyle behaviours, physical activity and smoking on morbidity and mortality in patients with rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020 , 34, 101562 ^{5.3}	5.3	7
91	Using qualitative methods for a conceptual analysis of measures of health status and presenteeism prior to a mapping study. <i>Quality of Life Research</i> , 2020 , 29, 3167-3177	3.7	1
90	EULAR/eumusc.net standards of care for rheumatoid arthritis: cross-sectional analyses of importance, level of implementation and care gaps experienced by patients and rheumatologists across 35 European countries. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1423-1431	2.4	3
89	The effect on work presenteeism of job retention vocational rehabilitation compared to a written self-help work advice pack for employed people with inflammatory arthritis: protocol for a multi-centre randomised controlled trial (the WORKWELL trial). <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 607	2.8	1
88	Development and validation of a methotrexate adherence assay. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1192-1197	2.4	5
87	Not all moderate disease is the same - Identification of disability trajectories among patients with rheumatoid arthritis and moderate disease activity. <i>PLoS ONE</i> , 2019 , 14, e0215999	3.7	5
86	Validity of a two-component imaging-derived disease activity score for improved assessment of synovitis in early rheumatoid arthritis. <i>Rheumatology</i> , 2019 ,	3.9	21
85	Considerations for Evaluating and Recommending Worker Productivity Outcome Measures: An Update from the OMERACT Worker Productivity Group. <i>Journal of Rheumatology</i> , 2019 , 46, 1401-1405	4.1	7
84	A Systematic Review of Productivity in Economic Evaluations of Workplace Interventions: A Need for Reporting Criteria?. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 591-613	3.4	2
83	Patients with rheumatoid arthritis facing sick leave or work disability meet varying regulations: a study among rheumatologists and patients from 44 European countries. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1472-1479	2.4	2
82	A UK study: vocational experiences of young adults with juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2019 , 17, 54	3.5	
81	Profiling of Gene Expression Biomarkers as a Classifier of Methotrexate Nonresponse in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 678-684	9.5	26
80	Systematic review of the predictors of statin adherence for the primary prevention of cardiovascular disease. <i>PLoS ONE</i> , 2019 , 14, e0201196	3.7	37
79	Baseline patient reported outcomes are more consistent predictors of long-term functional disability than laboratory, imaging or joint count data in patients with early inflammatory arthritis: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 384-398	5.3	8
78	Long-Term Outcomes Following Achievement of Clinically Inactive Disease in Juvenile Idiopathic Arthritis: The Importance of Definition. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1519-1529	9.5	16
77	Risk factors for oral methotrexate failure in patients with inflammatory polyarthritis: results from a UK prospective cohort study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 50	5.7	14
76	Have the 10-year outcomes of patients with early inflammatory arthritis improved in the new millennium compared with the decade before? Results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 848-854	2.4	17

75	Response to: Quantifying the hepatotoxic risk of alcohol consumption in patients with rheumatoid arthritis by Kremer and Weinblatt. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, e5	2.4	2
74	Prediction of primary non-response to methotrexate therapy using demographic, clinical and psychosocial variables: results from the UK Rheumatoid Arthritis Medication Study (RAMS). <i>Arthritis Research and Therapy</i> , 2018 , 20, 147	5.7	36
73	The prevalence of co-morbidities and their impact on physical activity in people with inflammatory rheumatic diseases compared with the general population: results from the UK Biobank. <i>Rheumatology</i> , 2018 , 57, 2172-2182	3.9	21
72	Patterns of pain over time among children with juvenile idiopathic arthritis. <i>Archives of Disease in Childhood</i> , 2018 , 103, 437-443	2.2	27
71	Overview of changes in RMD epidemiology and outcome development in the last 10 years. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018 , 32, 169-173	5.3	2
70	Conceptual model for the health technology assessment of current and novel interventions in rheumatoid arthritis. <i>PLoS ONE</i> , 2018 , 13, e0205013	3.7	7
69	Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018 , 18, 528-538	3.5	25
68	Comparison of the risks of hospitalisation for cardiovascular events in patients with rheumatoid arthritis treated with tocilizumab and etanercept. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 310-313	2.2	12
67	How common is clinically inactive disease in a prospective cohort of patients with juvenile idiopathic arthritis? The importance of definition. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1381-1388	2.4	27
66	Twenty-Year Outcome and Association Between Early Treatment and Mortality and Disability in an Inception Cohort of Patients With Rheumatoid Arthritis: Results From the Norfolk Arthritis Register. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1566-1575	9.5	36
65	HLA-A 31:01 is not associated with the development of methotrexate pneumonitis in the UK population: results from a genome-wide association study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e51	2.4	9
64	Predictors of and outcomes following orthopaedic joint surgery in patients with early rheumatoid arthritis followed for 20 years. <i>Rheumatology</i> , 2017 , 56, 1510-1517	3.9	10
63	How common is remission in juvenile idiopathic arthritis: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 331-337	5.3	32
62	Quantifying the hepatotoxic risk of alcohol consumption in patients with rheumatoid arthritis taking methotrexate. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1509-1514	2.4	22
61	Do we need bone mineral density to estimate osteoporotic fracture risk? A 10-year prospective multicentre validation study. <i>RMD Open</i> , 2017 , 3, e000509	5.9	11
60	153. ASSESSMENT OF PREDICTORS OF AND OUTCOMES FOLLOWING ORTHOPAEDIC JOINT SURGERY OVER 20 YEARS IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS RECRUITED TO THE NORFOLK ARTHRITIS REGISTER. <i>Rheumatology</i> , 2017 , 56,	3.9	1
59	Infection rates in patients from five rheumatoid arthritis (RA) registries: contextualising an RA clinical trial programme. <i>RMD Open</i> , 2017 , 3, e000498	5.9	15
58	Reply. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2402-2403	9.5	

57	OMERACT Filter Evidence Supporting the Measurement of At-work Productivity Loss as an Outcome Measure in Rheumatology Research. <i>Journal of Rheumatology</i> , 2016 , 43, 214-22	4.1	25
56	Economic Theory and Self-Reported Measures of Presenteeism in Musculoskeletal Disease. <i>Current Rheumatology Reports</i> , 2016 , 18, 53	4.9	7
55	Can rheumatoid arthritis (RA) registries provide contextual safety data for modern RA clinical trials? The case for mortality and cardiovascular disease. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1797-805	7.4	14
54	Content validity of global measures for at-work productivity in patients with rheumatic diseases: an international qualitative study. <i>Rheumatology</i> , 2016 , 55, 1364-73	3.9	15
53	Test-retest Reliability and Correlations of 5 Global Measures Addressing At-work Productivity Loss in Patients with Rheumatic Diseases. <i>Journal of Rheumatology</i> , 2016 , 43, 433-9	4.1	15
52	Anticarbamylated protein antibodies are associated with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1139-44	2.4	33
51	Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. <i>Arthritis Research and Therapy</i> , 2016 , 18, 285	5.7	33
50	Psychological factors predict adherence to methotrexate in rheumatoid arthritis; findings from a systematic review of rates, predictors and associations with patient-reported and clinical outcomes. <i>RMD Open</i> , 2016 , 2, e000171	5.9	26
49	How comparable are rates of malignancies in patients with rheumatoid arthritis across the world? A comparison of cancer rates, and means to optimise their comparability, in five RA registries. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1789-96	2.4	12
48	Predictors and outcomes of sustained, intermittent or never achieving remission in patients with recent onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2016 , 55, 1601-9	3.9	18
47	Rheumatoid arthritis and work: The impact of rheumatoid arthritis on absenteeism and presenteeism. <i>Best Practice and Research in Clinical Rheumatology</i> , 2015 , 29, 495-511	5.3	49
46	Direct health costs of inflammatory polyarthritis 10 years after disease onset: results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015 , 42, 794-8	4.1	4
45	Association of anti-carbamylated protein antibodies with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. <i>Lancet, The</i> , 2015 , 385 Suppl 1, S44	4.0	7
44	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015 , 42, 2059-65	4.1	21
43	Association of chemokine CXC ligand 12 gene polymorphism (rs1746048) with cardiovascular mortality in patients with rheumatoid arthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2099-102	2.4	4
42	Consensus Decision Models for Biologics in Rheumatoid and Psoriatic Arthritis: Recommendations of a Multidisciplinary Working Party. <i>Rheumatology and Therapy</i> , 2015 , 2, 113-125	4.4	9
41	Using epidemiological registry data to provide background rates as context for adverse events in a rheumatoid arthritis drug development program: a coordinated approach. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1121-32	2.6	6
40	Methodological Challenges When Comparing Demographic and Clinical Characteristics of International Observational Registries. <i>Arthritis Care and Research</i> , 2015 , 67, 1637-45	4.7	13

39	Importance of Contextual Factors When Measuring Work Outcome in Ankylosing Spondylitis: A Systematic Review by the OMERACT Worker Productivity Group. <i>Arthritis Care and Research</i> , 2015 , 67, 1316-1327	4.7	23
38	The association between low socioeconomic status with high physical limitations and low illness self-perception in patients with juvenile idiopathic arthritis: results from the Childhood Arthritis Prospective Study. <i>Arthritis Care and Research</i> , 2015 , 67, 382-9	4.7	16
37	Biologic therapies and pregnancy: the story so far. <i>Rheumatology</i> , 2014 , 53, 1377-85	3.9	80
36	Early remission is associated with improved survival in patients with inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1677-82	2.4	27
35	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results from the European Prospective Investigation of Cancer-Norfolk and the Norfolk Arthritis Register--the EPIC-2-NOAR Study). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 219-26	2.4	64
34	Mortality trends in patients with early rheumatoid arthritis over 20 years: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2014 , 66, 1296-301	4.7	85
33	N-terminal pro-brain-type natriuretic peptide (NT-pro-BNP) and mortality risk in early inflammatory polyarthritis: results from the Norfolk Arthritis Registry (NOAR). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 684-90	2.4	23
32	Health Assessment Questionnaire disability progression in early rheumatoid arthritis: systematic review and analysis of two inception cohorts. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 131-44	5.3	46
31	How Do We Classify Rheumatoid Arthritis in Established Disease [Can We Apply the 2010 American College of Rheumatology/European League Against Rheumatism Classification Criteria?]. <i>Journal of Rheumatology</i> , 2014 , 41, 2347-2351	4.1	1
30	Rheumatoid factor and anti-citrullinated protein antibody positivity, but not level, are associated with increased mortality in patients with rheumatoid arthritis: results from two large independent cohorts. <i>Arthritis Research and Therapy</i> , 2014 , 16, 483	5.7	41
29	Has the severity of rheumatoid arthritis at presentation diminished over time?. <i>Journal of Rheumatology</i> , 2014 , 41, 1590-9	4.1	22
28	Worker productivity outcome measures: OMERACT filter evidence and agenda for future research. <i>Journal of Rheumatology</i> , 2014 , 41, 165-76	4.1	33
27	Outcomes of early rheumatoid arthritis--the WHO ICF framework. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013 , 27, 555-70	5.3	9
26	Demographic and disease-related predictors of abnormal lung function in patients with established inflammatory polyarthritis and a comparison with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1517-23	2.4	5
25	Learned helplessness predicts functional disability, pain and fatigue in patients with recent-onset inflammatory polyarthritis. <i>Rheumatology</i> , 2013 , 52, 1233-8	3.9	19
24	In patients with early rheumatoid arthritis, the new ACR/EULAR definition of remission identifies patients with persistent absence of functional disability and suppression of ultrasonographic synovitis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 245-9	2.4	70
23	2010 ACR/EULAR classification criteria for rheumatoid arthritis predict increased mortality in patients with early arthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2013 , 52, 1141-2	3.9	4
22	The incidence of rheumatoid arthritis in the UK: comparisons using the 2010 ACR/EULAR classification criteria and the 1987 ACR classification criteria. Results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1315-20	2.4	90

21	Investigation of C reactive protein gene polymorphisms as predictors of cardiovascular mortality in inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1429-30	2.4	2
20	The prospective association between psychological distress and disease activity in rheumatoid arthritis: a multilevel regression analysis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 192-7	2.4	38
19	Look beyond the disease activity score of 28 joints (DAS28): tender points influence the DAS28 in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 22-7	4.1	40
18	Methodological issues when measuring paid productivity loss in patients with arthritis using biologic therapies: an overview of the literature. <i>Rheumatology</i> , 2012 , 51, 216-29	3.9	16
17	Prediction of response and adverse events to methotrexate treatment in patients with rheumatoid arthritis. <i>International Journal of Clinical Rheumatology</i> , 2012 , 7, 559-567	1.5	3
16	Seropositivity is associated with insulin resistance in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register (NOAR): an observational study. <i>Arthritis Research and Therapy</i> , 2011 , 13, R159	5.7	18
15	The relation between cartilage biomarkers (C2C, C1,2C, CS846, and CPII) and the long-term outcome of rheumatoid arthritis patients within the CAMERA trial. <i>Arthritis Research and Therapy</i> , 2011 , 13, R70	5.7	7
14	Economic consequences and potential benefits. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 607-24	5.3	40
13	What is the outcome of RA in 2011 and can we predict it?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 485-96	5.3	22
12	Reduction of long-term disability in inflammatory polyarthritis by early and persistent suppression of joint inflammation: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2011 , 63, 945-52	4.7	27
11	Influence of age and sex on functional outcome over time in a cohort of patients with recent-onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2011 , 63, 1745-52	4.7	19
10	Anti-TNF therapies and pregnancy: outcome of 130 pregnancies in the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 823-6	2.4	131
9	In patients with early inflammatory polyarthritis, ACPA positivity, younger age and inefficacy of the first non-biological DMARD are predictors for receiving biological therapy: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1428-32	2.4	16
8	Disease activity, smoking, and reproductive-related predictors of poor prognosis in patients with very early inflammatory polyarthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 429-33	4.1	2
7	Prediction of vertebral fractures is specific for gender and site of bone mineral density measurement. <i>Journal of Rheumatology</i> , 2010 , 37, 149-54	4.1	4
6	Methotrexate for rheumatoid arthritis: a guide from Canada. <i>Journal of Rheumatology</i> , 2010 , 37, 1374-6	4.1	2
5	Working status in patients with rheumatoid arthritis, ankylosing spondylitis and psoriatic arthritis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2010 , 49, 1570-7	3.9	52
4	Work disability remains a major problem in rheumatoid arthritis in the 2000s: data from 32 countries in the QUEST-RA study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R42	5.7	160

3	Exploring the validity of estimating EQ-5D and SF-6D utility values from the health assessment questionnaire in patients with inflammatory arthritis. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 21	3	24
2	Why do patients with inflammatory arthritis often score states "worse than death" on the EQ-5D? An Investigation of the EQ-5D classification system. <i>Value in Health</i> , 2009 , 12, 1026-34	3-3	24
1	Effect of anti-tumor necrosis factor on work disability. <i>Journal of Rheumatology</i> , 2007 , 34, 2126-8	4.1	11