

So Mi Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5653327/publications.pdf>

Version: 2024-02-01

15
papers

71
citations

1684188
5
h-index

1474206
9
g-index

15
all docs

15
docs citations

15
times ranked

156
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of neurological outcomes following the return of spontaneous circulation in patients with out-of-hospital cardiac arrest: Retrospective fast-and-frugal tree analysis. <i>Resuscitation</i> , 2018, 133, 65-70.	3.0	15
2	Delayed endoscopy is associated with increased mortality in upper gastrointestinal hemorrhage. <i>American Journal of Emergency Medicine</i> , 2019, 37, 277-280.	1.6	15
3	Prognostic performance of Emergency Severity Index (ESI) combined with qSOFA score. <i>American Journal of Emergency Medicine</i> , 2018, 36, 1784-1788.	1.6	11
4	End-tidal CO ₂ -guided automated robot CPR system in the pig. Preliminary communication. <i>Resuscitation</i> , 2018, 127, 119-124.	3.0	9
5	Copeptin with high-sensitivity troponin at presentation is not inferior to serial troponin measurements for ruling out acute myocardial infarction. <i>Clinical and Experimental Emergency Medicine</i> , 2020, 7, 35-42.	1.6	6
6	Association between the simultaneous decrease in the levels of soluble vascular cell adhesion molecule-1 and S100 protein and good neurological outcomes in cardiac arrest survivors. <i>Clinical and Experimental Emergency Medicine</i> , 2018, 5, 211-218.	1.6	5
7	Emergency physician-based intensive care unit for critically ill patients visiting emergency department. <i>American Journal of Emergency Medicine</i> , 2020, 38, 2277-2282.	1.6	3
8	Pulse Oximeter Plethysmograph Variation During Hemorrhage in Beta-Blocker-Treated Swine. <i>Journal of Surgical Research</i> , 2020, 256, 468-475.	1.6	3
9	Lower serum kallistatin level is associated with 28-day mortality in patients with septic shock. <i>Journal of Critical Care</i> , 2018, 48, 328-333.	2.2	2
10	Relative tachycardia is associated with poor outcomes in post-cardiac arrest patients regardless of therapeutic hypothermia. <i>American Journal of Emergency Medicine</i> , 2019, 37, 590-595.	1.6	1
11	Duty cycle of 33% increases cardiac output during cardiopulmonary resuscitation. <i>PLoS ONE</i> , 2020, 15, e0228111.	2.5	1
12	Duty cycle of 33% increases cardiac output during cardiopulmonary resuscitation. , 2020, 15, e0228111.		0
13	Duty cycle of 33% increases cardiac output during cardiopulmonary resuscitation. , 2020, 15, e0228111.		0
14	Duty cycle of 33% increases cardiac output during cardiopulmonary resuscitation. , 2020, 15, e0228111.		0
15	Duty cycle of 33% increases cardiac output during cardiopulmonary resuscitation. , 2020, 15, e0228111.		0