Laura N Vandenberg

List of Publications by Citations

Source: https://exaly.com/author-pdf/5653908/laura-n-vandenberg-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 107 12,123 110 h-index g-index citations papers 6.7 119 14,013 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
107	Human exposure to bisphenol A (BPA). Reproductive Toxicology, 2007, 24, 139-77	3.4	1934
106	Hormones and endocrine-disrupting chemicals: low-dose effects and nonmonotonic dose responses. <i>Endocrine Reviews</i> , 2012 , 33, 378-455	27.2	1916
105	Bisphenol-A and the great divide: a review of controversies in the field of endocrine disruption. <i>Endocrine Reviews</i> , 2009 , 30, 75-95	27.2	1014
104	Urinary, circulating, and tissue biomonitoring studies indicate widespread exposure to bisphenol A. <i>Environmental Health Perspectives</i> , 2010 , 118, 1055-70	8.4	883
103	Metabolism disrupting chemicals and metabolic disorders. <i>Reproductive Toxicology</i> , 2017 , 68, 3-33	3.4	500
102	Concerns over use of glyphosate-based herbicides and risks associated with exposures: a consensus statement. <i>Environmental Health</i> , 2016 , 15, 19	6	436
101	Evidence of altered brain sexual differentiation in mice exposed perinatally to low, environmentally relevant levels of bisphenol A. <i>Endocrinology</i> , 2006 , 147, 3681-91	4.8	260
100	Consensus on the key characteristics of endocrine-disrupting chemicals as a basis for hazard identification. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 45-57	15.2	224
99	Exposure to environmentally relevant doses of the xenoestrogen bisphenol-A alters development of the fetal mouse mammary gland. <i>Endocrinology</i> , 2007 , 148, 116-27	4.8	216
98	Why public health agencies cannot depend on good laboratory practices as a criterion for selecting data: the case of bisphenol A. <i>Environmental Health Perspectives</i> , 2009 , 117, 309-15	8.4	212
97	Developmental origins of health and disease: a paradigm for understanding disease cause and prevention. <i>Current Opinion in Pediatrics</i> , 2015 , 27, 248-53	3.2	204
96	Non-monotonic dose responses in studies of endocrine disrupting chemicals: bisphenol a as a case study. <i>Dose-Response</i> , 2014 , 12, 259-76	2.3	194
95	Human exposures to bisphenol A: mismatches between data and assumptions. <i>Reviews on Environmental Health</i> , 2013 , 28, 37-58	3.8	151
94	Urinary, circulating, and tissue biomonitoring studies indicate widespread exposure to bisphenol A. <i>Ciencia E Saude Coletiva</i> , 2012 , 17, 407-34	2.2	140
93	Regulatory decisions on endocrine disrupting chemicals should be based on the principles of endocrinology. <i>Reproductive Toxicology</i> , 2013 , 38, 1-15	3.4	139
92	Low dose effects of bisphenol A. <i>Endocrine Disruptors (Austin, Tex.)</i> , 2013 , 1, e26490		139
91	Perinatal exposure to the xenoestrogen bisphenol-A induces mammary intraductal hyperplasias in adult CD-1 mice. <i>Reproductive Toxicology</i> , 2008 , 26, 210-9	3.4	137

90	Does breast cancer start in the womb?. Basic and Clinical Pharmacology and Toxicology, 2008, 102, 125-	333.1	122
89	A unified model for left-right asymmetry? Comparison and synthesis of molecular models of embryonic laterality. <i>Developmental Biology</i> , 2013 , 379, 1-15	3.1	114
88	Perinatal bisphenol A exposure increases estrogen sensitivity of the mammary gland in diverse mouse strains. <i>Environmental Health Perspectives</i> , 2007 , 115, 592-8	8.4	93
87	Is it time to reassess current safety standards for glyphosate-based herbicides?. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 613-618	5.1	90
86	V-ATPase-dependent ectodermal voltage and pH regionalization are required for craniofacial morphogenesis. <i>Developmental Dynamics</i> , 2011 , 240, 1889-904	2.9	90
85	Low-dose effects of hormones and endocrine disruptors. <i>Vitamins and Hormones</i> , 2014 , 94, 129-65	2.5	87
84	A path forward in the debate over health impacts of endocrine disrupting chemicals. <i>Environmental Health</i> , 2014 , 13, 118	6	87
83	Biomonitoring studies should be used by regulatory agencies to assess human exposure levels and safety of bisphenol A. <i>Environmental Health Perspectives</i> , 2010 , 118, 1051-4	8.4	84
82	Endocrine disruptors and the future of toxicology testing - lessons from CLARITY-BPA. <i>Nature Reviews Endocrinology</i> , 2019 , 15, 366-374	15.2	82
81	Far from solved: a perspective on what we know about early mechanisms of left-right asymmetry. <i>Developmental Dynamics</i> , 2010 , 239, 3131-46	2.9	80
80	Two cleavage products of the Drosophila accessory gland protein ovulin can independently induce ovulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 743-8	11.5	80
79	A round robin approach to the analysis of bisphenol A (BPA) in human blood samples. <i>Environmental Health</i> , 2014 , 13, 25	6	76
78	The mammary gland response to estradiol: monotonic at the cellular level, non-monotonic at the tissue-level of organization?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006 , 101, 263-74	5.1	75
77	A proposed framework for the systematic review and integrated assessment (SYRINA) of endocrine disrupting chemicals. <i>Environmental Health</i> , 2016 , 15, 74	6	70
76	Flawed experimental design reveals the need for guidelines requiring appropriate positive controls in endocrine disruption research. <i>Toxicological Sciences</i> , 2010 , 115, 612-3	4.4	64
75	Bisphenol S (BPS) Alters Maternal Behavior and Brain in Mice Exposed During Pregnancy/Lactation and Their Daughters. <i>Endocrinology</i> , 2017 , 158, 516-530	4.8	64
74	Endocrine-disrupting chemicals: economic, regulatory, and policy implications. <i>Lancet Diabetes and Endocrinology,the</i> , 2020 , 8, 719-730	18.1	63
73	Normalized shape and location of perturbed craniofacial structures in the Xenopus tadpole reveal an innate ability to achieve correct morphology. <i>Developmental Dynamics</i> , 2012 , 241, 863-78	2.9	57

72	Assessing dose-response relationships for endocrine disrupting chemicals (EDCs): a focus on non-monotonicity. <i>Environmental Health</i> , 2015 , 14, 42	6	56
71	Nonmonotonic Dose-Response Curves Occur in Dose Ranges That Are Relevant to Regulatory Decision-Making. <i>Dose-Response</i> , 2018 , 16, 1559325818798282	2.3	55
70	CLARITY-BPA academic laboratory studies identify consistent low-dose Bisphenol A effects on multiple organ systems. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 125 Suppl 3, 14-31	3.1	52
69	Low dose bisphenol S or ethinyl estradiol exposures during the perinatal period alter female mouse mammary gland development. <i>Reproductive Toxicology</i> , 2018 , 78, 50-59	3.4	51
68	Endocrine disruptors alter social behaviors and indirectly influence social hierarchies via changes in body weight. <i>Environmental Health</i> , 2015 , 14, 64	6	51
67	Impacts of food contact chemicals on human health: a consensus statement. <i>Environmental Health</i> , 2020 , 19, 25	6	50
66	Bisphenol S Alters the Lactating Mammary Gland and Nursing Behaviors in Mice Exposed During Pregnancy and Lactation. <i>Endocrinology</i> , 2017 , 158, 3448-3461	4.8	50
65	Perspectives and open problems in the early phases of left-right patterning. <i>Seminars in Cell and Developmental Biology</i> , 2009 , 20, 456-63	7.5	49
64	Manufacturing doubt about endocrine disrupter science—A rebuttal of industry-sponsored critical comments on the UNEP/WHO report "State of the Science of Endocrine Disrupting Chemicals 2012". Regulatory Toxicology and Pharmacology, 2015, 73, 1007-17	3.4	46
63	The male mammary gland: a target for the xenoestrogen bisphenol A. <i>Reproductive Toxicology</i> , 2013 , 37, 15-23	3.4	45
62	Update on the Health Effects of Bisphenol A: Overwhelming Evidence of Harm. <i>Endocrinology</i> , 2021 , 162,	4.8	35
61	Handling of thermal paper: Implications for dermal exposure to bisphenol A and its alternatives. <i>PLoS ONE</i> , 2017 , 12, e0178449	3.7	31
60	Exposure to bisphenol A in Canada: invoking the precautionary principle. <i>Cmaj</i> , 2011 , 183, 1265-70	3.5	30
59	Serotonin has early, cilia-independent roles in Xenopus left-right patterning. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 261-8	4.1	27
58	Uppsala Consensus Statement on Environmental Contaminants and the Global Obesity Epidemic. <i>Environmental Health Perspectives</i> , 2016 , 124, A81-3	8.4	27
57	To Cull or Not To Cull? Considerations for Studies of Endocrine-Disrupting Chemicals. <i>Endocrinology</i> , 2016 , 157, 2586-94	4.8	25
56	Beyond a means of exposure: a new view of the mother in toxicology research. <i>Toxicology Research</i> , 2015 , 4, 592-612	2.6	23
55	Light-activated serotonin for exploring its action in biological systems. <i>Chemistry and Biology</i> , 2013 , 20, 1536-46		23

(2011-2013)

54	Itld never too early to get it Right: A conserved role for the cytoskeleton in left-right asymmetry. <i>Communicative and Integrative Biology</i> , 2013 , 6, e27155	1.7	23	
53	Developmental exposures to bisphenol S, a BPA replacement, alter estrogen-responsiveness of the female reproductive tract: A pilot study. <i>Cogent Medicine</i> , 2017 , 4, 1317690	1.4	22	
52	Using systematic reviews for hazard and risk assessment of endocrine disrupting chemicals. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2015 , 16, 273-87	10.5	22	
51	Peer-reviewed and unbiased research, rather than Gound scienceUshould be used to evaluate endocrine-disrupting chemicals. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1051-1056	5.1	22	
50	Endocrine Disruptors and Health Effects in Africa: A Call for Action. <i>Environmental Health Perspectives</i> , 2017 , 125, 085005	8.4	21	
49	Oxybenzone Alters Mammary Gland Morphology in Mice Exposed During Pregnancy and Lactation. <i>Journal of the Endocrine Society</i> , 2018 , 2, 903-921	0.4	21	
48	Plastic bodies in a plastic world: multi-disciplinary approaches to study endocrine disrupting chemicals. <i>Journal of Cleaner Production</i> , 2017 , 140, 373-385	10.3	20	
47	Consistent left-right asymmetry cannot be established by late organizers in Xenopus unless the late organizer is a conjoined twin. <i>Development (Cambridge)</i> , 2010 , 137, 1095-105	6.6	20	
46	Low dose effects challenge the evaluation of endocrine disrupting chemicals. <i>Trends in Food Science and Technology</i> , 2019 , 84, 58-61	15.3	19	
45	Prenatal Exposure to Unconventional Oil and Gas Operation Chemical Mixtures Altered Mammary Gland Development in Adult Female Mice. <i>Endocrinology</i> , 2018 , 159, 1277-1289	4.8	16	
44	Polarity proteins are required for left-right axis orientation and twin-twin instruction. <i>Genesis</i> , 2012 , 50, 219-34	1.9	15	
43	Agrochemicals with estrogenic endocrine disrupting properties: Lessons Learned?. <i>Molecular and Cellular Endocrinology</i> , 2020 , 518, 110860	4.4	14	
42	Left-right patterning in Xenopus conjoined twin embryos requires serotonin signaling and gap junctions. <i>International Journal of Developmental Biology</i> , 2014 , 58, 799-809	1.9	14	
41	The parental brain and behavior: A target for endocrine disruption. <i>Frontiers in Neuroendocrinology</i> , 2019 , 54, 100765	8.9	13	
40	Effects of Benzophenone-3 and Propylparaben on Estrogen Receptor-Dependent R-Loops and DNA Damage in Breast Epithelial Cells and Mice. <i>Environmental Health Perspectives</i> , 2020 , 128, 17002	8.4	13	
39	Genetic variation in sensitivity to estrogens and breast cancer risk. <i>Mammalian Genome</i> , 2018 , 29, 24-37	3.2	13	
38	Low frequency vibrations induce malformations in two aquatic species in a frequency-, waveform-, and direction-specific manner. <i>PLoS ONE</i> , 2012 , 7, e51473	3.7	13	
37	Low frequency vibrations disrupt left-right patterning in the Xenopus embryo. <i>PLoS ONE</i> , 2011 , 6, e233	067	13	

36	Thresholds and Endocrine Disruptors: An Endocrine Society Policy Perspective. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa085	0.4	13
35	Exposure to low doses of oxybenzone during perinatal development alters mammary gland morphology in male and female mice. <i>Reproductive Toxicology</i> , 2020 , 92, 66-77	3.4	12
34	Obesogenic Effect of Sulfamethoxazole on with Simultaneous Disturbances on Eclosion Rhythm, Glucolipid Metabolism, and Microbiota. <i>Environmental Science & Echnology</i> , 2020 , 54, 5667-5675	10.3	11
33	Rab GTPases are required for early orientation of the left-right axis in Xenopus. <i>Mechanisms of Development</i> , 2013 , 130, 254-71	1.7	11
32	Non-monotonic dose responses in EDSP Tier 1 guideline assays. <i>Endocrine Disruptors (Austin, Tex)</i> , 2014 , 2, e964530		11
31	The Use and Misuse of Historical Controls in Regulatory Toxicology: Lessons from the CLARITY-BPA Study. <i>Endocrinology</i> , 2020 , 161,	4.8	11
30	Bisphenol S alters development of the male mouse mammary gland and sensitizes it to a peripubertal estrogen challenge. <i>Toxicology</i> , 2019 , 424, 152234	4.4	10
29	Low doses of 17Ethinyl estradiol alter the maternal brain and induce stereotypies in CD-1 mice exposed during pregnancy and lactation. <i>Reproductive Toxicology</i> , 2017 , 73, 20-29	3.4	10
28	The mouse mammary gland as a sentinel organ: distinguishing tontroltpopulations with diverse environmental histories. <i>Environmental Health</i> , 2017 , 16, 25	6	10
27	Developmental exposures to bisphenol S, a BPA replacement, alter estrogen-responsiveness of the female reproductive tract: a pilot study. <i>Cogent Medicine</i> , 2017 , 4,	1.4	10
26	Distract, delay, disrupt: examples of manufactured doubt from five industries. <i>Reviews on Environmental Health</i> , 2019 , 34, 349-363	3.8	9
25	Laterality defects are influenced by timing of treatments and animal model. <i>Differentiation</i> , 2012 , 83, 26-37	3.5	9
24	The science of spin: targeted strategies to manufacture doubt with detrimental effects on environmental and public health. <i>Environmental Health</i> , 2021 , 20, 33	6	8
23	Asymmetric development of the male mouse mammary gland and its response to a prenatal or postnatal estrogen challenge. <i>Reproductive Toxicology</i> , 2018 , 82, 63-71	3.4	7
22	Influences of sex, rhythm and generation on the obesogenic potential of erythromycin to Drosophila melanogaster. <i>Science of the Total Environment</i> , 2021 , 771, 145315	10.2	5
21	Developmental estrogen exposures and disruptions to maternal behavior and brain: Effects of ethinyl estradiol, a common positive control. <i>Hormones and Behavior</i> , 2018 , 101, 113-124	3.7	5
20	There are good clinical, scientific, and social reasons to strengthen links between biomedical and environmental research. <i>Journal of Clinical Epidemiology</i> , 2019 , 111, 124-126	5.7	4
19	Casting a wide net for endocrine disruptors. <i>Chemistry and Biology</i> , 2014 , 21, 705-6		4

18	Bisphenol A 2012 , 381-413		4
17	Reform of the Toxic Substances Control Act (TSCA): An Endocrine Society Policy Perspective. <i>Endocrinology</i> , 2016 , 157, 4514-4515	4.8	4
16	Assessing the Public Health Implications of the Food Preservative Propylparaben: Has This Chemical Been Safely Used for Decades. <i>Current Environmental Health Reports</i> , 2021 , 8, 54-70	6.5	4
15	The Path Forward on Endocrine Disruptors Requires Focus on the Basics. <i>Toxicological Sciences</i> , 2016 , 149, 272	4.4	3
14	Data describing lack of effects of 17 Ethinyl estradiol on mammary gland morphology in female mice exposed during pregnancy and lactation. <i>Data in Brief</i> , 2017 , 14, 337-343	1.2	3
13	Endocrine disrupting chemicals: strategies to protect present and future generations. <i>Expert Review of Endocrinology and Metabolism</i> , 2021 , 16, 135-146	4.1	3
12	The Mouse Mammary Gland: a Tool to Inform Adolescents About Environmental Causes of Breast Cancer. <i>Journal of Cancer Education</i> , 2020 , 35, 1094-1100	1.8	3
11	REPRODUCTIVE TOXICOLOGY: The male mammary gland: a novel target of endocrine-disrupting chemicals. <i>Reproduction</i> , 2021 , 162, F79-F89	3.8	3
10	Endocrine-Disrupting Chemicals and Child Health. <i>Annual Review of Pharmacology and Toxicology</i> , 2021 ,	17.9	3
9	Data describing effects of perinatal exposure to bisphenol S on a peripubertal estrogen challenge in intact female CD-1 mice. <i>Data in Brief</i> , 2019 , 25, 103862	1.2	2
8	Exposure to Propylparaben During Pregnancy and Lactation Induces Long-Term Alterations to the Mammary Gland in Mice. <i>Endocrinology</i> , 2021 , 162,	4.8	2
7	Toxicity testing and endocrine disrupting chemicals. <i>Advances in Pharmacology</i> , 2021 , 92, 35-71	5.7	2
6	Best practices to quantify the impact of reproductive toxicants on development, function, and diseases of the rodent mammary gland. <i>Reproductive Toxicology</i> , 2022 ,	3.4	2
5	Towards a paradigm shift in environmental health decision-making: a case study of oxybenzone <i>Environmental Health</i> , 2022 , 21, 6	6	0
4	Endocrine disrupting chemicals and the mammary gland. Advances in Pharmacology, 2021, 92, 237-277	5.7	0
3	Low Dose Effects and Nonmonotonic Dose Responses for Endocrine Disruptors 2022 , 141-163		Ο
2	UV screening chemicals 2022 , 911-930		0
1	Nonmonotonic Responses in Endocrine Disruption 2015 , 123-140		