

Leif Christian Stige

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5654025/publications.pdf>

Version: 2024-02-01

72
papers

2,919
citations

185998

28
h-index

182168

51
g-index

73
all docs

73
docs citations

73
times ranked

3945
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Environmental effects on <i>Calanus finmarchicus</i> abundance and depth distribution in the Barents Sea. ICES Journal of Marine Science, 2022, 79, 815-828. | 1.2 | 3 |
| 2 | Ontogenetic spatial constraints of subarctic marine fish species. Fish and Fisheries, 2022, 23, 342-357. | 2.7 | 14 |
| 3 | Regional-scale phytoplankton dynamics and their association with glacier meltwater runoff in Svalbard. Biogeosciences, 2022, 19, 271-294. | 1.3 | 4 |
| 4 | Two Decades of Match-Mismatch in Northeast Arctic Cod – Feeding Conditions and Survival. Frontiers in Marine Science, 2022, 9, . | 1.2 | 3 |
| 5 | Age structure affects population productivity in an exploited fish species. Ecological Applications, 2022, 32, e2614. | 1.8 | 16 |
| 6 | Effects of climate and spawning stock structure on the spatial distribution of Northeast Arctic cod larvae. ICES Journal of Marine Science, 2021, 78, 666-679. | 1.2 | 5 |
| 7 | Shedding light on the link between the spatial distribution of eggs and survival in Northeast Arctic cod. Fisheries Oceanography, 2021, 30, 429-436. | 0.9 | 3 |
| 8 | A Threshold Sea-Surface Temperature at 14°C for Phytoplankton Nonlinear Responses to Ocean Warming. Global Biogeochemical Cycles, 2021, 35, e2020GB006808. | 1.9 | 11 |
| 9 | Associations between timing and magnitude of spring blooms and zooplankton dynamics in the southwestern Barents Sea. Marine Ecology - Progress Series, 2021, 668, 57-72. | 0.9 | 2 |
| 10 | The role of spatial distribution for growth and survival of juvenile cod <i>Gadus morhua</i> in the Barents Sea. ICES Journal of Marine Science, 2021, 78, 2700-2708. | 1.2 | 3 |
| 11 | A statistical mechanistic approach including temperature and salinity effects to improve salmon lice modelling of infestation pressure. Aquaculture Environment Interactions, 2021, 13, 339-361. | 0.7 | 5 |
| 12 | Long-term coastal monitoring data show nutrient-driven reduction in chlorophyll. Journal of Sea Research, 2020, 164, 101925. | 0.6 | 10 |
| 13 | Sea ice, temperature, and prey effects on annual variations in mean lengths of a key Arctic fish, <i>Boreogadus saida</i> , in the Barents Sea. ICES Journal of Marine Science, 2020, 77, 1796-1805. | 1.2 | 11 |
| 14 | Associations among temperature, sea ice and phytoplankton bloom dynamics in the Barents Sea. Marine Ecology - Progress Series, 2020, 635, 25-36. | 0.9 | 23 |
| 15 | Match-mismatch dynamics in the Norwegian-Barents Sea system. Marine Ecology - Progress Series, 2020, 650, 81-94. | 0.9 | 19 |
| 16 | Density- and size-dependent mortality in fish early life stages. Fish and Fisheries, 2019, 20, 962-976. | 2.7 | 57 |
| 17 | Contrasting effects of rising temperatures on trophic interactions in marine ecosystems. Scientific Reports, 2019, 9, 15213. | 1.6 | 41 |
| 18 | Historical and genomic data reveal the influencing factors on global transmission velocity of plague during the Third Pandemic. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 11833-11838. | 3.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Direct and indirect effects of sea ice cover on major zooplankton groups and planktivorous fishes in the Barents Sea. <i>ICES Journal of Marine Science</i> , 2019, 76, i24-i36. | 1.2 | 35 |
| 20 | Ticket to spawn: Combining economic and genetic data to evaluate the effect of climate and demographic structure on spawning distribution in Atlantic cod. <i>Global Change Biology</i> , 2019, 25, 134-143. | 4.2 | 23 |
| 21 | Multi-decadal variations in spawning ground use in Northeast Arctic haddock (<i>Melanogrammus aeglefinus</i>). <i>ICES Journal of Marine Science</i> , 2019, 76, i24-i36. | 0.9 | 8 |
| 22 | Predator-prey interactions cause apparent competition between marine zooplankton groups. <i>Ecology</i> , 2018, 99, 632-641. | 1.5 | 19 |
| 23 | Combined effects of fishing and oil spills on marine fish: Role of stock demographic structure for offspring overlap with oil. <i>Marine Pollution Bulletin</i> , 2018, 129, 336-342. | 2.3 | 5 |
| 24 | Global connectivity and cross-scale interactions create uncertainty for Blue Growth of Arctic fisheries. <i>Marine Policy</i> , 2018, 87, 321-330. | 1.5 | 17 |
| 25 | Cascading effects of mass mortality events in Arctic marine communities. <i>Global Change Biology</i> , 2017, 23, 283-292. | 4.2 | 23 |
| 26 | Effect of a fish stock's demographic structure on offspring survival and sensitivity to climate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1347-1352. | 3.3 | 32 |
| 27 | The effects of oil spills on marine fish: Implications of spatial variation in natural mortality. <i>Marine Pollution Bulletin</i> , 2017, 119, 102-109. | 2.3 | 66 |
| 28 | Climate variation drives dengue dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 113-118. | 3.3 | 159 |
| 29 | Climate warming drives large-scale changes in ecosystem function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12100-12102. | 3.3 | 20 |
| 30 | Reproductive strategy of a migratory fish stock: implications of spatial variations in natural mortality. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 1742-1749. | 0.7 | 17 |
| 31 | A statistical regression approach to estimate zooplankton mortality from spatiotemporal survey data. <i>Journal of Plankton Research</i> , 2016, 38, 624-635. | 0.8 | 6 |
| 32 | Disentangling the mechanisms behind climate effects on zooplankton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1841-1846. | 3.3 | 19 |
| 33 | Contrasting correlation patterns between environmental factors and chlorophyll levels in the global ocean. <i>Global Biogeochemical Cycles</i> , 2015, 29, 2095-2107. | 1.9 | 16 |
| 34 | Combined statistical and mechanistic modelling suggests food and temperature effects on survival of early life stages of Northeast Arctic cod (<i>Gadus morhua</i>). <i>Progress in Oceanography</i> , 2015, 134, 138-151. | 1.5 | 19 |
| 35 | Impact of sewage pollution on two species of sea urchins in the Mediterranean Sea (Cortiou, France): Radial asymmetry as a bioindicator of stress. <i>Ecological Indicators</i> , 2015, 54, 39-47. | 2.6 | 28 |
| 36 | Egg mortality of northeast Arctic cod (<i>Gadus morhua</i>) and haddock (<i>Melanogrammus aeglefinus</i>). <i>ICES Journal of Marine Science</i> , 2014, 71, 1129-1136. | 1.2 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A review of early life history dynamics of Barents Sea cod (<i>Gadus morhua</i>). ICES Journal of Marine Science, 2014, 71, 2064-2087. | 1.2 | 79 |
| 38 | Spatiotemporal statistical analyses reveal predator-driven zooplankton fluctuations in the Barents Sea. Progress in Oceanography, 2014, 120, 243-253. | 1.5 | 50 |
| 39 | Wet climate and transportation routes accelerate spread of human plague. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20133159. | 1.2 | 53 |
| 40 | Spatial variations in mortality in pelagic early life stages of a marine fish (<i>Gadus morhua</i>). Progress in Oceanography, 2014, 127, 96-107. | 1.5 | 21 |
| 41 | Large-scale season-dependent effects of temperature and zooplankton on phytoplankton in the North Atlantic. Marine Ecology - Progress Series, 2014, 502, 25-37. | 0.9 | 9 |
| 42 | Temperature effects on <i>Calanus finmarchicus</i> vary in space, time and between developmental stages. Marine Ecology - Progress Series, 2014, 517, 85-104. | 0.9 | 19 |
| 43 | Productivity in the Barents Sea - Response to Recent Climate Variability. PLoS ONE, 2014, 9, e95273. | 1.1 | 123 |
| 44 | Temporal shifts in recruitment dynamics of North Atlantic fish stocks: effects of spawning stock and temperature. Marine Ecology - Progress Series, 2013, 480, 205-225. | 0.9 | 66 |
| 45 | Climate and Demography Dictate the Strength of Predator-Prey Overlap in a Subarctic Marine Ecosystem. PLoS ONE, 2013, 8, e66025. | 1.1 | 45 |
| 46 | Predicting fish recruitment from juvenile abundance and environmental indices. Marine Ecology - Progress Series, 2013, 480, 245-261. | 0.9 | 48 |
| 47 | A combination of hydrodynamical and statistical modelling reveals non-stationary climate effects on fish larvae distributions. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 275-283. | 1.2 | 30 |
| 48 | Scale-dependent effects of climate on two copepod species, <i>Calanus glacialis</i> and <i>Pseudocalanus minutus</i> , in an Arctic-boreal sea. Marine Ecology - Progress Series, 2012, 468, 71-83. | 0.9 | 14 |
| 49 | Climate effects on Barents Sea ecosystem dynamics. ICES Journal of Marine Science, 2012, 69, 1303-1316. | 1.2 | 136 |
| 50 | Shifting dynamic forces in fish stock fluctuations triggered by age truncation?. Global Change Biology, 2011, 17, 3046-3057. | 4.2 | 85 |
| 51 | Environmental toxicology: Population modeling of cod larvae shows high sensitivity to loss of zooplankton prey. Marine Pollution Bulletin, 2011, 62, 395-398. | 2.3 | 12 |
| 52 | To make the most of what we have: extracting phenological data from nestling measurements. International Journal of Biometeorology, 2011, 55, 797-804. | 1.3 | 8 |
| 53 | Climate and population density drive changes in cod body size throughout a century on the Norwegian coast. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1961-1966. | 3.3 | 79 |
| 54 | Nonlinear effect of climate on plague during the third pandemic in China. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 10214-10219. | 3.3 | 74 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Reconstruction of a 1,910-y-long locust series reveals consistent associations with climate fluctuations in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14521-14526. | 3.3 | 85 |
| 56 | Prey handling in raptors in relation to their morphology and feeding niches. <i>Journal of Avian Biology</i> , 2010, 41, 488-497. | 0.6 | 20 |
| 57 | Direct and indirect climate forcing in a multi-species marine system. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 3411-3420. | 1.2 | 43 |
| 58 | Climate change and spring-fruited fungi. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 1169-1177. | 1.2 | 81 |
| 59 | Diel vertical migration patterns in juvenile cod from the Skagerrak coast. <i>Marine Ecology - Progress Series</i> , 2010, 405, 29-37. | 0.9 | 19 |
| 60 | Habitat selection by a marine copepod during the productive season in the Subarctic. <i>Marine Ecology - Progress Series</i> , 2010, 416, 165-178. | 0.9 | 15 |
| 61 | Effects of environmental conditions on the seasonal distribution of phytoplankton biomass in the North Sea. <i>Limnology and Oceanography</i> , 2009, 54, 512-524. | 1.6 | 36 |
| 62 | Periodic temperature-associated drought/flood drives locust plagues in China. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 823-831. | 1.2 | 51 |
| 63 | Climatic forcing of zooplankton dynamics is stronger during low densities of planktivorous fish. <i>Limnology and Oceanography</i> , 2009, 54, 1025-1036. | 1.6 | 25 |
| 64 | Mushroom fruiting and climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3811-3814. | 3.3 | 166 |
| 65 | Thousand-year-long Chinese time series reveals climatic forcing of decadal locust dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16188-16193. | 3.3 | 114 |
| 66 | Trait changes in a harvested population are driven by a dynamic tug-of-war between natural and harvest selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 15799-15804. | 3.3 | 153 |
| 67 | Macro-alga population shows low but significant heterogeneity in developmental instability with no detectable association with individual fitness. <i>Biological Journal of the Linnean Society</i> , 2007, 92, 277-286. | 0.7 | 1 |
| 68 | Fitness, developmental instability, and the ontogeny of fluctuating asymmetry in <i>Daphnia magna</i> . <i>Biological Journal of the Linnean Society</i> , 2006, 88, 179-192. | 0.7 | 15 |
| 69 | On hidden heterogeneity in directional asymmetry - can systematic bias be avoided?. <i>Journal of Evolutionary Biology</i> , 2006, 19, 492-499. | 0.8 | 31 |
| 70 | The effect of climate variation on agro-pastoral production in Africa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3049-3053. | 3.3 | 159 |
| 71 | Cod and climate: effect of the North Atlantic Oscillation on recruitment in the North Atlantic. <i>Marine Ecology - Progress Series</i> , 2006, 325, 227-241. | 0.9 | 137 |
| 72 | Severe food stress has no detectable impact on developmental instability in <i>Daphnia magna</i> . <i>Oikos</i> , 2004, 107, 519-530. | 1.2 | 18 |