

Mark A Rogers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5654415/publications.pdf>

Version: 2024-02-01

42
papers

2,308
citations

249298

26
h-index

299063

42
g-index

42
all docs

42
docs citations

42
times ranked

4030
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced motor cortex inhibition and a "cognitive-first" prioritisation strategy for older adults during dual-tasking. <i>Experimental Gerontology</i> , 2018, 113, 95-105.	1.2	19
2	The effect of dual-task difficulty on the inhibition of the motor cortex. <i>Experimental Brain Research</i> , 2016, 234, 443-452.	0.7	13
3	Antidepressant Medication May Moderate the Effect of Depression Duration on Hippocampus Volume. <i>Journal of Psychophysiology</i> , 2016, 30, 1-8.	0.3	2
4	Intrasession Reliability of Single and Paired Pulse TMS Evoked From the Biceps Brachii Representation of the Human Motor Cortex. <i>Brain Stimulation</i> , 2015, 8, 660-661.	0.7	7
5	Acute motor, neurocognitive and neurophysiological change following concussion injury in Australian amateur football. A prospective multimodal investigation. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 500-506.	0.6	53
6	Using transcranial magnetic stimulation to quantify electrophysiological changes following concussive brain injury: A systematic review. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 394-405.	0.9	45
7	The Long-Term Effects of Sports Concussion on Retired Australian Football Players: A Study Using Transcranial Magnetic Stimulation. <i>Journal of Neurotrauma</i> , 2014, 31, 1139-1145.	1.7	58
8	Reply to: Neurogenetic Effects of OXTR rs2254298 in the Extended Limbic System of Healthy Caucasian Adults. <i>Biological Psychiatry</i> , 2011, 70, e41-e42.	0.7	31
9	Association between severe dorsolateral prefrontal dysfunction during random number generation and earlier onset in schizophrenia. <i>Clinical Neurophysiology</i> , 2011, 122, 1533-1540.	0.7	28
10	Effect of tryptophan hydroxylase-2 gene variants on amygdalar and hippocampal volumes. <i>Brain Research</i> , 2010, 1331, 51-57.	1.1	42
11	Functional (GT) _n polymorphisms in promoter region of <i>GRIN2A</i> gene affect hippocampal and amygdala volumes. <i>Genes, Brain and Behavior</i> , 2010, 9, 269-275.	1.1	12
12	Association Between the Oxytocin Receptor Gene and Amygdalar Volume in Healthy Adults. <i>Biological Psychiatry</i> , 2010, 68, 1066-1072.	0.7	143
13	Association Between the Oxytocin Receptor Gene and Amygdalar Volume in Healthy Adults. <i>Biological Psychiatry</i> , 2010, 68, 1066-1072.	0.7	108
14	Smaller amygdala volume and reduced anterior cingulate gray matter density associated with history of post-traumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2009, 174, 210-216.	0.9	118
15	Association Study between Auditory P3a/P3b Event-Related Potentials and Thought Disorder in Schizophrenia. <i>Brain Imaging and Behavior</i> , 2009, 3, 277-283.	1.1	11
16	Association between mitochondrial DNA 10398A>G polymorphism and the volume of amygdala. <i>Genes, Brain and Behavior</i> , 2008, 7, 698-704.	1.1	12
17	Disrupted integrity of the fornix is associated with impaired memory organization in schizophrenia. <i>Schizophrenia Research</i> , 2008, 103, 52-61.	1.1	55
18	Gender-Common and -Specific Neuroanatomical Basis of Human Anxiety-Related Personality Traits. <i>Cerebral Cortex</i> , 2008, 18, 46-52.	1.6	105

#	ARTICLE	IF	CITATIONS
19	Sex-Linked Neuroanatomical Basis of Human Altruistic Cooperativeness. <i>Cerebral Cortex</i> , 2008, 18, 2331-2340.	1.6	62
20	Phonetic mismatch negativity predicts social skills acquisition in schizophrenia. <i>Psychiatry Research</i> , 2007, 152, 261-265.	1.7	82
21	Multiple-time replicability of near-infrared spectroscopy recording during prefrontal activation task in healthy men. <i>Neuroscience Research</i> , 2007, 57, 504-512.	1.0	95
22	Association study between the TNXB locus and schizophrenia in a Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 305-309.	1.1	23
23	Human brain structural change related to acute single exposure to sarin. <i>Annals of Neurology</i> , 2007, 61, 37-46.	2.8	116
24	Increased positive thought disorder with illness duration in patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2007, 61, 687-690.	1.0	14
25	Reduced planum temporale volume and delusional behaviour in patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 318-324.	1.8	32
26	No evidence for an association between the BDNF Val66Met polymorphism and schizophrenia or personality traits. <i>Schizophrenia Research</i> , 2006, 87, 45-47.	1.1	40
27	Decreased prefrontal activation during letter fluency task in adults with pervasive developmental disorders: A near-infrared spectroscopy study. <i>Behavioural Brain Research</i> , 2006, 172, 272-277.	1.2	57
28	Insertional polymorphism of endogenous retrovirus HERV-K115 in schizophrenia. <i>Neuroscience Letters</i> , 2006, 408, 226-229.	1.0	28
29	Association study of the dysbindin (DTNBP1) gene in schizophrenia from the Japanese population. <i>Neuroscience Research</i> , 2006, 56, 154-158.	1.0	42
30	The effect of perospirone on auditory P300 in schizophrenia: A preliminary study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1083-1090.	2.5	6
31	Procedural Memory Predicts Social Skills in Persons With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 625-627.	0.5	8
32	Phonetic mismatch negativity predicts verbal memory deficits in schizophrenia. <i>NeuroReport</i> , 2006, 17, 1043-1046.	0.6	55
33	Parahippocampal activation evoked by masked traumatic images in posttraumatic stress disorder: A functional MRI study. <i>NeuroImage</i> , 2005, 26, 813-821.	2.1	106
34	Seasonality of schizophrenia births in the Japanese population: increased winter births possibly confined to the north area. <i>Schizophrenia Research</i> , 2005, 75, 433-438.	1.1	6
35	Confirmation of a relationship between reduced auditory P300 amplitude and thought disorder in schizophrenia. <i>Schizophrenia Research</i> , 2005, 80, 197-201.	1.1	12
36	Response Selection Deficits in Melancholic but not Nonmelancholic Unipolar Major Depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004, 26, 169-179.	0.8	35

#	ARTICLE	IF	CITATIONS
37	Executive and prefrontal dysfunction in unipolar depression: a review of neuropsychological and imaging evidence. <i>Neuroscience Research</i> , 2004, 50, 1-11.	1.0	405
38	Mental Rotation in Unipolar Major Depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002, 24, 101-106.	0.8	32
39	Attentional asymmetries following ECT in patients with major depression. <i>Neuropsychologia</i> , 2002, 40, 241-244.	0.7	6
40	Bimanual Coordination in Chronic Schizophrenia. <i>Brain and Cognition</i> , 2001, 45, 325-341.	0.8	16
41	Frontostriatal deficits in unipolar major depression. <i>Brain Research Bulletin</i> , 1998, 47, 297-310.	1.4	147
42	Inter-limb Coupling in Coordinated Bimanual Movement: Attention and Asymmetries. <i>Laterality</i> , 1998, 3, 53-76.	0.5	21