Hannah E Knight

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5654563/publications.pdf

Version: 2024-02-01

840585 996849 15 839 11 15 citations h-index g-index papers 15 15 15 1496 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | The preterm birth syndrome: a prototype phenotypic classification. American Journal of Obstetrics and Gynecology, 2012, 206, 119-123. | 0.7 | 191 |
| 2 | Why Are Women Dying When They Reach Hospital on Time? A Systematic Review of the †Third Delay'. PLoS ONE, 2013, 8, e63846. | 1.1 | 182 |
| 3 | The preterm birth syndrome: issues to consider in creating a classification system. American Journal of Obstetrics and Gynecology, 2012, 206, 113-118. | 0.7 | 177 |
| 4 | A guide to evaluating linkage quality for the analysis of linked data. International Journal of Epidemiology, 2017, 46, 1699-1710. | 0.9 | 85 |
| 5 | Perinatal mortality associated with induction of labour versus expectant management in nulliparous women aged 35 years or over: An English national cohort study. PLoS Medicine, 2017, 14, e1002425. | 3.9 | 40 |
| 6 | Evaluating maternity care using national administrative health datasets: How are statistics affected by the quality of data on method of delivery? BMC Health Services Research, 2013, 13, 200. | 0.9 | 28 |
| 7 | Birth "Out-of-Hoursâ€. An Evaluation of Obstetric Practice and Outcome According to the Presence of Senior Obstetricians on the Labour Ward. PLoS Medicine, 2016, 13, e1002000. | 3.9 | 26 |
| 8 | Risk of complicated birth at term in nulliparous and multiparous women using routinely collected maternity data in England: cohort study. BMJ, The, 2020, 371, m3377. | 3.0 | 25 |
| 9 | Differences in health care spending and utilization among older frail adults in <scp>highâ€income</scp> countries: <scp>ICCONIC</scp> hip fracture persona. Health Services Research, 2021, 56, 1335-1346. | 1.0 | 22 |
| 10 | Risk of obstetric anal sphincter injury in women having a vaginal birth after a previous caesarean section: A population-based cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 7-13. | 0.5 | 16 |
| 11 | Differences in health outcomes for h ighâ€need h ighâ€cost patients across h ighâ€income countries. Health Services Research, 2021, 56 Suppl 3, 1347-1357. | 1.0 | 13 |
| 12 | Parity derived for pregnant women using historical administrative hospital data: Accuracy varied among patient groups. Journal of Clinical Epidemiology, 2014, 67, 578-585. | 2.4 | 10 |
| 13 | An international comparison of <scp>longâ€term</scp> care trajectories and spending following hip fracture. Health Services Research, 2021, 56, 1383-1393. | 1.0 | 10 |
| 14 | International comparison of spending and utilization at the end of life for hip fracture patients. Health Services Research, 2021, 56, 1370-1382. | 1.0 | 9 |
| 15 | A methodology for identifying highâ€need, highâ€cost patient personas for international comparisons. Health Services Research, 2021, 56, 1302-1316. | 1.0 | 5 |