

Barbara Kasprzyk-hordern

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/5654582/publications.pdf](https://exaly.com/author-pdf/5654582/publications.pdf)

Version: 2024-02-01

127
papers

15,692
citations

24809

57
h-index

18533

120
g-index

145
all docs

145
docs citations

145
times ranked

14256
citing authors

#	ARTICLE	IF	CITATIONS
1	A review on emerging contaminants in wastewaters and the environment: Current knowledge, understudied areas and recommendations for future monitoring. <i>Water Research</i> , 2015, 72, 3-27.	11.4	2,044
2	The removal of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs during wastewater treatment and its impact on the quality of receiving waters. <i>Water Research</i> , 2009, 43, 363-380.	11.4	1,394
3	Catalytic ozonation and methods of enhancing molecular ozone reactions in water treatment. <i>Applied Catalysis B: Environmental</i> , 2003, 46, 639-669.	20.7	1,236
4	The occurrence of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs in surface water in South Wales, UK. <i>Water Research</i> , 2008, 42, 3498-3518.	11.4	950
5	Future perspectives of wastewater-based epidemiology: Monitoring infectious disease spread and resistance to the community level. <i>Environment International</i> , 2020, 139, 105689.	10.1	463
6	Comparing illicit drug use in 19 European cities through sewage analysis. <i>Science of the Total Environment</i> , 2012, 432, 432-439.	8.2	431
7	Chemistry of alumina, reactions in aqueous solution and its application in water treatment. <i>Advances in Colloid and Interface Science</i> , 2004, 110, 19-48.	15.1	430
8	Wastewater-Based Epidemiology: Global Collaborative to Maximize Contributions in the Fight Against COVID-19. <i>Environmental Science & Technology</i> , 2020, 54, 7754-7757.	10.5	366
9	Pharmacologically active compounds in the environment and their chirality. <i>Chemical Society Reviews</i> , 2010, 39, 4466.	40.3	362
10	Multi-residue method for the determination of basic/neutral pharmaceuticals and illicit drugs in surface water by solid-phase extraction and ultra performance liquid chromatographyâ€“positive electrospray ionisation tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1161, 132-145.	3.8	347
11	Spatial differences and temporal changes in illicit drug use in Europe quantified by wastewater analysis. <i>Addiction</i> , 2014, 109, 1338-1352.	4.8	331
12	Spatial and temporal occurrence of pharmaceuticals and illicit drugs in the aqueous environment and during wastewater treatment: New developments. <i>Science of the Total Environment</i> , 2013, 454-455, 442-456.	8.2	302
13	Multiresidue methods for the analysis of pharmaceuticals, personal care products and illicit drugs in surface water and wastewater by solid-phase extraction and ultra performance liquid chromatographyâ€“electrospray tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1293-1308.	3.9	278
14	Multi-residue analysis of drugs of abuse in wastewater and surface water by solid-phase extraction and liquid chromatographyâ€“positive electrospray ionisation tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 1620-1631.	3.8	246
15	Critical evaluation of methodology commonly used in sample collection, storage and preparation for the analysis of pharmaceuticals and illicit drugs in surface water and wastewater by solid phase extraction and liquid chromatographyâ€“mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 8036-8059.	3.8	228
16	Measuring biomarkers in wastewater as a new source of epidemiological information: Current state and future perspectives. <i>Environment International</i> , 2017, 99, 131-150.	10.1	223
17	Multi-residue analysis of 90 emerging contaminants in liquid and solid environmental matrices by ultra-high-performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1431, 64-78.	3.8	218
18	Mechanisms of catalytic ozonation: An investigation into superoxide ion radical and hydrogen peroxide formation during catalytic ozonation on alumina and zeolites in water. <i>Applied Catalysis B: Environmental</i> , 2013, 129, 437-449.	20.7	181

#	ARTICLE	IF	CITATIONS
19	Illicit and pharmaceutical drug consumption estimated via wastewater analysis. Part A: Chemical analysis and drug use estimates. <i>Science of the Total Environment</i> , 2014, 487, 629-641.	8.2	170
20	N-nitrosodimethylamine (NDMA) formation during ozonation of dimethylamine-containing waters. <i>Water Research</i> , 2008, 42, 863-870.	11.4	169
21	Spatio-temporal assessment of illicit drug use at large scale: evidence from 7 years of international wastewater monitoring. <i>Addiction</i> , 2020, 115, 109-120.	4.8	164
22	Mechanisms of catalytic ozonation on alumina and zeolites in water: Formation of hydroxyl radicals. <i>Applied Catalysis B: Environmental</i> , 2012, 123-124, 94-106.	20.7	159
23	Testing wastewater to detect illicit drugs: State of the art, potential and research needs. <i>Science of the Total Environment</i> , 2014, 487, 613-620.	8.2	158
24	Comparison of pharmaceutical, illicit drug, alcohol, nicotine and caffeine levels in wastewater with sale, seizure and consumption data for 8 European cities. <i>BMC Public Health</i> , 2016, 16, 1035.	3.0	148
25	Catalytic ozonation of natural organic matter on alumina. <i>Applied Catalysis B: Environmental</i> , 2006, 62, 345-358.	20.7	138
26	Illicit drugs and pharmaceuticals in the environment – Forensic applications of environmental data. Part 1: Estimation of the usage of drugs in local communities. <i>Environmental Pollution</i> , 2009, 157, 1773-1777.	7.7	135
27	Enantiomeric analysis of drugs of abuse in wastewater by chiral liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 4575-4586.	3.8	134
28	Enantiomeric Profiling of Chiral Drugs in Wastewater and Receiving Waters. <i>Environmental Science & Technology</i> , 2012, 46, 1681-1691.	10.5	133
29	Multi-residue determination of the sorption of illicit drugs and pharmaceuticals to wastewater suspended particulate matter using pressurised liquid extraction, solid phase extraction and liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 7901-7913.	3.8	129
30	The effect of signal suppression and mobile phase composition on the simultaneous analysis of multiple classes of acidic/neutral pharmaceuticals and personal care products in surface water by solid-phase extraction and ultra performance liquid chromatography – negative electrospray tandem mass spectrometry. <i>Talanta</i> , 2008, 74, 1299-1312.	5.7	125
31	Catalytic ozonation for the removal of organic contaminants in water on alumina. <i>Applied Catalysis B: Environmental</i> , 2015, 165, 408-418.	20.7	125
32	Drugs of abuse in wastewater and suspended particulate matter – Further developments in sewage epidemiology. <i>Environment International</i> , 2012, 48, 28-38.	10.1	123
33	Wastewater-based epidemiology to assess pan-European pesticide exposure. <i>Water Research</i> , 2017, 121, 270-279.	11.4	120
34	Determination of chiral pharmaceuticals and illicit drugs in wastewater and sludge using microwave assisted extraction, solid-phase extraction and chiral liquid chromatography coupled with tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 882, 112-126.	5.5	116
35	Catalytic ozonation for the removal of organic contaminants in water on ZSM-5 zeolites. <i>Applied Catalysis B: Environmental</i> , 2014, 154-155, 110-122.	20.7	98
36	The hazard of N-nitrosodimethylamine (NDMA) formation during water disinfection with strong oxidants. <i>Desalination</i> , 2005, 176, 37-45.	8.3	96

#	ARTICLE	IF	CITATIONS
37	Mass spectrometric strategies for the investigation of biomarkers of illicit drug use in wastewater. <i>Mass Spectrometry Reviews</i> , 2018, 37, 258-280.	6.1	96
38	Multi-year inter-laboratory exercises for the analysis of illicit drugs and metabolites in wastewater: Development of a quality control system. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 103, 34-43.	11.9	91
39	Estimation of caffeine intake from analysis of caffeine metabolites in wastewater. <i>Science of the Total Environment</i> , 2017, 609, 1582-1588.	8.2	90
40	Wastewater-Based Epidemiology To Monitor Synthetic Cathinones Use in Different European Countries. <i>Environmental Science & Technology</i> , 2016, 50, 10089-10096.	10.5	88
41	Catalytic ozonation of chlorinated VOCs on ZSM-5 zeolites and alumina: Formation of chlorides. <i>Applied Catalysis B: Environmental</i> , 2017, 200, 274-282.	20.7	88
42	Enantiomeric profiling of chiral illicit drugs in a pan-European study. <i>Water Research</i> , 2018, 130, 151-160.	11.4	88
43	Illicit drugs and pharmaceuticals in the environment – Forensic applications of environmental data, Part 2: Pharmaceuticals as chemical markers of faecal water contamination. <i>Environmental Pollution</i> , 2009, 157, 1778-1786.	7.7	87
44	Liquid chromatography-tandem mass spectrometry determination of synthetic cathinones and phenethylamines in influent wastewater of eight European cities. <i>Chemosphere</i> , 2017, 168, 1032-1041.	8.4	87
45	Wastewater-based epidemiology and enantiomeric profiling for drugs of abuse in South African wastewaters. <i>Science of the Total Environment</i> , 2018, 625, 792-800.	8.2	86
46	Using chiral liquid chromatography quadrupole time-of-flight mass spectrometry for the analysis of pharmaceuticals and illicit drugs in surface and wastewater at the enantiomeric level. <i>Journal of Chromatography A</i> , 2012, 1249, 115-129.	3.8	81
47	Enantiomer profiling of high loads of amphetamine and MDMA in communal sewage: A Dutch perspective. <i>Science of the Total Environment</i> , 2014, 487, 666-672.	8.2	80
48	Multi-residue enantiomeric analysis of pharmaceuticals and their active metabolites in the Guadalquivir River basin (South Spain) by chiral liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 5859-5873.	3.9	77
49	Assessment of bisphenol-A in the urban water cycle. <i>Science of the Total Environment</i> , 2019, 650, 900-907.	8.2	77
50	Enantiomeric profiling of chiral drug biomarkers in wastewater with the usage of chiral liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1438, 84-99.	3.8	76
51	Estimation of community-wide drugs use via stereoselective profiling of sewage. <i>Science of the Total Environment</i> , 2012, 423, 142-150.	8.2	73
52	Occurrence of pharmaceutical residues, personal care products, lifestyle chemicals, illicit drugs and metabolites in wastewater and receiving surface waters of Krakow agglomeration in South Poland. <i>Science of the Total Environment</i> , 2021, 768, 144360.	8.2	73
53	Stereoselective biodegradation of amphetamine and methamphetamine in river microcosms. <i>Water Research</i> , 2013, 47, 5708-5718.	11.4	69
54	Biotic phase micropollutant distribution in horizontal sub-surface flow constructed wetlands. <i>Science of the Total Environment</i> , 2018, 630, 648-657.	8.2	66

#	ARTICLE	IF	CITATIONS
55	Estimation of community-wide exposure to bisphenol A via water fingerprinting. <i>Environment International</i> , 2019, 125, 1-8.	10.1	63
56	Increased levels of the oxidative stress biomarker 8-iso-prostaglandin F ₂ ± in wastewater associated with tobacco use. <i>Scientific Reports</i> , 2016, 6, 39055.	3.4	60
57	Spatiotemporal profiling of antibiotics and resistance genes in a river catchment: Human population as the main driver of antibiotic and antibiotic resistance gene presence in the environment. <i>Water Research</i> , 2021, 203, 117533.	11.4	60
58	A novel immobilization strategy for electrochemical detection of cancer biomarkers: DNA-directed immobilization of aptamer sensors for sensitive detection of prostate specific antigens. <i>Analyst</i> , The, 2015, 140, 2628-2633.	3.5	59
59	Enantiomeric profiling of a chemically diverse mixture of chiral pharmaceuticals in urban water. <i>Environmental Pollution</i> , 2017, 230, 368-377.	7.7	59
60	Community Sewage Sensors for Monitoring Public Health. <i>Environmental Science & Technology</i> , 2015, 49, 5845-5846.	10.5	58
61	Monitoring Genetic Population Biomarkers for Wastewater-Based Epidemiology. <i>Analytical Chemistry</i> , 2017, 89, 9941-9945.	6.8	55
62	Making Waves: Collaboration in the time of SARS-CoV-2 - rapid development of an international co-operation and wastewater surveillance database to support public health decision-making. <i>Water Research</i> , 2021, 199, 117167.	11.4	52
63	Changes in drug use in European cities during early COVID-19 lockdowns â€œ A snapshot from wastewater analysis. <i>Environment International</i> , 2021, 153, 106540.	10.1	52
64	Illicit and pharmaceutical drug consumption estimated via wastewater analysis. Part B: Placing back-calculations in a formal statistical framework. <i>Science of the Total Environment</i> , 2014, 487, 642-650.	8.2	51
65	Multi-residue enantiomeric analysis of human and veterinary pharmaceuticals and their metabolites in environmental samples by chiral liquid chromatography coupled with tandem mass spectrometry detection. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 9085-9104.	3.9	51
66	MTBE, DIPE, ETBE and TAME degradation in water using perfluorinated phases as catalysts for ozonation process. <i>Applied Catalysis B: Environmental</i> , 2004, 51, 51-66.	20.7	50
67	Wastewater-based epidemiology combined with local prescription analysis as a tool for temporal monitoring of drugs trends - A UK perspective. <i>Science of the Total Environment</i> , 2020, 735, 139433.	8.2	49
68	A Novel DNA Biosensor Using a Ferrocenyl Intercalator Applied to the Potential Detection of Human Population Biomarkers in Wastewater. <i>Environmental Science & Technology</i> , 2015, 49, 5609-5617.	10.5	46
69	New Framework To Diagnose the Direct Disposal of Prescribed Drugs in Wastewater â€œ A Case Study of the Antidepressant Fluoxetine. <i>Environmental Science & Technology</i> , 2016, 50, 3781-3789.	10.5	46
70	In Situ Calibration of a New Chemcatcher Configuration for the Determination of Polar Organic Micropollutants in Wastewater Effluent. <i>Environmental Science & Technology</i> , 2016, 50, 9469-9478.	10.5	41
71	Stereoisomeric profiling of drugs of abuse and pharmaceuticals in wastewaters of Valencia (Spain). <i>Science of the Total Environment</i> , 2014, 494-495, 49-57.	8.2	40
72	Enantioselective degradation of amphetamine-like environmental micropollutants (amphetamine, Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	7.7	40

#	ARTICLE	IF	CITATIONS
73	Enantioselective simultaneous analysis of selected pharmaceuticals in environmental samples by ultrahigh performance supercritical fluid based chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2016, 934, 239-251.	5.5	40
74	Critical evaluation of monitoring strategy for the multi-residue determination of 90 chiral and achiral micropollutants in effluent wastewater. <i>Science of the Total Environment</i> , 2017, 579, 569-578.	8.2	40
75	Applications of chiral chromatography coupled with mass spectrometry in the analysis of chiral pharmaceuticals in the environment. <i>Trends in Environmental Analytical Chemistry</i> , 2014, 1, e34-e51.	10.5	38
76	Community Sewage Sensors towards Evaluation of Drug Use Trends: Detection of Cocaine in Wastewater with DNA-Directed Immobilization Aptamer Sensors. <i>Scientific Reports</i> , 2016, 6, 21024.	3.4	38
77	Verifying community-wide exposure to endocrine disruptors in personal care products – In quest for metabolic biomarkers of exposure via in vitro studies and wastewater-based epidemiology. <i>Water Research</i> , 2018, 143, 117-126.	11.4	34
78	Enantioselective fractionation of fluoroquinolones in the aqueous environment using chiral liquid chromatography coupled with tandem mass spectrometry. <i>Chemosphere</i> , 2018, 206, 376-386.	8.4	32
79	Simultaneous enantiomeric analysis of pharmacologically active compounds in environmental samples by chiral LC-MS/MS with a macrocyclic antibiotic stationary phase. <i>Journal of Mass Spectrometry</i> , 2017, 52, 94-108.	1.8	30
80	Multi-residue determination of micropollutants in <i>Phragmites australis</i> from constructed wetlands using microwave assisted extraction and ultra-high-performance liquid chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2017, 959, 91-101.	5.5	27
81	Comparison of phosphodiesterase type V inhibitors use in eight European cities through analysis of urban wastewater. <i>Environment International</i> , 2018, 115, 279-284.	10.1	27
82	A new paradigm in public health assessment: Water fingerprinting for protein markers of public health using mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 119, 115621.	11.9	27
83	Stereoisomeric profiling of chiral pharmaceutically active compounds in wastewaters and the receiving environment – A catchment-scale and a laboratory study. <i>Environment International</i> , 2019, 127, 558-572.	10.1	27
84	Stereochemistry of ephedrine and its environmental significance: Exposure and effects directed approach. <i>Journal of Hazardous Materials</i> , 2018, 348, 39-46.	12.6	24
85	Simultaneous ozonation of 90 organic micropollutants including illicit drugs and their metabolites in different water matrices. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 2465-2478.	2.2	23
86	The application of the perfluorinated bonded alumina phase for natural organic matter catalytic ozonation. <i>Journal of Environmental Engineering and Science</i> , 2004, 3, 41-50.	0.9	22
87	Enantiomeric Profiling of Chiral Pharmacologically Active Compounds in the Environment with the Usage of Chiral Liquid Chromatography Coupled with Tandem Mass Spectrometry. <i>Current Analytical Chemistry</i> , 2016, 12, 303-314.	1.3	21
88	Diagnosing Down-the-Drain Disposal of Unused Pharmaceuticals at a River Catchment Level: Unrecognized Sources of Environmental Contamination That Require Nontechnological Solutions. <i>Environmental Science & Technology</i> , 2021, 55, 11657-11666.	10.5	20
89	Multiresidue antibiotic-metabolite quantification method using ultra-performance liquid chromatography coupled with tandem mass spectrometry for environmental and public exposure estimation. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 5901-5920.	3.9	20
90	Research needs for optimising wastewater-based epidemiology monitoring for public health protection. <i>Journal of Water and Health</i> , 2022, 20, 1284-1313.	2.6	20

#	ARTICLE	IF	CITATIONS
91	Microplastic biofilm, associated pathogen and antimicrobial resistance dynamics through a wastewater treatment process incorporating a constructed wetland. <i>Water Research</i> , 2023, 235, 119936.	11.4	20
92	The Feasibility of Using a Perfluorinated Bonded Alumina Phase in the Ozonation Process. <i>Ozone: Science and Engineering</i> , 2003, 25, 185-197.	2.6	19
93	New Analytical Framework for Verification of Biomarkers of Exposure to Chemicals Combining Human Biomonitoring and Water Fingerprinting. <i>Analytical Chemistry</i> , 2017, 89, 7232-7239.	6.8	19
94	Wastewater-based epidemiology for comprehensive community health diagnostics in a national surveillance study: Mining biochemical markers in wastewater. <i>Journal of Hazardous Materials</i> , 2023, 450, 130989.	12.6	18
95	Catalytic Ozonation of Gasoline Compounds in Model and Natural Water in the Presence of Perfluorinated Alumina Bonded Phases. <i>Ozone: Science and Engineering</i> , 2005, 27, 301-310.	2.6	17
96	Ozonation Enhancement with Nonpolar Bonded Alumina Phases. <i>Ozone: Science and Engineering</i> , 2004, 26, 367-380.	2.6	14
97	Challenges in realising the potential of wastewater-based epidemiology to quantitatively monitor and predict the spread of disease. <i>Journal of Water and Health</i> , 2022, 20, 1038-1050.	2.6	14
98	A high prevalence of bla OXA-48 in <i>Klebsiella (Raoultella) ornithinolytica</i> and related species in hospital wastewater in South West England. <i>Microbial Genomics</i> , 2021, 7, .	2.1	13
99	Oil Water Interfacial Phosphate Transfer Facilitated by Boronic Acid: Observation of Unusually Fast Oil Water Lateral Charge Transport. <i>ChemElectroChem</i> , 2014, 1, 1640-1646.	3.5	12
100	Assessment of community-wide antimicrobials usage in Eastern China using wastewater-based epidemiology. <i>Water Research</i> , 2022, 222, 118942.	11.4	12
101	Sewage-based Epidemiology Requires a Truly Transdisciplinary Approach. <i>Gaia</i> , 2014, 23, 266-268.	0.7	11
102	COMBI, continuous ozonation merged with biofiltration to study oxidative and microbial transformation of trace organic contaminants. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 552-563.	2.2	11
103	Cavity transport effects in generator-collector electrochemical analysis of nitrobenzene. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 18966-18973.	2.9	9
104	Quantifying community-wide antibiotic usage via urban water fingerprinting: Focus on contrasting resource settings in South Africa. <i>Water Research</i> , 2023, 240, 120110.	11.4	9
105	Micellar chromatographic determination of partition coefficients and associated thermodynamic data for pharmaceutical compounds. <i>Journal of Thermal Analysis and Calorimetry</i> , 2010, 102, 343-347.	3.6	8
106	Wastewater-based epidemiology for the assessment of population exposure to chemicals: The need for integration with human biomonitoring for global One Health actions. <i>Journal of Hazardous Materials</i> , 2023, 450, 131009.	12.6	8
107	Antimicrobials and antimicrobial resistance genes in a one-year city metabolism longitudinal study using wastewater-based epidemiology. <i>Environmental Pollution</i> , 2023, 333, 122020.	7.7	8
108	Response to Randhir P. Deo and Rolf U. Halden's comments regarding "The removal of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs during wastewater treatment and its impact on the quality of receiving waters" by Kasprzyk-Hordern et al.. <i>Water Research</i> , 2010, 44, 2688-2690.	11.4	7

#	ARTICLE	IF	CITATIONS
109	Editorial Perspectives: could water fingerprinting help with community-wide health assessment?. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 1033-1035.	2.2	6
110	Square Wave Electroanalysis at Generatorâ€œCollector Goldâ€œGold Double Hemisphere Junctions. <i>Electroanalysis</i> , 2012, 24, 1726-1731.	3.0	5
111	Multi-residue determination of micropollutants in Nigerian fish from Lagos lagoon using ultrasound assisted extraction, solid phase extraction and ultra-high-performance liquid chromatography tandem mass spectrometry. <i>Analytical Methods</i> , 2020, 12, 2114-2122.	2.7	5
112	A multi-residue chiral liquid chromatography coupled with tandem mass spectrometry method for analysis of antifungal agents and their metabolites in aqueous environmental matrices. <i>Analytical Methods</i> , 2021, 13, 2466-2477.	2.7	5
113	Community infectious disease treatment with antimicrobial agents â€œ A longitudinal one year study of antimicrobials in two cities via wastewater-based epidemiology. <i>Journal of Hazardous Materials</i> , 2023, 454, 131461.	12.6	5
114	Stereoselective metabolism of chloramphenicol by bacteria isolated from wastewater, and the importance of stereochemistry in environmental risk assessments for antibiotics. <i>Water Research</i> , 2022, 217, 118415.	11.4	4
115	LoCKAmp: lab-on-PCB technology for minute virus genetic detection. <i>Lab on A Chip</i> , 2023, 23, 4400-4412.	6.1	4
116	A new Wastewater-Based Epidemiology workflow to estimate community wide non-communicable disease prevalence using pharmaceutical proxy data. <i>Journal of Hazardous Materials</i> , 2024, 461, 132645.	12.6	4
117	Feedbackâ€œamplified electrochemical dualâ€œplate boronâ€œdoped diamond microtrench detector for flow injection analysis. <i>Electrophoresis</i> , 2015, 36, 1866-1871.	2.9	3
118	Comments on â€œSolid Phase Catalytic Ozonation Process for the Destruction of a Model Pollutantâ€œby D.S. Pines and D.A. Reckhow (<i>Ozone Sci. Eng.</i> 25 (2003), 25). <i>Ozone: Science and Engineering</i> , 2003, 25, 535-538.	2.6	2
119	Influent wastewater analysis to investigate emerging trends of new psychoactive substances use in Europe. <i>Water Research</i> , 2024, 254, 121390.	11.4	2
120	Special Issue. Testing the waters: A selection of papers from the first international multidisciplinary conference on detecting illicit drugs in wastewater. <i>Science of the Total Environment</i> , 2014, 487, 611-612.	8.2	0
121	Lymphocytic myocarditis in an overlap syndrome of systemic sclerosis and polymyositis. <i>Clinical Rheumatology</i> , 2021, , 1.	2.3	0
122	Spatiotemporal profiling of chemicals of emerging concern in a megacity: a case study of Lagos, Nigeria. <i>Environmental Science: Water Research and Technology</i> , 2022, 8, 2917-2939.	2.2	0
123	A perceptual approach to address complex water management issues in lowland permeable catchments. <i>Water Research</i> , 2024, 254, 121406.	11.4	0
124	Microbial community and antimicrobial resistance niche differentiation in a multistage, surface flow constructed wetland. <i>Water Research</i> , 2024, 254, 121408.	11.4	0
125	Antimicrobials and antimicrobial resistance genes in the shadow of COVID-19 pandemic: A wastewater-based epidemiology perspective. <i>Water Research</i> , 2024, 257, 121665.	11.4	0
126	Quantification Approaches in Non-Target LC/ESI/HRMS Analysis: An Interlaboratory Comparison. <i>Analytical Chemistry</i> , 0, , .	6.8	0

#	ARTICLE	IF	CITATIONS
127	Multi-biomarker approach for estimating population size in national-scale wastewater-based epidemiology studies. <i>Water Research</i> , 2024, , 122527.	11.4	0