

Elizabeth Ellen Roughead

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5655813/elizabeth-ellen-roughead-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

6,502
citations

41
h-index

68
g-index

313
ext. papers

7,767
ext. citations

3.3
avg, IF

6.02
L-index

#	Paper	IF	Citations
289	Reducing inappropriate polypharmacy: the process of deprescribing. <i>JAMA Internal Medicine</i> , 2015 , 175, 827-34	11.5	722
288	Adverse drug events and medication errors in Australia. <i>International Journal for Quality in Health Care</i> , 2003 , 15 Suppl 1, i49-59	1.9	239
287	Drug-related hospital admissions: a review of Australian studies published 1988-1996. <i>Medical Journal of Australia</i> , 1998 , 168, 405-8	4	157
286	Prevalence of comorbidity of chronic diseases in Australia. <i>BMC Public Health</i> , 2008 , 8, 221	4.1	154
285	Trends and geographic variation of opiate medication use in state Medicaid fee-for-service programs, 1996 to 2002. <i>Medical Care</i> , 2006 , 44, 1005-10	3.1	117
284	Collaborative medication management services: improving patient care. <i>Medical Journal of Australia</i> , 2002 , 177, 189-92	4	117
283	Comorbidity in the elderly with diabetes: Identification of areas of potential treatment conflicts. <i>Diabetes Research and Clinical Practice</i> , 2010 , 87, 385-93	7.4	114
282	Medication safety in acute care in Australia: where are we now? Part 1: a review of the extent and causes of medication problems 2002-2008. <i>Australia and New Zealand Health Policy</i> , 2009 , 6, 18		114
281	Risk factors for persistent and new chronic opioid use in patients undergoing total hip arthroplasty: a retrospective cohort study. <i>BMJ Open</i> , 2016 , 6, e010664	3	113
280	Centralized drug review processes in Australia, Canada, New Zealand, and the United Kingdom. <i>Health Affairs</i> , 2006 , 25, 337-47	7	108
279	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , 2018 , 5, 824-835	23.3	105
278	The effectiveness of collaborative medicine reviews in delaying time to next hospitalization for patients with heart failure in the practice setting: results of a cohort study. <i>Circulation: Heart Failure</i> , 2009 , 2, 424-8	7.6	97
277	Increase in Total Joint Arthroplasty Projected from 2014 to 2046 in Australia: A Conservative Local Model With International Implications. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2130-2137	2.2	89
276	The validity of the Rx-Risk Comorbidity Index using medicines mapped to the Anatomical Therapeutic Chemical (ATC) Classification System. <i>BMJ Open</i> , 2018 , 8, e021122	3	87
275	Validity of medication-based co-morbidity indices in the Australian elderly population. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 126-30	2.3	80
274	Multiple anticholinergic medication use and risk of hospital admission for confusion or dementia. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1916-22	5.6	76
273	The extent of medication errors and adverse drug reactions throughout the patient journey in acute care in Australia. <i>International Journal of Evidence-Based Healthcare</i> , 2016 , 14, 113-22	2.6	74

272	The impact of co-payment increases on dispensings of government-subsidised medicines in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 1091-9	2.6	71
271	Comorbid chronic diseases, discordant impact on mortality in older people: a 14-year longitudinal population study. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 1036-42	5.1	69
270	Chronic Use of Opioids Before and After Total Knee Arthroplasty: A Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2017 , 32, 811-817.e1	4.4	66
269	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65
268	Medication-related problems commonly occurring in an Australian community setting. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 83-7	2.6	62
267	The nature and extent of drug-related hospitalisations in Australia. <i>Journal of Quality in Clinical Practice</i> , 1999 , 19, 19-22		62
266	Crushing or altering medications: what's happening in residential aged-care facilities?. <i>Australasian Journal on Ageing</i> , 2002 , 21, 123-127	1.5	61
265	Charlson and Rx-Risk comorbidity indices were predictive of mortality in the Australian health care setting. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 223-8	5.7	60
264	Risk of hospitalization for hip fracture and pneumonia associated with antipsychotic prescribing in the elderly: a self-controlled case-series analysis in an Australian health care claims database. <i>Drug Safety</i> , 2011 , 34, 567-75	5.1	59
263	Pharmaceutical care services: a systematic review of published studies, 1990 to 2003, examining effectiveness in improving patient outcomes. <i>International Journal of Pharmacy Practice</i> , 2010 , 13, 53-70 ¹⁻⁷	1.7	57
262	Policy options for pharmaceutical pricing and purchasing: issues for low- and middle-income countries. <i>Health Policy and Planning</i> , 2015 , 30, 267-80	3.4	53
261	Quality of pharmaceutical advertisements in medical journals: a systematic review. <i>PLoS ONE</i> , 2009 , 4, e6350	3.7	53
260	Determinants of self-reported medicine underuse due to cost: a comparison of seven countries. <i>Journal of Health Services Research and Policy</i> , 2010 , 15, 106-14	2.4	51
259	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
258	Prevalence of preventable medication-related hospitalizations in Australia: an opportunity to reduce harm. <i>International Journal for Quality in Health Care</i> , 2012 , 24, 239-49	1.9	48
257	Potentially inappropriate prescribing among Australian veterans and war widows/widowers. <i>Internal Medicine Journal</i> , 2007 , 37, 402-5	1.6	48
256	The validity of sequence symmetry analysis (SSA) for adverse drug reaction signal detection. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 496-502	2.6	47
255	Preoperative medication use and postoperative delirium: a systematic review. <i>BMC Geriatrics</i> , 2017 , 17, 298	4.1	43

254	Commercial detailing techniques used by pharmaceutical representatives to influence prescribing. <i>Australian and New Zealand Journal of Medicine</i> , 1998 , 28, 306-10		43
253	Comorbid diabetes and COPD: impact of corticosteroid use on diabetes complications. <i>Diabetes Care</i> , 2013 , 36, 3009-14	14.6	42
252	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
251	Major bleeding risk associated with warfarin and co-medications in the elderly population. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1057-63	2.6	42
250	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
249	Collaborative home medicines review delays time to next hospitalization for warfarin associated bleeding in Australian war veterans. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2011 , 36, 27-32	2.2	41
248	Persistent Opioid Use Following Total Knee Arthroplasty: A Signal for Close Surveillance. <i>Journal of Arthroplasty</i> , 2018 , 33, 331-336	4.4	40
247	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 567-582	12.1	39
246	Increased risk of hip fracture in the elderly associated with prochlorperazine: is a prescribing cascade contributing?. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 977-82	2.6	39
245	Stroke risk and NSAIDs: an Australian population-based study. <i>Medical Journal of Australia</i> , 2011 , 195, 525-9	4	37
244	Prevalence of potentially hazardous drug interactions amongst Australian veterans. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 252-7	3.8	37
243	Opioid use after total hip arthroplasty surgery is associated with revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 122	2.8	36
242	Comorbidity of chronic disease and potential treatment conflicts in older people dispensed antidepressants. <i>Age and Ageing</i> , 2010 , 39, 488-94	3	36
241	Managed entry agreements for pharmaceuticals in Australia. <i>Health Policy</i> , 2014 , 117, 345-52	3.2	35
240	Use of SGLT2 inhibitors for diabetes and risk of infection: Analysis using general practice records from the NPS MedicineWise MedicineInsight program. <i>Diabetes Research and Clinical Practice</i> , 2017 , 130, 180-185	7.4	35
239	Achieving a sustained reduction in benzodiazepine use through implementation of an area-wide multi-strategic approach. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2005 , 30, 425-32	2.2	35
238	Choice of observational study design impacts on measurement of antipsychotic risks in the elderly: a systematic review. <i>BMC Medical Research Methodology</i> , 2012 , 12, 72	4.7	34
237	The prescribing cascade. <i>Australian Prescriber</i> , 2011 , 34, 162-166	1.4	34

236	Influence of comorbidities on therapeutic progression of diabetes treatment in Australian veterans: a cohort study. <i>PLoS ONE</i> , 2010 , 5, e14024	3.7	33
235	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-64	2.6	32
234	Medicaid prior authorization and controlled-release oxycodone. <i>Medical Care</i> , 2008 , 46, 573-80	3.1	32
233	Medication safety in acute care in Australia: where are we now? Part 2: a review of strategies and activities for improving medication safety 2002-2008. <i>Australia and New Zealand Health Policy</i> , 2009 , 6, 24		31
232	Risk of hospitalization for stroke associated with antipsychotic use in the elderly: a self-controlled case series. <i>Drugs and Aging</i> , 2010 , 27, 885-93	4.7	30
231	Antipsychotics and the risk of death in the elderly: an instrumental variable analysis using two preference based instruments. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 699-707	2.6	30
230	Postoperative opioid use as an early indication of total hip arthroplasty failure. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 37-43	4.3	29
229	Early discontinuation of endocrine therapy for breast cancer: who is at risk in clinical practice?. <i>SpringerPlus</i> , 2014 , 3, 282		29
228	Bridging evidence-practice gaps: improving use of medicines in elderly Australian veterans. <i>BMC Health Services Research</i> , 2013 , 13, 514	2.9	29
227	Co-morbidity and potential treatment conflicts in elderly heart failure patients: a retrospective, cross-sectional study of administrative claims data. <i>Drugs and Aging</i> , 2011 , 28, 575-81	4.7	29
226	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 823-31	5.1	28
225	Continuity of care: when do patients visit community healthcare providers after leaving hospital?. <i>Internal Medicine Journal</i> , 2011 , 41, 662-7	1.6	27
224	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
223	Managing glaucoma in those with co-morbidity: not as easy as it seems. <i>Ophthalmic Epidemiology</i> , 2012 , 19, 74-82	1.9	26
222	Differential effect of early or late implementation of prior authorization policies on the use of Cox II inhibitors. <i>Medical Care</i> , 2006 , 44, 378-82	3.1	26
221	Quality use of medicines in aged-care facilities in Australia. <i>Drugs and Aging</i> , 2003 , 20, 643-53	4.7	26
220	New users of antidepressant medications: first episode duration and predictors of discontinuation. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 65-71	2.8	25
219	Quality Use of Medicines--medication safety issues in naming; look-alike, sound-alike medicine names. <i>International Journal of Pharmacy Practice</i> , 2012 , 20, 349-57	1.7	25

218	Uptake of novel oral anticoagulants in Australia. <i>Medical Journal of Australia</i> , 2016 , 204, 104-5.e1	4	25
217	Regulatory withdrawal of medicines marketed with uncertain benefits: the bevacizumab case study. <i>Journal of Pharmaceutical Policy and Practice</i> , 2015 , 8, 25	3.2	24
216	Developing and evaluating a model for pharmaceutical care in Australian community pharmacies. <i>International Journal of Pharmacy Practice</i> , 2011 , 7, 220-229	1.7	24
215	The Australian funding debate on quadrivalent HPV vaccine: a case study for the national pharmaceutical policy. <i>Health Policy</i> , 2008 , 88, 250-7	3.2	24
214	Improving medication safety: influence of a patient-specific prescriber feedback program on rate of medication reviews performed by Australian general medical practitioners. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 797-803	2.6	24
213	Medicines information provided by pharmaceutical representatives: a comparative study in Australia and Malaysia. <i>BMC Public Health</i> , 2010 , 10, 743	4.1	23
212	Evaluation of three co-morbidity measures to predict mortality in patients undergoing total joint arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1718-1726	6.2	23
211	Association between use of multiple psychoactive medicines and hospitalization for falls: retrospective analysis of a large healthcare claim database. <i>Drug Safety</i> , 2014 , 37, 529-35	5.1	22
210	The performance of sequence symmetry analysis as a tool for post-market surveillance of newly marketed medicines: a simulation study. <i>BMC Medical Research Methodology</i> , 2014 , 14, 66	4.7	22
209	Heart failure after conventional metal-on-metal hip replacements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 2-9	4.3	22
208	Comparing time to adverse drug reaction signals in a spontaneous reporting database and a claims database: a case study of rofecoxib-induced myocardial infarction and rosiglitazone-induced heart failure signals in Australia. <i>Drug Safety</i> , 2014 , 37, 53-64	5.1	22
207	Determinants of patient-reported medication errors: a comparison among seven countries. <i>International Journal of Clinical Practice</i> , 2011 , 65, 733-40	2.9	22
206	Use of proton pump inhibitors among older Australians: national quality improvement programmes have led to sustained practice change. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 75-82	1.9	21
205	Ascertaining invasive breast cancer cases; the validity of administrative and self-reported data sources in Australia. <i>BMC Medical Research Methodology</i> , 2013 , 13, 17	4.7	21
204	Comparing co-morbidities in total joint arthroplasty patients using the RxRisk-V, Elixhauser, and Charlson Measures: a cross-sectional evaluation. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 385	2.8	21
203	Multimorbidity, care complexity and prescribing for the elderly. <i>Aging Health</i> , 2011 , 7, 695-705		21
202	Antidepressant use and depressive symptomatology among older people from the Australian Longitudinal Study of Ageing. <i>International Psychogeriatrics</i> , 2010 , 22, 437-44	3.4	21
201	Proton-pump inhibitors and the risk of antibiotic use and hospitalisation for pneumonia. <i>Medical Journal of Australia</i> , 2009 , 190, 114-6	4	21

200	Prices for innovative pharmaceutical products that provide health gain: a comparison between Australia and the United States. <i>Value in Health</i> , 2007 , 10, 514-20	3.3	21
199	Proton pump inhibitors and the risk of pneumonia: a comparison of cohort and self-controlled case series designs. <i>BMC Medical Research Methodology</i> , 2013 , 13, 82	4.7	20
198	Increased patient co-payments and changes in PBS-subsidised prescription medicines dispensed in Western Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 246-52	2.3	20
197	Predictive performance of four frailty measures in an older Australian population. <i>Age and Ageing</i> , 2015 , 44, 967-72	3	19
196	Ageing well: improving the management of patients with multiple chronic health problems. <i>Australasian Journal on Ageing</i> , 2011 , 30 Suppl 2, 32-7	1.5	19
195	Self-regulatory codes of conduct: are they effective in controlling pharmaceutical representatives' presentations to general medical practitioners?. <i>International Journal of Health Services</i> , 1998 , 28, 269-79		19
194	Medication adherence, first episode duration, overall duration and time without therapy: the example of bisphosphonates. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 69-75	2.6	18
193	Safety and effectiveness of 'hospital in the home' and 'outpatient parenteral antimicrobial therapy' in different age groups: A systematic review of observational studies. <i>International Journal of Clinical Practice</i> , 2018 , 72, e13216	2.9	18
192	Sequence Symmetry Analysis as a Signal Detection Tool for Potential Heart Failure Adverse Events in an Administrative Claims Database. <i>Drug Safety</i> , 2016 , 39, 347-54	5.1	16
191	Risk of medication-associated initiation of oxybutynin in elderly men and women. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 690-5	5.6	16
190	Does antidepressant medication use affect persistence with diabetes medicines?. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 615-22	2.6	16
189	Psychoactive medicine use and the risk of hip fracture in older people: a case-crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 576-82	2.6	16
188	Impact of cost of medicines for chronic conditions on low income households in Australia. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 21-7	2.4	16
187	Coding Drug-Related Admissions in Medical Records: Is it Adequate for Monitoring the Quality of Medication Use?. <i>Journal of Pharmacy Practice and Research</i> , 1998 , 28, 7-12		16
186	Improving drug use: a case study of events which led to changes in use of flucloxacillin in Australia. <i>Social Science and Medicine</i> , 1999 , 48, 845-53	5.1	16
185	Understanding 30-day re-admission after hospitalisation of older patients for diabetes: identifying those at greatest risk. <i>Medical Journal of Australia</i> , 2017 , 206, 170-175	4	15
184	Cost-Related Underuse of Medicines for Asthma-Opportunities for Improving Adherence. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 2298-2306.e12	5.4	15
183	What analgesics do older people use prior to initiating oxycodone for non-cancer pain? A retrospective database study. <i>Drugs and Aging</i> , 2013 , 30, 921-6	4.7	15

182	Quality of claims, references and the presentation of risk results in medical journal advertising: a comparative study in Australia, Malaysia and the United States. <i>BMC Public Health</i> , 2010 , 10, 294	4.1	15
181	Antidepressants: prevalence of duplicate therapy and avoidable drug interactions in Australian veterans. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 366-70	2.6	15
180	General practitioner management plans delaying time to next potentially preventable hospitalisation for patients with heart failure. <i>Internal Medicine Journal</i> , 2014 , 44, 1117-23	1.6	14
179	How much do we spend on prescription medicines? Out-of-pocket costs for patients in Australia and other OECD countries. <i>Australian Health Review</i> , 2011 , 35, 341-9	1.8	14
178	Bisphosphonate use and subsequent prescription of acid suppressants. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 813-6	3.8	14
177	Managing insomnia in the elderly - what prevents us using non-drug options?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2003 , 28, 485-91	2.2	14
176	Medication use and potentially high-risk prescribing in older patients hospitalized for diabetes: a missed opportunity to improve care?. <i>Diabetic Medicine</i> , 2017 , 34, 432-439	3.5	13
175	Posttraumatic Stress Disorder, Antipsychotic Use and Risk of Dementia in Veterans. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1521-1526	5.6	13
174	Supervised signal detection for adverse drug reactions in medication dispensing data. <i>Computer Methods and Programs in Biomedicine</i> , 2018 , 161, 25-38	6.9	13
173	Prevalence and changes in analgesic medication utilisation 1 year prior to total joint replacement in an older cohort of patients. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 356-362	6.2	13
172	Does tablet formulation alone improve adherence and persistence: a comparison of ezetimibe fixed dose combination versus ezetimibe separate pill combination?. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 202-210	3.8	13
171	Ranibizumab and risk of hospitalisation for ischaemic stroke and myocardial infarction in patients with age-related macular degeneration: a self-controlled case-series analysis. <i>Drug Safety</i> , 2014 , 37, 1021-7	5.1	13
170	Assessing overall duration of cardiovascular medicines in veterans with established cardiovascular disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 71-6		13
169	Differential impact of NSAIDs on rate of adverse events that require hospitalization in high-risk and general veteran populations: a retrospective cohort study. <i>Drugs and Aging</i> , 2010 , 27, 63-71	4.7	13
168	NSAID use in individuals at risk of renal adverse events: an observational study to investigate trends in Australian veterans. <i>Drug Safety</i> , 2008 , 31, 997-1003	5.1	13
167	Increased risk of hospital admission for dehydration or heat-related illness after initiation of medicines: a sequence symmetry analysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2016 , 41, 503-7	2.2	13
166	The extent of antipsychotic use in Australian residential aged care facilities and interventions shown to be effective in reducing antipsychotic use: A literature review. <i>Dementia</i> , 2020 , 19, 1189-1202	3	13
165	Association between Ophthalmic Timolol and Hospitalisation for Bradycardia. <i>Journal of Ophthalmology</i> , 2015 , 2015, 567387	2	12

164	Co-morbidity and the utilization of health care for Australian veterans with diabetes. <i>Diabetic Medicine</i> , 2010 , 27, 65-71	3.5	12
163	Medication Use by Australian War Veterans in Residential Aged-Care Facilities. <i>Journal of Pharmacy Practice and Research</i> , 2008 , 38, 14-18	0.7	12
162	Prevalence of multiple antipsychotic use and associated adverse effects in Australians with mental illness. <i>International Journal of Evidence-Based Healthcare</i> , 2016 , 14, 104-12	2.6	12
161	Persistence with opioids post discharge from hospitalisation for surgery in Australian adults: a retrospective cohort study. <i>BMJ Open</i> , 2019 , 9, e023990	3	11
160	Use of Medicines with Anticholinergic and Sedative Effect Before and After Initiation of Anti-Dementia Medications. <i>Drugs - Real World Outcomes</i> , 2015 , 2, 53-60	2.2	11
159	CHARACTERISTICS OF MANAGED ENTRY AGREEMENTS IN AUSTRALIA. <i>International Journal of Technology Assessment in Health Care</i> , 2018 , 34, 46-55	1.8	11
158	The use of antipsychotics among people treated with medications for dementia in residential aged care facilities. <i>International Psychogeriatrics</i> , 2016 , 28, 977-82	3.4	11
157	Initiation and duration of proton pump inhibitors in the Australian veteran population. <i>Internal Medicine Journal</i> , 2012 , 42, e68-73	1.6	11
156	Risk of Hip Fracture in Older People Using Selective Serotonin Reuptake Inhibitors and Other Psychoactive Medicines Concurrently: A Matched Case-Control Study in Australia. <i>Drugs - Real World Outcomes</i> , 2017 , 4, 87-96	2.2	11
155	Prescriber Feedback to Improve Quality Use of Medicines among Older People: the Veterans' MATES Program. <i>Journal of Pharmacy Practice and Research</i> , 2011 , 41, 316-319	0.7	11
154	Analysis of anticholinergic and sedative medicine effects on physical function, cognitive function, appetite and frailty: a cross-sectional study in Australia. <i>BMJ Open</i> , 2019 , 9, e029221	3	11
153	Predicting Infections After Total Joint Arthroplasty Using a Prescription Based Comorbidity Measure. <i>Journal of Arthroplasty</i> , 2015 , 30, 1692-8	4.4	10
152	Anticholinesterase duration in the Australian veteran population. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 469-74	2.6	10
151	Pharmaceutical brand substitution in Australia--are there multiple switches per prescription?. <i>Australian and New Zealand Journal of Public Health</i> , 2007 , 31, 348-52	2.3	10
150	Effects of pharmacist prescribing on patient outcomes in the hospital setting: a systematic review. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2018 , 16, 1823-1873	1.6	10
149	Commitment questions targeting patients promotes uptake of under-used health services: Findings from a national quality improvement program in Australia. <i>Social Science and Medicine</i> , 2015 , 145, 1-6	5.1	9
148	Inflated medicine prices in Vietnam: a qualitative study. <i>Health Policy and Planning</i> , 2017 , 32, 647-656	3.4	9
147	How common is frailty in older Australians?. <i>Australasian Journal on Ageing</i> , 2015 , 34, 247-51	1.5	9

146	Using Medications for Prediction of Revision after Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2015 , 30, 2061-70	4.4	9
145	From the city to the bush: increases in patient co-payments for medicines have impacted on medicine use across Australia. <i>Australian Health Review</i> , 2013 , 37, 4-10	1.8	9
144	Construct Validity of Four Frailty Measures in an Older Australian Population: A Rasch Analysis. <i>Journal of Frailty & Aging, the</i> , 2016 , 5, 78-81	2.6	9
143	Improving use of medicines for older people in long-term care: contrasting the policy approach of four countries. <i>Healthcare Policy</i> , 2008 , 3, e154-67	1.1	9
142	The detection of adverse events in randomized clinical trials: can we really say new medicines are safe?. <i>Current Drug Safety</i> , 2013 , 8, 104-13	1.4	9
141	Monitoring medicines use to support national medicines policy development and implementation in the Asia Pacific region. <i>WHO South-East Asia Journal of Public Health</i> , 2013 , 2, 113-117	2.3	9
140	A Systematic Review and Meta-Analysis Considering the Risk for Congenital Heart Defects of Antidepressant Classes and Individual Antidepressants. <i>Drug Safety</i> , 2021 , 44, 291-312	5.1	9
139	Towards the development of Vietnam's national dementia plan-the first step of action. <i>Australasian Journal on Ageing</i> , 2020 , 39, 137-141	1.5	9
138	Concomitant prescribing of opioids and benzodiazepines in Australia, 2012-2017. <i>Medical Journal of Australia</i> , 2019 , 210, 39-40	4	8
137	Detecting signals of detrimental prescribing cascades from social media. <i>Artificial Intelligence in Medicine</i> , 2016 , 71, 43-56	7.4	8
136	The Risk of Hip Fracture Due to Mirtazapine Exposure When Switching Antidepressants or Using Other Antidepressants as Add-On Therapy. <i>Drugs - Real World Outcomes</i> , 2017 , 4, 247-255	2.2	8
135	Improving heart failure outcomes with pharmacist-physician collaboration: how close are we?. <i>Future Cardiology</i> , 2010 , 6, 255-68	1.3	8
134	Use of health services and medicines amongst Australian war veterans: a comparison of young elderly, near centenarians and centenarians. <i>BMC Geriatrics</i> , 2010 , 10, 83	4.1	8
133	Brand substitution or multiple switches per patient? An analysis of pharmaceutical brand substitution in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 620-5	2.6	8
132	Pharmaceutical advertisements in prescribing software: an analysis. <i>Medical Journal of Australia</i> , 2005 , 183, 75-9	4	8
131	Pricing policies for generic medicines in Australia, New Zealand, the Republic of Korea and Singapore: patent expiry and influence on atorvastatin price. <i>WHO South-East Asia Journal of Public Health</i> , 2018 , 7, 99-106	2.3	8
130	Rehospitalizations for complications and mortality following pacemaker implantation: A retrospective cohort study in an older population. <i>Clinical Cardiology</i> , 2018 , 41, 1480-1486	3.3	8
129	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018 , 120, 101-115	5.3	8

128	Comparative effectiveness and safety of low-strength and high-strength direct oral anticoagulants compared with warfarin: a sequential cohort study. <i>BMJ Open</i> , 2019 , 9, e026486	3	7
127	Long-term persistence to mono and combination therapies with angiotensin converting enzymes and angiotensin II receptor blockers in Australia. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 765-71	2.8	7
126	Women commencing anastrozole, letrozole or tamoxifen for early breast cancer: the impact of comorbidity and demographics on initial choice. <i>PLoS ONE</i> , 2014 , 9, e84835	3.7	7
125	Home Medicines Reviews: Extent of Uptake by High-Risk Veterans. <i>Journal of Pharmacy Practice and Research</i> , 2013 , 43, 182-186	0.7	7
124	Chronic disease management: does the disease affect likelihood of care planning?. <i>Australian Health Review</i> , 2012 , 36, 419-23	1.8	7
123	Diabetes processes of care in the Australian veteran population. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 299-304	7.4	7
122	Toward an Understanding of High Performance Pharmaceutical Policy Systems: A Triple-A Framework and Example Analysis. <i>The Open Health Services and Policy Journal</i> , 2009 , 2, 1-9		7
121	Effect of a general practitioner management plan on health outcomes and hospitalisations in older patients with diabetes. <i>Internal Medicine Journal</i> , 2016 , 46, 1430-1436	1.6	7
120	Assessment of Medication Safety Using Only Dispensing Data. <i>Current Epidemiology Reports</i> , 2018 , 5, 357-369	2.9	7
119	Patient-specific prescriber feedback can increase the rate of osteoporosis screening and treatment: results from two national interventions. <i>Archives of Osteoporosis</i> , 2017 , 12, 17	2.9	6
118	Medication safety programs in primary care: a scoping review. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 2512-2526	1.6	6
117	Consumer-directed technologies to improve medication management and safety. <i>Medical Journal of Australia</i> , 2019 , 210 Suppl 6, S24-S27	4	6
116	Sustaining practice change in health care: the impact of a national quality improvement program on the uptake of collaborative medicines reviews. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 222-230	0.7	6
115	Transient ischaemic attack and ischaemic stroke: constructing episodes of care using hospital claims data. <i>BMC Research Notes</i> , 2013 , 6, 128	2.3	6
114	COX-2 inhibitor and non-selective NSAID use in those at increased risk of NSAID-related adverse events: a retrospective database study. <i>Drugs and Aging</i> , 2013 , 30, 23-30	4.7	6
113	Antihypertensive use before and after initiation of fixed-dose combination products in Australia: a retrospective study. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 613-20	2.3	6
112	Improving cardiovascular disease management in Australia: NPS MedicineWise. <i>Medical Journal of Australia</i> , 2013 , 199, 192-5	4	6
111	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6

110	Authenticity and credibility aware detection of adverse drug events from social media. <i>International Journal of Medical Informatics</i> , 2018 , 120, 157-171	5.3	6
109	Use of Medicines that May Exacerbate Heart Failure in Older Adults: Therapeutic Complexity of Multimorbidity. <i>Drugs and Aging</i> , 2019 , 36, 471-479	4.7	5
108	Use of Potentially Inappropriate Medications in People With Dementia in Vietnam and Its Associated Factors. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2018 , 33, 423-432	2.5	5
107	Antidepressant switching patterns in the elderly. <i>International Psychogeriatrics</i> , 2018 , 30, 1365-1374	3.4	5
106	Do Risk Prediction Models for Postoperative Delirium Consider Patients' Preoperative Medication Use?. <i>Drugs and Aging</i> , 2018 , 35, 213-222	4.7	5
105	Does a fixed-dose combination of amlodipine and atorvastatin improve persistence with therapy in the Australian population?. <i>Current Medical Research and Opinion</i> , 2018 , 34, 305-311	2.5	5
104	Reducing hypnotic use in insomnia management among Australian veterans: results from repeated national interventions. <i>BMC Health Services Research</i> , 2018 , 18, 626	2.9	5
103	Suboptimal medication-related quality of care preceding hospitalisation of older patients. <i>Medical Journal of Australia</i> , 2015 , 203, 220.e1-7	4	5
102	A self-controlled case series to assess the effectiveness of beta blockers for heart failure in reducing hospitalisations in the elderly. <i>BMC Medical Research Methodology</i> , 2011 , 11, 106	4.7	5
101	Trends over 5 years in cardiovascular medicine use in Australian veterans with diabetes. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 100-4	3.8	5
100	Enhancing early uptake of drug evidence into primary care. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2006 , 6, 661-71	2.2	5
99	Towards the safer use of non-steroidal anti-inflammatory drugs. <i>Journal of Quality in Clinical Practice</i> , 1999 , 19, 51-3		5
98	I've missed a dose; what should I do?. <i>Australian Prescriber</i> , 2002 , 25, 16-18	1.4	5
97	Pattern of Antidepressant Utilization and Cost in Iran from 2006 to 2013 in Comparison with Other Countries. <i>Journal of Epidemiology and Global Health</i> , 2018 , 8, 213-219	5.5	5
96	Predictors of Mortality in the Older Population: The Role of Polypharmacy and Other Medication and Chronic Disease-Related Factors. <i>Drugs and Aging</i> , 2020 , 37, 767-776	4.7	5
95	Corruption practices in drug prescribing in Vietnam - an analysis based on qualitative interviews. <i>BMC Health Services Research</i> , 2018 , 18, 587	2.9	5
94	Current practice and opinions of hospital pharmacists regarding their role in the screening, prevention and treatment of delirium. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 1194-1200	2.3	4
93	Medication safety programs in primary care: a scoping review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 1512-1517	1.6	4

92	Use of medicines that may precipitate delirium prior to hospitalisation in older Australians with delirium: An observational study. <i>Australasian Journal on Ageing</i> , 2019 , 38, 124-131	1.5	4
91	Use of analgesics following rescheduling of codeine in Australia: An interrupted time series analysis in the veteran population. <i>International Journal of Drug Policy</i> , 2020 , 81, 102767	5.5	4
90	Magnetic Resonance Imaging in People With Cardiac Implantable Electronic Devices: A Population Based Cohort Study. <i>Heart Lung and Circulation</i> , 2018 , 27, 748-751	1.8	4
89	A data-driven method to detect adverse drug events from prescription data. <i>Journal of Biomedical Informatics</i> , 2018 , 85, 10-20	10.2	4
88	General practitioners' views on the influence of cost on the prescribing of asthma preventer medicines: a qualitative study. <i>Australian Health Review</i> , 2019 , 43, 246-253	1.8	4
87	Reduction in Use of Risperidone for Dementia in Australia Following Changed Guidelines. <i>Pharmacy (Basel, Switzerland)</i> , 2019 , 7,	2	4
86	Use of prescription medicines in Australian women of child-bearing age. <i>BMC Pharmacology & Toxicology</i> , 2015 , 16, 33	2.6	4
85	Safety of opioid patch initiation in Australian residential aged care. <i>Medical Journal of Australia</i> , 2015 , 203, 298	4	4
84	Medicine Use among Older Australians Before and After Hip Fracture. <i>Journal of Pharmacy Practice and Research</i> , 2013 , 43, 265-268	0.7	4
83	The association between co-morbidity and the use of antidiabetics or adjunctive cardiovascular medicines in Australian veterans with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2011 , 91, 115-20	7.4	4
82	Factors associated with choice of antipsychotic treatment in elderly veterans: potential confounders for observational studies. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 589-93	2.3	4
81	Consumer involvement in Quality Use of Medicines (QUM) projects - lessons from Australia. <i>BMC Health Services Research</i> , 2005 , 5, 75	2.9	4
80	Medicines information in medical journal advertising in Australia, Malaysia and the United States: A comparative cross-sectional study. <i>Southern Med Review</i> , 2010 , 3, 11-8		4
79	Central Nervous System-Acting Medicines and Risk of Hospital Admission for Confusion, Delirium, or Dementia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 530-4	5.9	4
78	Prevalence of Psychotropic Medicine Use in Australian Children with Autism Spectrum Disorder: A Drug Utilization Study Based on Children Enrolled in the Longitudinal Study of Australian Children. <i>Journal of Autism and Developmental Disorders</i> , 2019 , 49, 227-235	4.6	4
77	Average duration of treatment with antipsychotics among concession card holders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 719-726	2.6	3
76	Detecting potential signals of adverse drug events from prescription data. <i>Artificial Intelligence in Medicine</i> , 2020 , 104, 101839	7.4	3
75	Average duration of treatment with antidepressants among concession card holders in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1180-1185	2.6	3

74	Sequence symmetry analysis graphic adjustment for prescribing trends. <i>BMC Medical Research Methodology</i> , 2019 , 19, 143	4.7	3
73	Switching between endocrine therapies for primary breast cancer: Frequency and timing in Australian clinical practice. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017 , 13, e161-e170	1.9	3
72	Breast cancer recurrence following active treatment: determining its incidence in the NSW population. <i>Public Health Research and Practice</i> , 2016 , 26, e2611607	5.1	3
71	The Australian Pharmaceutical Manufacturers Association Code of Conduct: guiding the promotion of prescription medicines. <i>Australian Prescriber</i> , 1999 , 22, 78-80	1.4	3
70	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
69	Reducing medicine-induced deterioration and adverse reactions (ReMInDAR) trial: study protocol for a randomised controlled trial in residential aged-care facilities assessing frailty as the primary outcome. <i>BMJ Open</i> , 2020 , 10, e032851	3	3
68	Using Post-market Utilisation Analysis to Support Medicines Pricing Policy: An Australian Case Study of Aflibercept and Ranibizumab Use. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 411-417	3.4	3
67	Post-market utilization patterns of Alzheimer's disease treatments in South Korea: comparison with countries with universal health coverage. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 921-929	2.8	3
66	Pharmaceutical Pricing Policies in Vietnam 2015 , 321-342		2
65	Mesh use in urogynaecological procedures between 2005 and 2016: An Australian cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 105-109	1.7	2
64	Doctors' views on the quality of claims provided by pharmaceutical representatives: A comparative study in Malaysia and Australia. <i>Journal of Taibah University Medical Sciences</i> , 2015 , 10, 471-480	1.7	2
63	The effects of pharmacist prescribing on patient outcomes in the hospital setting: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2016 , 13, 4-13	1.6	2
62	Improvement in metformin and insulin utilisation in the Australian veteran population associated with quality use of medicines intervention programs. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 359-65	2.6	2
61	Towards the safer use of warfarin II: results of a workshop. <i>Journal of Quality in Clinical Practice</i> , 1999 , 19, 61-2		2
60	Predictors of ceasing or reducing statin medication following a large increase in the consumer copayment for medications: a retrospective observational study. <i>Public Health Research and Practice</i> , 2020 , 30,	5.1	2
59	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. <i>BMJ Open</i> , 2020 , 10, e038016	3	2
58	Combination psychotropic medicine use in older adults and risk of hip fracture. <i>Australian Prescriber</i> , 2019 , 42, 93-96	1.4	2
57	Pharmaceutical Policy in Vietnam 2017 , 75-94		2

56	Evaluating Australia's National Medicines Policy using geographical mapping. <i>Internal Medicine Journal</i> , 2002 , 32, 66-71	1.6	2
55	Detecting high-quality signals of adverse drug-drug interactions from spontaneous reporting data. <i>Journal of Biomedical Informatics</i> , 2020 , 112, 103603	10.2	2
54	Does a Patient-Directed Financial Incentive Affect Patient Choices About Controller Medicines for Asthma? A Discrete Choice Experiment and Financial Impact Analysis. <i>Pharmacoeconomics</i> , 2019 , 37, 227-238	4.4	2
53	Knowledge of Australian hospital pharmacists regarding delirium in elderly patients. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 116-123	0.7	2
52	Antipsychotic polypharmacy in older Australians. <i>International Psychogeriatrics</i> , 2018 , 30, 539-546	3.4	2
51	Prior experience with cardiovascular medicines predicted longer persistence in people initiated to combinations of antihypertensive and lipid-lowering therapies: findings from two Australian cohorts. <i>Patient Preference and Adherence</i> , 2018 , 12, 835-843	2.4	2
50	Use of medicines and health services for chronic obstructive pulmonary disease among a cohort of Australians over 50 years. <i>International Journal of COPD</i> , 2018 , 13, 3085-3093	3	2
49	Evaluating Australia's National Medicines Policy using geographical mapping. <i>Internal Medicine Journal</i> , 2002 , 32, 66-71	1.6	2
48	Prevalence and Duration of Use of Medicines Recommended for Short-Term Use in Aged Care Facility Residents. <i>Pharmacy (Basel, Switzerland)</i> , 2019 , 7,	2	1
47	Hospitalization for drug-induced hepatotoxicity: linking Y-codes with pharmaceutical claims data to identify implicated medicines. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015 , 40, 213-9	2.2	1
46	Use of health and support services by people living with dementia in the community setting. <i>Australasian Journal on Ageing</i> , 2020 , 39, 341-349	1.5	1
45	Use of medicines associated with dry mouth and dental visits in an Australian cohort. <i>Australian Dental Journal</i> , 2020 , 65, 189-195	2.3	1
44	Gathering tips from carers to support people with dementia: an adaptation of the TOP 5 program for community use. <i>International Journal of Evidence-Based Healthcare</i> , 2018 , 16, 128-135	2.6	1
43	Initiation and continuation of antipsychotic medicines in older people following non-psychiatric hospital admission. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1341-1347	2.3	1
42	Impact of consumer copayments for subsidised medicines on health services use and outcomes: a protocol using linked administrative data from Western Australia. <i>BMJ Open</i> , 2017 , 7, e013691	3	1
41	International Price Comparisons for Novel and Follow-on Drugs: A Response. <i>Value in Health</i> , 2007 , 10, 512-513	3.3	1
40	Pattern of non-steroidal anti-inflammatory drug use in Australia 1990-1994. <i>Medical Journal of Australia</i> , 1996 , 165, 530-1	4	1
39	The Extent of Medication-Related Hospital Admissions in Australia: A Review from 1988 to 2021.. <i>Drug Safety</i> , 2022 , 45, 249	5.1	1

38	Determinants of usefulness in professional behaviour change interventions: observational study of a 15-year national program. <i>BMJ Open</i> , 2020 , 10, e038016	3	1
37	Risk of chronic opioid use in older persons with pre-existing anxiety. <i>Journal of Opioid Management</i> , 2019 , 16, 59-66	0.8	1
36	Risk of falls and injuries requiring hospitalisation after first-eye cataract surgery in elderly Australians. <i>Acta Ophthalmologica</i> , 2020 , 98, e495-e498	3.7	1
35	Hydroxyzine Initiation Following Drug Safety Advisories on Cardiac Arrhythmias in the UK and Canada: A Longitudinal Cohort Study.. <i>Drug Safety</i> , 2022 , 1	5.1	1
34	Experiences and perceptions of dementia in Vietnam and among the Vietnamese diaspora: a systematic review of qualitative studies.. <i>Aging and Mental Health</i> , 2022 , 1-16	3.5	1
33	Strengths and Weaknesses of Pharmaceutical Policy in Relation to Rational and Responsible Medicines Use 2018 , 247-262		0
32	Implementation and Evaluation of a Digitally Enabled Precision Public Health Intervention to Reduce Inappropriate Gabapentinoid Prescription: Cluster Randomized Controlled Trial.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e33873	7.6	0
31	The Risk of Preoperative Central Nervous System-Acting Medications on Delirium Following Hip or Knee Surgery: A Matched Case-Control Study. <i>Drug Safety</i> , 2021 , 45, 75	5.1	0
30	Demonstration of automated non-adherence and service disengagement risk monitoring with active follow-up for severe mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 976-982	2.6	0
29	Reducing adverse medication events in mental health: Australian National Survey. <i>International Journal of Evidence-Based Healthcare</i> , 2020 , 18, 108-115	2.6	0
28	Increased risk of 2-year death in patients who discontinued their use of statins. <i>Journal of Health Services Research and Policy</i> , 2021 , 26, 95-105	2.4	0
27	A data visualisation method for assessing exposure misclassification in case-crossover studies: the example of tricyclic antidepressants and the risk of hip fracture in older people. <i>BMC Medical Research Methodology</i> , 2021 , 21, 43	4.7	0
26	Response to Lertxundi and colleagues. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1054-5	5.6	
25	Development, delivery and evaluation of implementation programmes 2016 , 468-476		
24	Survival after initiation of androgen deprivation therapy for prostate cancer of Australian men. <i>Cancer Epidemiology</i> , 2015 , 39, 854-9	2.8	
23	Response to Letter to the Editor: 'Use of preoperative comorbidity scores to predict mortality after total arthroplasty'. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, e7	6.2	
22	Can we reduce the prevalence of persistent opioid use after surgery by predicting the future?. <i>Anaesthesia and Intensive Care</i> , 2017 , 45, 658-659	1.1	
21	Re: Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia. <i>Journal of Urology</i> , 2015 , 194, 1353-1354	2.5	

20	Impact on Drug Safety of Variation in Adherence: The Need for Routinely Reporting Measures of Dose Intensity in Medication Safety Studies Using Electronic Health Data. <i>Drug Safety</i> , 2015 , 38, 1145-52 ^{5.1}	
19	Corticosteroids in diabetes and chronic obstructive pulmonary disease: a therapeutic balancing act. <i>Diabetes Management</i> , 2013 , 3, 353-355	0
18	Pharmaceutical brand substitution in Australia: Identifying factors associated with having multiple brand substitutions. <i>International Journal of Pharmacy Practice</i> , 2010 , 17, 339-344	1.7
17	Do Pharmacists Adhere to Brand Substitution Guidelines? The Example of Simvastatin. <i>Journal of Pharmacy Practice and Research</i> , 2007 , 37, 292-294	0.7
16	Hospitalization rates as outcome indicators of national medicinal drug policies: the example of gastrointestinal ulcer. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8, 291-9	2.6
15	Frequent general practitioner visits are protective against statin discontinuation after a Pharmaceutical Benefits Scheme copayment increase. <i>Australian Health Review</i> , 2020 , 44, 377-384	1.8
14	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020 , 10, e039579	3
13	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020 , 10, e039579	3
12	A novel weighting method to remove bias from within-subject exposure dependency in case-crossover studies. <i>BMC Medical Research Methodology</i> , 2021 , 21, 214	4.7
11	Follow-up data on patent expiry and atorvastatin price: experiences in Brunei Darussalam, Malaysia, the Philippines and Thailand. <i>WHO South-East Asia Journal of Public Health</i> , 2019 , 8, 115-117	2.3
10	Comorbidities in an Australian sample of chronic and new opioid users. <i>Journal of Opioid Management</i> , 2020 , 16, 103-110	0.8
9	Data informs debate. <i>Australian Prescriber</i> , 2015 , 38, 38-9	1.4
8	Responding to the Under-Utilisation of Necessary Health Care in the Time of COVID-19: A Precision Public Health intervention 2021 , 36, 6-10	
7	The association between frailty and medicines use over time: an analysis using the Australian Longitudinal Study on Ageing population. <i>Journal of Pharmacy Practice and Research</i> , 2018 , 48, 405-415 ^{0.7}	
6	Comparison of General Practice and Pharmaceutical Dispensing Data for Pharmacoepidemiological Research: Assessing the Risk of Urinary-Tract Infections with Sodium Glucose Cotransporter 2 Inhibitors for Diabetes. <i>Advances in Public Health</i> , 2018 , 2018, 1-6	2.5
5	Evaluation of Renal Function Testing in Older Australian Veterans Dispensed Medicines that Require Renal Function Monitoring. <i>Drugs and Aging</i> , 2021 , 38, 995-1002	4.7
4	Exploring the association between stroke and acute myocardial infarction and statins adherence following a medicines co-payment increase. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 17, 1780-1785	2.9
3	The association between exacerbation of chronic obstructive pulmonary disease and timing of paracetamol use: a cohort study in elderly Australians.. <i>Respiratory Research</i> , 2022 , 23, 80	7.3

- 2 Life experiences of people with dementia in Vietnam and among the Vietnamese diaspora: A systematic review of qualitative studies.. *Alzheimer's and Dementia*, **2021**, 17 Suppl 7, e054820 1.2
- 1 Pharmaceutical brand substitution in Australia: identifying factors associated with having multiple brand substitutions. *International Journal of Pharmacy Practice*, **2009**, 17, 339-344 1.7