

# Songmin Shang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5656254/publications.pdf>

Version: 2024-02-01

154  
papers

6,455  
citations

57719

44  
h-index

76872

74  
g-index

155  
all docs

155  
docs citations

155  
times ranked

8898  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ag-coated cotton fabric as ultrasensitive and flexible SERS substrate. <i>Journal of Industrial Textiles</i> , 2022, 51, 712S-727S.	1.1	6
2	Regulating wound moisture for accelerated healing: A strategy for the continuous drainage of wound exudates by mimicking plant transpiration. <i>Chemical Engineering Journal</i> , 2022, 429, 131964.	6.6	13
3	Antibiotics-free wound dressing combating bacterial infections: A clean method using silkworm cocoon shell for preparation. <i>Materials Chemistry and Physics</i> , 2022, 277, 125484.	2.0	8
4	Synergistically enhanced electric field in inhomogeneous nanocavities for the application of recyclable SERS sensing. <i>Applied Materials Today</i> , 2022, 26, 101251.	2.3	0
5	Dual-Driven Hemostats Featured with Puncturing Erythrocytes for Severe Bleeding in Complex Wounds. <i>Research</i> , 2022, 2022, .	2.8	7
6	Flexible and reusable SERS substrate for rapid conformal detection of residue on irregular surface. <i>Cellulose</i> , 2021, 28, 921-936.	2.4	14
7	Piezocatalytic Foam for Highly Efficient Degradation of Aqueous Organics. <i>Small Science</i> , 2021, 1, 2000011.	5.8	32
8	Chestnut-like macro-acanthosphere triggered hemostasis: a featured mechanism based on puncturing red blood cells. <i>Nanoscale</i> , 2021, 13, 9843-9852.	2.8	6
9	Flexible Ag SERS substrate for non-destructive and rapid detection of toxic materials on irregular surface. <i>Surfaces and Interfaces</i> , 2021, 23, 100995.	1.5	12
10	Effect of sodium-doping on the performance of CZTS absorb layer: Single and bifacial sodium-incorporation method. <i>Solar Energy</i> , 2021, 221, 476-482.	2.9	11
11	Ag@ZIF-67 decorated cotton fabric as flexible, stable and sensitive SERS substrate for label-free detection of phenol-soluble modulin. <i>Cellulose</i> , 2021, 28, 7389-7404.	2.4	10
12	Cooling performance of a bioinspired micro-crystal-bars coated composite fabric with solar reflectance. <i>Composites Communications</i> , 2021, 27, 100814.	3.3	10
13	Compositional, structural, morphological, and optical characterization of magnetron sputtered CZTS thin films from various argon flow rate. <i>Physica B: Condensed Matter</i> , 2021, 623, 413375.	1.3	5
14	A novel template-free wet chemical synthesis method for economical production of zinc oxide microrods under atmospheric pressure. <i>Ceramics International</i> , 2020, 46, 2002-2009.	2.3	5
15	Minimizing antibiotic dosage through in situ formation of gold nanoparticles across antibacterial wound dressings: A facile approach using silk fabric as the base substrate. <i>Journal of Cleaner Production</i> , 2020, 243, 118604.	4.6	38
16	Flexible, stable and sensitive surface-enhanced Raman scattering of graphite/titanium-cotton substrate for conformal rapid food safety detection. <i>Cellulose</i> , 2020, 27, 941-954.	2.4	21
17	Fabrication of silk fibroin/poly(lactic-co-glycolic acid)/graphene oxide microfiber mat via electrospinning for protective fabric. <i>Materials Science and Engineering C</i> , 2020, 107, 110308.	3.8	23
18	Mimicking Saharan silver ant-hair: A bionic solar heat shielding architextile with hexagonal ZnO microrods coating. <i>Materials Letters</i> , 2020, 261, 127013.	1.3	11

#	ARTICLE	IF	CITATIONS
19	Rapid and highly sensitive SERS detection of fungicide based on flexible "wash free" metallic textile. <i>Applied Surface Science</i> , 2020, 512, 144693.	3.1	43
20	Flexible, Reusable SERS Substrate Derived from ZIF-67 by Adjusting LUMO and HOMO and Its Application in Identification of Bacteria. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 49452-49463.	4.0	41
21	Effects of element ratio on robustness of CZTS films: Variations in sulfurization temperature. <i>Ceramics International</i> , 2020, 46, 25927-25934.	2.3	10
22	Co-N-Codoped Carbon/Co@Carbon Cloth Hybrid Derived from ZIF-67 for the Oxygen Evolution Reaction and Supercapacitors. <i>Energy &amp; Fuels</i> , 2020, 34, 13023-13031.	2.5	17
23	Magnetron sputtering deposition of Ag/Ag <sub>2</sub> O bilayer films for highly efficient color generation on fabrics. <i>Ceramics International</i> , 2020, 46, 13342-13349.	2.3	27
24	A self-adapting hydrogel based on chitosan/oxidized konjac glucomannan/AgNPs for repairing irregular wounds. <i>Biomaterials Science</i> , 2020, 8, 1910-1922.	2.6	62
25	Removal of Reactive Dyes in Textile Effluents by Catalytic Ozonation Pursuing on-Site Effluent Recycling. <i>Molecules</i> , 2019, 24, 2755.	1.7	40
26	Fabrication of conductive and flame-retardant bifunctional cotton fabric by polymerizing pyrrole and doping phytic acid. <i>Polymer Degradation and Stability</i> , 2019, 167, 277-282.	2.7	41
27	NiCo <sub>2</sub> S <sub>4</sub> nanosheets and polypyrrole anchored porous micro-3D suede villus for flexible and waterproof energy storage. <i>Electrochimica Acta</i> , 2019, 321, 134650.	2.6	2
28	Solar heat shielding performance of potassium titanate whisker coated polypropylene fabric based on a bionic method. <i>Composites Part B: Engineering</i> , 2019, 177, 107408.	5.9	14
29	A stable, ultrasensitive and flexible substrate integrated from 1D Ag/±-Fe <sub>2</sub> O <sub>3</sub> /SiO <sub>2</sub> fibers for practical surface-enhanced Raman scattering detection. <i>Composites Part B: Engineering</i> , 2019, 177, 107376.	5.9	12
30	The stability study of copper sputtered polyester fabrics in synthetic perspiration. <i>Vacuum</i> , 2019, 164, 205-211.	1.6	16
31	Biodegradable Microporous Starch with Assembled Thrombin for Rapid Induction of Hemostasis. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 9121-9132.	3.2	45
32	The Application of Atmospheric Plasma for Cotton Fabric Desizing. <i>Fibers and Polymers</i> , 2019, 20, 2334-2341.	1.1	7
33	Flexible and reusable cap-like thin Fe <sub>2</sub> O <sub>3</sub> film for SERS applications. <i>Nano Research</i> , 2019, 12, 381-388.	5.8	39
34	Wet Functionalization of Carbon Nanotubes and Its Applications in Rubber Composites. , 2019, , 77-108.		4
35	Wet Functionalization of Graphene and Its Applications in Rubber Composites. , 2019, , 285-322.		3
36	AgNps-PVA "coated woven cotton fabric: Preparation, water repellency, shielding properties and antibacterial activity. <i>Journal of Industrial Textiles</i> , 2019, 48, 1545-1565.	1.1	31

#	ARTICLE	IF	CITATIONS
37	Graphene oxide incorporated alginate hydrogel beads for the removal of various organic dyes and bisphenol A in water. <i>Colloid and Polymer Science</i> , 2018, 296, 607-615.	1.0	49
38	Enhanced electro-conductivity and multi-shielding performance with copper, stainless steel and titanium coating onto PVA impregnated cotton fabric. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 5624-5633.	1.1	21
39	Wearable strain sensing textile based on one-dimensional stretchable and weavable yarn sensors. <i>Nano Research</i> , 2018, 11, 5799-5811.	5.8	99
40	Crystallization temperature investigation of Cu <sub>2</sub> ZnSnS <sub>4</sub> by using Differential scanning calorimetry (DSC). <i>Ceramics International</i> , 2018, 44, 4256-4261.	2.3	12
41	Fabrication of highly electrically conductive Ti/Ag/Ti tri-layer and Ti-Ag alloy thin films on PET fabrics by multi-target magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 19578-19587.	1.1	7
42	Designing of advanced smart medical stocking using stress-memory polymeric filaments for pressure control and massaging. <i>Materials Science and Engineering C</i> , 2018, 91, 263-273.	3.8	18
43	IR protection property and color performance of TiO <sub>2</sub> /Cu/TiO <sub>2</sub> coated polyester fabrics. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 16188-16198.	1.1	15
44	Novel wound dressing with chitosan gold nanoparticles capped with a small molecule for effective treatment of multiantibiotic-resistant bacterial infections. <i>Nanotechnology</i> , 2018, 29, 425603.	1.3	36
45	Minimizing Freshwater Consumption in the Wash-Off Step in Textile Reactive Dyeing by Catalytic Ozonation with Carbon Aerogel Hosted Bimetallic Catalyst. <i>Polymers</i> , 2018, 10, 193.	2.0	11
46	Development of water-based polymeric dye and its application as a colorant for waterborne polyurethane. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	4
47	Synthesis and electromagnetic wave absorption property of amorphous carbon nanotube networks on a 3D graphene aerogel/BaFe <sub>12</sub> O <sub>19</sub> nanocomposite. <i>Journal of Alloys and Compounds</i> , 2017, 708, 115-122.	2.8	50
48	Stress-memory polymeric filaments for advanced compression therapy. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1905-1916.	2.9	37
49	Electromagnetic wave absorbing properties of aligned amorphous carbon nanotube/BaFe <sub>12</sub> O <sub>19</sub> nanorod composite. <i>Journal of Alloys and Compounds</i> , 2017, 703, 424-430.	2.8	40
50	Synthesis of immobilized poly(vinyl alcohol)/cyclodextrin eco-adsorbent and its application for the removal of ibuprofen from pharmaceutical sewage. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	7
51	In-situ growth amorphous carbon nanotube on silicon particles as lithium-ion battery anode materials. <i>Journal of Alloys and Compounds</i> , 2017, 708, 500-507.	2.8	41
52	In situ synthesis of interlinked three-dimensional graphene foam/polyaniline nanorod supercapacitor. <i>Electrochimica Acta</i> , 2017, 230, 342-349.	2.6	53
53	Direct in situ synthesis of a 3D interlinked amorphous carbon nanotube/graphene/BaFe <sub>12</sub> O <sub>19</sub> composite and its electromagnetic wave absorbing properties. <i>RSC Advances</i> , 2017, 7, 15903-15910.	1.7	22
54	Preparation and characterization of shielding textiles to prevent infrared penetration with Ag thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 3542-3547.	1.1	17

#	ARTICLE	IF	CITATIONS
55	Synthesis of sandwich microstructured expanded graphite/barium ferrite connected with carbon nanotube composite and its electromagnetic wave absorbing properties. <i>Journal of Alloys and Compounds</i> , 2017, 712, 59-68.	2.8	62
56	Preparation and electromagnetic wave absorbing properties of 3D graphene/pine needle-like iron nano-acicular whisker composites. <i>RSC Advances</i> , 2017, 7, 16196-16203.	1.7	8
57	Fabrication and characterization of copper coated polyamide-6 fibers with magnetron sputtering technology. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 18936-18943.	1.1	10
58	Photo-thermal conversion and thermal insulation properties of ZrC coated polyester fabric. <i>Fibers and Polymers</i> , 2017, 18, 1938-1944.	1.1	34
59	Fabrication of copper and titanium coated textiles for sunlight management. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 9852-9858.	1.1	24
60	Water-repellency, ultraviolet protection and infrared emissivity properties of AZO film on polyester fabric. <i>Ceramics International</i> , 2017, 43, 2424-2430.	2.3	31
61	Quantifying Energy Harvested from Contact-Mode Hybrid Nanogenerators with Cascaded Piezoelectric and Triboelectric Units. <i>Advanced Energy Materials</i> , 2017, 7, 1601569.	10.2	69
62	Microwave-assisted coating of silver nanoparticles on bamboo rayon fabrics modified with poly(diallyldimethylammonium chloride). <i>Cellulose</i> , 2016, 23, 2677-2688.	2.4	16
63	Influence of deposition temperature on luminescent efficiency of Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> thin films deposited on quartz fabric by EBE. <i>Ceramics International</i> , 2016, 42, 8102-8107.	2.3	8
64	Adhesion and durability of Cu film on polyester fabric prepared by finishing treatment with polyester-polyurethane and aqueous acrylate. <i>Fibers and Polymers</i> , 2016, 17, 1397-1402.	1.1	9
65	Alginate acid/graphene oxide hydrogel film coated functional cotton fabric for controlled release of matrine and oxymatrine. <i>RSC Advances</i> , 2016, 6, 76420-76425.	1.7	10
66	Regeneration and reuse of highly polluting textile dyeing effluents through catalytic ozonation with carbon aerogel catalysts. <i>Journal of Cleaner Production</i> , 2016, 137, 1055-1065.	4.6	97
67	Preparation and characterization of Fe <sub>2</sub> O <sub>3</sub> coating on quartz fabric by electron beam evaporation. <i>Ceramics International</i> , 2016, 42, 19386-19392.	2.3	16
68	Constituent analysis of stress memory in semicrystalline polyurethane. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 941-947.	2.4	9
69	Microwave-assisted deposition of silver nanoparticles on bamboo pulp fabric through dopamine functionalization. <i>Applied Surface Science</i> , 2016, 386, 151-159.	3.1	83
70	Visible light induced methylene blue dye degradation photo-catalyzed by WO <sub>3</sub> /graphene nanocomposites and the mechanism. <i>Ceramics International</i> , 2016, 42, 15235-15241.	2.3	84
71	Synthesis of silver nanoparticles on bamboo pulp fabric after plasma pretreatment. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 5925-5933.	1.1	8
72	Impact of vinyl concentration of a silicone rubber on the properties of the graphene oxide filled silicone rubber composites. <i>Composites Part B: Engineering</i> , 2016, 84, 294-300.	5.9	56

#	ARTICLE	IF	CITATIONS
73	Catalytic ozonation of simulated textile dyeing wastewater using mesoporous carbon aerogel supported copper oxide catalyst. <i>Journal of Cleaner Production</i> , 2016, 112, 4710-4718.	4.6	160
74	Effect of annealing rate on microstructure and luminescence of Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> deposited quartz fiber by electron beam evaporation. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 6868-6874.	1.1	4
75	One-pot synthesis of polypyrrole/AgCl composite nanotubes and their antibacterial properties. <i>Micro and Nano Letters</i> , 2015, 10, 50-53.	0.6	16
76	Covalently functionalized graphene with $\alpha$ -D-glucose and its reinforcement to poly(vinylidene fluoride)/graphene oxide nanocomposites. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 6875-6882.	1.7	30
77	Fabrication of Ag and AZO/Ag/AZO ceramic films on cotton fabrics for solar control. <i>Ceramics International</i> , 2015, 41, 6312-6317.	2.3	32
78	Microwave-assisted synthesis of Mn <sub>3</sub> O <sub>4</sub> nanoparticles@reduced graphene oxide nanocomposites for high performance supercapacitors. <i>Materials Research Bulletin</i> , 2015, 70, 945-950.	2.7	53
79	Assembly of Polypyrrole-Graphene Oxide Hydrogel Nanocomposites and Their Swelling Properties. <i>Journal of Macromolecular Science - Physics</i> , 2015, 54, 1122-1131.	0.4	20
80	Graphene nanoribbon coated flexible and conductive cotton fabric. <i>Composites Science and Technology</i> , 2015, 117, 208-214.	3.8	79
81	Hydrothermal synthesis of magnetic CoFe <sub>2</sub> O <sub>4</sub> /graphene nanocomposites with improved photocatalytic activity. <i>Applied Surface Science</i> , 2015, 351, 140-147.	3.1	89
82	Assembly of polypyrrole nanotube@MnO <sub>2</sub> composites with an improved electrochemical capacitance. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 198, 51-56.	1.7	46
83	Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> luminescent thin film deposited on quartz fiber by electron beam evaporation technology. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 4113-4118.	1.1	8
84	A novel rapid electropulsing treatment on AZO thin ceramic films. <i>Ceramics International</i> , 2015, 41, 8235-8240.	2.3	3
85	Fabrication of Ag thin film on polyester fabric by roll to roll magnetron sputtering system. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 3364-3369.	1.1	13
86	Fabrication of porous and amorphous TiO <sub>2</sub> thin films on flexible textile substrates. <i>Ceramics International</i> , 2015, 41, 9177-9182.	2.3	18
87	Konjac glucomannan/graphene oxide hydrogel with enhanced dyes adsorption capability for methyl blue and methyl orange. <i>Applied Surface Science</i> , 2015, 357, 866-872.	3.1	172
88	Synthesis of polypyrrole nanocomposites decorated with silver nanoparticles with electrocatalysis and antibacterial property. <i>Composites Part B: Engineering</i> , 2015, 69, 232-236.	5.9	93
89	Fabrication of high infrared reflective AZO/Ag/AZO films on polyester fabrics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 1198-1204.	1.1	11
90	Fabrication of high infrared reflective ceramic films on polyester fabrics by RF magnetron sputtering. <i>Ceramics International</i> , 2015, 41, 1595-1601.	2.3	27

#	ARTICLE	IF	CITATIONS
91	The synthesis of graphene nanoribbon and its reinforcing effect on poly (vinyl alcohol). Composites Part A: Applied Science and Manufacturing, 2015, 68, 149-154.	3.8	55
92	Facile preparation of graphene nanoribbon filled silicone rubber nanocomposite with improved thermal and mechanical properties. Composites Part B: Engineering, 2015, 69, 237-242.	5.9	114
93	Development of Nanogenerators in Wearable Electronics. , 2015, , 411-431.		2
94	One-Step Assembly of Polypyrrole-Graphene Oxide Nanocomposite Sponges. Nanoscience and Nanotechnology Letters, 2014, 6, 1102-1106.	0.4	4
95	Infrared reflective property of AZO films prepared by RF magnetron sputtering. Materials Technology, 2014, 29, 321-325.	1.5	11
96	Infrared reflective properties of AZO/Ag/AZO trilayers prepared by RF magnetron sputtering. Ceramics International, 2014, 40, 12847-12853.	2.3	59
97	Highly transparent and infrared reflective AZO/Ag/AZO multilayer film prepared on PET substrate by RF magnetron sputtering. Vacuum, 2014, 106, 1-4.	1.6	93
98	The potential of cuttlebone as reinforced filler of polyurethane. Composites Science and Technology, 2014, 93, 17-22.	3.8	12
99	Transparent conductive and infrared reflective AZO/Cu/AZO multilayer film prepared by RF magnetron sputtering. Journal of Materials Science: Materials in Electronics, 2014, 25, 5248-5254.	1.1	21
100	The potential of yeast as eco-filler for waterborne polyurethane and its reinforcing mechanism. European Polymer Journal, 2014, 60, 6-13.	2.6	5
101	Characterization of AZO and Ag based films prepared by RF magnetron sputtering. Journal of Alloys and Compounds, 2014, 616, 26-31.	2.8	41
102	Carbon nanotubes based high temperature vulcanized silicone rubber nanocomposite with excellent elasticity and electrical properties. Composites Part A: Applied Science and Manufacturing, 2014, 66, 135-141.	3.8	88
103	Fabrication of 3D Polypyrrole/Graphene Oxide Composite Hydrogels with High Performance Swelling Properties. Journal of Inorganic and Organometallic Polymers and Materials, 2014, 24, 884-889.	1.9	21
104	Effect of heat treatment on infrared reflection property of Al-doped ZnO films. Solar Energy Materials and Solar Cells, 2014, 127, 163-168.	3.0	42
105	Highly durable all-fiber nanogenerator for mechanical energy harvesting. Energy and Environmental Science, 2013, 6, 2631.	15.6	317
106	Controlled growth of polypyrrole hydrogels. Soft Matter, 2013, 9, 2832.	1.2	82
107	Improvement of carbon nanotubes dispersion by chitosan salt and its application in silicone rubber. Composites Science and Technology, 2013, 86, 129-134.	3.8	45
108	Intermolecular interactions between natural polysaccharides and silk fibroin protein. Carbohydrate Polymers, 2013, 93, 561-573.	5.1	78

#	ARTICLE	IF	CITATIONS
109	Self-assembly of polypyrrole/chitosan composite hydrogels. <i>Carbohydrate Polymers</i> , 2013, 95, 72-76.	5.1	67
110	Synthesis and Properties of Polypyrrole/Chitosan Composite Hydrogels. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2013, 50, 1225-1229.	1.2	13
111	Process control in dyeing of textiles. , 2013, , 300-338.		13
112	Conductive nanofibres and nanocoatings for smart textiles. , 2013, , 92-128.		9
113	Process control in printing of textiles. , 2013, , 339-362.		4
114	Fabrication of conducting polypyrrole/ $\beta$ -cyclodextrin nano- and micro-spheres using molecular templates. <i>RSC Advances</i> , 2012, 2, 4675.	1.7	13
115	Poly(acrylic acid)-silicon Hybrids Prepared via a RAFT-mediated Process and Covalent Immobilization of Glucose Oxidase. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2012, 49, 316-320.	1.2	8
116	Conductivity switching and memory effect in polymer brushes with carbazole pendant moieties. <i>Synthetic Metals</i> , 2012, 162, 1059-1064.	2.1	6
117	Preparation of superhydrophobic and UV blocking cotton fabric via sol-gel method and self-assembly. <i>Applied Surface Science</i> , 2012, 259, 110-117.	3.1	74
118	Fabrication and characterization of free-standing polypyrrole/graphene oxide nanocomposite paper. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	46
119	Facile preparation of water dispersible polypyrrole nanotube-supported silver nanoparticles for hydrogen peroxide reduction and surface-enhanced Raman scattering. <i>Electrochimica Acta</i> , 2012, 75, 399-405.	2.6	33
120	Investigation on the electrical response behaviors of multiwalled carbon nanotube/polyurethane composite in organic solvent vapors. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 330-337.	4.0	43
121	Nonvolatile memory devices based on electrical conductance tuning in poly(N-vinylcarbazole)-graphene composites. <i>Organic Electronics</i> , 2012, 13, 1289-1295.	1.4	61
122	Surface modification of polythiophene and poly(3-methyl thiophene) films by graft copolymerization. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2582-2587.	1.3	7
123	Electrical and optical properties of polymer-Au nanocomposite films synthesized by magnetron cosputtering. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2800-2804.	1.3	7
124	High stretchable MWNTs/polyurethane conductive nanocomposites. <i>Journal of Materials Chemistry</i> , 2011, 21, 7274.	6.7	143
125	Two-stage crystallization kinetics equation and nonisothermal crystallization analyses for PTEG and filled PTEG. <i>Journal of Materials Science</i> , 2011, 46, 4085-4091.	1.7	9
126	Magnetic ionic liquid-assisted synthesis of polyaniline/AgCl nanocomposites by interface polymerization. <i>Journal of Nanoparticle Research</i> , 2011, 13, 415-421.	0.8	19



#	ARTICLE	IF	CITATIONS
127	Surface characterization of sputter silver-coated polyester fiber. <i>Fibers and Polymers</i> , 2011, 12, 616-619.	1.1	23
128	Vapor phase polymerization of 3,4-ethylenedioxythiophene on flexible substrate and its application on heat generation. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1049-1055.	1.6	32
129	Synthesis of polymeric ionic liquid microsphere/Pt nanoparticle hybrids for electrocatalytic oxidation of methanol and catalytic oxidation of benzyl alcohol. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4531-4538.	2.5	55
130	Sensing behaviors of polymer/carbon nanotubes composites prepared in reversed microemulsion polymerization. <i>Journal of Applied Polymer Science</i> , 2011, 119, 1842-1847.	1.3	11
131	Layer-structured poly(vinyl alcohol)/graphene oxide nanocomposites with improved thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2011, 120, 1355-1360.	1.3	67
132	Water-based amorphous carbon nanotubes filled polymer nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011, 122, 1986-1992.	1.3	7
133	Stability of two-phase polymerization of acrylamide in aqueous poly(ethylene glycol) solution. <i>Journal of Applied Polymer Science</i> , 2011, 122, 1121-1133.	1.3	15
134	Physical properties of silk fibroin/cellulose blend films regenerated from the hydrophilic ionic liquid. <i>Carbohydrate Polymers</i> , 2011, 86, 462-468.	5.1	84
135	Enhanced washing durability of hydrophobic coating on cellulose fabric using polycarboxylic acids. <i>Applied Surface Science</i> , 2011, 257, 4443-4448.	3.1	42
136	Memory effect in polymer brushes containing pendant carbazole groups. <i>Polymer</i> , 2011, 52, 1385-1390.	1.8	13
137	Facial Synthesis of Polyaniline/AgCl Nanocomposites at the Interface of Water and Ionic Liquid. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 1188-1192.	0.9	3
138	Vapor-phase polymerization of pyrrole on flexible substrate at low temperature and its application in heat generation. <i>Polymer International</i> , 2010, 59, 204-211.	1.6	13
139	Protic Ionic Liquid-Based Hybrid Proton-Conducting Membranes for Anhydrous Proton Exchange Membrane Application. <i>Chemistry of Materials</i> , 2010, 22, 1807-1813.	3.2	192
140	Microstructures and electrical conductance of silver nanocrystalline thin films on flexible polymer substrates. <i>Surface and Coatings Technology</i> , 2010, 204, 1206-1210.	2.2	59
141	Facial synthesis of polypyrrole/silver nanocomposites at the water/ionic liquid interface and their electrochemical properties. <i>Materials Letters</i> , 2010, 64, 1918-1920.	1.3	19
142	Intermolecular interaction in aqueous solution of binary blends of poly(acrylamide) and poly(ethylene glycol). <i>Journal of Applied Polymer Science</i> , 2010, 118, 2572-2581.	1.3	22
143	Synthesis and characterization of layer-aligned poly(vinyl alcohol)/graphene nanocomposites. <i>Polymer</i> , 2010, 51, 3431-3435.	1.8	338
144	Crystallization behavior of poly(trimethylene terephthalate)-poly(ethylene glycol) segmented copolyesters/multi-walled carbon nanotube nanocomposites. <i>Polymer Testing</i> , 2010, 29, 1007-1013.	2.3	26

#	ARTICLE	IF	CITATIONS
145	Preparation of durable hydrophobic cellulose fabric from water glass and mixed organosilanes. <i>Applied Surface Science</i> , 2010, 257, 1495-1499.	3.1	56
146	Highly Stretchable Conductive Polymer Compositied with Carbon Nanotubes and Nanospheres. <i>Advanced Materials Research</i> , 2010, 123-125, 109-112.	0.3	20
147	High Performance Cross-Linked Poly(2-acrylamido-2-methylpropanesulfonic acid)-Based Proton Exchange Membranes for Fuel Cells. <i>Macromolecules</i> , 2010, 43, 6398-6405.	2.2	78
148	Well-Dispersed Chitosan/Graphene Oxide Nanocomposites. <i>ACS Applied Materials &amp; Interfaces</i> , 2010, 2, 1707-1713.	4.0	681
149	Polymethylmethacrylate-carbon nanotubes composites prepared by microemulsion polymerization for gas sensor. <i>Composites Science and Technology</i> , 2009, 69, 1156-1159.	3.8	53
150	Reducing silk fibrillation through MMA graft method. <i>Fibers and Polymers</i> , 2009, 10, 807-812.	1.1	13
151	Synthesis and characterization of poly(3-methyl thiophene) nanospheres in magnetic ionic liquid. <i>Journal of Colloid and Interface Science</i> , 2009, 333, 415-418.	5.0	34
152	Easy synthesis of carbon nanotubes with polypyrrole nanotubes as the carbon precursor. <i>Polymer</i> , 2009, 50, 2815-2818.	1.8	86
153	The influence of metal ions on the aggregation and hydrophobicity of dyes in solutions. <i>Coloration Technology</i> , 1999, 115, 228-232.	0.7	15
154	DYEING AND FINISHING. <i>Journal of the Textile Institute Proceedings</i> , 1961, 52, P674-P676.	0.1	0