

Frédéric Haesebaert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5656797/publications.pdf>

Version: 2024-02-01

54
papers

1,899
citations

394421

19
h-index

265206

42
g-index

68
all docs

68
docs citations

68
times ranked

2815
citing authors

#	ARTICLE	IF	CITATIONS
1	Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2012, 169, 719-724.	7.2	434
2	Global Changes and Factors of Increase in Caloric/Salty Food Intake, Screen Use, and Substance Use During the Early COVID-19 Containment Phase in the General Population in France: Survey Study. <i>JMIR Public Health and Surveillance</i> , 2020, 6, e19630.	2.6	227
3	Frontal Transcranial Direct Current Stimulation Induces Dopamine Release in the Ventral Striatum in Human. <i>Cerebral Cortex</i> , 2018, 28, 2636-2646.	2.9	133
4	Risk factors for treatment resistance in unipolar depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 171, 137-141.	4.1	95
5	Fronto-temporal transcranial Direct Current Stimulation (tDCS) reduces source-monitoring deficits and auditory hallucinations in patients with schizophrenia. <i>Schizophrenia Research</i> , 2015, 161, 515-516.	2.0	83
6	Transcranial direct current stimulation in treatment-resistant obsessive-compulsive disorder: An open-label pilot study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 153-157.	4.8	73
7	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the foundation FondaMental. <i>BMC Psychiatry</i> , 2019, 19, 262.	2.6	56
8	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. <i>Journal of ECT</i> , 2015, 31, 271-272.	0.6	47
9	Usefulness of the Montreal Cognitive Assessment (MoCA) to monitor cognitive impairments in depressed patients receiving electroconvulsive therapy. <i>Psychiatry Research</i> , 2018, 259, 476-481.	3.3	45
10	Who maintains good mental health in a locked-down country? A French nationwide online survey of 11,391 participants. <i>Health and Place</i> , 2020, 66, 102440.	3.3	44
11	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. <i>Brain Stimulation</i> , 2012, 5, 431-432.	1.6	42
12	Integrity of the arcuate fasciculus in patients with schizophrenia with auditory verbal hallucinations: A DTI-tractography study. <i>NeuroImage: Clinical</i> , 2016, 12, 970-975.	2.7	40
13	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. <i>Frontiers in Psychiatry</i> , 2012, 3, 13.	2.6	38
14	Nicotine Smoking Prevents the Effects of Frontotemporal Transcranial Direct Current Stimulation (tDCS) in Hallucinating Patients With Schizophrenia. <i>Brain Stimulation</i> , 2015, 8, 1225-1227.	1.6	36
15	Measuring alterations in oscillatory brain networks in schizophrenia with resting-state MEG: State-of-the-art and methodological challenges. <i>Clinical Neurophysiology</i> , 2017, 128, 1719-1736.	1.5	32
16	Tone-matching ability in patients with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2017, 181, 94-99.	2.0	27
17	Efficacy and safety of fronto-temporal transcranial random noise stimulation (trNS) in drug-free patients with schizophrenia: A case study. <i>Schizophrenia Research</i> , 2014, 159, 251-252.	2.0	22
18	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	21

#	ARTICLE	IF	CITATIONS
19	Usefulness of repetitive transcranial magnetic stimulation as a maintenance treatment in patients with major depression. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 74-78.	2.6	20
20	Management of depression in patients with schizophrenia spectrum disorders: a critical review of international guidelines. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 289-299.	4.5	19
21	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) <i>Tj ETQq1 1 0.7843142gBT /Overlock 10</i>		
22	The effects of acute nicotine administration on cognitive and early sensory processes in schizophrenia: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 118, 121-133.	6.1	19
23	Cognitive insight in individuals with an atâ€risk mental state for psychosis: A metaâ€analysis. <i>Microbial Biotechnology</i> , 2021, 15, 449-456.	1.7	18
24	Clinical Effects of Mindfulness-Based Intervention in Patients With First Episode Psychosis and in Individuals With Ultra-High Risk for Transition to Psychosis: A Review. <i>Frontiers in Psychiatry</i> , 2019, 10, 797.	2.6	16
25	N-Acetyl-Aspartate in the dorsolateral prefrontal cortex in men with schizophrenia and auditory verbal hallucinations: A 1.5â€T Magnetic Resonance Spectroscopy Study. <i>Scientific Reports</i> , 2018, 8, 4133.	3.3	13
26	Advancing clinical response characterization to frontotemporal transcranial direct current stimulation with electric field distribution in patients with schizophrenia and auditory hallucinations: a pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 85-92.	3.2	13
27	Reality-monitoring deficits and visual hallucinations in schizophrenia. <i>European Psychiatry</i> , 2019, 62, 10-14.	0.2	12
28	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017, 8, 244.	2.6	11
29	Sensory-targeted cognitive training for schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 211-225.	2.8	9
30	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020, 264, 318-323.	4.1	9
31	Are basic auditory processes involved in source-monitoring deficits in patients with schizophrenia?. <i>Schizophrenia Research</i> , 2019, 210, 135-142.	2.0	8
32	Effects of smoking status and MADRS retardation factor on response to low frequency repetitive transcranial magnetic stimulation for depression. <i>European Psychiatry</i> , 2016, 38, 40-44.	0.2	7
33	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 70.	2.4	7
34	Pertinence of Titration and Age-Based Dosing Methods for Electroconvulsive Therapy. <i>Journal of ECT</i> , 2018, 34, 220-226.	0.6	7
35	Repetitive transcranial magnetic stimulation can alleviate treatment-resistant depression in patients with progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1113-1114.	2.2	5
36	A meta-analysis of craving studies in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 222, 49-57.	2.0	5

#	ARTICLE	IF	CITATIONS
37	Duration, pitch and intensity features reveal different magnitudes of tone-matching deficit in schizophrenia. <i>Schizophrenia Research</i> , 2020, 215, 460-462.	2.0	4
38	Neuroanatomical correlates of reality-monitoring in patients with schizophrenia and auditory hallucinations. <i>European Psychiatry</i> , 2021, 64, 1-28.	0.2	4
39	Ten Sessions of 30 Min tDCS over 5 Days to Achieve Remission in Depression: A Randomized Pilot Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 782.	2.4	4
40	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. <i>Clinical Neurophysiology</i> , 2013, 124, 823-824.	1.5	3
41	PLAN-e-PSY, a mobile application to improve case management and patient's functioning in first episode psychosis: protocol for an open-label, multicentre, superiority, randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e050433.	1.9	3
42	Neurostimulation du cortex préfrontal dorsolatéral: quels effets sur la symptomatologie, l'humeur et les émotions dans la dépression et la schizophrénie?. <i>Sante Mentale Au Quebec</i> , 0, 41, 223-239.	0.1	2
43	Stimulation magnétique transcrânienne répétitive (rTMS) et schizophrénie: vers de nouvelles opportunités thérapeutiques?. <i>Annales Medico-Psychologiques</i> , 2010, 168, 394-398.	0.4	1
44	Dépression résistante: vers une prise en considération des comorbidités et de la iatrogénie. <i>European Psychiatry</i> , 2014, 29, 663-663.	0.2	1
45	Online transcranial direct current stimulation of the frontal cortex induces dopamine release in the striatum – a spatial and temporal analysis in healthy humans. <i>Brain Stimulation</i> , 2017, 10, 516-517.	1.6	1
46	Fronto-temporal transcranial direct-current stimulation reduces auditory verbal hallucinations and n-acetylaspartate-glutamate level in the left temporoparietal junction in patients with schizophrenia. <i>Brain Stimulation</i> , 2017, 10, 517-518.	1.6	1
47	From Knowledge Transfer to Action: An Example of a Community of Practice for First-Episode Psychosis in Lyon, France. <i>Psychiatric Services</i> , 2020, 71, 975-978.	2.0	1
48	Efficacy and safety of topiramate for reducing impulsivity: a transdiagnostic systematic review and meta-analysis of a common clinical use. <i>Fundamental and Clinical Pharmacology</i> , 2021, , .	1.9	1
49	Mental well-being in young people with psychiatric disorders during the early phase of COVID-19 lockdown. <i>PLoS ONE</i> , 2022, 17, e0270644.	2.5	1
50	P14.3 Transcranial direct current stimulation (tDCS) in the treatment of refractory auditory hallucinations in schizophrenia. <i>Clinical Neurophysiology</i> , 2011, 122, S121-S122.	1.5	0
51	Toward a better characterisation and management of treatment-resistant depression in France through the network of expert centers (FondaMental). <i>European Neuropsychopharmacology</i> , 2017, 27, S786-S787.	0.7	0
52	Transcranial direct current stimulation for auditory hallucinations: Evidence from clinical and neurophysiological studies. <i>L'Encephale</i> , 2019, 45, S61.	0.9	0
53	The Future of Brain Stimulation to Treat Hallucinations. , 2013, , 513-527.		0
54	Brain stimulation for psychiatric disorders: Insight from animal models. <i>L'Encephale</i> , 2019, 45, S59-S60.	0.9	0