
## Frédéric Haesebaert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5656797/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ten Sessions of 30 Min tDCS over 5 Days to Achieve Remission in Depression: A Randomized Pilot Study. Journal of Clinical Medicine, 2022, 11, 782.	2.4	4
2	Mental well-being in young people with psychiatric disorders during the early phase of COVID-19 lockdown. PLoS ONE, 2022, 17, e0270644.	2.5	1
3	Cognitive insight in individuals with an atâ€risk mental state for psychosis: A metaâ€analysis. Microbial Biotechnology, 2021, 15, 449-456.	1.7	18
4	Advancing clinical response characterization to frontotemporal transcranial direct current stimulation with electric field distribution in patients with schizophrenia and auditory hallucinations: a pilot study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 85-92.	3.2	13
5	Efficacy and safety of topiramate for reducing impulsivity: a transdiagnostic systematic review and metaâ€analysis of a common clinical use. Fundamental and Clinical Pharmacology, 2021, , .	1.9	1
6	Neuroanatomical correlates of reality-monitoring in patients with schizophrenia and auditory hallucinations. European Psychiatry, 2021, 64, 1-28.	0.2	4
7	PLAN-e-PSY, a mobile application to improve case management and patient's functioning in first episode psychosis: protocol for an open-label, multicentre, superiority, randomised controlled trial. BMJ Open, 2021, 11, e050433.	1.9	3
8	Duration, pitch and intensity features reveal different magnitudes of tone-matching deficit in schizophrenia. Schizophrenia Research, 2020, 215, 460-462.	2.0	4
9	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. Journal of Affective Disorders, 2020, 264, 318-323.	4.1	9
10	Who maintains good mental health in a locked-down country? A French nationwide online survey of 11,391 participants. Health and Place, 2020, 66, 102440.	3.3	44
11	The effects of acute nicotine administration on cognitive and early sensory processes in schizophrenia: a systematic review. Neuroscience and Biobehavioral Reviews, 2020, 118, 121-133.	6.1	19
12	A meta-analysis of craving studies in schizophrenia spectrum disorders. Schizophrenia Research, 2020, 222, 49-57.	2.0	5
13	From Knowledge Transfer to Action: An Example of a Community of Practice for First-Episode Psychosis in Lyon, France. Psychiatric Services, 2020, 71, 975-978.	2.0	1
14	Global Changes and Factors of Increase in Caloric/Salty Food Intake, Screen Use, and Substance Use During the Early COVID-19 Containment Phase in the General Population in France: Survey Study. JMIR Public Health and Surveillance, 2020, 6, e19630.	2.6	227
15	Transcranial direct current stimulation for auditory hallucinations: Evidence from clinical and neurophysiological studies. L'Encephale, 2019, 45, S61.	0.9	0
16	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	2.6	56
17	Reality-monitoring deficits and visual hallucinations in schizophrenia. European Psychiatry, 2019, 62, 10-14.	0.2	12

Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq0 0 0 rgBT /Overdock 1019 50 57 To

#	Article	IF	CITATIONS
19	Are basic auditory processes involved in source-monitoring deficits in patients with schizophrenia?. Schizophrenia Research, 2019, 210, 135-142.	2.0	8
20	Sensory-targeted cognitive training for schizophrenia. Expert Review of Neurotherapeutics, 2019, 19, 211-225.	2.8	9
21	Clinical Effects of Mindfulness-Based Intervention in Patients With First Episode Psychosis and in Individuals With Ultra-High Risk for Transition to Psychosis: A Review. Frontiers in Psychiatry, 2019, 10, 797.	2.6	16
22	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2019, 80, .	2.2	21
23	Brain stimulation for psychiatric disorders: Insight from animal models. L'Encephale, 2019, 45, S59-S60.	0.9	0
24	N-Acetyl-Aspartate in the dorsolateral prefrontal cortex in men with schizophrenia and auditory verbal hallucinations: A 1.5 T Magnetic Resonance Spectroscopy Study. Scientific Reports, 2018, 8, 4133.	3.3	13
25	Frontal Transcranial Direct Current Stimulation Induces Dopamine Release in the Ventral Striatum in Human. Cerebral Cortex, 2018, 28, 2636-2646.	2.9	133
26	Usefulness of repetitive transcranial magnetic stimulation as a maintenance treatment in patients with major depression. World Journal of Biological Psychiatry, 2018, 19, 74-78.	2.6	20
27	Usefulness of the Montreal Cognitive Assessment (MoCA) to monitor cognitive impairments in depressed patients receiving electroconvulsive therapy. Psychiatry Research, 2018, 259, 476-481.	3.3	45
28	Pertinence of Titration and Age-Based Dosing Methods for Electroconvulsive Therapy. Journal of ECT, 2018, 34, 220-226.	0.6	7
29	Management of depression in patients with schizophrenia spectrum disorders: a critical review of international guidelines. Acta Psychiatrica Scandinavica, 2018, 138, 289-299.	4.5	19
30	Online transcranial direct current stimulation of the frontal cortex induces dopamine release in the striatum – a spatial and temporal analysis in healthy humans. Brain Stimulation, 2017, 10, 516-517.	1.6	1
31	Fronto-temporal transcranial direct-current stimulation reduces auditory verbal hallucinations and n-acetylaspartate-glutamate level in the left temporoparietal junction in patients with schizophrenia. Brain Stimulation, 2017, 10, 517-518.	1.6	1
32	Toward a better characterisation and management of treatment-resistant depression in France through the network of expert centers (FondaMental). European Neuropsychopharmacology, 2017, 27, S786-S787.	0.7	0
33	Measuring alterations in oscillatory brain networks in schizophrenia with resting-state MEC: State-of-the-art and methodological challenges. Clinical Neurophysiology, 2017, 128, 1719-1736.	1.5	32
34	Tone-matching ability in patients with schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2017, 181, 94-99.	2.0	27
35	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). BMC Pharmacology & Toxicology, 2017, 18, 70.	2.4	7
36	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	2.6	11

#	Article	IF	CITATIONS
37	Integrity of the arcuate fasciculus in patients with schizophrenia with auditory verbal hallucinations: A DTI-tractography study. NeuroImage: Clinical, 2016, 12, 970-975.	2.7	40
38	Effects of smoking status and MADRS retardation factor on response to low frequency repetitive transcranial magnetic stimulation for depression. European Psychiatry, 2016, 38, 40-44.	0.2	7
39	Transcranial direct current stimulation in treatment-resistant obsessive–compulsive disorder: An open-label pilot study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 153-157.	4.8	73
40	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. Journal of ECT, 2015, 31, 271-272.	0.6	47
41	Fronto-temporal transcranial Direct Current Stimulation (tDCS) reduces source-monitoring deficits and auditory hallucinations in patients with schizophrenia. Schizophrenia Research, 2015, 161, 515-516.	2.0	83
42	Nicotine Smoking Prevents theÂEffectsÂof Frontotemporal TranscranialÂDirect Current StimulationÂ(tDCS) in Hallucinating Patients With Schizophrenia. Brain Stimulation, 2015, 8, 1225-1227.	1.6	36
43	Repetitive transcranial magnetic stimulation can alleviate treatment-resistant depression in patients with progressive supranuclear palsy. Parkinsonism and Related Disorders, 2015, 21, 1113-1114.	2.2	5
44	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95
45	Dépression résistanteÂ: vers une prise en considération des comorbidités et de la iatrogénie. Europea Psychiatry, 2014, 29, 663-663.	<sup>IN</sup> 0.2	1
46	Efficacy and safety of fronto-temporal transcranial random noise stimulation (tRNS) in drug-free patients with schizophrenia: A case study. Schizophrenia Research, 2014, 159, 251-252.	2.0	22
47	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. Clinical Neurophysiology, 2013, 124, 823-824.	1.5	3
48	The Future of Brain Stimulation to Treat Hallucinations. , 2013, , 513-527.		0
49	Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. American Journal of Psychiatry, 2012, 169, 719-724.	7.2	434
50	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. Brain Stimulation, 2012, 5, 431-432.	1.6	42
51	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. Frontiers in Psychiatry, 2012, 3, 13.	2.6	38
52	P14.3 Transcranial direct current stimulation (tDCS) in the treatment of refractory auditory hallucinations in schizophrenia. Clinical Neurophysiology, 2011, 122, S121-S122.	1.5	0
53	Stimulation magnétique transcrânienne répétée (rTMS) et schizophrénieÂ: vers de nouvelles opportunités thérapeutiques�. Annales Medico-Psychologiques, 2010, 168, 394-398.	0.4	1
54	Neurostimulation du cortex préfrontal dorsolatéralÂ: quels effets sur la symptomatologie, l'humeur et les émotions dans la dépression et la schizophrénie�. Sante Mentale Au Quebec, 0, 41, 223-239.	0.1	2