

# Dante Amidei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5656852/publications.pdf>

Version: 2024-02-01

533  
papers

26,077  
citations

7561

77  
h-index

15249

126  
g-index

561  
all docs

561  
docs citations

561  
times ranked

10655  
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined Measurement of the Higgs Boson Mass in $pp$ Collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	2.9	1,062
2	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	1.4	489
3	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC $pp$ collision data at $\sqrt{s}=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	473
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2016, 76, 292.	1.4	453
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	1.4	325
6	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 581.	1.4	298
7	Luminosity determination in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	1.4	279
8	Measurements of the Higgs boson production and decay rates and coupling strengths using $pp$ collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	1.4	274
9	Combined measurements of Higgs boson production and decay using up to $\sqrt{s}=13$ TeV $pp$ collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020, 101, 112002.	2.9	241
10	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	1.4	238
11	Measurement of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC $pp$ collision data at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review Letters</i> , 2016, 116, 172301.	2.9	228
12	Measurement of the W-boson mass in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	1.4	218
13	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	1.4	213
14	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	1.4	204
15	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s}=8$ TeV in $pp$ collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	1.4	197
16	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	2.9	185
17	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903.	1.4	181
18	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	1.4	174

#	ARTICLE	IF	CITATIONS
19	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	172
20	Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review D</i> , 2009, 79, .	1.6	171
21	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 173-191.	1.5	169
22	Search for Scalar Diphoton Resonances in the Mass Range 65–600 GeV with the ATLAS Detector in $pp$ Collision Data at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2014, 113, 171801.	2.9	168
23	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	168
24	Measurements of Higgs boson production and couplings in the four-lepton channel in $pp$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2015, 91, .	1.6	158
25	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	1.6	157
26	Constraints on Light Dark Matter Particles Interacting with Electrons from DAMIC at SNOLAB. <i>Physical Review Letters</i> , 2019, 123, 181802.	2.9	155
27	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291.	1.4	154
28	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	145
29	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017, 77, 466.	1.4	145
30	Precision measurement and interpretation of inclusive $W^+W^-$ , $W^+W^+$ and $W^-W^-$ . <i>European Physical Journal C</i> , 2017, 77, 367.	1.4	145
31	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 211801.	2.9	145
32	Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3109.	1.4	143
33	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015, 75, 510.	1.4	138
34	Observation of $H \rightarrow b\bar{b}$ decays and $VH$ production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 774, 256-270.	1.5	138
35	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	136
36	Measurements of the Nuclear Modification Factor for Jets in $pp$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2015, 114, 072302.	2.9	135

#	ARTICLE	IF	CITATIONS
37	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	2.9	133
38	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
39	Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
40	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
41	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
42	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
43	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	0.5	124
44	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
45	Collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 199.	2.9	123
46	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
47	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
48	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
49	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
50	Measurements of Higgs boson properties in the diphoton decay channel with $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 199.	1.6	115
51	Observation and measurement of Higgs boson decays to $WW$ in the ATLAS detector. Physical Review D, 2015, 92, 072002.	1.6	110
52	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
53	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
54	Search for heavy resonances decaying into $WW$ in the $e^+e^- \rightarrow \mu^+\mu^- \gamma$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108

#	ARTICLE	IF	CITATIONS
55	Search for heavy ZZ resonances in the $\ell\ell \rightarrow \ell\ell \ell\ell$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
56	Search for Higgs Boson Pair Production in the $b\bar{b}b\bar{b}$ Final State Using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802.	2.9	98
57	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2020, 125, 051801.	2.9	97
58	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
59	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
60	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
61	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
62	Direct Measurement of the $W$ Production Charge Asymmetry in $pp$ Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2020, 125, 051801.	2.9	91
63	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
64	Search for the $b\bar{b} \rightarrow \gamma\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
65	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
66	Measurement of $W$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	1.4	88
67	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
68	Measurement of multi-particle azimuthal correlations in pp, $p\bar{p}$ and low-multiplicity $Pb\text{-}Pb$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
69	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
70	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
71	Observation of an Excited $B_c$ State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	2.9	82
72	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82

#	ARTICLE	IF	CITATIONS
73	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
74	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
75	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
76	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
77	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
78	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
79	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
80	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
81	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	1.4	77
82	Angular analysis of $B_0 \rightarrow K^* \ell^+ \ell^-$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
83	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
84	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
85	Observation of Light-by-Light Scattering in Ultraperipheral Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	2.9	75
86	Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
87	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74
88	Measurement of $\sigma(\text{pp} \rightarrow \text{Drell-Yan})$ of Drell-Yan pairs in the Z mass region from $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2016, 351, 1-10.	1.5	73
89	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
90	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73

#	ARTICLE	IF	CITATIONS
91	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
92	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
93	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
94	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
95	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
96	Search for resonances in diphoton events at $s = 13 \sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
97	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 191801.	2.9	70
98	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $H \rightarrow \tau^+ \tau^- \nu_\tau$ in fully hadronic final states using pp collision data at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
99	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
100	ATLAS data quality operations and performance for 2015-2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	0.5	68
101	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
102	Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
103	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
104	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
105	High Resonance Search with Weak Supervision Using $\sqrt{s}=13$ TeV. Physical Review Letters, 2020, 124, 131801.	2.9	67
106	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
107	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
108	First Direct-Detection Constraints on eV-Scale Hidden-Photon Dark Matter with DAMIC at SNOLAB. Physical Review Letters, 2017, 118, 141803.	2.9	66

#	ARTICLE	IF	CITATIONS
109	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
110	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	2.9	64
111	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a $Z$ boson in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
112	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
113	Search for new phenomena in events with an energetic jet and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2021, 103, .	1.6	64
114	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
115	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in $pp$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
116	Measurement of the Higgs boson mass in the $H \rightarrow Z\gamma^* \rightarrow 4\mu$ , and $H \rightarrow \tau^+\tau^-$ channels with $pp$ collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	1.6	63
117	Measurement of the Higgs boson mass in the $H \rightarrow \tau^+\tau^-$ channel with $pp$ collisions in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	63
118	Performance of the ATLAS muon trigger in $pp$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
119	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
120	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	0.5	62
121	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay into $WZ$ in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 502.	1.4	61
122	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV $pp$ interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
123	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
124	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02-5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
125	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
126	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	1.5	61



#	ARTICLE	IF	CITATIONS
127	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
128	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
129	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
130	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
131	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
132	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
133	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
134	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \bar{\nu}_{\tau}$ , in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
135	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
136	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
137	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
138	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
139	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
140	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
141	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional $b$ -jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
142	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
143	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
144	Observation of Electroweak Production of a Same-Sign $W$ Boson Pair in Association with Two Jets in $pp$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Journal of High Energy Physics, 2018, 2018, 1.	2.9	53

#	ARTICLE	IF	CITATIONS
145	Search for lepton-flavour-violating $H \rightarrow \tau \mu$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
146	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ dilepton channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
147	$\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2013, 73, 154.	1.5	52
148	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2013, 73, 154.	1.4	52
149	Resonance in $Z \rightarrow \text{lepton} + \text{lepton}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$	2.9	51
150	Search for minimal supersymmetric standard model Higgs Bosons $H_{A/B}$ and for a $Z'$ boson in the $\text{Au Au}$ , final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
151	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
152	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2017, 77, 379.	1.4	51
153	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	51
154	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
155	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
156	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
157	Search for high-mass resonances decaying to $Z \rightarrow \text{lepton} + \text{lepton}$ in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	2.9	50
158	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 401.	1.4	50
159	Search for heavy neutral leptons in decays of W bosons produced in $13 \text{ TeV}$ pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
160	Results on Low-Mass Weakly Interacting Massive Particles from an $11 \text{ kg}$ Target Exposure of DAMIC at SNOLAB. Physical Review Letters, 2020, 125, 241803.	2.9	50
161	Two Photons in $Z \rightarrow \text{lepton} + \text{lepton}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$	2.9	49
162	Search for Higgs and $Z$ boson decays to $\text{lepton} + \text{lepton}$ in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.		

#	ARTICLE	IF	CITATIONS
163	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
164	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ . Using $b\bar{b}$ cross-sections in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	2.9	49
165	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s}=13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
166	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
167	Measurement of the production cross-section of $H \rightarrow b\bar{b}$ and $H \rightarrow \tau\tau$ in association with jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 361.	2.9	48
168	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
169	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
170	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
171	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
172	Measurement of the top quark mass in the $t\bar{t} \rightarrow t\bar{t} + \gamma$ . European Physical Journal C, 2019, 79, 1.	1.4	47
173	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
174	Study of the rare decays of $B^0 \rightarrow B^0 \mu\mu$ and $B^0 \rightarrow B^0 \mu\mu$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
175	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
176	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
177	Measurement of the production cross-sections in the $H \rightarrow \tau\tau$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	1.5	46
178	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
179	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
180	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
181	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
182	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
183	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
184	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
185	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ tb decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
186	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
187	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
188	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ \rightarrow \tau^+ \tau^- 4a, \tau^+ \tau^- 2a, \tau^+ \tau^- 2b, \tau^+ \tau^- 2c$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	1.5	43
189	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
190	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
191	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^- 4a, \tau^+ \tau^- 2a, \tau^+ \tau^- 2b, \tau^+ \tau^- 2c$ decay channels at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	42
192	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
193	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
194	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
195	Measurement of the $\tau^+ \tau^- Z$ and $\tau^+ \tau^- W$ production cross sections in multilepton final states using 3.2 fb of $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
196	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $Pb+Pb$ Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	2.9	41
197	Measurement of the $pp \rightarrow p\bar{p} + c.c.$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	2.9	41
198	Measurement of $Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41

#	ARTICLE	IF	CITATIONS
199	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
200	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
201	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $pp$ collisions at $s=8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
202	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $pp$ collisions at $s=7\sqrt{s}=7\text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
203	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{a}^+ J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{a}^+ B_c^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
204	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36\text{ fb}^{-1}$ of $\sqrt{s}=13\text{ TeV}$ $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
205	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
206	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ final state. Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u\bar{u}$ final states using $139\text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	2.9	40
207	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u\bar{u}$ final states using $139\text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
208	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	1.4	39
209	Search for flavour-changing neutral current top-quark decays to $qZ$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s}=8\text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	1.4	39
210	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $\sqrt{s}=8\text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	1.4	39
211	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $36\text{ fb}^{-1}$ of proton-proton collision data at $\sqrt{s}=13\text{ TeV}$ . Physical Review D, 2018, 98, 032007.	1.4	39
212	Search for a Structure in the $B \rightarrow s\ell\ell$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	1.4	39
213	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
214	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8\sqrt{s}=8\text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
215	Measurement of the double-differential high-mass Drell-Yan cross section in $pp$ collisions at $s=8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
216	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13\sqrt{s}=13\text{ TeV}$ $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38

#	ARTICLE	IF	CITATIONS
217	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. Observation of electroweak $W\Delta Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.	1.6	38
218	Measurements of $WH$ and $ZH$ production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.5	38
219	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
220	Measurement of the $W$ boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+ $\Delta$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
221	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
222	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
223	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
224	Search for heavy lepton resonances decaying to a $Z$ boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
225	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
226	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36
227	Search for pair production of heavy vector-like quarks decaying to high- $p_T$ $W$ bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
228	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
229	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
230	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
231	Search for pair and single production of new heavy quarks that decay to a $Z$ boson and a third-generation quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
232	Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
233	Search for Scalar Charm Quark Pair Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 161801.	2.9	35
234			

#	ARTICLE	IF	CITATIONS
235	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s} = 7 \sqrt{s}$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
236	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
237	Measurements of top-quark pair differential and double-differential cross-sections in the $b\bar{b}$ jets channel with pp collisions at $\sqrt{s} = 13 \sqrt{s}$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
238	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
239	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
240	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
241	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
242	Measurements of $\Upsilon(2S)$ and $\chi(3872)$ $\rightarrow J/\psi + \Upsilon$ production in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
243	Measurement of the Soft Drop Jet Mass in $pp$ collisions at $\sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	2.9	33
244	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
245	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	1.6	33
246	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8 \sqrt{s}$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
247	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13 \sqrt{s}$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
248	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
249	Measurement of the $Z \rightarrow b\bar{b}$ Production Cross Section in $pp$ collisions at $\sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	2.9	31
250	A search for prompt lepton-jets in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
251	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
252	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of $\sqrt{s} = 13 \sqrt{s}$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31





#	ARTICLE	IF	CITATIONS
271	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
272	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
273	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ $WW/WZ \rightarrow \ell q \bar{q}'$ , $1/2 q \bar{q} \rightarrow e^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
274	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
275	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
276	Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
277	Measurement of the $Z \rightarrow \mu\mu$ cross sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.6	28
278	In situ calibration of large-radius jet energy and mass in $13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
279	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
280	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
281	Measurement of the Lund Jet Plane Using Charged Particles in $13$ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	2.9	28
282	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
283	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27
284	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
285	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
286	Measurements of top-quark pair differential cross-sections in the $t\bar{t} \rightarrow e^+e^-$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
287	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
288	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27

#	ARTICLE	IF	CITATIONS
289	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
290	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
291	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
292	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in $pp$ collisions with the ATLAS detector. Physical Review D, 2018, 98, 114017.	1.6	26
293	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $W\ell\ell$ and $W\ell\nu$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
294	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
295	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
296	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
297	Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
298	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
299	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
300	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	2.9	25
301	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.6	25
302	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
303	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	1.4	24
304	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
305	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
306	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24

#	ARTICLE	IF	CITATIONS
307	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
308	Measurement of the underlying event in jet events from $7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
309	Determination of the Ratio of small-math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>b</mml:mi></mml:math>-Quark Fragmentation Fractions<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mi>f</mml:mi></mml:mrow><mml:mi>S</mml:mi></mml:msub></mml:mrow><mml:mi>d</mml:mi></mml:math> Physical Review Letters, 2015, 115, 262001	2.9	23
310	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}^*, \tilde{\nu}$ in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
311	Measurement of three-jet production cross-sections in $pp$ collisions at $7\text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
312	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
313	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
314	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $pp$ Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001	2.9	23
315	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
316	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
317	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
318	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
319	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
320	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and $8\text{ TeV}$ with ATLAS. Physical Review D, 2016, 94, .	1.6	22
321	Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
322	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s}=13\text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
323	Search for heavy neutral Higgs bosons produced in association with $b$ -quarks and decaying into $b$ -quarks at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
324	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22

#	ARTICLE	IF	CITATIONS
325	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	2.9	22
326	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow J/\psi(\tilde{t} \rightarrow \frac{1}{4} + \frac{1}{4} \tilde{t}^*) \tilde{t} + \tilde{t} \rightarrow \tilde{t}^*$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	21
327	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu \mu W W \rightarrow \tilde{t} - \tilde{t}^* e \frac{1}{2} \frac{1}{4} \frac{1}{2}$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	1.4	21
328	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	1.4	21
329	Search for the Standard Model Higgs boson decaying into $b \bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	21
330	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	21
331	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, .	1.4	21
332	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	1.4	21
333	Search for Higgs boson decaying into $b \bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	2.9	20
334	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	20
335	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	20
336	Measurement of low energy ionization signals from Compton scattering in a charge-coupled device dark matter detector. <i>Physical Review D</i> , 2017, 96, .	1.6	20
337	Measurements of top quark spin observables in $t \bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	20
338	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	1.4	20
339	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	20
340	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $\sqrt{s} = 13$ TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 221802.	2.9	20
341	Search for flavour-changing neutral current top quark decays $t \rightarrow H q$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	1.6	19
342	Addendum to "Measurement of the $t \bar{t} \tilde{t} \tilde{t}^*$ production cross-section using $e \mu e \frac{1}{4}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	1.4	19

#	ARTICLE	IF	CITATIONS
343	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
344	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu} \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
345	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
346	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	1.5	19
347	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
348	Search for top-quark decays $t \rightarrow Hq$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
349	Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
350	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
351	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow 3\gamma$ , in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
352	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
353	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
354	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
355	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
356	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
357	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
358	Radiation-hard power electronics for the ATLAS New Small Wheel. Journal of Instrumentation, 2015, 10, C01009-C01009.	0.5	17
359	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
360	Probing the $Wtb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
361	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
362	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
363	Direct top-quark decay width measurement in the $\mathbf{\vec{\tau}} t \hat{A}^-$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
364	Search for flavour-changing neutral current top-quark decays $t \hat{a}' qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
365	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
366	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
367	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
368	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
369	Search for the $HH \hat{a}'$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
370	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	2.9	17
371	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
372	Longitudinal Flow Decorrelations in $\sqrt{s}=13$ TeV Pb-Pb Collisions at $\eta = 0$ . Physical Review Letters, 2021, 126, 022301.	2.9	17
373	Search for Higgs boson decays into a pair of pseudoscalar particles in the $bb$ final state with the ATLAS detector in $\sqrt{s}=13$ TeV pp collisions. Journal of High Energy Physics, 2021, 2021, 1.	2.9	17
374	Search for Higgs boson decays into a pair of pseudoscalar particles in the $bb$ final state with the ATLAS detector in $\sqrt{s}=13$ TeV pp collisions. Journal of High Energy Physics, 2021, 2021, 1.	1.6	17
375	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
376	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
377	Top-quark mass measurement in the all-hadronic $t \hat{A}^-$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
378	Measurement of colour flow using jet-pull observables in $t \hat{A}^-$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16

#	ARTICLE	IF	CITATIONS
379	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	2.9	16
380	Search for exclusive Higgs and Z boson decays to $\tilde{l}^0\tilde{l}^3$ and $\tilde{l}^{\pm}\tilde{l}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
381	Measurement of differential cross sections and $W^+/\bar{W}^+$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
382	Measurement of event-shape observables in $Z \rightarrow \ell^+\ell^- Z \rightarrow \ell^+\ell^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
383	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \ell^+\ell^- \ell^+\ell^-$ with the ATLAS detector at $s=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
384	Search for strong gravity in multijet final states produced in pp collisions at $s=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
385	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 375, 206-208.	1.6	15
386	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
387	Search for scalar resonances decaying into $\tilde{l}^0\tilde{l}^0$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
388	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
389	Test of the universality of $\tilde{l}^0$ , and $\tilde{l}^0/4$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	6.5	15
390	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
391	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
392	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
393	Measurement of charged-particle distributions sensitive to the underlying event in $s=13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
394	Studies of $Z\tilde{l}^0$ production in association with a high-mass dijet system in pp collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
395	Measurement of $VH$ , $H \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
396	Measurements of inclusive and differential fiducial cross-sections of $\text{Star}\{t\}\gamma$ production in leptonic final states at $\sqrt{s}=13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14

#	ARTICLE	IF	CITATIONS
397	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
398	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
399	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13$ , ext {TeV}\$. European Physical Journal C, 2021, 81, 1.	1.4	14
400	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $s=13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	2.9	14
401	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
402	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
403	Measurement of the c-jet mistagging efficiency in $\sqrt{s}=13$ TeV events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
404	Search for new phenomena in pp collisions in final states with tau leptons, b-jets, and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
405	Search for Higgs boson decaying to Z boson decays with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	2.9	13
406	Measurement of the CP-violating phase $\arg(\tilde{t}_1)$ and the $B_s \rightarrow 0 \hat{t} \hat{t}'$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
407	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
408	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
409	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13$ TeV, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
410	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	1.4	13
411	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
412	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	13
413	Measurement of the CP-violating phase $\arg(\tilde{t}_1)$ in $B_s \rightarrow 0 \hat{t} \hat{t}'$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, .	1.4	13
414	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13



#	ARTICLE	IF	CITATIONS
415	Search for long-lived charginos based on a disappearing-track signature using 136 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	13
416	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb <sup>-1</sup> of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
417	Measurement of the $\overline{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
418	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
419	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
420	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
421	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2019, 2, 9122, 151801.		12
422	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
423	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
424	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
425	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
426	Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
427	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
428	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
429	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
430	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
431	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
432	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11

#	ARTICLE	IF	CITATIONS
433	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
434	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
435	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
436	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
437	Two-particle azimuthal correlations in photonuclear ultraperipheral collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .		
438	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review C, 2021, 104, .	1.1	11
439	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
440	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	0.5	10
441	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
442	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
443	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
444	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
445	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\Delta$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
446	Measurement of $J/\psi$ production in association with a $W\Delta$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
447	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	0.5	10
448	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
449	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{ fb}^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
450	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
451	Search for resonant pair production of Higgs bosons in the $pp \rightarrow b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2022, 105, .	1.6	10
452	Search for single production of a vectorlike $T$ quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. <i>Physical Review D</i> , 2022, 105, .	1.6	10
453	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	1.4	9
454	Measurement of the $\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
455	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
456	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\rightarrow \gamma\gamma$ and ZZ $\rightarrow \ell\ell$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	9
457	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	9
458	Combinations of single-top-quark production cross-section measurements and $ f_{Wtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	9
459	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	9
460	Measurement of the $Z(\tau^+\tau^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	9
461	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	9
462	Evidence for electroweak production of two jets in association with a $Z$ pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 81, 1.	1.5	9
463	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	8
464	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
465	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
466	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	8
467	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	8
468	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	8

#	ARTICLE	IF	CITATIONS
469	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
470	Measurements of $W+W\tilde{\nu} + \cancel{e} + 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	8
471	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021, 17, 819-825.	6.5	8
472	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	8
473	Reconstruction and identification of boosted $di\tilde{\ell}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
474	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	1.4	8
475	Search for Higgs boson production in association with two jets or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 805, 1371001.	1.5	8
476	Search for Lepton-Flavor Violation in $Z \rightarrow \ell_1 \ell_2$ -Boson Decays with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 271801.	2.9	8
477	Measurement of $\sigma_{\text{pol}}(\tilde{\ell})$ , polarisation in $Z/\gamma \rightarrow \text{pol}(\tilde{\ell}) \text{pol}(\tilde{\ell})$ . <i>European Physical Journal C</i> , 2018, 78, 163.	1.4	7
478	Combination of inclusive and differential $\overline{\text{t}}\text{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	7
479	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	7
480	Medium-Induced Modification of $Z$ -Tagged Charged Particle Yields in $Pb-Pb$ Collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 126, 072301.	2.9	7
481	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7
482	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7
483	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	1.4	7
484	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	6
485	Measurement of ZZ production in the $\tilde{\ell}\tilde{\ell}^* + \cancel{e}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	6
486	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	6

#	ARTICLE	IF	CITATIONS
487	Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into $WZ$ or $WZ$ in Fully Hadronic Final States Physical Review Letters, 2021, 125, 251802.	2.9	6
488	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13$ TeV. Journal of Instrumentation, 2021, 16, P07029.	0.5	6
489	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	2.9	6
490	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
491	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and $13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
492	A search for the decays of stopped long-lived particles at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
493	The ATLAS Fast Tracker system. Journal of Instrumentation, 2021, 16, P07006.	0.5	5
494	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
495	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s}=13$ TeV using $36 \text{ fb}^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
496	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	1.3	5
497	The ATLAS inner detector trigger performance in pp collisions at $13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
498	Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector. Physical Review D, 2022, 105, .	1.6	5
499	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
500	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
501	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
502	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
503	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	0.5	4
504	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
505	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
506	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
507	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow u\bar{u} \rightarrow \pi^{\pm} u_{\text{had}} u_{\text{had}}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
508	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
509	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
510	Measurement of the $k_t$ splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
511	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
512	Measurements of inclusive and differential cross-sections of combined $\overline{t}\gamma$ and $tW^{\pm}$ production in the $e\bar{\nu}_e$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
513	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
514	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
515	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	0.5	3
516	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
517	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
518	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
519	Measurement of b-quark fragmentation properties in jets using the decay $B_{\pm} \rightarrow J/\psi K_{\pm}$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
520	Two-particle Bose-Einstein correlations in $\{pp\}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	1.4	3
521	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
522	Measurement of the ( $\overline{t}$ ) production cross-section using ( $e\mu$ ) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s} = 7$ ) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2

#	ARTICLE	IF	CITATIONS
523	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8\text{--})\text{TeV}$ with the ATLAS detector. , 2015, 75, 1.		2
524	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{â€‰}\text{â€‰}\text{TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	1.6	2
525	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
526	Measurement of the energy asymmetry in $t\overline{t}$ production at $13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
527	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36\text{ fb}^{-1}$ of $(\sqrt{s}=13)\text{ TeV}$ pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
528	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)\text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.		1
529	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8,\text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
530	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7,\text{TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
531	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13,\text{TeV})$ . , 2018, 78, 1.		1
532	Operation and performance of the ATLAS semiconductor tracker in LHC Run 2. Journal of Instrumentation, 2022, 17, P01013.	0.5	1
533	A search for an unexpected asymmetry in the production of $e^+e^-$ and $e^+e^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13\text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.5	1