

Machado-Ferreira, Erik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5656959/publications.pdf>

Version: 2024-02-01

17
papers

338
citations

933264

10
h-index

940416

16
g-index

17
all docs

17
docs citations

17
times ranked

586
citing authors

#	ARTICLE	IF	CITATIONS
1	Coxiella symbionts are widespread into hard ticks. Parasitology Research, 2016, 115, 4691-4699.	0.6	61
2	Coxiella Symbionts in the Cayenne Tick Amblyomma cajennense. Microbial Ecology, 2011, 62, 134-142.	1.4	54
3	<i>Rickettsia</i> (Rickettsiales: Rickettsiaceae) Vector Biodiversity in High Altitude Atlantic Forest Fragments Within a Semiarid Climate: A New Endemic Area of Spotted-Fever in Brazil. Journal of Medical Entomology, 2016, 53, 1458-1466.	0.9	34
4	<i>Francisella</i> -Like Endosymbiont DNA and <i>Francisella tularensis</i> Virulence-Related Genes in Brazilian Ticks (Acari: Ixodidae). Journal of Medical Entomology, 2009, 46, 369-374.	0.9	31
5	A Hard Tick Relapsing Fever Group Spirochete in a Brazilian <i>Rhipicephalus</i> (<i>Boophilus</i>) <i>microplus</i> . Vector-Borne and Zoonotic Diseases, 2007, 7, 717-722.	0.6	27
6	A prevalent alpha-proteobacterium Paracoccus sp. in a population of the Cayenne ticks (Amblyomma) Tj ETQq0 0 0 rgBT /Overlock 10 TF	0.8	21
7	Physiological traits of the symbiotic bacterium Teredinibacter turnerae isolated from the mangrove shipworm Neoteredo reynei. Genetics and Molecular Biology, 2009, 32, 572-581.	0.6	20
8	Bacteria associated with Amblyomma cajennense tick eggs. Genetics and Molecular Biology, 2015, 38, 477-483.	0.6	19
9	Rickettsia rickettsii infecting Rhipicephalus sanguineus sensu lato (Latreille 1806), in high altitude atlantic forest fragments, Ceara State, Brazil. Acta Tropica, 2017, 173, 30-33.	0.9	15
10	Transgene expression in tick cells using Agrobacterium tumefaciens. Experimental and Applied Acarology, 2015, 67, 269-287.	0.7	13
11	X-ray structure of O-methyl-acrocol and anti-cancer, anti-parasitic, anti-bacterial and anti-Zika virus evaluations of the Brazilian palm tree Acrocomia totai. Industrial Crops and Products, 2017, 109, 483-492.	2.5	9
12	Relative transcription of autophagy-related genes in Amblyomma sculptum and Rhipicephalus microplus ticks. Experimental and Applied Acarology, 2017, 73, 401-428.	0.7	9
13	<i>Rickettsia</i> and Vector Biodiversity of Spotted Fever Focus, Atlantic Rain Forest Biome, Brazil. Emerging Infectious Diseases, 2014, 20, 498-500.	2.0	8
14	Crispoic acid, a new compound from <i>Laelia marginata</i> (Orchidaceae), and biological evaluations against parasites, human cancer cell lines and Zika virus. Natural Product Research, 2018, 32, 2916-2921.	1.0	7
15	Novel cytotoxic amphiphilic nitro-compounds derived from a synthetic route for paraconic acids. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 626, 126984.	2.3	6
16	Identification of Bacterial Infection in Neotropical Primates. Microbial Ecology, 2013, 66, 471-478.	1.4	4
17	Comparative growth of spotted fever group Rickettsia spp. strains in Vero cells. Memorias Do Instituto Oswaldo Cruz, 2016, 111, 528-531.	0.8	0