
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5659864/publications.pdf Version: 2024-02-01



VINC SUM

#	Article	IF	CITATIONS
1	Magnetic solid-phase extraction of triazine herbicides from rice using metal-organic framework MIL-101(Cr) functionalized magnetic particles. Talanta, 2018, 179, 512-519.	5.5	112
2	A novel surface plasmon resonance biosensor based on graphene oxide decorated with gold nanorod–antibody conjugates for determination of transferrin. Biosensors and Bioelectronics, 2013, 45, 230-236.	10.1	107
3	Magnetic ionic liquid-based dispersive liquid–liquid microextraction for the determination of triazine herbicides in vegetable oils by liquid chromatography. Journal of Chromatography A, 2014, 1373, 9-16.	3.7	106
4	Rapid determination of melamine in milk and milk powder by surface-enhanced Raman spectroscopy and using cyclodextrin-decorated silver nanoparticles. Mikrochimica Acta, 2013, 180, 1173-1180.	5.0	89
5	Matrix solid-phase dispersion coupled with magnetic ionic liquid dispersive liquid–liquid microextraction for the determination of triazine herbicides in oilseeds. Analytica Chimica Acta, 2015, 888, 67-74.	5.4	87
6	Ultrasensitive magnetic field-assisted surface plasmon resonance immunoassay for human cardiac troponin I. Biosensors and Bioelectronics, 2017, 96, 288-293.	10.1	87
7	Application of MXene in Electrochemical Sensors: A Review. Electroanalysis, 2021, 33, 1827-1851.	2.9	86
8	Preparation of surface plasmon resonance biosensor based on magnetic core/shell Fe3O4/SiO2 and Fe3O4/Ag/SiO2 nanoparticles. Colloids and Surfaces B: Biointerfaces, 2011, 84, 484-490.	5.0	79
9	Fe3O4@PDA immune probe-based signal amplification in surface plasmon resonance (SPR) biosensing of human cardiac troponin I. Colloids and Surfaces B: Biointerfaces, 2019, 177, 105-111.	5.0	68
10	One-step fabrication of boronic-acid-functionalized carbon dots for the detection of sialic acid. Talanta, 2019, 197, 548-552.	5.5	61
11	Determination of five pyrethroids in tea drinks by dispersive solid phase extraction with polyaniline-coated magnetic particles. Talanta, 2014, 119, 268-275.	5.5	60
12	Design and performances of immunoassay based on SPR biosensor with magnetic microbeads. Biosensors and Bioelectronics, 2007, 23, 473-478.	10.1	55
13	A Novel Graphene Oxideâ€Based Surface Plasmon Resonance Biosensor for Immunoassay. Small, 2013, 9, 2537-2540.	10.0	52
14	Sensitivity enhancement of SPR biosensor with silver mirror reaction on the Ag/Au film. Talanta, 2009, 78, 265-269.	5.5	50
15	A sensitive "off-on―carbon dots-Ag nanoparticles fluorescent probe for cysteamine detection via the inner filter effect. Talanta, 2021, 221, 121463.	5.5	48
16	Gold nanostar-enhanced surface plasmon resonance biosensor based on carboxyl-functionalized graphene oxide. Analytica Chimica Acta, 2016, 913, 137-144.	5.4	47
17	Preparation and application of novel nanocomposites of magnetic-Au nanorod in SPR biosensor. Biosensors and Bioelectronics, 2012, 34, 137-143.	10.1	45
18	A novel and simple fluorescent sensor based on AgInZnS QDs for the detection of protamine and trypsin and imaging of cells. Sensors and Actuators B: Chemical, 2019, 294, 263-269.	7.8	45

#	Article	IF	CITATIONS
19	Design and performances of immunoassay based on SPR biosensor with Au/Ag alloy nanocomposites. Sensors and Actuators B: Chemical, 2011, 157, 547-553.	7.8	44
20	Enhancing sensitivity of surface plasmon resonance biosensor by Ag nanocubes/chitosan composite for the detection of mouse IgG. Talanta, 2016, 146, 364-368.	5.5	44
21	A sensitive SPR biosensor based on hollow gold nanospheres and improved sandwich assay with PDA-Ag@Fe3O4/rGO. Talanta, 2018, 180, 156-161.	5.5	44
22	A novel ESIPT-ICT-based near-infrared fluorescent probe with large stokes-shift for the highly sensitive, specific, and non-invasive in vivo detection of cysteine. Sensors and Actuators B: Chemical, 2019, 296, 126571.	7.8	42
23	Preparation and application of triangular silver nanoplates/chitosan composite in surface plasmon resonance biosensing. Analytica Chimica Acta, 2013, 769, 114-120.	5.4	40
24	Magnetic solidâ€phase extraction and ultrafast liquid chromatographic detection of Sudan dyes in red wines, juices, and mature vinegars. Journal of Separation Science, 2012, 35, 3403-3411.	2.5	39
25	Preparation of graphene oxide-based surface plasmon resonance biosensor with Au bipyramid nanoparticles as sensitivity enhancer. Colloids and Surfaces B: Biointerfaces, 2014, 116, 211-218.	5.0	39
26	A Mn-doped ZnS quantum dots-based ratiometric fluorescence probe for lead ion detection and "off-on―strategy for methyl parathion detection. Talanta, 2019, 204, 13-19.	5.5	39
27	A novel highly sensitive and near-infrared fluorescent probe for detecting hypochlorite and its application in actual water sample and bioimaging. Talanta, 2020, 215, 120892.	5.5	38
28	Application of metal-organic framework MIL-101(Cr) to microextraction in packed syringe for determination of triazine herbicides in corn samples by liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2018, 1574, 36-41.	3.7	37
29	Enzymatic determination of uric acid using water-soluble CuInS/ZnS quantum dots as a fluorescent probe. Mikrochimica Acta, 2018, 185, 499.	5.0	36
30	Highly sensitive SERS probe for mercury(II) using cyclodextrin-protected silver nanoparticles functionalized with methimazole. Mikrochimica Acta, 2014, 181, 975-981.	5.0	34
31	Studies of Fe3O4/Ag/Au composites for immunoassay based on surface plasmon resonance biosensor. Colloids and Surfaces B: Biointerfaces, 2013, 102, 165-170.	5.0	33
32	Solid-phase microextraction of triazine herbicides via cellulose paper coated with a metal-organic framework of type MIL-101(Cr), and their quantitation by HPLC-MS. Mikrochimica Acta, 2019, 186, 742.	5.0	33
33	Hollow gold nanoparticle-enhanced SPR based sandwich immunoassay for human cardiac troponin I. Mikrochimica Acta, 2017, 184, 2395-2402.	5.0	31
34	Rapid aqueous synthesis of CuInS/ZnS quantum dots as sensor probe for alkaline phosphatase detection and targeted imaging in cancer cells. Talanta, 2018, 189, 411-417.	5.5	31
35	A red-emitting fluorescence turn-on probe for the discrimination of cysteine from biothiols and its bioimaging applications in living cells. Sensors and Actuators B: Chemical, 2019, 290, 47-52.	7.8	31
36	Enhanced wavelength modulation SPR biosensor based on gold nanorods for immunoglobulin detection. Talanta, 2013, 115, 857-862.	5.5	30

#	Article	IF	CITATIONS
37	Studies of gold nanorod-iron oxide nanohybrids for immunoassay based on SPR biosensor. Talanta, 2014, 125, 29-35.	5.5	29
38	A FRET-based fluorescent probe for mercury ions in water and living cells. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 165, 99-105.	3.9	29
39	Magnetic field-assisted SPR biosensor based on carboxyl-functionalized graphene oxide sensing film and Fe3O4-hollow gold nanohybrids probe. Biosensors and Bioelectronics, 2016, 86, 95-101.	10.1	29
40	Lysosome-targeted ratiometric fluorescent sensor for monitoring pH in living cells based on one-pot-synthesized carbon dots. Mikrochimica Acta, 2020, 187, 478.	5.0	29
41	A novel water-soluble near-infrared fluorescent probe for monitoring mitochondrial viscosity. Talanta, 2021, 233, 122592.	5.5	29
42	MIL-101(Cr)/MWCNTs-functionalized melamine sponges for solid-phase extraction of triazines from corn samples, and their subsequent determination by HPLC-MS/MS. Talanta, 2020, 211, 120676.	5.5	28
43	A novel surface plasmon resonance biosensor based on the PDA-AgNPs-PDA-Au film sensing platform for horse IgG detection. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 191, 290-295.	3.9	27
44	Surface plasmon resonance biosensor based on Au nanoparticle in titania sol–gel membrane. Colloids and Surfaces B: Biointerfaces, 2010, 75, 520-525.	5.0	26
45	Determination of Sudan dyes in environmental water by magnetic mesoporous microsphere-based solid phase extraction ultra fast liquid chromatography. Analytical Methods, 2013, 5, 1399.	2.7	26
46	A novel colorimetric and near-infrared fluorescence probe for detecting and imaging exogenous and endogenous hydrogen peroxide in living cells. Talanta, 2020, 217, 121000.	5.5	26
47	Application of an in-situ formulated magnetic deep eutectic solvent for the determination of triazine herbicides in rice. Talanta, 2021, 222, 121527.	5.5	25
48	An enhanced SPR immunosensing platform for human IgG based on the use of silver nanocubes and carboxy-functionalized graphene oxide. Mikrochimica Acta, 2016, 183, 2177-2184.	5.0	24
49	A highly sensitive SPR biosensor based on a graphene oxide sheet modified with gold bipyramids, and its application to an immunoassay for rabbit IgG. Mikrochimica Acta, 2015, 182, 1739-1746.	5.0	23
50	Matrix solidâ€phase dispersion coupled with hollow fiber liquid phase microextraction for determination of triazine herbicides in peanuts. Journal of Separation Science, 2019, 42, 2123-2130.	2.5	23
51	Development of a vortex-assisted ionic liquid microextraction method for the determination of aromatic amines in environmental water samples. Analytical Methods, 2012, 4, 2074.	2.7	22
52	Application of C18-functional magnetic nanoparticles for extraction of aromatic amines from human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 947-948, 49-56.	2.3	22
53	Hydrothermal synthesis of N-doped carbon dots for selective fluorescent sensing and cellular imaging of cobalt(II). Mikrochimica Acta, 2017, 184, 3825-3831.	5.0	22
54	Fluorometric detection of dopamine based on 3-aminophenylboronic acid-functionalized AgInZnS QDs and cells imaging. Talanta, 2020, 217, 121081.	5.5	22

#	Article	IF	CITATIONS
55	Vortex-assisted solid-phase extraction based on metal-organic framework/chitosan-functionalized hydrophilic sponge column for determination of triazine herbicides in environmental water by liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2021, 1638, 461887.	3.7	22
56	Development of a novel acidic task-specific ionic liquid-based effervescence-assisted microextraction method for determination of triazine herbicides in tea beverage. Talanta, 2020, 208, 120414.	5.5	20
57	One-step fabrication of hydrophilic MIL-68(Al)/Chitosan-coated melamine sponge for vortex-assisted solid-phase extraction of parabens in water samples. Talanta, 2021, 224, 121799.	5.5	20
58	<i>In situ</i> ionic-liquid-dispersive liquid-liquid microextraction of Sudan dyes from liquid samples. Journal of Separation Science, 2014, 37, 1967-1973.	2.5	19
59	Magnetic solid-phase extraction based on Fe ₃ O ₄ @polyaniline particles followed by ultrafast liquid chromatography for determination of Sudan dyes in environmental water samples. Analytical Methods, 2015, 7, 1606-1614.	2.7	19
60	Selective and sensitive fluorescence detection method for pig IgG based on competitive immunosensing strategy and magnetic bioseparation. Talanta, 2019, 195, 103-108.	5.5	19
61	Development of a water-soluble near-infrared fluorescent probe for endogenous cysteine imaging. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 226, 117544.	3.9	19
62	lonic-liquid-functionalized zinc oxide nanoparticles for the solid-phase extraction of triazine herbicides in corn prior to high-performance liquid chromatography analysis. Journal of Separation Science, 2017, 40, 2992-2998.	2.5	18
63	A novel sensing platform for the determination of alkaline phosphatase based on SERS-fluorescent dual-mode signals. Analytica Chimica Acta, 2021, 1183, 338989.	5.4	18
64	A neoteric dual-signal colorimetric fluorescent probe for detecting endogenous/exogenous hydrogen peroxide in cells and monitoring drug-induced hepatotoxicity. Talanta, 2021, 233, 122578.	5.5	18
65	Ratiometric fluorescent sensor based on MoS2 QDs and AuNCs for determination and bioimaging of alkaline phosphatase. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 262, 120087.	3.9	18
66	Colorimetric and Fluorescent Dual-Mode Measurement of Blood Glucose by Organic Silicon Nanodots. ACS Applied Nano Materials, 2020, 3, 11600-11607.	5.0	18
67	Improvement of surface plasmon resonance biosensor with magnetic beads via assembled polyelectrolyte layers. Analytica Chimica Acta, 2008, 624, 294-300.	5.4	17
68	Glass slides functionalized by 1â€carboxyethylâ€3â€methylimidazolium chloride for the determination of triazine herbicides in rice using highâ€performance liquid chromatography. Journal of Separation Science, 2016, 39, 4585-4591.	2.5	17
69	Packed hybrids of gold nanoparticles and layered double hydroxide nanosheets for microextraction of triazine herbicides from maize. Mikrochimica Acta, 2018, 185, 336.	5.0	16
70	Oneâ€step synthesized magnetic MILâ€101(Cr) for effective extraction of triazine herbicides from rice prior to determination by liquid chromatographyâ€ŧandem mass spectrometry. Journal of Separation Science, 2019, 42, 2900-2908.	2.5	15
71	One-pot synthesis of hyaluronic acid–coated gold nanoparticles as SERS substrate for the determination of hyaluronidase activity. Mikrochimica Acta, 2020, 187, 604.	5.0	15
72	A universal sensing platform based on iron and nitrogen co-doped carbon dots for detecting hydrogen peroxide and related metabolites in human fluid by ratiometric fluorometry and colorimetry. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 272, 121003.	3.9	14

#	Article	IF	CITATIONS
73	Biotin-streptavidin sandwich integrated PDA-ZnO@Au nanocomposite based SPR sensor for hIgG detection. Talanta, 2022, 246, 123496.	5.5	13
74	Theoretical investigations on electronic structures and photophysical properties of novel bridged triphenylamine derivatives. International Journal of Quantum Chemistry, 2012, 112, 1473-1490.	2.0	11
75	A practical and rapid method for the simultaneous isolation, purification and quantification of geniposide from the fruit of Gardenia jasminoides Ellis by MSPD extraction and UFLC analysis. Analytical Methods, 2013, 5, 4112.	2.7	11
76	Packed hybrids of gold nanoparticles and halloysite nanotubes for dispersive solid phase extraction of triazine herbicides, and their subsequent determination by HPLC. Mikrochimica Acta, 2019, 186, 489.	5.0	11
77	Facile preparation of metal organic framework-based laboratory semi-automatic micro-extraction syringe packed column for analysis of parabens in vegetable oil samples. Microchemical Journal, 2020, 158, 105200.	4.5	11
78	Theoretical investigation of one- and two-photon spectra of pyrazabole chromophores. Theoretical Chemistry Accounts, 2011, 130, 37-50.	1.4	10
79	Synthesis and application of thiolâ€functionalized magnetic nanoparticles for studying interactions of epirubicin hydrochloride with bovine serum albumin by fluorescence spectrometry. Luminescence, 2017, 32, 142-148.	2.9	10
80	A novel fluorescent probe for the localization of nucleoli developed <i>via</i> a chain reaction of endogenous cysteine in cells. Journal of Materials Chemistry B, 2020, 8, 7652-7658.	5.8	10
81	Theoretical investigation of twoâ€photon absorption and fluorescence properties of cypridina luciferinâ€based derivatives: 2,3,5â€ŧrisubstituted pyrazine compounds. Journal of Physical Organic Chemistry, 2013, 26, 822-833.	1.9	9
82	Ratiometric fluorescence and colorimetric dual-mode sensing platform based on carbon dots for detecting copper(II) ions and D-penicillamine. Analytical and Bioanalytical Chemistry, 2022, 414, 1651-1662.	3.7	9
83	Theoretical investigation of the two-photon absorption properties of 3,6-bis(4-vinylpyridinium) carbazole derivatives—new biological fluorescent probes. Journal of Molecular Modeling, 2012, 18, 2357-2367.	1.8	7
84	Sensitive ratiometric fluorescence assay for detecting xanthine in serum based on the inner filter effect of enzyme-catalyzed oxidation products to silicon nanoparticles. Analytical and Bioanalytical Chemistry, 2021, 413, 1405-1415.	3.7	7
85	Colorimetry and SERS dual-mode sensing of serotonin based on functionalized gold nanoparticles. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 261, 120057.	3.9	7
86	Magnetic core/shell Fe ₃ O ₄ /Au nanoparticles for studies of quinolones binding to protein by fluorescence spectroscopy. Luminescence, 2016, 31, 499-506.	2.9	6
87	A novel near-infrared fluorescent probe for intracellular detection of cysteine. Analytical and Bioanalytical Chemistry, 2020, 412, 7211-7217.	3.7	6
88	Surface plasmon resonance biosensor based on Hg/Ag–Au film. Analytical and Bioanalytical Chemistry, 2007, 387, 1875-1882.	3.7	5
89	A semiâ€automatic solid phase extraction system based on MILâ€101(Cr) foamâ€filled syringe for detection of triazines in vegetable oils. Journal of Separation Science, 2021, 44, 1089-1097.	2.5	5
90	Extraction of parabens by melamine sponge with determination by highâ€performance liquid chromatography. Journal of Separation Science, 2022, 45, 697-705.	2.5	5

#	Article	IF	CITATIONS
91	Study on Interaction of Ginsenosides with Bovine or Human Serum Albumin Using Wavelength Modulation Surface Plasmon Resonance Biosensor. Chinese Journal of Chemistry, 2006, 24, 660-664.	4.9	4
92	Fabrication of the Metal-Organic Framework Membrane with Excellent Adsorption Properties for Paraben Based on Micro Fibrillated Cellulose. Chemical Research in Chinese Universities, 2022, 38, 790-797.	2.6	4
93	Ultrabright silicon nanoparticle fluorescence probe for sensitive detection of cholesterol in human serum. Analytical and Bioanalytical Chemistry, 2022, 414, 3827-3836.	3.7	3
94	Effect of Explicit Water Molecules on the Colorâ€Tuning Mechanism of the Firefly. Chinese Journal of Chemistry, 2011, 29, 2301-2307.	4.9	2
95	Determination of illegal dyes in Salvia miltiorrhiza Bunge by matrix solid phase dispersion and ultrafast liquid chromatography. Analytical Methods, 2014, 6, 4455-4461.	2.7	1
96	A Ti3C2-MXene-functionalized LRSPR biosensor based on sandwich amplification for human IgG detection. Analytical and Bioanalytical Chemistry, 2022, 414, 2355-2362.	3.7	1