

P M Hick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5660299/publications.pdf>

Version: 2024-02-01

43
papers

850
citations

516710

16
h-index

501196

28
g-index

43
all docs

43
docs citations

43
times ranked

606
citing authors

#	ARTICLE	IF	CITATIONS
1	Alien Smooth Newts (<i>Lissotriton vulgaris</i>) in Australia Are Infected with <i>Batrachochytrium dendrobatidis</i> but Test Negative for Ranaviruses. <i>Journal of Wildlife Diseases</i> , 2022, 58, .	0.8	1

2

#	ARTICLE	IF	CITATIONS
19	Counting the dead to determine the source and transmission of the marine herpesvirus OsHV-1 in <i>Crassostrea gigas</i> . <i>Veterinary Research</i> , 2018, 49, 34.	3.0	24
20	Age dependency of nervous necrosis virus infection in barramundi <i>Lates calcarifer</i> (Bloch). <i>Journal of Fish Diseases</i> , 2017, 40, 1089-1101.	1.9	23
21	Transmission of Ostreid herpesvirus-1 microvariant in seawater: Detection of viral DNA in seawater, filter retentates, filter membranes and sentinel <i>Crassostrea gigas</i> spat in upwellers. <i>Aquaculture</i> , 2017, 473, 456-467.	3.5	9
22	Detection of Ostreid herpesvirus -1 microvariants in healthy <i>Crassostrea gigas</i> following disease events and their possible role as reservoirs of infection. <i>Journal of Invertebrate Pathology</i> , 2017, 148, 20-33.	3.2	22
23	Risk factors for mortality during the first occurrence of Pacific Oyster Mortality Syndrome due to Ostreid herpesvirus 1 in Tasmania, 2016. <i>Aquaculture</i> , 2017, 468, 328-336.	3.5	30
24	Molecular epidemiology of Epizootic haematopoietic necrosis virus (EHNV). <i>Virology</i> , 2017, 511, 320-329.	2.4	2
25	Surveillance for nervous necrosis virus-specific antibodies in barramundi <i>Lates calcarifer</i> in Australian hatcheries. <i>Diseases of Aquatic Organisms</i> , 2017, 124, 1-10.	1.0	6
26	Pacific oyster mortality syndrome: a marine herpesvirus active in Australia. <i>Microbiology Australia</i> , 2016, 37, 126.	0.4	5
27	Complete Genome Sequence of a <i>Bohle iridovirus</i> Isolate from Ornate Burrowing Frogs (<i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>)	0.8	12
28	Comparison of Two External Tagging Methods Used for the Identification of Individual Adult Pacific Oysters, <i>Crassostrea gigas</i> . <i>Journal of Shellfish Research</i> , 2016, 35, 837-840.	0.9	4
29	Distribution of Ostreid herpesvirus-1 (OsHV-1) microvariant in seawater in a recirculating aquaculture system. <i>Aquaculture</i> , 2016, 458, 21-28.	3.5	13
30	Bayesian estimation of diagnostic sensitivity and specificity of a nervous necrosis virus antibody ELISA. <i>Preventive Veterinary Medicine</i> , 2016, 123, 138-142.	1.9	10
31	Stability of Ostreid herpesvirus-1 (OsHV-1) and assessment of disinfection of seawater and oyster tissues using a bioassay. <i>Aquaculture</i> , 2016, 450, 412-421.	3.5	32
32	Comparison of ELISA formats for detection of antibodies specific for nervous necrosis virus (Betanodavirus) in the serum of immunized barramundi <i>Lates calcarifer</i> and Australian bass <i>Macquaria novemaculeata</i> . <i>Aquaculture</i> , 2016, 451, 33-38.	3.5	15
33	Effect of water temperature on mortality of Pacific oysters <i>Crassostrea gigas</i> associated with microvariant ostreid herpesvirus 1 (OsHV-1 Δ Var). <i>Aquaculture Environment Interactions</i> , 2016, 8, 419-428.	1.8	49
34	Recommended reporting standards for test accuracy studies of infectious diseases of finfish, amphibians, molluscs and crustaceans: the STRADAS-aquatic checklist. <i>Diseases of Aquatic Organisms</i> , 2016, 118, 91-111.	1.0	25
35	Protection of Pacific oyster (<i>Crassostrea gigas</i>) spat from mortality due to ostreid herpesvirus 1 (OsHV-1 Δ Var) using simple treatments of incoming seawater in land-based upwellers. <i>Aquaculture</i> , 2015, 437, 10-20.	3.5	44
36	Transmission of Ostreid herpesvirus-1 in <i>Crassostrea gigas</i> by cohabitation: effects of food and number of infected donor oysters. <i>Aquaculture Environment Interactions</i> , 2015, 7, 281-295.	1.8	31

#	ARTICLE	IF	CITATIONS
37	A simple centrifugation method for improving the detection of Ostreid herpesvirus-1 (OsHV-1) in natural seawater samples with an assessment of the potential for particulate attachment. <i>Journal of Virological Methods</i> , 2014, 210, 59-66.	2.1	42
38	Molecular epidemiology of betanodavirus – Sequence analysis strategies and quasispecies influence outbreak source attribution. <i>Virology</i> , 2013, 436, 15-23.	2.4	6
39	Identification and characterisation of an ostreid herpesvirus-1 microvariant (OsHV-1 μ -var) in <i>Crassostrea gigas</i> (Pacific oysters) in Australia. <i>Diseases of Aquatic Organisms</i> , 2013, 105, 109-126.	1.0	178
40	Recurrent outbreaks of viral nervous necrosis in intensively cultured barramundi (<i>Lates calcarifer</i>) due to horizontal transmission of betanodavirus and recommendations for disease control. <i>Aquaculture</i> , 2011, 319, 41-52.	3.5	26
41	Optimization of <i>Betanodavirus</i> culture and enumeration in striped snakehead fish cells. <i>Journal of Veterinary Diagnostic Investigation</i> , 2011, 23, 465-475.	1.1	13
42	Optimisation and validation of a real-time reverse transcriptase-polymerase chain reaction assay for detection of betanodavirus. <i>Journal of Virological Methods</i> , 2010, 163, 368-377.	2.1	42
43	Preparation of fish tissues for optimal detection of betanodavirus. <i>Aquaculture</i> , 2010, 310, 20-26.	3.5	14