

Masahiro Yamamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5660323/publications.pdf>

Version: 2024-02-01

76
papers

11,441
citations

66234

42
h-index

76769

74
g-index

83
all docs

83
docs citations

83
times ranked

14493
citing authors

#	ARTICLE	IF	CITATIONS
1	Enterocyte-innate lymphoid cell crosstalk drives early IFN- β -mediated control of Cryptosporidium. <i>Mucosal Immunology</i> , 2022, 15, 362-372.	2.7	26
2	Structural basis of membrane recognition of <i>Toxoplasma gondii</i> vacuole by Irgb6. <i>Life Science Alliance</i> , 2022, 5, e202101149.	1.3	7
3	Anti-Toxoplasma host defense systems and the parasitic counterdefense mechanisms. <i>Parasitology International</i> , 2022, 89, 102593.	0.6	7
4	<i>Toxoplasma gondii</i> GRA60 is an effector protein that modulates host cell autonomous immunity and contributes to virulence. <i>Cellular Microbiology</i> , 2021, 23, e13278.	1.1	19
5	Osteoclast fusion and bone loss are restricted by interferon inducible guanylate binding proteins. <i>Nature Communications</i> , 2021, 12, 496.	5.8	51
6	Hepatitis C virus modulates signal peptide peptidase to alter host protein processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	6
7	Uncovering a novel role of PLC γ 24 in selectively mediating TCR signaling in CD8+ but not CD4+ T cells. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	7
8	Cell-autonomous <i>Toxoplasma</i> killing program requires Irgm2 but not its microbe vacuolar localization. <i>Life Science Alliance</i> , 2021, 4, e202000960.	1.3	10
9	An infectivity-enhancing site on the SARS-CoV-2 spike protein targeted by antibodies. <i>Cell</i> , 2021, 184, 3452-3466.e18.	13.5	205
10	Plasmodium UIS3 avoids host cell-autonomous exclusion that requires GABARAPs but not LC3 and autophagy. <i>Parasitology International</i> , 2021, 83, 102335.	0.6	2
11	Chlamydia evasion of neutrophil host defense results in NLRP3 dependent myeloid-mediated sterile inflammation through the purinergic P2X7 receptor. <i>Nature Communications</i> , 2021, 12, 5454.	5.8	18
12	Macrophages Demonstrate Guanylate-Binding Protein-Dependent and Bacterial Strain-Dependent Responses to <i>Francisella tularensis</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 784101.	1.8	3
13	T cell-derived interferon- β is required for host defense to. <i>Parasitology International</i> , 2020, 75, 102049.	0.6	15
14	Role of Gate-16 and Gabarap in Prevention of Caspase-11-Dependent Excess Inflammation and Lethal Endotoxic Shock. <i>Frontiers in Immunology</i> , 2020, 11, 561948.	2.2	17
15	Irgm2 and Gate16 cooperatively dampen Gram-negative bacteria-induced caspase-11 response. <i>EMBO Reports</i> , 2020, 21, e50829.	2.0	45
16	Guanylate Binding Proteins Restrict <i>Leishmania donovani</i> Growth in Nonphagocytic Cells Independent of Parasitophorous Vacuolar Targeting. <i>MBio</i> , 2020, 11, .	1.8	12
17	Human GBP1 Differentially Targets <i>Salmonella</i> and <i>Toxoplasma</i> to License Recognition of Microbial Ligands and Caspase-Mediated Death. <i>Cell Reports</i> , 2020, 32, 108008.	2.9	58
18	Decision by injection without infection. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	0

#	ARTICLE	IF	CITATIONS
19	Na ⁺ ve CD8 T cell IFN ^γ responses to a vacuolar antigen are regulated by an inflammasome-independent NLRP3 pathway and <i>Toxoplasma gondii</i> ROP5. <i>PLoS Pathogens</i> , 2020, 16, e1008327.	2.1	16
20	Guanylate-Binding Proteins Are Critical for Effective Control of <i>Francisella tularensis</i> Strains in a Mouse Co-Culture System of Adaptive Immunity. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 594063.	1.8	5
21	Initial phospholipid-dependent <i>Irgb6</i> targeting to <i>Toxoplasma gondii</i> vacuoles mediates host defense. <i>Life Science Alliance</i> , 2020, 3, e201900549.	1.3	19
22	Cholera toxin B induces interleukin-1 ^β production from resident peritoneal macrophages through the pyrin inflammasome as well as the NLRP3 inflammasome. <i>International Immunology</i> , 2019, 31, 657-668.	1.8	13
23	Metabolic adaptation to glycolysis is a basic defense mechanism of macrophages for <i>Mycobacterium tuberculosis</i> infection. <i>International Immunology</i> , 2019, 31, 781-793.	1.8	37
24	Human <i>GBP1</i> is a microbe-specific gatekeeper of macrophage apoptosis and pyroptosis. <i>EMBO Journal</i> , 2019, 38, e100926.	3.5	170
25	<i>Toxoplasma</i> Effector GRA15-Dependent Suppression of IFN- ^γ -Induced Antiparasitic Response in Human Neurons. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 140.	1.8	17
26	CXCR4 regulates <i>Plasmodium</i> development in mouse and human hepatocytes. <i>Journal of Experimental Medicine</i> , 2019, 216, 1733-1748.	4.2	18
27	Innate, adaptive, and cell-autonomous immunity against <i>Toxoplasma gondii</i> infection. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-10.	3.2	72
28	Fungal ligands released by innate immune effectors promote inflammasome activation during <i>Aspergillus fumigatus</i> infection. <i>Nature Microbiology</i> , 2019, 4, 316-327.	5.9	53
29	<i>LPS</i> targets host guanylate-binding proteins to the bacterial outer membrane for non-canonical inflammasome activation. <i>EMBO Journal</i> , 2018, 37, .	3.5	184
30	A Nonpyroptotic IFN- ^γ -Triggered Cell Death Mechanism in Nonphagocytic Cells Promotes <i>Salmonella</i> Clearance In Vivo. <i>Journal of Immunology</i> , 2018, 200, 3626-3634.	0.4	23
31	Host immune responses to <i>Toxoplasma gondii</i> . <i>International Immunology</i> , 2018, 30, 113-119.	1.8	158
32	Introduction: Interactions Between the Immune System and Parasites Special Issue. <i>International Immunology</i> , 2018, 30, 91-91.	1.8	1
33	<i>Toxoplasma</i> Effector TgIST Targets Host IDO1 to Antagonize the IFN- ^γ -Induced Anti-parasitic Response in Human Cells. <i>Frontiers in Immunology</i> , 2018, 9, 2073.	2.2	32
34	Inducible Nitric Oxide Synthase Is a Key Host Factor for <i>Toxoplasma</i> GRA15-Dependent Disruption of the Gamma Interferon-Induced Antiparasitic Human Response. <i>MBio</i> , 2018, 9, .	1.8	33
35	Constitutive Interferon Maintains GBP Expression Required for Release of Bacterial Components Upstream of Pyroptosis and Anti-DNA Responses. <i>Cell Reports</i> , 2018, 24, 155-168.e5.	2.9	77
36	Guanylate binding proteins facilitate caspase-11-dependent pyroptosis in response to type 3 secretion system-negative <i>Pseudomonas aeruginosa</i> . <i>Cell Death Discovery</i> , 2018, 4, 3.	2.0	51

#	ARTICLE	IF	CITATIONS
37	Essential role for GABARAP autophagy proteins in interferon-inducible GTPase-mediated host defense. <i>Nature Immunology</i> , 2017, 18, 899-910.	7.0	85
38	Inflammasome Activation by Bacterial Outer Membrane Vesicles Requires Guanylate Binding Proteins. <i>MBio</i> , 2017, 8, .	1.8	122
39	Guanylate Binding Proteins Regulate Inflammasome Activation in Response to Hyperinjected Yersinia Translocon Components. <i>Infection and Immunity</i> , 2017, 85, .	1.0	35
40	Viral Replication Complexes Are Targeted by LC3-Guided Interferon-Inducible GTPases. <i>Cell Host and Microbe</i> , 2017, 22, 74-85.e7.	5.1	90
41	IFN- γ extends the immune functions of Guanylate Binding Proteins to inflammasome-independent antibacterial activities during <i>Francisella novicida</i> infection. <i>PLoS Pathogens</i> , 2017, 13, e1006630.	2.1	41
42	Lypd8 promotes the segregation of flagellated microbiota and colonic epithelia. <i>Nature</i> , 2016, 532, 117-121.	13.7	167
43	IRGB10 Liberates Bacterial Ligands for Sensing by the AIM2 and Caspase-11-NLRP3 Inflammasomes. <i>Cell</i> , 2016, 167, 382-396.e17.	13.5	237
44	Fundamental Roles of the Golgi-Associated Toxoplasma Aspartyl Protease, ASP5, at the Host-Parasite Interface. <i>PLoS Pathogens</i> , 2015, 11, e1005211.	2.1	108
45	Guanylate-binding proteins promote activation of the AIM2 inflammasome during infection with <i>Francisella novicida</i> . <i>Nature Immunology</i> , 2015, 16, 476-484.	7.0	291
46	p62 Plays a Specific Role in Interferon- γ -Induced Presentation of a Toxoplasma Vacuolar Antigen. <i>Cell Reports</i> , 2015, 13, 223-233.	2.9	74
47	The transcription factor IRF1 and guanylate-binding proteins target activation of the AIM2 inflammasome by <i>Francisella</i> infection. <i>Nature Immunology</i> , 2015, 16, 467-475.	7.0	291
48	mTOR Complex Signaling through the SEMA4A-Plexin B2 Axis Is Required for Optimal Activation and Differentiation of CD8+ T Cells. <i>Journal of Immunology</i> , 2015, 195, 934-943.	0.4	39
49	Guanylate Binding Proteins Enable Rapid Activation of Canonical and Noncanonical Inflammasomes in Chlamydia-Infected Macrophages. <i>Infection and Immunity</i> , 2015, 83, 4740-4749.	1.0	126
50	RabGD1 \pm is a negative regulator of interferon- γ -inducible GTPase-dependent cell-autonomous immunity to <i>Toxoplasma gondii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4581-90.	3.3	30
51	The E2-Like Conjugation Enzyme Atg3 Promotes Binding of IRG and Gbp Proteins to Chlamydia- and Toxoplasma-Containing Vacuoles and Host Resistance. <i>PLoS ONE</i> , 2014, 9, e86684.	1.1	90
52	Guanylate binding proteins promote caspase-11-dependent pyroptosis in response to cytoplasmic LPS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6046-6051.	3.3	289
53	Role of Mouse and Human Autophagy Proteins in IFN- γ -Induced Cell-Autonomous Responses against <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2014, 192, 3328-3335.	0.4	120
54	Caspase-11 activation requires lysis of pathogen-containing vacuoles by IFN-induced GTPases. <i>Nature</i> , 2014, 509, 366-370.	13.7	416

#	ARTICLE	IF	CITATIONS
55	Selective and strain-specific NFAT4 activation by the <i>Toxoplasma gondii</i> polymorphic dense granule protein GRA6. <i>Journal of Experimental Medicine</i> , 2014, 211, 2013-2032.	4.2	125
56	Subversion of host cellular functions by the apicomplexan parasites. <i>FEMS Microbiology Reviews</i> , 2013, 37, 607-631.	3.9	92
57	Pathogen Recognition Receptors: Ligands and Signaling Pathways by Toll-Like Receptors. <i>International Reviews of Immunology</i> , 2013, 32, 116-133.	1.5	156
58	Ifit1 Inhibits Japanese Encephalitis Virus Replication through Binding to 5' Capped 2'-O Unmethylated RNA. <i>Journal of Virology</i> , 2013, 87, 9997-10003.	1.5	106
59	Inhibition of ATF6 β -dependent host adaptive immune response by a <i>Toxoplasma</i> virulence factor ROP18. <i>Virulence</i> , 2012, 3, 77-80.	1.8	18
60	A Cluster of Interferon- γ -Inducible p65 GTPases Plays a Critical Role in Host Defense against <i>Toxoplasma gondii</i> . <i>Immunity</i> , 2012, 37, 302-313.	6.6	311
61	ATF6 β is a host cellular target of the <i>Toxoplasma gondii</i> virulence factor ROP18. <i>Journal of Experimental Medicine</i> , 2011, 208, 1533-1546.	4.2	133
62	A Method for the Generation of Conditional Gene-Targeted Mice. <i>Methods in Molecular Biology</i> , 2011, 757, 399-410.	0.4	1
63	Current Views of Toll-Like Receptor Signaling Pathways. <i>Gastroenterology Research and Practice</i> , 2010, 2010, 1-8.	0.7	184
64	A single polymorphic amino acid on <i>Toxoplasma gondii</i> kinase ROP16 determines the direct and strain-specific activation of Stat3. <i>Journal of Experimental Medicine</i> , 2009, 206, 2747-2760.	4.2	215
65	Role of nuclear I κ B proteins in the regulation of host immune responses. <i>Journal of Infection and Chemotherapy</i> , 2008, 14, 265-269.	0.8	55
66	Class-specific Regulation of Pro-inflammatory Genes by MyD88 Pathways and I κ B η . <i>Journal of Biological Chemistry</i> , 2008, 283, 12468-12477.	1.6	96
67	Regulation of host immune responses by nuclear I κ B proteins. <i>Inflammation and Regeneration</i> , 2008, 28, 516-521.	1.5	0
68	Enhanced TLR-mediated NF- κ B-dependent gene expression by Trib1 deficiency. <i>Journal of Experimental Medicine</i> , 2007, 204, 2233-2239.	4.2	73
69	Key function for the Ubc13 E2 ubiquitin-conjugating enzyme in immune receptor signaling. <i>Nature Immunology</i> , 2006, 7, 962-970.	7.0	249
70	The myristoylation of TRIF-related adaptor molecule is essential for Toll-like receptor 4 signal transduction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 6299-6304.	3.3	238
71	The Nuclear I κ B Protein I κ BNS Selectively Inhibits Lipopolysaccharide-Induced IL-6 Production in Macrophages of the Colonic Lamina Propria. <i>Journal of Immunology</i> , 2005, 174, 3650-3657.	0.4	172
72	Interferon- α induction through Toll-like receptors involves a direct interaction of IRF7 with MyD88 and TRAF6. <i>Nature Immunology</i> , 2004, 5, 1061-1068.	7.0	894

#	ARTICLE	IF	CITATIONS
73	Regulation of Toll/IL-1-receptor-mediated gene expression by the inducible nuclear protein Î² ₂ MIK. Nature, 2004, 430, 218-222.	13.7	445
74	TRAM is specifically involved in the Toll-like receptor 4-mediated MyD88-independent signaling pathway. Nature Immunology, 2003, 4, 1144-1150.	7.0	919
75	Role of Adaptor TRIF in the MyD88-Independent Toll-Like Receptor Signaling Pathway. Science, 2003, 301, 640-643.	6.0	2,808
76	Alteration of Cholesterol Metabolism Induced by Anabolic Steroid, Oxandrolone, Administration to Rats. Endocrinologia Japonica, 1970, 17, 195-202.	0.5	3