

# Anne Marie Vinggaard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5660838/publications.pdf>

Version: 2024-02-01

65  
papers

5,293  
citations

101384

36  
h-index

114278

63  
g-index

69  
all docs

69  
docs citations

69  
times ranked

5881  
citing authors

#	ARTICLE	IF	CITATIONS
1	Endocrine-Disrupting Potential of Bisphenol A, Bisphenol A Dimethacrylate, 4-n-Nonylphenol, and 4-n-Octylphenol in Vitro: New Data and a Brief Review. <i>Environmental Health Perspectives</i> , 2007, 115, 69-76.	2.8	439
2	Are Structural Analogues to Bisphenol A Safe Alternatives?. <i>Toxicological Sciences</i> , 2014, 139, 35-47.	1.4	352
3	Effect of highly bioaccumulated polychlorinated biphenyl congeners on estrogen and androgen receptor activity. <i>Toxicology</i> , 2001, 158, 141-153.	2.0	341
4	Combined Exposure to Anti-Androgens Exacerbates Disruption of Sexual Differentiation in the Rat. <i>Environmental Health Perspectives</i> , 2007, 115, 122-128.	2.8	259
5	Endocrine-Disrupting Activities In Vivo of the Fungicides Tebuconazole and Epoxiconazole. <i>Toxicological Sciences</i> , 2007, 100, 464-473.	1.4	212
6	Synergistic Disruption of External Male Sex Organ Development by a Mixture of Four Antiandrogens. <i>Environmental Health Perspectives</i> , 2009, 117, 1839-1846.	2.8	184
7	Bifidobacterium species associated with breastfeeding produce aromatic lactic acids in the infant gut. <i>Nature Microbiology</i> , 2021, 6, 1367-1382.	5.9	176
8	Diisobutyl phthalate has comparable anti-androgenic effects to di-n-butyl phthalate in fetal rat testis. <i>Toxicology Letters</i> , 2006, 163, 183-190.	0.4	170
9	Impact of diisobutyl phthalate and other PPAR agonists on steroidogenesis and plasma insulin and leptin levels in fetal rats. <i>Toxicology</i> , 2008, 250, 75-81.	2.0	151
10	Endocrine disrupting effects in vitro of conazole antifungals used as pesticides and pharmaceuticals. <i>Reproductive Toxicology</i> , 2010, 30, 573-582.	1.3	147
11	Differential effects of environmental chemicals and food contaminants on adipogenesis, biomarker release and PPAR $\alpha$ activation. <i>Molecular and Cellular Endocrinology</i> , 2012, 361, 106-115.	1.6	147
12	Reproductive and behavioral effects of diisononyl phthalate (DINP) in perinatally exposed rats. <i>Reproductive Toxicology</i> , 2011, 31, 200-209.	1.3	140
13	Antiandrogenic Effects in Vitro and in Vivo of the Fungicide Prochloraz. <i>Toxicological Sciences</i> , 2002, 69, 344-353.	1.4	137
14	Prochloraz: an imidazole fungicide with multiple mechanisms of action. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 186-192.	3.6	133
15	Low-dose perinatal exposure to di(2-ethylhexyl) phthalate induces anti-androgenic effects in male rats. <i>Reproductive Toxicology</i> , 2010, 30, 313-321.	1.3	132
16	Rapid and Sensitive Reporter Gene Assays for Detection of Antiandrogenic and Estrogenic Effects of Environmental Chemicals. <i>Toxicology and Applied Pharmacology</i> , 1999, 155, 150-160.	1.3	131
17	Anogenital distance as a toxicological or clinical marker for fetal androgen action and risk for reproductive disorders. <i>Archives of Toxicology</i> , 2019, 93, 253-272.	1.9	124
18	Perinatal Exposure to the Fungicide Prochloraz Feminizes the Male Rat Offspring. <i>Toxicological Sciences</i> , 2005, 85, 886-897.	1.4	112

#	ARTICLE	IF	CITATIONS
19	Identification and Quantification of Estrogenic Compounds in Recycled and Virgin Paper for Household Use As Determined by an in Vitro Yeast Estrogen Screen and Chemical Analysis. <i>Chemical Research in Toxicology</i> , 2000, 13, 1214-1222.	1.7	103
20	Mechanisms of action underlying the antiandrogenic effects of the fungicide prochloraz. <i>Toxicology and Applied Pharmacology</i> , 2006, 213, 160-171.	1.3	103
21	Screening of 397 Chemicals and Development of a Quantitative Structure-Activity Relationship Model for Androgen Receptor Antagonism. <i>Chemical Research in Toxicology</i> , 2008, 21, 813-823.	1.7	95
22	Environmental influences on ovarian dysgenesis – developmental windows sensitive to chemical exposures. <i>Nature Reviews Endocrinology</i> , 2017, 13, 400-414.	4.3	92
23	Low-dose effects of bisphenol A on early sexual development in male and female rats. <i>Reproduction</i> , 2014, 147, 477-487.	1.1	90
24	Adverse effects on sexual development in rat offspring after low dose exposure to a mixture of endocrine disrupting pesticides. <i>Reproductive Toxicology</i> , 2012, 34, 261-274.	1.3	85
25	Selection of reference genes for quantitative RT-PCR (RT-qPCR) analysis of rat tissues under physiological and toxicological conditions. <i>PeerJ</i> , 2015, 3, e855.	0.9	79
26	Concentration Addition, Independent Action and Generalized Concentration Addition Models for Mixture Effect Prediction of Sex Hormone Synthesis In Vitro. <i>PLoS ONE</i> , 2013, 8, e70490.	1.1	78
27	Dysgenesis and Histological Changes of Genitals and Perturbations of Gene Expression in Male Rats after In Utero Exposure to Antiandrogen Mixtures. <i>Toxicological Sciences</i> , 2007, 98, 87-98.	1.4	77
28	The OECD validation program of the H295R steroidogenesis assay: Phase 3. Final inter-laboratory validation study. <i>Environmental Science and Pollution Research</i> , 2011, 18, 503-515.	2.7	76
29	Fluorinated alkyl substances and technical mixtures used in food paper – packaging exhibit endocrine-related activity in vitro. <i>Andrology</i> , 2016, 4, 662-672.	1.9	71
30	Perinatal exposure to mixtures of endocrine disrupting chemicals reduces female rat follicle reserves and accelerates reproductive aging. <i>Reproductive Toxicology</i> , 2016, 61, 186-194.	1.3	66
31	Intrauterine Exposure to Paracetamol and Aniline Impairs Female Reproductive Development by Reducing Follicle Reserves and Fertility. <i>Toxicological Sciences</i> , 2016, 150, 178-189.	1.4	59
32	Late-life effects on rat reproductive system after developmental exposure to mixtures of endocrine disrupters. <i>Reproduction</i> , 2014, 147, 465-476.	1.1	50
33	Enniatin B and beauvericin are common in Danish cereals and show high hepatotoxicity on a high-content imaging platform. <i>Environmental Toxicology</i> , 2017, 32, 1658-1664.	2.1	44
34	Non-targeted screening for contaminants in paper and board food-contact materials using effect-directed analysis and accurate mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1080-1093.	1.1	43
35	Evaluating thyroid hormone disruption: investigations of long-term neurodevelopmental effects in rats after perinatal exposure to perfluorohexane sulfonate (PFHxS). <i>Scientific Reports</i> , 2020, 10, 2672.	1.6	43
36	An effect-directed strategy for characterizing emerging chemicals in food contact materials made from paper and board. <i>Food and Chemical Toxicology</i> , 2017, 106, 250-259.	1.8	38

#	ARTICLE	IF	CITATIONS
37	Migration studies and toxicity evaluation of cyclic polyesters oligomers from food packaging adhesives. <i>Food Chemistry</i> , 2020, 311, 125918.	4.2	36
38	Organophosphate ester flame retardants have antiandrogenic potential and affect other endocrine related endpoints <i>in vitro</i> and <i>in silico</i> . <i>Chemosphere</i> , 2021, 263, 127703.	4.2	36
39	The risk of chemical cocktail effects and how to deal with the issue. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 322-323.	2.0	34
40	Mixtures of environmentally relevant endocrine disrupting chemicals affect mammary gland development in female and male rats. <i>Reproductive Toxicology</i> , 2015, 54, 47-57.	1.3	30
41	Receptor-based <i>in vitro</i> activities to assess human exposure to chemical mixtures and related health impacts. <i>Environment International</i> , 2021, 146, 106191.	4.8	30
42	Effects of perinatal ethinyl estradiol exposure in male and female Wistar rats. <i>Reproductive Toxicology</i> , 2013, 42, 180-191.	1.3	26
43	Exposure to a glyphosate-based herbicide formulation, but not glyphosate alone, has only minor effects on adult rat testis. <i>Reproductive Toxicology</i> , 2018, 82, 25-31.	1.3	26
44	Predictive value of cell assays for developmental toxicity and embryotoxicity of conazole fungicides. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2013, 30, 319-330.	0.9	23
45	A pragmatic approach for human risk assessment of chemical mixtures. <i>Current Opinion in Toxicology</i> , 2019, 15, 1-7.	2.6	22
46	A novel human pluripotent stem cell-based assay to predict developmental toxicity. <i>Archives of Toxicology</i> , 2020, 94, 3831-3846.	1.9	20
47	A computational approach to mechanistic and predictive toxicology of pesticides. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2014, 31, 11-22.	0.9	19
48	Applicability of Computational Systems Biology in Toxicology. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 45-49.	1.2	17
49	Endocrine activity of persistent organic pollutants accumulated in human silicone implants – Dosing assays by partitioning from silicone. <i>Environment International</i> , 2015, 84, 107-114.	4.8	16
50	Perfluorononanoic acid in combination with 14 chemicals exerts low-dose mixture effects in rats. <i>Archives of Toxicology</i> , 2016, 90, 661-675.	1.9	16
51	Quantitative <i>in vitro</i> to <i>in vivo</i> Extrapolation (QIVIVE) for Predicting Reduced Anogenital Distance Produced by Anti-Androgenic Pesticides in a Rodent Model for Male Reproductive Disorders. <i>Environmental Health Perspectives</i> , 2020, 128, 117005.	2.8	16
52	Juvenile Male Rats Exposed to a Low-Dose Mixture of Twenty-Seven Environmental Chemicals Display Adverse Health Effects. <i>PLoS ONE</i> , 2016, 11, e0162027.	1.1	16
53	Perinatal exposure to mixtures of anti-androgenic chemicals causes proliferative lesions in rat prostate. <i>Prostate</i> , 2015, 75, 126-140.	1.2	15
54	Chemical Mixture Calculator - A novel tool for mixture risk assessment. <i>Food and Chemical Toxicology</i> , 2021, 152, 112167.	1.8	15

#	ARTICLE	IF	CITATIONS
55	Developmental effects of PFOS, PFOA and GenX in a 3D human induced pluripotent stem cell differentiation model. <i>Chemosphere</i> , 2021, 279, 130624.	4.2	14
56	Effects on metabolic parameters in young rats born with low birth weight after exposure to a mixture of pesticides. <i>Scientific Reports</i> , 2018, 8, 305.	1.6	13
57	Distinct Transcriptional Profiles of the Female, Male, and Finasteride-Induced Feminized Male Anogenital Region in Rat Fetuses. <i>Toxicological Sciences</i> , 2019, 169, 303-311.	1.4	10
58	Assessment of chemical mixtures using biomarkers of combined biological activity: A screening study in human placentas. <i>Reproductive Toxicology</i> , 2021, 100, 143-154.	1.3	9
59	Transcriptomic changes upon epoxiconazole exposure in a human stem cell-based model of developmental toxicity. <i>Chemosphere</i> , 2021, 284, 131225.	4.2	9
60	Creating a human-induced pluripotent stem cell-based NKX2.5 reporter gene assay for developmental toxicity testing. <i>Archives of Toxicology</i> , 2021, 95, 1659-1670.	1.9	8
61	Calretinin is a novel candidate marker for adverse ovarian effects of early life exposure to mixtures of endocrine disruptors in the rat. <i>Archives of Toxicology</i> , 2020, 94, 1241-1250.	1.9	7
62	Exposure to perfluorononanoic acid combined with a low-dose mixture of 14 human-relevant compounds disturbs energy/lipid homeostasis in rats. <i>Metabolomics</i> , 2015, 11, 1451-1464.	1.4	4
63	Chemical risk assessment based on in vitro and human biomonitoring data: A case study on thyroid toxicants. <i>Current Opinion in Toxicology</i> , 2019, 15, 8-17.	2.6	2
64	A Comparative Assessment of Marker Expression Between Cardiomyocyte Differentiation of Human Induced Pluripotent Stem Cells and the Developing Pig Heart. <i>Stem Cells and Development</i> , 2021, 30, 374-385.	1.1	2
65	Redefining Molecular Markers of Human Cardiac Differentiation Following Assessment of Early Porcine Cardiac Development. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1