

# Francesco Amaddeo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5662957/francesco-amaddeo-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97 papers	2,490 citations	29 h-index	46 g-index
110 ext. papers	2,963 ext. citations	4.4 avg, IF	4.75 L-index

#	Paper	IF	Citations
97	Suicide mortality among psychiatric patients in Northeast Italy: a 10-year cohort study.. <i>Epidemiology and Psychiatric Sciences</i> , <b>2022</b> , 31, e17	5.1	
96	The Sustained Psychological Impact of the COVID-19 Pandemic on Health Care Workers One Year after the Outbreak-A Repeated Cross-Sectional Survey in a Tertiary Hospital of North-East Italy.. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	6
95	Causes of mortality in a large population-based cohort of psychiatric patients in Southern Europe. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 136, 167-172	5.2	4
94	Levels of burn-out among healthcare workers during the COVID-19 pandemic and their associated factors: a cross-sectional study in a tertiary hospital of a highly burdened area of north-east Italy. <i>BMJ Open</i> , <b>2021</b> , 11, e045127	3	61
93	The psychological impact of COVID-19 among primary care physicians in the province of Verona, Italy: a cross-sectional study during the first pandemic wave. <i>Family Practice</i> , <b>2021</b> ,	1.9	2
92	Predicting PatientsTReadmission: Do Clinicians Outperform a Statistical Model? An Exploratory Study on Clinical Risk Judgment in Mental Health. <i>Journal of Nervous and Mental Disease</i> , <b>2020</b> , 208, 353-361	1.8	2
91	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. <i>BMC Medicine</i> , <b>2020</b> , 18, 215	11.4	30
90	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <i>Trials</i> , <b>2020</b> , 21, 695	2.8	2
89	Clinical and organizational factors predicting readmission for mental health patients across Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 187-196	4.5	3
88	Psychological impact of COVID-19 pandemic on healthcare workers in a highly burdened area of north-east Italy. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 30, e1	5.1	56
87	Co-producing knowledge of lesbian, gay, bisexual, trans and intersex (LGBTI) health-care inequalities via rapid reviews of grey literature in 27 EU Member States. <i>Health Expectations</i> , <b>2019</b> , 22, 688-700	3.7	10
86	A review of lesbian, gay, bisexual, trans and intersex (LGBTI) health and healthcare inequalities. <i>European Journal of Public Health</i> , <b>2019</b> , 29, 974-980	2.1	62
85	Standard comparison of local mental health care systems in eight European countries. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 28, 210-223	5.1	33
84	Celebrating the 40th anniversary of the Italian Mental Health reform. <i>Epidemiology and Psychiatric Sciences</i> , <b>2018</b> , 27, 311-313	5.1	6
83	The REFINEMENT Glossary of Terms: An International Terminology for Mental Health Systems Assessment. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , <b>2018</b> , 45, 342-351	3.1	16
82	The balance of adult mental health care: provision of core health versus other types of care in eight European countries. <i>Epidemiology and Psychiatric Sciences</i> , <b>2018</b> , 29, e6	5.1	6
81	Access to and Use of Psychiatric Services by Migrants Resettled in Northern Italy. <i>Journal of Immigrant and Minority Health</i> , <b>2018</b> , 20, 1309-1316	2.2	1

80	How are compassion fatigue, burnout, and compassion satisfaction affected by quality of working life? Findings from a survey of mental health staff in Italy. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 755	2.9	35
79	Mental Health Care in 11 Major Cities Over Two Decades. <i>Mental Health and Illness Worldwide</i> , <b>2017</b> , 1-60	0.1	
78	Mental Health Care in 11 Major Cities Over Two Decades. <i>Mental Health and Illness Worldwide</i> , <b>2017</b> , 223-282	0.1	
77	Spanish students' Use of the Internet for mental health information and support seeking. <i>Health Informatics Journal</i> , <b>2016</b> , 22, 333-54	3	17
76	Pre- and post-discharge factors influencing early readmission to acute psychiatric wards: implications for quality-of-care indicators in psychiatry. <i>General Hospital Psychiatry</i> , <b>2016</b> , 39, 53-8	5.6	23
75	Predischarge factors linked to rehospitalization. Valeria Donisi. <i>European Journal of Public Health</i> , <b>2016</b> , 26,	2.1	1
74	Pre-discharge factors predicting readmissions of psychiatric patients: a systematic review of the literature. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 449	4.2	74
73	Differences in the use of involuntary admission across the Veneto Region: which role for individual and contextual variables?. <i>Epidemiology and Psychiatric Sciences</i> , <b>2016</b> , 25, 49-57	5.1	11
72	Monitoring mental healthcare on a system level: Country profiles and status from EU countries. <i>Health Policy</i> , <b>2016</b> , 120, 706-17	3.2	11
71	Is a geographical approach worthwhile for epidemiological research in mental health?. <i>Epidemiology and Psychiatric Sciences</i> , <b>2015</b> , 24, 38-41	5.1	2
70	Mining approximate temporal functional dependencies with pure temporal grouping in clinical databases. <i>Computers in Biology and Medicine</i> , <b>2015</b> , 62, 306-24	7	12
69	Developing a tool for mapping adult mental health care provision in Europe: the REMAST research protocol and its contribution to better integrated care. <i>International Journal of Integrated Care</i> , <b>2015</b> , 15, e042	2	23
68	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , <b>2014</b> , 205, 127-34	5.4	40
67	Cancer mortality among psychiatric patients treated in a community-based system of care: a 25-year case register study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 693-701	4.5	14
66	The small scale clinical psychiatric case registers. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 80-2	6.5	3
65	The impact of non-adherence to medication in patients with schizophrenia on health, social care and societal costs. Analysis of the QUATRO study. <i>Epidemiology and Psychiatric Sciences</i> , <b>2014</b> , 23, 61-70	5.1	19
64	Mental health care financing in Italy: current situation and perspectives. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 464-8	1.8	3
63	Cost-effectiveness of adherence therapy versus health education for people with schizophrenia: randomised controlled trial in four European countries. <i>Cost Effectiveness and Resource Allocation</i> , <b>2013</b> , 11, 12	2.4	7

62	Prediction of community mental health service utilization by individual and ecological level socio-economic factors. <i>Psychiatry Research</i> , <b>2013</b> , 209, 691-8	9.9	20
61	Quality of mental health care indicators to improve care. <i>Epidemiology and Psychiatric Sciences</i> , <b>2013</b> , 22, 1-2	5.1	7
60	Burnout, compassion fatigue, and compassion satisfaction among staff in community-based mental health services. <i>Psychiatry Research</i> , <b>2012</b> , 200, 933-8	9.9	97
59	Dealing with multigranular spatio-temporal databases to manage psychiatric epidemiology data <b>2012</b> ,		1
58	State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , <b>2012</b> , 24, 314-20	3.6	26
57	Mental health, natural and human-made disasters: lessons learnt and future needs. <i>Epidemiology and Psychiatric Sciences</i> , <b>2012</b> , 21, 1-5	5.1	8
56	New perspectives of mental health service research. <i>Epidemiology and Psychiatric Sciences</i> , <b>2011</b> , 20, 3-6	5.1	4
55	DRGs and other patient-, service- and area-level factors influencing length of stay in acute psychiatric wards: the Veneto Region experience. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2011</b> , 46, 651-60	4.5	29
54	How are caseload and service utilisation of psychiatric services influenced by distance? A geographical approach to the study of community-based mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2011</b> , 46, 881-91	4.5	35
53	The difficult task of predicting the costs of community-based mental health care. A comprehensive case register study. <i>Epidemiology and Psychiatric Sciences</i> , <b>2011</b> , 20, 245-56	5.1	22
52	A predictive model to allocate frequent service users of community-based Mental Health Services to different packages of care. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2010</b> , 19, 168-177		9
51	Diagnosing psychotic disorders: validity, reliability and applications of the Diagnostic Interview for Psychosis (DIP). Italian version. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2010</b> , 19, 33-43		4
50	Mortality among people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2010</b> , 19, 1-3		5
49	Is the implementation of assertive community treatment in a low-income country feasible? The experience of Tbilisi, Georgia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2010</b> , 45, 779-83	4.5	8
48	Information systems for mental health. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2009</b> , 18, 1-4		18
47	Mortality and cause of death among psychiatric patients: a 20-year case-register study in an area with a community-based system of care. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1875-84	6.9	60
46	A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. <i>Journal of Mental Health Policy and Economics</i> , <b>2009</b> , 12, 27-31	1.3	50
45	Long-term monitoring and evaluation of a new system of community-based psychiatric care. Integrating research, teaching and practice at the University of Verona. <i>Annali Dell'Istituto Superiore Di Sanita</i> , <b>2009</b> , 45, 43-53	1.6	10

44	What happens to patients seen only once by psychiatric services? Findings from a follow-up study. <i>Psychiatry Research</i> , <b>2008</b> , 157, 53-65	9.9	18
43	Risk of death from natural causes increased in people with psychiatric admissions. <i>Evidence-Based Mental Health</i> , <b>2008</b> , 11, 106	11.1	1
42	Financing mental health care in Europe. <i>Journal of Mental Health</i> , <b>2007</b> , 16, 167-180	2.7	27
41	Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 115, 132-41	6.5	9
40	Avoidable mortality of psychiatric patients in an area with a community-based system of mental health care. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 115, 320-5	6.5	36
39	What is the impact of socio-economic inequalities on the use of mental health services?. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2007</b> , 16, 16-19		38
38	Economics of mental health. New challenge and new perspectives. <i>Epidemiology and Psychiatric Sciences</i> , <b>2007</b> , 16, 279-281	5.1	2
37	Predicting costs of mental health care: a critical literature review. <i>Psychological Medicine</i> , <b>2007</b> , 37, 467-479	6.7	23
36	Urbanicity and schizophrenia. From statistical association to causality?. <i>Epidemiology and Psychiatric Sciences</i> , <b>2006</b> , 15, 239-241	5.1	4
35	Proposal for a new funding system for mental health departments. Results from an evaluative multicentre Italian study (I-psycost). <i>Epidemiology and Psychiatric Sciences</i> , <b>2006</b> , 15, 295-306	5.1	7
34	Evaluating a community-based mental health service focusing on severe mental illness. The Verona experience. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 90-4	6.5	42
33	Factors associated with clinicians' dispositions in an out-patient psychiatric department. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 832-40	4.5	3
32	Does socioeconomic status affect the use of community-based psychiatric services? A South Verona case register study. <i>Acta Psychiatrica Scandinavica</i> , <b>2005</b> , 112, 215-23	6.5	32
31	A census-based socio-economic status (SES) index as a tool to examine the relationship between mental health services use and deprivation. <i>Social Science and Medicine</i> , <b>2005</b> , 61, 2096-105	5.1	36
30	Determinants of once-only contact in a community-based psychiatric service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 50-6	4.5	14
29	Drug treatment modalities in psychiatric inpatient practice: a 20-year comparison. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2005</b> , 255, 136-42	5.1	10
28	Does additional care provided by a consumer self-help group improve psychiatric outcome? A study in an Italian community-based psychiatric service. <i>Community Mental Health Journal</i> , <b>2005</b> , 41, 705-20	2.1	29
27	Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2005</b> , 39, 414-22	2.6	7

26	Off-label and non-classical prescriptions of antipsychotic agents in ordinary in-patient practice. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 275-8	6.5	35
25	The effect of previous psychiatric history on the cost of care: a comparison of various regression models. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 132-9	6.5	19
24	A longitudinal evaluation of two-year outcome in a community-based mental health service using graphical chain models. The South-Verona Outcome Project 9. <i>International Journal of Methods in Psychiatric Research</i> , <b>2004</b> , 13, 10-23	4.3	6
23	The changing pattern of inpatient antipsychotic drug use in Italy. <i>Journal of Clinical Psychopharmacology</i> , <b>2004</b> , 24, 559-61	1.7	1
22	The reliability of the Mini-International Neuropsychiatric Interview--Italian version. <i>Journal of Clinical Psychopharmacology</i> , <b>2004</b> , 24, 561-3	1.7	60
21	Describing, explaining or predicting mental health care costs: a guide to regression models. Methodological review. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 398-404	5.4	70
20	Provision of services for people with schizophrenia in five European regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2002</b> , 37, 465-74	4.5	35
19	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>Acta Psychiatrica Scandinavica</i> , <b>2002</b> , 105, 42-54	6.5	89
18	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. <i>British Journal of Psychiatry</i> , <b>2002</b> , 181, 331-8	5.4	76
17	Accessibility and pathways to psychiatric care in a community-based mental health system. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2001</b> , 36, 500-7	4.5	66
16	Client Socio-Demographic and Service Receipt Inventory--European Version: development of an instrument for international research. EPSILON Study 5. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , <b>2000</b> , s28-33	5.4	335
15	Community-based mental health care: to what extent are service costs associated with clinical, social and service history variables?. <i>Psychological Medicine</i> , <b>2000</b> , 30, 1205-15	6.9	24
14	Using health production functions to evaluate treatment effectiveness: an application to a community mental health service. <i>Health Economics (United Kingdom)</i> , <b>2000</b> , 9, 373-83	2.4	10
13	Collecting psychiatric resources utilisation data to calculate costs of care: a comparison between a service receipt interview and a case register. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1999</b> , 34, 541-7	4.5	37
12	The costs of community-based psychiatric care for first-ever patients. A case register study. <i>Psychological Medicine</i> , <b>1998</b> , 28, 173-83	6.9	30
11	Psychiatric case registers for monitoring service utilisation and evaluating its costs. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , <b>1997</b> , 6, 177-98		4
10	The use of a case register to evaluate the costs of psychiatric care. <i>Acta Psychiatrica Scandinavica</i> , <b>1997</b> , 95, 189-98	6.5	62
9	Frequency of contact with community-based psychiatric services and the lunar cycle: a 10-year case-register study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1997</b> , 32, 323-6	4.5	19

8	ICAP. An interview for collecting data for the evaluation of psychiatric care costs. <i>Epidemiologia E Psichiatria Sociale</i> , <b>1996</b> , 5, 201-205		5
7	Mortality among patients with psychiatric illness. A ten-year case register study in an area with a community-based system of care. <i>British Journal of Psychiatry</i> , <b>1995</b> , 166, 783-8	5.4	68
6	A comparison of community-based care for schizophrenia in south Verona and south Manchester. <i>British Journal of Psychiatry</i> , <b>1995</b> , 166, 344-52	5.4	28
5	Affective and neurotic disorders in community-based services: a comparative study in south Verona and south Manchester. <i>Acta Psychiatrica Scandinavica</i> , <b>1995</b> , 91, 386-95	6.5	10
4	Evaluating costs of mental illness in Italy. The development of a methodology and possible applications. <i>Epidemiologia E Psichiatria Sociale</i> , <b>1995</b> , 4, 145-162		8
3	Psychiatric Out-Patients Seen Once Only in South Verona and Western Australia: A Comparative Case-Register Study		2
2	Innovative epidemiological methods229-245		
1	Barriers in care pathways and unmet mental health needs in LGBTIQ + communities. <i>International Review of Psychiatry</i> ,1-15	3.6	0