
Masaya Misaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5664221/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of multivariate classifiers and response normalizations for pattern-information fMRI. NeuroImage, 2010, 53, 103-118.	2.1	419
2	Randomized Clinical Trial of Real-Time fMRI Amygdala Neurofeedback for Major Depressive Disorder: Effects on Symptoms and Autobiographical Memory Recall. American Journal of Psychiatry, 2017, 174, 748-755.	4.0	260
3	Real-Time fMRI Neurofeedback Training of Amygdala Activity in Patients with Major Depressive Disorder. PLoS ONE, 2014, 9, e88785.	1.1	250
4	Self-regulation of human brain activity using simultaneous real-time fMRI and EEG neurofeedback. NeuroImage, 2014, 85, 985-995.	2.1	184
5	Human brain activity time-locked to rapid eye movements during REM sleep. Experimental Brain Research, 2009, 192, 657-667.	0.7	158
6	Correlation between amygdala BOLD activity and frontal EEG asymmetry during real-time fMRI neurofeedback training in patients with depression. NeuroImage: Clinical, 2016, 11, 224-238.	1.4	125
7	Resting-State Functional Connectivity Modulation and Sustained Changes After Real-Time Functional Magnetic Resonance Imaging Neurofeedback Training in Depression. Brain Connectivity, 2014, 4, 690-701.	0.8	122
8	Connectivity pattern changes in default-mode network with deep non-REM and REM sleep. Neuroscience Research, 2011, 69, 322-330.	1.0	105
9	Treatment of bipolar depression with minocycline and/or aspirin: an adaptive, 2×2 double-blind, randomized, placebo-controlled, phase IIA clinical trial. Translational Psychiatry, 2018, 8, 27.	2.4	105
10	Altered task-based and resting-state amygdala functional connectivity following real-time fMRI amygdala neurofeedback training in major depressive disorder. NeuroImage: Clinical, 2018, 17, 691-703.	1.4	97
11	Real-time fMRI neurofeedback training of the amygdala activity with simultaneous EEG in veterans with combat-related PTSD. NeuroImage: Clinical, 2018, 19, 106-121.	1.4	94
12	Real-Time Functional Magnetic Resonance Imaging Amygdala Neurofeedback Changes Positive Information Processing in Major Depressive Disorder. Biological Psychiatry, 2017, 82, 578-586.	0.7	92
13	Increased anterior insula activity in anxious individuals is linked to diminished perceived control. Translational Psychiatry, 2015, 5, e591-e591.	2.4	89
14	Altered populations of natural killer cells, cytotoxic T lymphocytes, and regulatory T cells in major depressive disorder: Association with sleep disturbance. Brain, Behavior, and Immunity, 2017, 66, 193-200.	2.0	66
15	Amygdala realâ€ŧime functional magnetic resonance imaging neurofeedback for major depressive disorder: A review. Psychiatry and Clinical Neurosciences, 2018, 72, 466-481.	1.0	60
16	EEG Microstates Temporal Dynamics Differentiate Individuals with Mood and Anxiety Disorders From Healthy Subjects. Frontiers in Human Neuroscience, 2019, 13, 56.	1.0	54
17	Real-time fMRI amygdala neurofeedback positive emotional training normalized resting-state functional connectivity in combat veterans with and without PTSD: a connectome-wide investigation. NeuroImage: Clinical, 2018, 20, 543-555.	1.4	50
18	Beyond synchrony: the capacity of fMRI hyperscanning for the study of human social interaction. Social Cognitive and Affective Neuroscience, 2021, 16, 84-92.	1.5	46

MASAYA MISAKI

#	Article	IF	CITATIONS
19	Connectome-wide investigation of altered resting-state functional connectivity in war veterans with and without posttraumatic stress disorder. NeuroImage: Clinical, 2018, 17, 285-296.	1.4	45
20	Network-dependent modulation of brain activity during sleep. NeuroImage, 2014, 98, 1-10.	2.1	44
21	Characteristic cortical thickness patterns in adolescents with autism spectrum disorders: Interactions with age and intellectual ability revealed by canonical correlation analysis. NeuroImage, 2012, 60, 1890-1901.	2.1	41
22	Emotion self-regulation training in major depressive disorder using simultaneous real-time fMRI and EEG neurofeedback. NeuroImage: Clinical, 2020, 27, 102331.	1.4	40
23	Two temporal channels in human V1 identified using fMRI. NeuroImage, 2009, 47, 273-280.	2.1	37
24	Identification and replication of RNA-Seq gene network modules associated with depression severity. Translational Psychiatry, 2018, 8, 180.	2.4	37
25	Individual Variations in Nucleus Accumbens Responses Associated with Major Depressive Disorder Symptoms. Scientific Reports, 2016, 6, 21227.	1.6	36
26	Realâ€ŧime fMRI neurofeedback of the mediodorsal and anterior thalamus enhances correlation between thalamic BOLD activity and alpha EEG rhythm. Human Brain Mapping, 2018, 39, 1024-1042.	1.9	36
27	The effect of spatial smoothing on fMRI decoding of columnar-level organization with linear support vector machine. Journal of Neuroscience Methods, 2013, 212, 355-361.	1.3	35
28	Contrast enhancement by combining T1- and T2-weighted structural brain MR Images. Magnetic Resonance in Medicine, 2015, 74, 1609-1620.	1.9	34
29	Tracking resting state connectivity dynamics in veterans with PTSD. NeuroImage: Clinical, 2018, 19, 260-270.	1.4	33
30	Neural mechanisms of spatial stimulus?response compatibility: the effect of crossed-hand position. Experimental Brain Research, 2004, 158, 9-17.	0.7	29
31	Real-time fMRI processing with physiological noise correction – Comparison with off-line analysis. Journal of Neuroscience Methods, 2015, 256, 117-121.	1.3	27
32	Automatic EEG-assisted retrospective motion correction for fMRI (aE-REMCOR). NeuroImage, 2016, 129, 133-147.	2.1	26
33	Dissociation in accessing space and number representations in pathologic pain patients. Brain and Cognition, 2014, 90, 151-156.	0.8	25
34	Differential privacy-based evaporative cooling feature selection and classification with relief-F and random forests. Bioinformatics, 2017, 33, 2906-2913.	1.8	24
35	Connectome-wide search for functional connectivity locus associated with pathological rumination as a target for real-time fMRI neurofeedback intervention. NeuroImage: Clinical, 2020, 26, 102244.	1.4	24
36	Selfâ€regulation of ventromedial prefrontal cortex activation using realâ€time fMRI neurofeedback—Influence of default mode network. Human Brain Mapping, 2020, 41, 342-352.	1.9	18

Masaya Misaki

#	Article	IF	CITATIONS
37	Dorsal visual cortex activity elicited by posture change in a visuo-tactile matching task. NeuroReport, 2002, 13, 1797-1800.	0.6	16
38	Real-time fMRI neurofeedback amygdala training may influence kynurenine pathway metabolism in major depressive disorder. NeuroImage: Clinical, 2021, 29, 102559.	1.4	16
39	Prevent breaking bad: A proof of concept study of rebalancing the brain's rumination circuit with realâ€time fMRI functional connectivity neurofeedback. Human Brain Mapping, 2021, 42, 922-940.	1.9	15
40	Latent variable analysis of negative affect and its contributions to neural responses during shock anticipation. Neuropsychopharmacology, 2019, 44, 695-702.	2.8	14
41	Hippocampal volume recovery with real-time functional MRI amygdala neurofeedback emotional training for posttraumatic stress disorder. Journal of Affective Disorders, 2021, 283, 229-235.	2.0	14
42	Taking the body off the mind: Decreased functional connectivity between somatomotor and defaultâ€mode networks following Floatationâ€REST. Human Brain Mapping, 2021, 42, 3216-3227.	1.9	14
43	Application of artificial neural network to fMRI regression analysis. NeuroImage, 2006, 29, 396-408.	2.1	13
44	Sex differences in neural responses to subliminal sad and happy faces in healthy individuals: Implications for depression. Journal of Neuroscience Research, 2017, 95, 703-710.	1.3	13
45	Mirror symmetrical transfer of perceptual learning by prism adaptation. Vision Research, 2007, 47, 1350-1361.	0.7	11
46	Accurate decoding of sub-TR timing differences in stimulations of sub-voxel regions from multi-voxel response patterns. Neurolmage, 2013, 66, 623-633.	2.1	11
47	Recruitment of orbitofrontal cortex during unpredictable threat among adults at risk for affective disorders. Brain and Behavior, 2017, 7, e00757.	1.0	11
48	Brain activity mediators of PTSD symptom reduction during real-time fMRI amygdala neurofeedback emotional training. NeuroImage: Clinical, 2019, 24, 102047.	1.4	11
49	Into the Unknown: Examining Neural Representations of Parent–Adolescent Interactions. Child Development, 2021, 92, e1361-e1376.	1.7	11
50	Objective perimetry using functional magnetic resonance imaging in patients with visual field loss. Experimental Neurology, 2009, 217, 401-406.	2.0	9
51	The Effect of Mineralocorticoid and Glucocorticoid Receptor Antagonism on Autobiographical Memory Recall and Amygdala Response to Implicit Emotional Stimuli. International Journal of Neuropsychopharmacology, 2016, 19, pyw036.	1.0	9
52	Neurofeedback-Augmented Mindfulness Training Elicits Distinct Responses in the Subregions of the Insular Cortex in Healthy Adolescents. Brain Sciences, 2022, 12, 363.	1.1	9
53	Improved autoregressive model for correction of noise serial correlation in fast fMRI. Magnetic Resonance in Medicine, 2020, 84, 1293-1305.	1.9	8
54	The impact of real-time fMRI denoising on online evaluation of brain activity and functional connectivity. Journal of Neural Engineering, 2021, 18, 046092.	1.8	8

MASAYA MISAKI

#	Article	IF	CITATIONS
55	Always on my mind: Cross-brain associations of mental health symptoms during simultaneous parent-child scanning. Developmental Cognitive Neuroscience, 2019, 40, 100729.	1.9	7
56	Effects of Parent Emotion Socialization on the Neurobiology Underlying Adolescent Emotion Processing: A Multimethod fMRI Study. Research on Child and Adolescent Psychopathology, 2020, 50, 149-161.	1.4	7
57	Self-regulation of the posterior cingulate cortex with real-time fMRI neurofeedback augmented mindfulness training in healthy adolescents: A nonrandomized feasibility study. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 849-867.	1.0	7
58	TEAMwork: Testing Emotional Attunement and Mutuality During Parent-Adolescent fMRI. Frontiers in Human Neuroscience, 2020, 14, 24.	1.0	6
59	Different modulation of medial superior temporal activity across saccades: a functional magnetic resonance imaging study. NeuroReport, 2008, 19, 133-137.	0.6	5
60	Integration of Simultaneous Resting-State Electroencephalography, Functional Magnetic Resonance Imaging, and Eye-Tracker Methods to Determine and Verify Electroencephalography Vigilance Measure. Brain Connectivity, 2020, 10, 535-546.	0.8	5
61	Common Data Elements, Scalable Data Management Infrastructure, and Analytics Workflows for Large-Scale Neuroimaging Studies. Frontiers in Psychiatry, 2021, 12, 682495.	1.3	5
62	Machine Learning Evidence for Sex Differences Consistently Influences Resting-State fMRI Fluctuations Across Multiple Independently-Acquired Datasets. Brain Connectivity, 2021, , .	0.8	5
63	Bilateral long-range interaction between right and left visual hemifield. Vision Research, 2007, 47, 1490-1503.	0.7	4
64	Neural Responses to Truth Telling and Risk Propensity under Asymmetric Information. PLoS ONE, 2015, 10, e0137014.	1.1	4
65	Asymmetric activation to the context-dependent right in the right inferior frontal region. European Journal of Neuroscience, 2004, 19, 1425-1429.	1.2	2
66	Default Mode Network Remodels Frontoparietal Network in Self-Referential Task. Biological Psychiatry, 2020, 87, S158-S159.	0.7	2
67	A Library for fMRI Real-Time Processing Systems in Python (RTPSpy) With Comprehensive Online Noise Reduction, Fast and Accurate Anatomical Image Processing, and Online Processing Simulation. Frontiers in Neuroscience, 2022, 16, 834827.	1.4	2
68	Canonical EEG microstates transitions reflect switching among BOLD resting state networks and predict fMRI signal. Journal of Neural Engineering, 2021, 18, 066051.	1.8	2
69	Real-Time Functional Magnetic Resonance Imaging Dyadic Neurofeedback for Emotion Regulation: A Proof-of-Concept Study. Frontiers in Human Neuroscience, 2022, 16, .	1.0	2
70	The influence of category knowledge on visual recognition and its functional role. Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English Translation of Denshi) Tj ETQq0 0 0 r	gBī⊅Dver	loc k 10 Tf 50
71	Training Artificial Neural Network using MR images for Visual Axes Estimation during Sleep. , 2007, , .		1

⁷² Internally-represented space and its mirror-reversed image of the visuospatial representation: A possible association. Medical Hypotheses, 2015, 85, 500-505.

0.8 1

MASAYA MISAKI

#	Article	IF	CITATIONS
73	F128. Transcriptomics of Brain Age Gap Estimate (BrainAGE): Association Analysis of Depressed and Healthy Individuals. Biological Psychiatry, 2018, 83, S287.	0.7	1
74	Eye Position Estimation During Sleep Using Infrared Video in Functional MRI. Journal of Advanced Computational Intelligence and Intelligent Informatics, 2008, 12, 32-40.	0.5	1
75	Estimation of visual axis during sleep by analyzing infrared video using artificial neural network. , 2007, , .		0
76	Functional Distribution in Area V1 Revealed by Spatially Uniform Stimuli. Neuro-Ophthalmology, 2007, 31, 179-185.	0.4	0
77	Activation in left primary visual cortex representing parafoveal visual field during reading Japanese texts. Brain Research, 2011, 1408, 72-80.	1.1	0
78	Characterizing and utilizing fMRI fluctuations, patterns, and dynamics. , 2013, , .		0
79	T144. Targeted vmPFC Modulation With fMRI Neurofeedback Changes Functional Connectivity in Depression. Biological Psychiatry, 2019, 85, S185.	0.7	0
80	S83. Mood and Anxiety Disorders Affect Brain Temporal Dynamics Evidence From EEG Microstates. Biological Psychiatry, 2019, 85, S329.	0.7	0
81	F44. Simultaneous EEC-fMRI-Eye Tracker Measurements for Determining Subject's Vigilance During Resting-State fMRI. Biological Psychiatry, 2019, 85, S229.	0.7	0
82	F75. How Many Sessions Needed for fMRI Neurofeedback Training to Increase Amygdala Activity and to Influence Functional Connectivity?. Biological Psychiatry, 2019, 85, S241-S242.	0.7	0
83	Effect of Left-Amygdala fMRI Neurofeedback Positive Emotion Training on Immune Mediators in Major Depressive Disorder. Biological Psychiatry, 2021, 89, S212.	0.7	0