
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5664221/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Library for fMRI Real-Time Processing Systems in Python (RTPSpy) With Comprehensive Online Noise Reduction, Fast and Accurate Anatomical Image Processing, and Online Processing Simulation. Frontiers in Neuroscience, 2022, 16, 834827.	1.4	2
2	Neurofeedback-Augmented Mindfulness Training Elicits Distinct Responses in the Subregions of the Insular Cortex in Healthy Adolescents. Brain Sciences, 2022, 12, 363.	1.1	9
3	Self-regulation of the posterior cingulate cortex with real-time fMRI neurofeedback augmented mindfulness training in healthy adolescents: A nonrandomized feasibility study. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 849-867.	1.0	7
4	Real-Time Functional Magnetic Resonance Imaging Dyadic Neurofeedback for Emotion Regulation: A Proof-of-Concept Study. Frontiers in Human Neuroscience, 2022, 16, .	1.0	2
5	Prevent breaking bad: A proof of concept study of rebalancing the brain's rumination circuit with realâ€ŧime fMRI functional connectivity neurofeedback. Human Brain Mapping, 2021, 42, 922-940.	1.9	15
6	Beyond synchrony: the capacity of fMRI hyperscanning for the study of human social interaction. Social Cognitive and Affective Neuroscience, 2021, 16, 84-92.	1.5	46
7	Real-time fMRI neurofeedback amygdala training may influence kynurenine pathway metabolism in major depressive disorder. NeuroImage: Clinical, 2021, 29, 102559.	1.4	16
8	Hippocampal volume recovery with real-time functional MRI amygdala neurofeedback emotional training for posttraumatic stress disorder. Journal of Affective Disorders, 2021, 283, 229-235.	2.0	14
9	Taking the body off the mind: Decreased functional connectivity between somatomotor and defaultâ€mode networks following Floatationâ€REST. Human Brain Mapping, 2021, 42, 3216-3227.	1.9	14
10	Effect of Left-Amygdala fMRI Neurofeedback Positive Emotion Training on Immune Mediators in Major Depressive Disorder. Biological Psychiatry, 2021, 89, S212.	0.7	0
11	The impact of real-time fMRI denoising on online evaluation of brain activity and functional connectivity. Journal of Neural Engineering, 2021, 18, 046092.	1.8	8
12	Common Data Elements, Scalable Data Management Infrastructure, and Analytics Workflows for Large-Scale Neuroimaging Studies. Frontiers in Psychiatry, 2021, 12, 682495.	1.3	5
13	Machine Learning Evidence for Sex Differences Consistently Influences Resting-State fMRI Fluctuations Across Multiple Independently-Acquired Datasets. Brain Connectivity, 2021, , .	0.8	5
14	Into the Unknown: Examining Neural Representations of Parent–Adolescent Interactions. Child Development, 2021, 92, e1361-e1376.	1.7	11
15	Canonical EEG microstates transitions reflect switching among BOLD resting state networks and predict fMRI signal. Journal of Neural Engineering, 2021, 18, 066051.	1.8	2
16	Selfâ€regulation of ventromedial prefrontal cortex activation using realâ€time fMRI neurofeedback—Influence of default mode network. Human Brain Mapping, 2020, 41, 342-352.	1.9	18
17	Integration of Simultaneous Resting-State Electroencephalography, Functional Magnetic Resonance Imaging, and Eye-Tracker Methods to Determine and Verify Electroencephalography Vigilance Measure. Brain Connectivity, 2020, 10, 535-546.	0.8	5
18	Effects of Parent Emotion Socialization on the Neurobiology Underlying Adolescent Emotion Processing: A Multimethod fMRI Study. Research on Child and Adolescent Psychopathology, 2020, 50, 149-161.	1.4	7

#	Article	IF	CITATIONS
19	Connectome-wide search for functional connectivity locus associated with pathological rumination as a target for real-time fMRI neurofeedback intervention. NeuroImage: Clinical, 2020, 26, 102244.	1.4	24
20	TEAMwork: Testing Emotional Attunement and Mutuality During Parent-Adolescent fMRI. Frontiers in Human Neuroscience, 2020, 14, 24.	1.0	6
21	Emotion self-regulation training in major depressive disorder using simultaneous real-time fMRI and EEG neurofeedback. NeuroImage: Clinical, 2020, 27, 102331.	1.4	40
22	Default Mode Network Remodels Frontoparietal Network in Self-Referential Task. Biological Psychiatry, 2020, 87, S158-S159.	0.7	2
23	Improved autoregressive model for correction of noise serial correlation in fast fMRI. Magnetic Resonance in Medicine, 2020, 84, 1293-1305.	1.9	8
24	T144. Targeted vmPFC Modulation With fMRI Neurofeedback Changes Functional Connectivity in Depression. Biological Psychiatry, 2019, 85, S185.	0.7	0
25	S83. Mood and Anxiety Disorders Affect Brain Temporal Dynamics Evidence From EEG Microstates. Biological Psychiatry, 2019, 85, S329.	0.7	0
26	F44. Simultaneous EEG-fMRI-Eye Tracker Measurements for Determining Subject's Vigilance During Resting-State fMRI. Biological Psychiatry, 2019, 85, S229.	0.7	0
27	Brain activity mediators of PTSD symptom reduction during real-time fMRI amygdala neurofeedback emotional training. NeuroImage: Clinical, 2019, 24, 102047.	1.4	11
28	F75. How Many Sessions Needed for fMRI Neurofeedback Training to Increase Amygdala Activity and to Influence Functional Connectivity?. Biological Psychiatry, 2019, 85, S241-S242.	0.7	0
29	EEG Microstates Temporal Dynamics Differentiate Individuals with Mood and Anxiety Disorders From Healthy Subjects. Frontiers in Human Neuroscience, 2019, 13, 56.	1.0	54
30	Always on my mind: Cross-brain associations of mental health symptoms during simultaneous parent-child scanning. Developmental Cognitive Neuroscience, 2019, 40, 100729.	1.9	7
31	Latent variable analysis of negative affect and its contributions to neural responses during shock anticipation. Neuropsychopharmacology, 2019, 44, 695-702.	2.8	14
32	Real-time fMRI neurofeedback training of the amygdala activity with simultaneous EEG in veterans with combat-related PTSD. NeuroImage: Clinical, 2018, 19, 106-121.	1.4	94
33	Amygdala realâ€ŧime functional magnetic resonance imaging neurofeedback for major depressive disorder: A review. Psychiatry and Clinical Neurosciences, 2018, 72, 466-481.	1.0	60
34	Treatment of bipolar depression with minocycline and/or aspirin: an adaptive, 2×2 double-blind, randomized, placebo-controlled, phase IIA clinical trial. Translational Psychiatry, 2018, 8, 27.	2.4	105
35	Altered task-based and resting-state amygdala functional connectivity following real-time fMRI amygdala neurofeedback training in major depressive disorder. NeuroImage: Clinical, 2018, 17, 691-703.	1.4	97
36	Tracking resting state connectivity dynamics in veterans with PTSD. NeuroImage: Clinical, 2018, 19, 260-270.	1.4	33

#	Article	IF	CITATIONS
37	Realâ€ŧime fMRI neurofeedback of the mediodorsal and anterior thalamus enhances correlation between thalamic BOLD activity and alpha EEG rhythm. Human Brain Mapping, 2018, 39, 1024-1042.	1.9	36
38	Connectome-wide investigation of altered resting-state functional connectivity in war veterans with and without posttraumatic stress disorder. NeuroImage: Clinical, 2018, 17, 285-296.	1.4	45
39	Identification and replication of RNA-Seq gene network modules associated with depression severity. Translational Psychiatry, 2018, 8, 180.	2.4	37
40	Real-time fMRI amygdala neurofeedback positive emotional training normalized resting-state functional connectivity in combat veterans with and without PTSD: a connectome-wide investigation. NeuroImage: Clinical, 2018, 20, 543-555.	1.4	50
41	F128. Transcriptomics of Brain Age Gap Estimate (BrainAGE): Association Analysis of Depressed and Healthy Individuals. Biological Psychiatry, 2018, 83, S287.	0.7	1
42	Randomized Clinical Trial of Real-Time fMRI Amygdala Neurofeedback for Major Depressive Disorder: Effects on Symptoms and Autobiographical Memory Recall. American Journal of Psychiatry, 2017, 174, 748-755.	4.0	260
43	Differential privacy-based evaporative cooling feature selection and classification with relief-F and random forests. Bioinformatics, 2017, 33, 2906-2913.	1.8	24
44	Real-Time Functional Magnetic Resonance Imaging Amygdala Neurofeedback Changes Positive Information Processing in Major Depressive Disorder. Biological Psychiatry, 2017, 82, 578-586.	0.7	92
45	Recruitment of orbitofrontal cortex during unpredictable threat among adults at risk for affective disorders. Brain and Behavior, 2017, 7, e00757.	1.0	11
46	Altered populations of natural killer cells, cytotoxic T lymphocytes, and regulatory T cells in major depressive disorder: Association with sleep disturbance. Brain, Behavior, and Immunity, 2017, 66, 193-200.	2.0	66
47	Sex differences in neural responses to subliminal sad and happy faces in healthy individuals: Implications for depression. Journal of Neuroscience Research, 2017, 95, 703-710.	1.3	13
48	Individual Variations in Nucleus Accumbens Responses Associated with Major Depressive Disorder Symptoms. Scientific Reports, 2016, 6, 21227.	1.6	36
49	Automatic EEG-assisted retrospective motion correction for fMRI (aE-REMCOR). NeuroImage, 2016, 129, 133-147.	2.1	26
50	Correlation between amygdala BOLD activity and frontal EEG asymmetry during real-time fMRI neurofeedback training in patients with depression. NeuroImage: Clinical, 2016, 11, 224-238.	1.4	125
51	The Effect of Mineralocorticoid and Glucocorticoid Receptor Antagonism on Autobiographical Memory Recall and Amygdala Response to Implicit Emotional Stimuli. International Journal of Neuropsychopharmacology, 2016, 19, pyw036.	1.0	9
52	Internally-represented space and its mirror-reversed image of the visuospatial representation: A possible association. Medical Hypotheses, 2015, 85, 500-505.	0.8	1
53	Contrast enhancement by combining T1- and T2-weighted structural brain MR Images. Magnetic Resonance in Medicine, 2015, 74, 1609-1620.	1.9	34
54	Increased anterior insula activity in anxious individuals is linked to diminished perceived control. Translational Psychiatry, 2015, 5, e591-e591.	2.4	89

#	Article	IF	CITATIONS
55	Real-time fMRI processing with physiological noise correction – Comparison with off-line analysis. Journal of Neuroscience Methods, 2015, 256, 117-121.	1.3	27
56	Neural Responses to Truth Telling and Risk Propensity under Asymmetric Information. PLoS ONE, 2015, 10, e0137014.	1.1	4
57	Real-Time fMRI Neurofeedback Training of Amygdala Activity in Patients with Major Depressive Disorder. PLoS ONE, 2014, 9, e88785.	1.1	250
58	Resting-State Functional Connectivity Modulation and Sustained Changes After Real-Time Functional Magnetic Resonance Imaging Neurofeedback Training in Depression. Brain Connectivity, 2014, 4, 690-701.	0.8	122
59	Network-dependent modulation of brain activity during sleep. NeuroImage, 2014, 98, 1-10.	2.1	44
60	Dissociation in accessing space and number representations in pathologic pain patients. Brain and Cognition, 2014, 90, 151-156.	0.8	25
61	Self-regulation of human brain activity using simultaneous real-time fMRI and EEG neurofeedback. NeuroImage, 2014, 85, 985-995.	2.1	184
62	The effect of spatial smoothing on fMRI decoding of columnar-level organization with linear support vector machine. Journal of Neuroscience Methods, 2013, 212, 355-361.	1.3	35
63	Accurate decoding of sub-TR timing differences in stimulations of sub-voxel regions from multi-voxel response patterns. NeuroImage, 2013, 66, 623-633.	2.1	11
64	Characterizing and utilizing fMRI fluctuations, patterns, and dynamics. , 2013, , .		0
65	Characteristic cortical thickness patterns in adolescents with autism spectrum disorders: Interactions with age and intellectual ability revealed by canonical correlation analysis. NeuroImage, 2012, 60, 1890-1901.	2.1	41
66	Connectivity pattern changes in default-mode network with deep non-REM and REM sleep. Neuroscience Research, 2011, 69, 322-330.	1.0	105
67	Activation in left primary visual cortex representing parafoveal visual field during reading Japanese texts. Brain Research, 2011, 1408, 72-80.	1.1	Ο
68	Comparison of multivariate classifiers and response normalizations for pattern-information fMRI. NeuroImage, 2010, 53, 103-118.	2.1	419
69	Human brain activity time-locked to rapid eye movements during REM sleep. Experimental Brain Research, 2009, 192, 657-667.	0.7	158
70	Objective perimetry using functional magnetic resonance imaging in patients with visual field loss. Experimental Neurology, 2009, 217, 401-406.	2.0	9
71	Two temporal channels in human V1 identified using fMRI. NeuroImage, 2009, 47, 273-280.	2.1	37
72	Different modulation of medial superior temporal activity across saccades: a functional magnetic resonance imaging study. NeuroReport, 2008, 19, 133-137.	0.6	5

MASAYA MISAKI

#	Article	IF	CITATIONS
73	Eye Position Estimation During Sleep Using Infrared Video in Functional MRI. Journal of Advanced Computational Intelligence and Intelligent Informatics, 2008, 12, 32-40.	0.5	1
74	Estimation of visual axis during sleep by analyzing infrared video using artificial neural network. , 2007, , .		0
75	Functional Distribution in Area V1 Revealed by Spatially Uniform Stimuli. Neuro-Ophthalmology, 2007, 31, 179-185.	0.4	0
76	Training Artificial Neural Network using MR images for Visual Axes Estimation during Sleep. , 2007, , .		1
77	Mirror symmetrical transfer of perceptual learning by prism adaptation. Vision Research, 2007, 47, 1350-1361.	0.7	11
78	Bilateral long-range interaction between right and left visual hemifield. Vision Research, 2007, 47, 1490-1503.	0.7	4
79	Application of artificial neural network to fMRI regression analysis. NeuroImage, 2006, 29, 396-408.	2.1	13
80	The influence of category knowledge on visual recognition and its functional role. Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English Translation of Denshi) Tj ETQq0 0 0 r	gB <b>ō</b> ∤Overl	ock 10 Tf 50
81	Asymmetric activation to the context-dependent right in the right inferior frontal region. European Journal of Neuroscience, 2004, 19, 1425-1429.	1.2	2
82	Neural mechanisms of spatial stimulus?response compatibility: the effect of crossed-hand position. Experimental Brain Research, 2004, 158, 9-17.	0.7	29
83	Dorsal visual cortex activity elicited by posture change in a visuo-tactile matching task. NeuroReport, 2002, 13, 1797-1800.	0.6	16