

Cheolmin Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5665490/cheolmin-park-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

7,495
citations

44
h-index

82
g-index

191
ext. papers

8,428
ext. citations

11.4
avg, IF

5.98
L-index

#	Paper	IF	Citations
170	Enabling nanotechnology with self assembled block copolymer patterns. <i>Polymer</i> , 2003 , 44, 6725-6760	3.9	1309
169	Microdomain patterns from directional eutectic solidification and epitaxy. <i>Nature</i> , 2000 , 405, 433-7	50.4	333
168	Printable Ferroelectric PVDF/PMMA Blend Films with Ultralow Roughness for Low Voltage Non-Volatile Polymer Memory. <i>Advanced Functional Materials</i> , 2009 , 19, 2812-2818	15.6	210
167	Micropatterned Pyramidal Ionic Gels for Sensing Broad-Range Pressures with High Sensitivity. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 10128-10135	9.5	191
166	Non-volatile organic memory with sub-millimetre bending radius. <i>Nature Communications</i> , 2014 , 5, 3583	17.4	182
165	Flexible non-volatile ferroelectric polymer memory with gate-controlled multilevel operation. <i>Advanced Materials</i> , 2012 , 24, 5910-4	24	162
164	Flexible transition metal dichalcogenide nanosheets for band-selective photodetection. <i>Nature Communications</i> , 2015 , 6, 8063	17.4	157
163	Preferential formation of electroactive crystalline phases in poly(vinylidene fluoride)/organically modified silicate nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 2173-2187	2.6	133
162	Non-volatile Ferroelectric Poly(vinylidene fluoride-co-trifluoroethylene) Memory Based on a Single-Crystalline Tri-isopropylsilylethynyl Pentacene Field-Effect Transistor. <i>Advanced Functional Materials</i> , 2009 , 19, 1609-1616	15.6	128
161	All-Inorganic CsPbI ₃ Perovskite Phase-Stabilized by Poly(ethylene oxide) for Red-Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2018 , 28, 1706401	15.6	127
160	High through-plane thermal conduction of graphene nanoflake filled polymer composites melt-processed in an L-shape kinked tube. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 15256-62	9.5	123
159	Spin cast ferroelectric beta poly(vinylidene fluoride) thin films via rapid thermal annealing. <i>Applied Physics Letters</i> , 2008 , 92, 012921	3.4	122
158	Nonvolatile polymer memory with nanoconfinement of ferroelectric crystals. <i>Nano Letters</i> , 2011 , 11, 138-44	11.5	111
157	Control of thin ferroelectric polymer films for non-volatile memory applications. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2010 , 17, 1135-1163	2.3	107
156	Epitaxial Growth of Thin Ferroelectric Polymer Films on Graphene Layer for Fully Transparent and Flexible Nonvolatile Memory. <i>Nano Letters</i> , 2016 , 16, 334-40	11.5	101
155	Shape-Adaptable 2D Titanium Carbide (MXene) Heater. <i>ACS Nano</i> , 2019 , 13, 6835-6844	16.7	99
154	Ordered Ferroelectric PVDF/rFE Thin Films by High Throughput Epitaxy for Nonvolatile Polymer Memory. <i>Macromolecules</i> , 2008 , 41, 8648-8654	5.5	95

153	Irreversible extinction of ferroelectric polarization in P(VDF-TrFE) thin films upon melting and recrystallization. <i>Applied Physics Letters</i> , 2006 , 88, 242908	3.4	94
152	Inverted quantum dot light emitting diodes using polyethylenimine ethoxylated modified ZnO. <i>Scientific Reports</i> , 2015 , 5, 8968	4.9	89
151	Large Area Orientation of Block Copolymer Microdomains in Thin Films via Directional Crystallization of a Solvent. <i>Macromolecules</i> , 2001 , 34, 2602-2606	5.5	88
150	Amphiphilic Block Copolymer Micelles: New Dispersant for Single Wall Carbon Nanotubes. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1451-1457	4.8	87
149	Molecularly Engineered Surface Triboelectric Nanogenerator by Self-Assembled Monolayers (METS). <i>Chemistry of Materials</i> , 2015 , 27, 4749-4755	9.6	77
148	Solvent-Assisted Gel Printing for Micropatterning Thin Organic-Inorganic Hybrid Perovskite Films. <i>ACS Nano</i> , 2016 , 10, 9026-35	16.7	77
147	Printable and Rewritable Full Block Copolymer Structural Color. <i>Advanced Materials</i> , 2017 , 29, 1700084	24	70
146	High Performance Multi-Level Non-Volatile Polymer Memory with Solution-Blended Ferroelectric Polymer/High-k Insulators for Low Voltage Operation. <i>Advanced Functional Materials</i> , 2013 , 23, 5484-5493	15.6	68
145	Biodegradable, electro-active chitin nanofiber films for flexible piezoelectric transducers. <i>Nano Energy</i> , 2018 , 48, 275-283	17.1	66
144	Super-Fast Switching of Twisted Nematic Liquid Crystals on 2D Single Wall Carbon Nanotube Networks. <i>Advanced Functional Materials</i> , 2011 , 21, 3843-3850	15.6	66
143	High performance AC electroluminescence from colloidal quantum dot hybrids. <i>Advanced Materials</i> , 2012 , 24, 4540-6	24	63
142	AC field-induced polymer electroluminescence with single wall carbon nanotubes. <i>Nano Letters</i> , 2011 , 11, 966-72	11.5	62
141	Spatially Pressure-Mapped Thermochromic Interactive Sensor. <i>Advanced Materials</i> , 2017 , 29, 1606120	24	60
140	Organic light emitting board for dynamic interactive display. <i>Nature Communications</i> , 2017 , 8, 14964	17.4	60
139	Highly reliable top-gated thin-film transistor memory with semiconducting, tunneling, charge-trapping, and blocking layers all of flexible polymers. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10957-65	9.5	60
138	Block copolymer structural color strain sensor. <i>NPG Asia Materials</i> , 2018 , 10, 328-339	10.3	60
137	Tailored single crystals of triisopropylsilylethynyl pentacene by selective contact evaporation printing. <i>Advanced Materials</i> , 2011 , 23, 3398-402	24	60
136	Effect of the relative permittivity of oxides on the performance of triboelectric nanogenerators. <i>RSC Advances</i> , 2017 , 7, 49368-49373	3.7	56

135	Metal Salt-Induced Ferroelectric Crystalline Phase in Poly(vinylidene fluoride) Films. <i>Macromolecular Rapid Communications</i> , 2008 , 29, 1316-1321	4.8	55
134	Electrically Tunable Soft-Solid Block Copolymer Structural Color. <i>ACS Nano</i> , 2015 , 9, 12158-67	16.7	53
133	Rewritable, Printable Conducting Liquid Metal Hydrogel. <i>ACS Nano</i> , 2019 , 13, 9122-9130	16.7	52
132	Non-volatile ferroelectric memory with position-addressable polymer semiconducting nanowire. <i>Small</i> , 2014 , 10, 1976-84	11	49
131	Nanopatterning of thin polymer films by controlled dewetting on a topographic pre-pattern. <i>Soft Matter</i> , 2008 , 4, 1467-1472	3.6	49
130	Strain-Mediated Phase Stabilization: A New Strategy for Ultrastable ECsPbI Perovskite by Nanoconfined Growth. <i>Small</i> , 2019 , 15, e1900219	11	48
129	Micropatterning of thin P3HT films via plasma enhanced polymer transfer printing. <i>Journal of Materials Chemistry</i> , 2008 , 18, 3489		47
128	Ordered Arrays of PS-b-P4VP Micelles by Fusion and Fission Process upon Solvent Annealing. <i>Macromolecules</i> , 2009 , 42, 6688-6697	5.5	46
127	Extremely bright full color alternating current electroluminescence of solution-blended fluorescent polymers with self-assembled block copolymer micelles. <i>ACS Nano</i> , 2013 , 7, 10809-17	16.7	44
126	Shear-Induced Ordering of Ferroelectric Crystals in Spin-Coated Thin Poly(vinylidene fluoride-co-trifluoroethylene) Films. <i>Macromolecules</i> , 2009 , 42, 4148-4154	5.5	44
125	Molecular and Crystalline Microstructure of Ferroelectric Poly(vinylidene fluoride-co-trifluoroethylene) Ultrathin Films on Bare and Self-Assembled Monolayer-Modified Au Substrates. <i>Macromolecules</i> , 2008 , 41, 109-119	5.5	44
124	Flexible Nonvolatile Transistor Memory with Solution-Processed Transition Metal Dichalcogenides. <i>Small</i> , 2017 , 13, 1603971	11	43
123	Room-Temperature-Processable Wire-Templated Nanoelectrodes for Flexible and Transparent All-Wire Electronics. <i>ACS Nano</i> , 2017 , 11, 3681-3689	16.7	43
122	Influence of an Oriented Glassy Cylindrical Microdomain Structure on the Morphology of Crystallizing Lamellae in a Semicrystalline Block Terpolymer. <i>Macromolecules</i> , 2000 , 33, 7931-7938	5.5	43
121	Flexible and highly efficient perovskite solar cells with a large active area incorporating cobalt-doped poly(3-hexylthiophene) for enhanced open-circuit voltage. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 12158-12167	13	43
120	Autonomous Surface Reconciliation of a Liquid-Metal Conductor Micropatterned on a Deformable Hydrogel. <i>Advanced Materials</i> , 2020 , 32, e2002178	24	43
119	Mixtures of Diblock Copolymer Micelles by Different Mixing Protocols. <i>Macromolecules</i> , 2007 , 40, 8323-8328	9.5	42
118	Stretchable Electroluminescent Display Enabled by Graphene-Based Hybrid Electrode. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 14222-14228	9.5	41

117	Electroluminescent Pressure-Sensing Displays. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 13757-13766	13.7	41
116	Interactive Skin Display with Epidermal Stimuli Electrode. <i>Advanced Science</i> , 2019 , 6, 1802351	13.6	40
115	3D touchless multiorder reflection structural color sensing display. <i>Science Advances</i> , 2020 , 6, eabb5769	14.3	40
114	Layer-by-Layer Controlled Perovskite Nanocomposite Thin Films for Piezoelectric Nanogenerators. <i>Advanced Functional Materials</i> , 2014 , 24, 6262-6269	15.6	39
113	Boron Nitride Nanosheets (BNNs) Chemically Modified by "Grafting-From" Polymerization of Poly(caprolactone) for Thermally Conductive Polymer Composites. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1921-8	4.5	39
112	Non-Volatile ReRAM Devices Based on Self-Assembled Multilayers of Modified Graphene Oxide 2D Nanosheets. <i>Small</i> , 2016 , 12, 6167-6174	11	37
111	Fabrication of micropatterned ferroelectric gamma poly(vinylidene fluoride) film for non-volatile polymer memory. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3619		36
110	Organic one-transistor-type nonvolatile memory gated with thin ionic liquid-polymer film for low voltage operation. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 20179-87	9.5	35
109	Tunable Surface Plasmon Band of Position Selective Ag and Au Nanoparticles in Thin Block Copolymer Micelle Films. <i>Chemistry of Materials</i> , 2009 , 21, 4248-4255	9.6	35
108	Multifunctional Woven Structure Operating as Triboelectric Energy Harvester, Capacitive Tactile Sensor Array, and Piezoresistive Strain Sensor Array. <i>Sensors</i> , 2017 , 17,	3.8	34
107	Humidity controlled crystallization of thin CH ₃ NH ₃ PbI ₃ films for high performance perovskite solar cell. <i>Physica Status Solidi - Rapid Research Letters</i> , 2016 , 10, 381-387	2.5	34
106	One-Step All-Solution-Based Au@TiO ₂ Core-Shell Nanosphere Active Layers in Nonvolatile ReRAM Devices. <i>Advanced Functional Materials</i> , 2017 , 27, 1604604	15.6	31
105	Micro- and Nanopatterning of Halide Perovskites Where Crystal Engineering for Emerging Photoelectronics Meets Integrated Device Array Technology. <i>Advanced Materials</i> , 2020 , 32, e2000597	24	31
104	Simple, Inexpensive, and Rapid Approach to Fabricate Cross-Shaped Memristors Using an Inorganic-Nanowire-Digital-Alignment Technique and a One-Step Reduction Process. <i>Advanced Materials</i> , 2016 , 28, 527-32	24	30
103	Multicore-shell nanofiber architecture of polyimide/polyvinylidene fluoride blend for thermal and long-term stability of lithium ion battery separator. <i>Scientific Reports</i> , 2016 , 6, 36977	4.9	29
102	Efficient photocatalytic hybrid Ag/TiO ₂ nanodot arrays integrated into nanopatterned block copolymer thin films. <i>New Journal of Chemistry</i> , 2009 , 33, 2431	3.6	29
101	Ordered Patterns of Microimprinted Bilayer Polymer Films with Controlled Dewetting and Layer Inversion. <i>Macromolecules</i> , 2006 , 39, 901-903	5.5	29
100	Highly luminescent biocompatible CsPbBr ₃ @SiO ₂ core-shell nanoprobe for bioimaging and drug delivery. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10337-10345	7.3	29

99	Nonvolatile Transistor Memory with Self-Assembled Semiconducting Polymer Nanodomain Floating Gates. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 33863-33873	9.5	28
98	Supramolecular assembly of end-functionalized polymer mixtures confined in nanospheres. <i>ACS Nano</i> , 2011 , 5, 115-22	16.7	28
97	Polymer-Assisted Nanoimprinting for Environment- and Phase-Stable Perovskite Nanopatterns. <i>ACS Nano</i> , 2020 , 14, 1645-1655	16.7	26
96	Comparative electrical bistable characteristics of ferroelectric poly(vinylidene fluoride-trifluoroethylene) copolymer based nonvolatile memory device architectures. <i>Applied Physics Letters</i> , 2008 , 93, 182902	3.4	26
95	Transition behavior of asymmetric polystyrene- b -poly(2-vinylpyridine) films: A stable hexagonally modulated layer structure. <i>Polymer</i> , 2015 , 60, 32-39	3.9	24
94	Highly crystalline Fe ₂ GeS ₄ nanocrystals: green synthesis and their structural and optical characterization. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2265-2270	13	23
93	High throughput modification of chemically reduced graphene oxides by a conjugated block copolymer in non-polar medium. <i>Journal of Materials Chemistry</i> , 2012 , 22, 25183		22
92	Highly Photoluminescent and Environmentally Stable Perovskite Nanocrystals Templated in Thin Self-Assembled Block Copolymer Films. <i>Advanced Functional Materials</i> , 2019 , 29, 1808193	15.6	21
91	Artificially Intelligent Tactile Ferroelectric Skin. <i>Advanced Science</i> , 2020 , 7, 2001662	13.6	21
90	Nonvolatile, Multicolored Photothermal Writing of Block Copolymer Structural Color. <i>Advanced Functional Materials</i> , 2019 , 29, 1904055	15.6	20
89	Control of Current Hysteresis of Networked Single-Walled Carbon Nanotube Transistors by a Ferroelectric Polymer Gate Insulator. <i>Advanced Functional Materials</i> , 2013 , 23, 1120-1128	15.6	20
88	Non-volatile memory characteristics of epitaxially grown PVDF-TrFE thin films and their printed micropattern application. <i>Current Applied Physics</i> , 2011 , 11, e30-e34	2.6	20
87	Ultrathin, Organic, Semiconductor/Polymer Blends by Scanning Corona-Discharge Coating for High-Performance Organic Thin-Film Transistors. <i>Advanced Functional Materials</i> , 2010 , 20, 2903-2910	15.6	20
86	Polymer-Laminated TiCT MXene Electrodes for Transparent and Flexible Field-Driven Electronics. <i>ACS Nano</i> , 2021 , 15, 8940-8952	16.7	19
85	Thermo-Adaptive Block Copolymer Structural Color Electronics. <i>Advanced Functional Materials</i> , 2021 , 31, 2008548	15.6	19
84	Humidity-Resistant, Fabric-Based, Wearable Triboelectric Energy Harvester by Treatment of Hydrophobic Self-Assembled Monolayers. <i>Advanced Materials Technologies</i> , 2018 , 3, 1800048	6.8	19
83	Soft Ferroelectrics Enabling High-Performance Intelligent Photo Electronics. <i>Advanced Materials</i> , 2021 , 33, e2004999	24	18
82	Supramolecular-Assembled Nanoporous Film with Switchable Metal Salts for a Triboelectric Nanogenerator. <i>Advanced Functional Materials</i> , 2017 , 27, 1701367	15.6	17

81	Non-Volatile Polymer Electroluminescence Programmable with Ferroelectric Field-Induced Charge Injection Gate. <i>Advanced Functional Materials</i> , 2016 , 26, 5391-5399	15.6	17
80	Flexible Vertical p-n Diode Photodetectors with Thin N-type MoSe Films Solution-Processed on Water Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 34543-34552	9.5	17
79	Ultrathin Electronic Composite Sheets of Metallic/Semiconducting Carbon Nanotubes Embedded in Conjugated Block Copolymers. <i>Advanced Functional Materials</i> , 2010 , 20, 4305-4313	15.6	16
78	3D-Stacked Vertical Channel Nonvolatile Polymer Memory. <i>Advanced Electronic Materials</i> , 2015 , 1, 1400042	11.7	15
77	Alternating-Current MXene Polymer Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2020 , 30, 2001224	15.6	15
76	Epitaxially Grown Ferroelectric PVDF-TrFE Film on Shape-Tailored Semiconducting Rubrene Single Crystal. <i>Small</i> , 2018 , 14, e1704024	11	15
75	Sensing and memorising liquids with polarity-interactive ferroelectric sound. <i>Nature Communications</i> , 2019 , 10, 3575	17.4	15
74	Solution-processed electron-only tandem polymer light-emitting diodes for broad wavelength light emission. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 110-117	7.1	15
73	Dewetting-Induced Hierarchical Patterns in Block Copolymer Films. <i>Macromolecules</i> , 2012 , 45, 1492-1498	9.5	15
72	Highly flexible inverted-quantum-dot light-emitting diodes on elastic polyurethane substrates. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1596-1600	7.1	14
71	Control of SWNT Dispersion by Block Copolymers with a Side-Chain Polarity Modifier. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 176-182	4.8	14
70	Bottom-Up Synthesis of Carbon Quantum Dots With High Performance Photo- and Electroluminescence. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1800080	3.1	14
69	Thermal conductivity behavior of SiCN/Nylon 6,6 and hBN/Nylon 6,6 composites. <i>Research on Chemical Intermediates</i> , 2014 , 40, 33-40	2.8	13
68	Micropatterns of Hierarchical Self-Assembled Block Copolymer Droplets with Solvent-Assisted Wetting of Brush Monolayers. <i>Macromolecules</i> , 2010 , 43, 5352-5357	5.5	13
67	Intrinsic memory behavior of rough silicon nanowires and enhancement via facile Ag NPs decoration. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13256		13
66	Surface-Conformal Triboelectric Nanopores via Supramolecular Ternary Polymer Assembly. <i>ACS Nano</i> , 2020 , 14, 755-766	16.7	13
65	Flexible artificial synesthesia electronics with sound-synchronized electroluminescence. <i>Nano Energy</i> , 2019 , 59, 773-783	17.1	12
64	Laser-induced nondestructive patterning of a thin ferroelectric polymer film with controlled crystals using Ge ₈ Sb ₂ Te ₁₁ alloy layer for nonvolatile memory. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 15171-8	9.5	12

63	Thin ferroelectric poly(vinylidene fluoride-chlorotrifluoro ethylene) films for thermal history independent non-volatile polymer memory. <i>Organic Electronics</i> , 2012 , 13, 491-497	3.5	12
62	Enhanced thermal conductivity of epoxy/Cu-plated carbon fiber fabric composites. <i>Macromolecular Research</i> , 2017 , 25, 559-564	1.9	12
61	Compression of cross-linked poly(vinylidene fluoride-co-trifluoro ethylene) films for facile ferroelectric polarization. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 4736-43	9.5	12
60	3D motion tracking display enabled by magneto-interactive electroluminescence. <i>Nature Communications</i> , 2020 , 11, 6072	17.4	12
59	A field-induced hole generation layer for high performance alternating current polymer electroluminescence and its application to extremely flexible devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 4434-4441	7.1	12
58	Realization of Excitation Wavelength Independent Blue Emission of ZnO Quantum Dots with Intrinsic Defects. <i>ACS Photonics</i> , 2020 , 7, 723-734	6.3	11
57	Improving the Stability of Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes Using Doped Electron Transport Materials. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019 , 216, 1900426	16	11
56	Design of amine modified polymer dispersants for liquid-phase exfoliation of transition metal dichalcogenide nanosheets and their photodetective nanocomposites. <i>2D Materials</i> , 2017 , 4, 041002	5.9	11
55	The effect of an external electric field on solid-state phase transition of (P(VDF/TrFE)(72/28)). <i>Fibers and Polymers</i> , 2007 , 8, 456-462	2	11
54	Direct patterning of self assembled nano-structures of block copolymers via electron beam lithography. <i>Macromolecular Research</i> , 2005 , 13, 435-440	1.9	11
53	Zwitterion-assisted transition metal dichalcogenide nanosheets for scalable and biocompatible inkjet printing. <i>Nano Research</i> , 2020 , 13, 2726-2734	10	11
52	Shape-Deformable Self-Healing Electroluminescence Displays. <i>Advanced Optical Materials</i> , 2019 , 7, 1801883	18.3	11
51	Structurally Stable and Highly Enhanced Luminescent Perovskite Based on Quasi-Two-Dimensional Structures upon Addition of Guanidinium Cations. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 4414-4420	3.8	10
50	Thin and surface adhesive ferroelectric poly(vinylidene fluoride) films with β -phase-inducing amino modified porous silica nanofillers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016 , 54, 2401-2411	2.6	10
49	Functionalized soft nanoporous materials through supramolecular assembly of end-functionalized polymer blends. <i>Chemistry - A European Journal</i> , 2012 , 18, 15662-8	4.8	10
48	Self assembled block copolymer gate insulators with cylindrical nanostructures for pentacene thin film transistor. <i>Macromolecular Research</i> , 2010 , 18, 777-786	1.9	10
47	Multilevel non-volatile data storage utilizing common current hysteresis of networked single walled carbon nanotubes. <i>Nanoscale</i> , 2016 , 8, 10273-81	7.7	10
46	Ecofriendly Catechol Lipid Bioresin for Low-Temperature Processed Electrode Patterns with Strong Durability. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 16864-16876	9.5	9

45	Retina-Inspired Structurally Tunable Synaptic Perovskite Nanocones. <i>Advanced Functional Materials</i> , 2105596	15.96	9
44	Multi-level operation of three-dimensionally stacked non-volatile ferroelectric polymer memory with high-performance hole-injection layer. <i>Organic Electronics</i> , 2019, 75, 105394	3.5	8
43	Thin poly(ionic liquid) and poly(vinylidene fluoride) blend films with ferro- and piezo-electric polar crystals. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2018, 56, 795-802	2.6	8
42	Ordered micropatterns by confined dewetting of an imprinted polymer thin film and their microlens application. <i>Macromolecular Research</i> , 2009, 17, 181-186	1.9	8
41	Shaping micro-clusters via inverse jamming and topographic close-packing of microbombs. <i>Nature Communications</i> , 2017, 8, 721	17.4	7
40	Triboelectric nanogenerators with transfer-printed arrays of hierarchically dewetted microdroplets. <i>Nano Energy</i> , 2018, 51, 588-596	17.1	7
39	Efficient room-temperature near-infrared detection with solution-processed networked single wall carbon nanotube field effect transistors. <i>Small</i> , 2014, 10, 653-9	11	7
38	Bimodal arrays of two types of nanoparticles by mixtures of diblock copolymer micelles. <i>Journal of Materials Chemistry</i> , 2009, 19, 1621		7
37	Complementary Type Ferroelectric Memory Transistor Circuits with P- and N-Channel MoTe2. <i>Advanced Electronic Materials</i> , 2020, 6, 2000479	6.4	7
36	Conductor-Free Anode of Transition Metal Dichalcogenide Nanosheets Self-Assembled with Graft Polymer Li-Ion Channels. <i>Advanced Energy Materials</i> , 2021, 11, 2003243	21.8	7
35	1D hypo-crystals: A novel concept for the crystallization of stereo-irregular polymers. <i>Materials Today</i> , 2020, 40, 26-37	21.8	6
34	Controlled Nanopores by Supramolecular Assembly of End-Functionalized Dendrimer and Homopolymer Blend. <i>ACS Macro Letters</i> , 2014, 3, 1112-1116	6.6	6
33	Micropatterns of Non-Circular Droplets of Nanostructured PS-b-PEO Copolymer by Solvent-Assisted Wetting on a Chemically Periodic Surface. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 431-438	2.6	6
32	Controlled Nanopores in Thin Films of Nonstoichiometrically Supramolecularly Assembled Graft Copolymers. <i>Chemistry - A European Journal</i> , 2015, 21, 18375-82	4.8	6
31	Self-powered finger motion-sensing structural color display enabled by block copolymer photonic crystal. <i>Nano Energy</i> , 2022, 92, 106688	17.1	6
30	Dual Functionalization of Hexagonal Boron Nitride Nanosheets Using Pyrene-Tethered Poly(4-vinylpyridine) for Stable Dispersion and Facile Device Incorporation. <i>ACS Applied Nano Materials</i> , 2020, 3, 7633-7642	5.6	6
29	Controlled polymer crystal/two-dimensional material heterostructures for high-performance photoelectronic applications. <i>Nanoscale</i> , 2020, 12, 5293-5307	7.7	5
28	Tandem Interactive Sensing Display De-Convoluting Dynamic Pressure and Temperature. <i>Advanced Functional Materials</i> , 2021, 31, 2010492	15.6	5

27	Surface functionalized nanostructures via position registered supramolecular polymer assembly. <i>Nanoscale</i> , 2018 , 10, 6333-6342	7.7	4
26	Photonic Crystal Palette of Binary Block Copolymer Blends for Full Visible Structural Color Encryption. <i>Advanced Functional Materials</i> , 2103697	15.6	4
25	High-performance alternating current electroluminescent layers solution blended with mechanically and electrically robust nonradiating polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015 , 53, 1629-1640	2.6	3
24	Bird-Inspired Self-Navigating Artificial Synaptic Compass. <i>ACS Nano</i> , 2021 ,	16.7	3
23	Nanowatt use 8V switching nonvolatile memory transistors with 2D MoTe2 channel and ferroelectric P(VDF-TrFE). <i>Nano Energy</i> , 2021 , 81, 105686	17.1	3
22	Hierarchically Ordered Perovskites with High Photo-Electronic and Environmental Stability via Nanoimprinting Guided Block Copolymer Self-Assembly. <i>Advanced Materials Interfaces</i> , 2200082	4.6	3
21	Photon-assisted nanostructures of self-assembled soft materials. <i>Nano Today</i> , 2021 , 38, 101199	17.9	2
20	Optimization of the electron transport in quantum dot light-emitting diodes by codoping ZnO with gallium (Ga) and magnesium (Mg).. <i>RSC Advances</i> , 2019 , 9, 32066-32071	3.7	2
19	Halide Perovskite Nanocrystal-Enabled Stabilization of Transition Metal Dichalcogenide Nanosheets.. <i>Small</i> , 2021 , e2106035	11	2
18	Ultrastable Perovskites: Strain-Mediated Phase Stabilization: A New Strategy for Ultrastable CsPbI3 Perovskite by Nanoconfined Growth (Small 21/2019). <i>Small</i> , 2019 , 15, 1970114	11	1
17	Self-Healing Materials: Shape-Deformable Self-Healing Electroluminescence Displays (Advanced Optical Materials 3/2019). <i>Advanced Optical Materials</i> , 2019 , 7, 1970012	8.1	1
16	Light-Emitting Diodes: All-Inorganic CsPbI3 Perovskite Phase-Stabilized by Poly(ethylene oxide) for Red-Light-Emitting Diodes (Adv. Funct. Mater. 16/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870102	15.6	1
15	Perovskite Nanopatterning: Highly Photoluminescent and Environmentally Stable Perovskite Nanocrystals Templated in Thin Self-Assembled Block Copolymer Films (Adv. Funct. Mater. 26/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970181	15.6	1
14	Supra-Binary Polarization in a Ferroelectric Nanowire. <i>Advanced Materials</i> , 2021 , 33, e2101981	24	1
13	An Artificial Tactile Neuron Enabling Spiking Representation of Stiffness and Disease Diagnosis.. <i>Advanced Materials</i> , 2022 , e2201608	24	1
12	Low-Powered E-Switching Block Copolymer Structural Color Display with Organohydrogel Humidity Controller. <i>Advanced Materials Technologies</i> , 2200385	6.8	1
11	Metal-Organic Framework-Assisted Metal-Ion Doping in All-Inorganic Perovskite for Dual-Mode Image Sensing Display. <i>Advanced Functional Materials</i> , 2111894	15.6	0
10	Ferroelectric polymer blends for optoelectronic applications 2022 , 113-151		0

- 9 Liquid-Metal Electrodes: Autonomous Surface Reconciliation of a Liquid-Metal Conductor Micropatterned on a Deformable Hydrogel (Adv. Mater. 37/2020). *Advanced Materials*, **2020**, 32, 2070277²⁴ ○
- 8 Visualization of nonsingular defect enabling rapid control of structural color.. *Science Advances*, **2022**, 8, eabm5120 14.3 ○
- 7 Information Storage: Nonvolatile, Multicolored Photothermal Writing of Block Copolymer Structural Color (Adv. Funct. Mater. 42/2019). *Advanced Functional Materials*, **2019**, 29, 1970295 15.6
- 6 Piezoelectrics: Layer-by-Layer Controlled Perovskite Nanocomposite Thin Films for Piezoelectric Nanogenerators (Adv. Funct. Mater. 40/2014). *Advanced Functional Materials*, **2014**, 24, 6246-6246 15.6
- 5 Transistors: Flexible Non-Volatile Ferroelectric Polymer Memory with Gate-Controlled Multilevel Operation (Adv. Mater. 44/2012). *Advanced Materials*, **2012**, 24, 5904-5904 24
- 4 Ultrathin Electronic Composite Sheets of Metallic/Semiconducting Carbon Nanotubes Embedded in Conjugated Block Copolymers. *Advanced Functional Materials*, **2010**, 20, 4304-4304 15.6
- 3 Photonic Crystal Palette of Binary Block Copolymer Blends for Full Visible Structural Color Encryption (Adv. Funct. Mater. 1/2022). *Advanced Functional Materials*, **2022**, 32, 2270006 15.6
- 2 Halide Perovskite Nanocrystal-Enabled Stabilization of Transition Metal Dichalcogenide Nanosheets (Small 6/2022). *Small*, **2022**, 18, 2270027 11
- 1 Nanowires: Simple, Inexpensive, and Rapid Approach to Fabricate Cross-Shaped Memristors Using an Inorganic-Nanowire-Digital-Alignment Technique and a One-Step Reduction Process (Adv. Mater. 3/2016). *Advanced Materials*, **2016**, 28, 591-591 24