

Antonio Bernabe-Ortiz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5666451/antonio-bernabe-ortiz-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206
papers

12,361
citations

31
h-index

109
g-index

243
ext. papers

16,278
ext. citations

5.3
avg, IF

7.45
L-index

#	Paper	IF	Citations
206	Leisure-Time and Transport-Related Physical Activity and the Risk of Mortality: The CRONICAS Cohort Study.. <i>Journal of Physical Activity and Health</i> , 2022 , 1-7	2.5	0
205	Health system responses for type 1 diabetes: A scoping review.. <i>Diabetic Medicine</i> , 2022 , e14805	3.5	0
204	Peru [Progress in health and sciences in 200 years of independence. <i>The Lancet Regional Health Americas</i> , 2022 , 7, 100148		3
203	Population-based stroke incidence estimates in Peru: Exploratory results from the CRONICAS cohort study.. <i>The Lancet Regional Health Americas</i> , 2022 , 5, 100083-100083		0
202	Type 2 diabetes mellitus and antibiotic-resistant infections: a systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2022 , 76, 75-84	5.1	1
201	Second-hand smoking, hypertension and cardiovascular risk: findings from Peru. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 576	2.3	0
200	High-sensitivity C-reactive protein and all-cause mortality in four diverse populations: the CRONICAS Cohort Study.. <i>Annals of Epidemiology</i> , 2021 , 67, 13-13	6.4	0
199	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10,	8.9	10
198	Association between body mass index and blood pressure levels across socio-demographic groups and geographical settings: analysis of pooled data in Peru. <i>PeerJ</i> , 2021 , 9, e11307	3.1	0
197	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. <i>Wellcome Open Research</i> , 2021 , 6, 163	4.8	
196	Urbanization in Peru is inversely associated with double burden of malnutrition: Pooled analysis of 92,841 mother-child pairs. <i>Obesity</i> , 2021 , 29, 1363-1374	8	2
195	Multimorbidity in Latin America and the Caribbean: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e050409	3	2
194	Short-term trends in the prevalence, awareness, treatment, and control of arterial hypertension in Peru. <i>Journal of Human Hypertension</i> , 2021 , 35, 462-471	2.6	5
193	Physical activity levels by glycemia status: A population-based cross-sectional study in Peru. <i>Primary Care Diabetes</i> , 2021 , 15, 300-305	2.4	1
192	Attitudes, health lifestyle behaviors and cardiometabolic risk factors among relatives of individuals with type 2 diabetes mellitus. <i>Primary Care Diabetes</i> , 2021 , 15, 101-105	2.4	1
191	CKD and CKDu in northern Peru: a cross-sectional analysis under the DEGREE protocol. <i>BMC Nephrology</i> , 2021 , 22, 37	2.7	1
190	Clusters of people with type 2 diabetes in the general population: unsupervised machine learning approach using national surveys in Latin America and the Caribbean. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	5

189	Multimorbidity and Disability Among Venezuelan Migrants: A Population-Based Survey in Peru. <i>Journal of Immigrant and Minority Health</i> , 2021 , 1	2.2	0
188	Who is getting screened for diabetes according to body mass index and waist circumference categories in Peru? a pooled analysis of national surveys between 2015 and 2019. <i>PLoS ONE</i> , 2021 , 16, e0256809	3.7	
187	SARS-CoV-2 seroprevalence in a high-altitude setting in Peru: adult population-based cross-sectional study. <i>PeerJ</i> , 2021 , 9, e12149	3.1	0
186	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. <i>Wellcome Open Research</i> , 2021 , 6, 163	4.8	0
185	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	4.0	154
184	Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2021 , 99, 640-652E	8.2	5
183	Trends and patterns of the double burden of malnutrition (DBM) in Peru: a pooled analysis of 129,159 mother-child dyads. <i>International Journal of Obesity</i> , 2021 , 45, 609-618	5.5	5
182	Aggregation and combination of cardiovascular risk factors and their association with 10-year all-cause mortality: the PERU MIGRANT Study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 582	2.3	0
181	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	4.0	73
180	FINDRISC in Latin America: a systematic review of diagnosis and prognosis models. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
179	Indoor air pollution concentrations and cardiometabolic health across four diverse settings in Peru: a cross-sectional study. <i>Environmental Health</i> , 2020 , 19, 59	6	9
178	Intermediate hyperglycaemia and 10-year mortality in resource-constrained settings: the PERU MIGRANT Study. <i>Diabetic Medicine</i> , 2020 , 37, 1519-1527	3.5	1
177	Sodium and Salt Consumption in Latin America and the Caribbean: A Systematic-Review and Meta-Analysis of Population-Based Studies and Surveys. <i>Nutrients</i> , 2020 , 12,	6.7	7
176	Association between arterial hypertension and depressive symptoms: Results from population-based surveys in Peru. <i>Asia-Pacific Psychiatry</i> , 2020 , 12, e12385	3.2	12
175	Cancer-related mortality in Peru: Trends from 2003 to 2016. <i>PLoS ONE</i> , 2020 , 15, e0228867	3.7	8
174	Effect of salt substitution on community-wide blood pressure and hypertension incidence. <i>Nature Medicine</i> , 2020 , 26, 374-378	50.5	48
173	Tear biomarkers and corneal sensitivity as an indicator of neuropathy in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 163, 108143	7.4	5
172	Foot thermometry with mHeath-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020 , 5, 23	4.8	3

171	Foot thermometry with mHealth-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020 , 5, 23	4.8	4
170	Sustainability of mHealth Effects on Cardiometabolic Risk Factors: Five-Year Results of a Randomized Clinical Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e14595	7.6	5
169	A systematic review of population-based studies on lipid profiles in Latin America and the Caribbean. <i>ELife</i> , 2020 , 9,	8.9	3
168	The Andean Latin-American burden of diabetes attributable to high body mass index: A comparative risk assessment. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107978	7.4	3
167	The Effect of a Priest-Led Intervention on the Choice and Preference of Soda Beverages: A Cluster-Randomized Controlled Trial in Catholic Parishes. <i>Annals of Behavioral Medicine</i> , 2020 , 54, 436-446	4.5	2
166	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020 , 8, e123-e133	13.6	36
165	The contribution of specific non-communicable diseases to the achievement of the Sustainable Development Goal 3.4 in Peru. <i>PLoS ONE</i> , 2020 , 15, e0240494	3.7	2
164	Diagnostic accuracy of ADA 2020 criteria for undiagnosed diabetes in a Peruvian population. <i>Diabetes Research and Clinical Practice</i> , 2020 , 169, 108475	7.4	
163	Trends in the prevalence and treatment of depressive symptoms in Peru: a population-based study. <i>BMJ Open</i> , 2020 , 10, e036777	3	9
162	Obesity markers for the prediction of incident type 2 diabetes mellitus in resource-poor settings: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108494	7.4	1
161	Longitudinal association between food frequency and changes in body mass index: a prospective cohort study. <i>BMJ Open</i> , 2020 , 10, e037057	3	1
160	Cohort Profile: The Cohorts Consortium of Latin America and the Caribbean (CC-LAC). <i>International Journal of Epidemiology</i> , 2020 , 49, 1437-1437g	7.8	1
159	Skinfold thickness and the incidence of type 2 diabetes mellitus and hypertension: an analysis of the PERU MIGRANT study. <i>Public Health Nutrition</i> , 2020 , 23, 63-71	3.3	7
158	Association between sitting time and obesity: A population-based study in Peru. <i>Nutrition and Dietetics</i> , 2020 , 77, 189-195	2.5	1
157	Analysis of dietary patterns and cross-sectional and longitudinal associations with hypertension, high BMI and type 2 diabetes in Peru. <i>Public Health Nutrition</i> , 2020 , 23, 1009-1019	3.3	0
156	Regression from prediabetes to normal glucose levels is more frequent than progression towards diabetes: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2020 , 163, 107829	7.4	7
155	Risk scores for type 2 diabetes mellitus in Latin America: a systematic review of population-based studies. <i>Diabetic Medicine</i> , 2019 , 36, 1573-1584	3.5	13
154	Valid group comparisons can be made with the Patient Health Questionnaire (PHQ-9): A measurement invariance study across groups by demographic characteristics. <i>PLoS ONE</i> , 2019 , 14, e0221717	3.7	30

153	Lack of an Association Between Household Air Pollution Exposure and Previous Pulmonary Tuberculosis. <i>Lung</i> , 2019 , 197, 793-801	2.9	1
152	Effect of low-sodium salt substitutes on blood pressure, detected hypertension, stroke and mortality. <i>Heart</i> , 2019 , 105, 953-960	5.1	18
151	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
150	Urbanization and Altitude Are Associated with Low Kidney Function in Peru. <i>High Altitude Medicine and Biology</i> , 2019 , 20, 133-140	1.9	1
149	Low Body Mass Index Is Associated with Higher Odds of COPD and Lower Lung Function in Low- and Middle-Income Countries. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019 , 16, 58-65	2	8
148	Sleep Duration and Risk of Obesity by Sex: Nine-Year Follow-Up of the Young Lives Study in Peru. <i>Childhood Obesity</i> , 2019 , 15, 237-243	2.5	1
147	A secondary analysis examining the concordance of self-perception of weight and actual measurement of body fat percentage: The CRONICAS Cohort Study. <i>BMC Obesity</i> , 2019 , 6, 9	3.6	1
146	Effect of a salt-reduction strategy on blood pressure and acceptability among customers of a food concessionaire in Lima, Peru. <i>Nutrition and Dietetics</i> , 2019 , 76, 250-256	2.5	4
145	The risk of mortality among people with type 2 diabetes in Latin America: A systematic review and meta-analysis of population-based cohort studies. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3139	7.5	15
144	Multimorbidity at sea level and high-altitude urban and rural settings: The CRONICAS Cohort Study. <i>Journal of Comorbidity</i> , 2019 , 9, 2235042X19875297	4	9
143	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019 , 37, 1813-1821	1.9	23
142	Epidemiology and risk factors of asthma-chronic obstructive pulmonary disease overlap in low- and middle-income countries. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 1598-1606	11.5	23
141	Trajectories of body mass index and waist circumference in four Peruvian settings at different level of urbanisation: the CRONICAS Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 397-403	5.1	3
140	Addressing the impact of urban exposure on the incidence of type 2 diabetes mellitus: The PERU MIGRANT Study. <i>Scientific Reports</i> , 2018 , 8, 5512	4.9	15
139	Patterns of Body Composition Relating to Chronic Respiratory Diseases Among Adults in Four Resource-Poor Settings in Peru. <i>Lung</i> , 2018 , 196, 277-284	2.9	0
138	Parental body mass index and blood pressure are associated with higher body mass index and blood pressure in their adult offspring: a cross-sectional study in a resource-limited setting in northern Peru. <i>Tropical Medicine and International Health</i> , 2018 , 23, 533-540	2.3	1
137	Self-regulation of the Peruvian food industry: health message cues in the context of food and beverage advertisements. <i>Public Health</i> , 2018 , 159, 1-3	4	3
136	Association between Household Air Pollution Exposure and Chronic Obstructive Pulmonary Disease Outcomes in 13 Low- and Middle-Income Country Settings. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 611-620	10.2	77

135	Low prevalence of ideal cardiovascular health in Peru. <i>Heart</i> , 2018 , 104, 1251-1256	5.1	23
134	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
133	Sweetened beverages, snacks and overweight: findings from the Young Lives cohort study in Peru. <i>Public Health Nutrition</i> , 2018 , 21, 1627-1633	3.3	1
132	Environmental exposures and systemic hypertension are risk factors for decline in lung function. <i>Thorax</i> , 2018 , 73, 1120-1127	7.3	4
131	Diagnosis of erectile dysfunction can be used to improve screening for Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2018 , 35, 1538-1543	3.5	6
130	Sodium and Potassium Consumption in a Semi-Urban Area in Peru: Evaluation of a Population-Based 24-Hour Urine Collection. <i>Nutrients</i> , 2018 , 10,	6.7	4
129	Association between perceived social support and induced abortion: A study in maternal health centers in Lima, Peru. <i>PLoS ONE</i> , 2018 , 13, e0192764	3.7	3
128	BIOIMPEDANCE MARKERS AND TUBERCULOSIS OUTCOME AMONG HIV-INFECTED PATIENTS. <i>African Journal of Infectious Diseases</i> , 2018 , 12, 47-54	0.5	3
127	Diagnostic accuracy of the Finnish Diabetes Risk Score (FINDRISC) for undiagnosed T2DM in Peruvian population. <i>Primary Care Diabetes</i> , 2018 , 12, 517-525	2.4	33
126	The effect of individual and mixed rewards on diabetes management: A feasibility randomized controlled trial. <i>Wellcome Open Research</i> , 2018 , 3, 139	4.8	4
125	Perceived stress and high fat intake: A study in a sample of undergraduate students. <i>PLoS ONE</i> , 2018 , 13, e0192827	3.7	13
124	A divergence between underlying and final causes of death in selected conditions: an analysis of death registries in Peru. <i>PeerJ</i> , 2018 , 6, e5948	3.1	1
123	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. <i>Wellcome Open Research</i> , 2018 , 3, 53	4.8	1
122	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. <i>Wellcome Open Research</i> , 2018 , 3, 53	4.8	1
121	Intrafamilial and extrafamilial sexual assault and its association with alcohol consumption. <i>Revista De Saude Publica</i> , 2018 , 52, 86	2.4	2
120	Asociaci3n entre la participaci3n en programas de asistencia alimentaria y patrones del perfil lip3dico en Per3. <i>Revista Chilena De Nutricion</i> , 2018 , 45, 135-143	0.9	1
119	The HOMA-IR Performance to Identify New Diabetes Cases by Degree of Urbanization and Altitude in Peru: The CRONICAS Cohort Study. <i>Journal of Diabetes Research</i> , 2018 , 2018, 7434918	3.9	5
118	Older adults with disability in extreme poverty in Peru: How is their access to health care?. <i>PLoS ONE</i> , 2018 , 13, e0208441	3.7	4

117	The use of unmanned aerial vehicles for health purposes: a systematic review of experimental studies. <i>Global Health, Epidemiology and Genomics</i> , 2018 , 3, e13	2.9	18
116	Family Support and Diabetes: Patient Experiences From a Public Hospital in Peru. <i>Qualitative Health Research</i> , 2018 , 28, 1871-1882	3.9	18
115	Rural-to-urban migration and risk of hypertension: longitudinal results of the PERU MIGRANT study. <i>Journal of Human Hypertension</i> , 2017 , 31, 22-28	2.6	18
114	Smoking and heavy drinking patterns in rural, urban and rural-to-urban migrants: the PERU MIGRANT Study. <i>BMC Public Health</i> , 2017 , 17, 165	4.1	11
113	Impact of urbanisation and altitude on the incidence of, and risk factors for, hypertension. <i>Heart</i> , 2017 , 103, 827-833	5.1	25
112	Glycated haemoglobin (HbA) and fasting plasma glucose relationships in sea-level and high-altitude settings. <i>Diabetic Medicine</i> , 2017 , 34, 804-812	3.5	11
111	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	4.0	2980
110	Prevalence and risk factors of restrictive spirometry in a cohort of Peruvian adults. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017 , 21, 1062-1068	2.1	5
109	Fruits and vegetables consumption and depressive symptoms: A population-based study in Peru. <i>PLoS ONE</i> , 2017 , 12, e0186379	3.7	25
108	Risk score for first-screening of prevalent undiagnosed chronic kidney disease in Peru: the CRONICAS-CKD risk score. <i>BMC Nephrology</i> , 2017 , 18, 343	2.7	3
107	Disparities in dietary intake and physical activity patterns across the urbanization divide in the Peruvian Andes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 90	8.4	8
106	Low cigarette smoking prevalence in peri-urban Peru: results from a population-based study of tobacco use by self-report and urine cotinine. <i>Tobacco Induced Diseases</i> , 2017 , 15, 32	3.2	8
105	Association between chronic conditions and health-related quality of life: differences by level of urbanization in Peru. <i>Quality of Life Research</i> , 2017 , 26, 3439-3447	3.7	12
104	Cohort Profile: The PERU MIGRANT Study-A prospective cohort study of rural dwellers, urban dwellers and rural-to-urban migrants in Peru. <i>International Journal of Epidemiology</i> , 2017 , 46, 1752-1757	7.8	13
103	Urbanization, mainly rurality, but not altitude is associated with dyslipidemia profiles. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1212-1222.e4	4.9	6
102	Developing consensus measures for global programs: lessons from the Global Alliance for Chronic Diseases Hypertension research program. <i>Globalization and Health</i> , 2017 , 13, 17	1.0	5
101	Plagiarism, Cheating and Research Integrity: Case Studies from a Masters Program in Peru. <i>Science and Engineering Ethics</i> , 2017 , 23, 1183-1197	3.1	8
100	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	4.0	1100

99	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017 , 35, 99-115	2.5	40
98	Association between sleep difficulties as well as duration and hypertension: is BMI a mediator?. <i>Global Health, Epidemiology and Genomics</i> , 2017 , 2, e12	2.9	4
97	Taste, Salt Consumption, and Local Explanations around Hypertension in a Rural Population in Northern Peru. <i>Nutrients</i> , 2017 , 9,	6.7	6
96	Children's weight changes according to maternal perception of the child's weight and health: A prospective cohort of Peruvian children. <i>PLoS ONE</i> , 2017 , 12, e0175685	3.7	4
95	EZSCAN for undiagnosed type 2 diabetes mellitus: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0187297	3.7	4
94	Abandono de la terapia nutricional y pérdida de peso en pacientes bariátricos: Cohorte retrospectiva en Lima, Perú <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2017 , 21, 18	1.2	3
93	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
92	Contribution of modifiable risk factors for hypertension and type-2 diabetes in Peruvian resource-limited settings. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 49-55	5.1	27
91	Rural-to-Urban Migration: Socioeconomic Status But Not Acculturation was Associated with Overweight/Obesity Risk. <i>Journal of Immigrant and Minority Health</i> , 2016 , 18, 644-651	2.2	9
90	Patterns and Determinants of Physical Inactivity in Rural and Urban Areas in Peru: A Population-Based Study. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 654-62	2.5	10
89	Geographical variation in the progression of type 2 diabetes in Peru: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 121, 135-145	7.4	21
88	Tobacco consumption and positive mental health: an epidemiological study from a positive psychology perspective. <i>BMC Psychology</i> , 2016 , 4, 22	2.8	4
87	Impact of Food Assistance Programs on Obesity in Mothers and Children: A Prospective Cohort Study in Peru. <i>American Journal of Public Health</i> , 2016 , 106, 1301-7	5.1	10
86	Reducing salt in bread: a quasi-experimental feasibility study in a bakery in Lima, Peru. <i>Public Health Nutrition</i> , 2016 , 19, 976-82	3.3	18
85	Disability, caregiver's dependency and patterns of access to rehabilitation care: results from a national representative study in Peru. <i>Disability and Rehabilitation</i> , 2016 , 38, 582-8	2.4	17
84	Low HDL cholesterol as a cardiovascular risk factor in rural, urban, and rural-urban migrants: PERU MIGRANT cohort study. <i>Atherosclerosis</i> , 2016 , 246, 36-43	3.1	25
83	Spatial distribution of individuals with symptoms of depression in a periurban area in Lima: an example from Peru. <i>Annals of Epidemiology</i> , 2016 , 26, 93-99.e2	6.4	3
82	Obesity risk in rural, urban and rural-to-urban migrants: prospective results of the PERU MIGRANT study. <i>International Journal of Obesity</i> , 2016 , 40, 181-5	5.5	43

81	Urbanisation but not biomass fuel smoke exposure is associated with asthma prevalence in four resource-limited settings. <i>Thorax</i> , 2016 , 71, 154-60	7.3	33
80	Urbanization and Daily Exposure to Biomass Fuel Smoke Both Contribute to Chronic Bronchitis Risk in a Population with Low Prevalence of Daily Tobacco Smoking. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016 , 13, 186-95	2	17
79	Wealth index and risk of childhood overweight and obesity: evidence from four prospective cohorts in Peru and Vietnam. <i>International Journal of Public Health</i> , 2016 , 61, 475-85	4	7
78	Effectiveness of an mHealth intervention to improve the cardiometabolic profile of people with prehypertension in low-resource urban settings in Latin America: a randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 52-63	18.1	75
77	Development and Validation of a Simple Risk Score for Undiagnosed Type 2 Diabetes in a Resource-Constrained Setting. <i>Journal of Diabetes Research</i> , 2016 , 2016, 8790235	3.9	12
76	Inhospital Mortality in Patients with Type 2 Diabetes Mellitus: A Prospective Cohort Study in Lima, Peru. <i>Journal of Diabetes Research</i> , 2016 , 2016, 7287215	3.9	8
75	Socioeconomic status and COPD among low- and middle-income countries. <i>International Journal of COPD</i> , 2016 , 11, 2497-2507	3	47
74	Towards sustainable partnerships in global health: the case of the CRONICAS Centre of Excellence in Chronic Diseases in Peru. <i>Globalization and Health</i> , 2016 , 12, 29	10	7
73	Inclusion of persons with disabilities in systems of social protection: a population-based survey and case-control study in Peru. <i>BMJ Open</i> , 2016 , 6, e011300	3	11
72	Evaluation of cognitive impairment in elderly population with hypertension from a low-resource setting: Agreement and bias between screening tools. <i>ENeurologicalSci</i> , 2016 , 5, 35-40	2.1	2
71	Implementation of foot thermometry plus mHealth to prevent diabetic foot ulcers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 206	2.8	17
70	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
69	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
68	Factors associated with consumption of fruits and vegetables among Community Kitchens customers in Lima, Peru. <i>Preventive Medicine Reports</i> , 2016 , 4, 469-73	2.6	7
67	Chronic respiratory disease and high altitude are associated with depressive symptoms in four diverse settings. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016 , 20, 1263-9	2.1	10
66	A Multiethnic Study of Pre-Diabetes and Diabetes in LMIC. <i>Global Heart</i> , 2016 , 11, 61-70	2.9	37
65	Comparison of Nonblood-Based and Blood-Based Total CV Risk Scores in Global Populations. <i>Global Heart</i> , 2016 , 11, 37-46.e2	2.9	22
64	Characteristics Associated With Antihypertensive Treatment and Blood Pressure Control: A Population-Based Follow-Up Study in Peru. <i>Global Heart</i> , 2016 , 11, 109-19	2.9	2

63	Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBI-UnitedHealth Global Health Centers of Excellence Program. <i>Global Heart</i> , 2016 , 11, 5-15	2.9	26
62	Obesity and its Relation With Diabetes and Hypertension: A Cross-Sectional Study Across 4 Geographical Regions. <i>Global Heart</i> , 2016 , 11, 71-79.e4	2.9	38
61	The Relationship Between Socioeconomic Status and CV Risk Factors: The CRONICAS Cohort Study of Peruvian Adults. <i>Global Heart</i> , 2016 , 11, 121-130.e2	2.9	21
60	Burden of chronic kidney disease in resource-limited settings from Peru: a population-based study. <i>BMC Nephrology</i> , 2015 , 16, 114	2.7	20
59	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 624-37	18.1	109
58	Resilience in Vulnerable Populations With Type 2 Diabetes Mellitus and Hypertension: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1180-8	3.8	11
57	Factores asociados a mala calidad de sueño en pacientes con insuficiencia renal crónica en hemodiálisis. <i>Dialisis Y Trasplante</i> , 2015 , 36, 20-26		2
56	Prevalence of chronic obstructive pulmonary disease and variation in risk factors across four geographically diverse resource-limited settings in Peru. <i>Respiratory Research</i> , 2015 , 16, 40	7.3	48
55	Migration, urbanisation and mortality: 5-year longitudinal analysis of the PERU MIGRANT study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 715-8	5.1	12
54	Evaluating consumer preferences for healthy eating from Community Kitchens in low-income urban areas: A discrete choice experiment of Comedores Populares in Peru. <i>Social Science and Medicine</i> , 2015 , 140, 1-8	5.1	10
53	Depressive Mood Among Within-Country Migrants in Periurban Shantytowns of Lima, Peru. <i>Journal of Immigrant and Minority Health</i> , 2015 , 17, 1635-42	2.2	8
52	Association between depression and glycemic control among type 2 diabetes patients in Lima, Peru. <i>Asia-Pacific Psychiatry</i> , 2015 , 7, 419-26	3.2	11
51	Type 2 diabetes and cardiac autonomic neuropathy screening using dynamic pupillometry. <i>Diabetic Medicine</i> , 2015 , 32, 1470-8	3.5	16
50	Sleep Disordered Breathing in Four Resource-Limited Settings in Peru: Prevalence, Risk Factors, and Association with Chronic Diseases. <i>Sleep</i> , 2015 , 38, 1451-9	1.1	8
49	Metabolic Abnormalities Are Common among South American Hispanics Subjects with Normal Weight or Excess Body Weight: The CRONICAS Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0138968	3.7	16
48	Asociación entre obesidad y consumo de frutas y verduras: un estudio de base poblacional en Perú. <i>Revista Chilena De Nutricion</i> , 2015 , 42, 241-247	0.9	6
47	Agreement Between Cardiovascular Disease Risk Scores in Resource-Limited Settings: Evidence from 5 Peruvian Sites. <i>Critical Pathways in Cardiology</i> , 2015 , 14, 74-80	1.3	23
46	Distribution of Short-Term and Lifetime Predicted Risks of Cardiovascular Diseases in Peruvian Adults. <i>Journal of the American Heart Association</i> , 2015 , 4, e002112	6	5

45	Mortality among MDR-TB cases: comparison with drug-susceptible tuberculosis and associated factors. <i>PLoS ONE</i> , 2015 , 10, e0119332	3.7	63
44	Applying the Triangle Taste Test to Assess Differences between Low Sodium Salts and Common Salt: Evidence from Peru. <i>PLoS ONE</i> , 2015 , 10, e0134700	3.7	14
43	Delivery by caesarean section and risk of childhood obesity: analysis of a Peruvian prospective cohort. <i>PeerJ</i> , 2015 , 3, e1046	3.1	14
42	Building a platform for translational research in chronic noncommunicable diseases to address population health: lessons from NHLBI supported CRONICAS in Peru. <i>Global Heart</i> , 2015 , 10, 13-9	2.9	2
41	A cross-sectional study of differences in 6-min walk distance in healthy adults residing at high altitude versus sea level. <i>Extreme Physiology and Medicine</i> , 2014 , 3, 3		3
40	Launching a salt substitute to reduce blood pressure at the population level: a cluster randomized stepped wedge trial in Peru. <i>Trials</i> , 2014 , 15, 93	2.8	26
39	Weight variation over time and its relevance among multidrug-resistant tuberculosis patients. <i>International Journal of Infectious Diseases</i> , 2014 , 23, 20-4	10.5	14
38	Short sleep duration and childhood obesity: cross-sectional analysis in Peru and patterns in four developing countries. <i>PLoS ONE</i> , 2014 , 9, e112433	3.7	13
37	Association between food assistance program participation and overweight. <i>Revista De Saude Publica</i> , 2014 , 48, 889-98	2.4	10
36	Exploratory application of the Ages and Stages (ASQ) child development screening test in a low-income Peruvian shantytown population. <i>BMJ Open</i> , 2014 , 4, e004132	3	11
35	Prevalence, clinical profile, iron status, and subject-specific traits for excessive erythrocytosis in andean adults living permanently at 3,825 meters above sea level. <i>Chest</i> , 2014 , 146, 1327-1336	5.3	29
34	Diabetic peripheral neuropathy in ambulatory patients with type 2 diabetes in a general hospital in a middle income country: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e95403	3.7	12
33	Peruvians's sleep duration: analysis of a population-based survey on adolescents and adults. <i>PeerJ</i> , 2014 , 2, e345	3.1	10
32	Tuberculin skin test conversion among health sciences students: a retrospective cohort study. <i>Tuberculosis</i> , 2013 , 93, 257-62	2.6	6
31	Free-ranging chickens in households in a periurban shantytown in Peru--attitudes and practices 10 years after a community-based intervention project. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013 , 89, 229-31	3.2	7
30	The "rule of halves" does not apply in Peru: awareness, treatment, and control of hypertension and diabetes in rural, urban, and rural-to-urban migrants. <i>Critical Pathways in Cardiology</i> , 2013 , 12, 53-8	1.3	29
29	Clinicians's involvement of patients in decision making. A video based comparison of their behavior in public vs. private practice. <i>PLoS ONE</i> , 2013 , 8, e58085	3.7	6
28	Association between Facebook dependence and poor sleep quality: a study in a sample of undergraduate students in Peru. <i>PLoS ONE</i> , 2013 , 8, e59087	3.7	115

27	Induced sputum MMP-1, -3 & -8 concentrations during treatment of tuberculosis. <i>PLoS ONE</i> , 2013 , 8, e61333	3.7	52
26	The association between socioeconomic status and obesity in Peruvian women. <i>Obesity</i> , 2012 , 20, 2283-8		30
25	Should rural Latin America align to the international diabetes rise forecasts?. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, e1-2	7.4	2
24	Sex differences in risk factors for cardiovascular disease: the PERU MIGRANT study. <i>PLoS ONE</i> , 2012 , 7, e35127	3.7	18
23	Effect of rural-to-urban within-country migration on cardiovascular risk factors in low- and middle-income countries: a systematic review. <i>Heart</i> , 2012 , 98, 185-94	5.1	48
22	HTLV-1 and -2 infections among 10 indigenous groups in the Peruvian Amazon. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 87, 954-6	3.2	17
21	Addressing geographical variation in the progression of non-communicable diseases in Peru: the CRONICAS cohort study protocol. <i>BMJ Open</i> , 2012 , 2, e000610	3	84
20	Weight variation over time and its association with tuberculosis treatment outcome: a longitudinal analysis. <i>PLoS ONE</i> , 2011 , 6, e18474	3.7	29
19	HBV infection in relation to consistent condom use: a population-based study in Peru. <i>PLoS ONE</i> , 2011 , 6, e24721	3.7	7
18	Sex differences in health care-seeking behavior for acute coronary syndrome in a low income country, Peru. <i>Critical Pathways in Cardiology</i> , 2011 , 10, 99-103	1.3	14
17	Factors associated with anti-tuberculosis medication adverse effects: a case-control study in Lima, Peru. <i>PLoS ONE</i> , 2011 , 6, e27610	3.7	42
16	A1C as a diagnostic criteria for diabetes in low- and middle-income settings: evidence from Peru. <i>PLoS ONE</i> , 2011 , 6, e18069	3.7	7
15	Migration surrogates and their association with obesity among within-country migrants. <i>Obesity</i> , 2010 , 18, 2199-203	8	16
14	Optimal definitions for abdominal obesity and the metabolic syndrome in Andean Hispanics: the PREVENCIÓN study. <i>Diabetes Care</i> , 2010 , 33, 1385-8	14.6	26
13	Normative values and correlates of carotid artery intima-media thickness and carotid atherosclerosis in Andean-Hispanics: The Prevencion Study. <i>Atherosclerosis</i> , 2010 , 211, 499-505	3.1	23
12	Clandestine induced abortion: prevalence, incidence and risk factors among women in a Latin American country. <i>Cmaj</i> , 2009 , 180, 298-304	3.5	37
11	Factors associated with peripartum hysterectomy. <i>Obstetrics and Gynecology</i> , 2009 , 114, 115-123	4.9	127
10	Incidence of induced abortions in Peru. <i>Cmaj</i> , 2009 , 180, 1133-1134	3.5	78

9	Factors Associated With Peripartum Hysterectomy. <i>Obstetrics and Gynecology</i> , 2009 , 114, 927	4.9	9
8	Infecciones parasitarias intestinales y factores asociados a la infección por coccidias en pacientes adultos de un hospital público de Lima, Perú <i>Revista Chilena De Infectología</i> , 2009 , 26,	0	3
7	Handheld computers for self-administered sensitive data collection: a comparative study in Peru. <i>BMC Medical Informatics and Decision Making</i> , 2008 , 8, 11	3.6	45
6	Performance of oscillometric blood pressure devices in children in resource-poor settings. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 362-4		10
5	Factores asociados a supervivencia en pacientes con tuberculosis en Lima, Perú <i>Revista Chilena De Infectología</i> , 2008 , 25,	0	5
4	Blood pressure and 10-year all-cause mortality: Findings from the PERU MIGRANT Study. <i>F1000Research</i> , 10, 1134	3.6	
3	Population-based seroprevalence of SARS-CoV-2 antibodies in a high-altitude setting in Peru		3
2	Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. <i>Wellcome Open Research</i> , 6, 331	4.8	
1	Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. <i>Wellcome Open Research</i> , 6, 331	4.8	