

Antonio Bernabe-Ortiz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5666451/publications.pdf>

Version: 2024-02-01

223
papers

20,082
citations

101384

36
h-index

12233

133
g-index

243
all docs

243
docs citations

243
times ranked

32152
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
2	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	6.3	3,941
3	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016, 387, 1513-1530.	6.3	2,842
4	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
5	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
6	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	13.7	469
7	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
8	Association between Facebook Dependence and Poor Sleep Quality: A Study in a Sample of Undergraduate Students in Peru. <i>PLoS ONE</i> , 2013, 8, e59087.	1.1	171
9	Factors Associated With Peripartum Hysterectomy. <i>Obstetrics and Gynecology</i> , 2009, 114, 115-123.	1.2	159
10	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331.288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 624-637.	5.5	139
11	Association between Household Air Pollution Exposure and Chronic Obstructive Pulmonary Disease Outcomes in 13 Low- and Middle-Income Country Settings. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 611-620.	2.5	129
12	Effect of salt substitution on community-wide blood pressure and hypertension incidence. <i>Nature Medicine</i> , 2020, 26, 374-378.	15.2	122
13	Effectiveness of an mHealth intervention to improve the cardiometabolic profile of people with prehypertension in low-resource urban settings in Latin America: a randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 52-63.	5.5	117
14	Mortality among MDR-TB Cases: Comparison with Drug-Susceptible Tuberculosis and Associated Factors. <i>PLoS ONE</i> , 2015, 10, e0119332.	1.1	91
15	Addressing geographical variation in the progression of non-communicable diseases in Peru: the CRONICAS cohort study protocol. <i>BMJ Open</i> , 2012, 2, e000610.	0.8	90
16	Valid group comparisons can be made with the Patient Health Questionnaire (PHQ-9): A measurement invariance study across groups by demographic characteristics. <i>PLoS ONE</i> , 2019, 14, e0221717.	1.1	81
17	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020, 8, e123-e133.	2.9	73
18	Induced Sputum MMP-1, -3 & -8 Concentrations during Treatment of Tuberculosis. <i>PLoS ONE</i> , 2013, 8, e61333.	1.1	70

#	ARTICLE	IF	CITATIONS
19	Socioeconomic status and COPD among low- and middle-income countries. <i>International Journal of COPD</i> , 2016, Volume 11, 2497-2507.	0.9	69
20	Obesity risk in rural, urban and rural-to-urban migrants: prospective results of the PERU MIGRANT study. <i>International Journal of Obesity</i> , 2016, 40, 181-185.	1.6	66
21	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
22	Obesity and its Relation With Diabetes and Hypertension: A Cross-Sectional Study Across 4 Geographical Regions. <i>Global Heart</i> , 2016, 11, 71.	0.9	65
23	Prevalence of chronic obstructive pulmonary disease and variation in risk factors across four geographically diverse resource-limited settings in Peru. <i>Respiratory Research</i> , 2015, 16, 40.	1.4	61
24	Effect of rural-to-urban within-country migration on cardiovascular risk factors in low- and middle-income countries: a systematic review. <i>Heart</i> , 2012, 98, 185-194.	1.2	58
25	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017, 35, 99-115.	0.9	56
26	Diagnostic accuracy of the Finnish Diabetes Risk Score (FINDRISC) for undiagnosed T2DM in Peruvian population. <i>Primary Care Diabetes</i> , 2018, 12, 517-525.	0.9	56
27	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019, 37, 1813-1821.	0.3	56
28	Handheld computers for self-administered sensitive data collection: A comparative study in Peru. <i>BMC Medical Informatics and Decision Making</i> , 2008, 8, 11.	1.5	55
29	Factors Associated with Anti-Tuberculosis Medication Adverse Effects: A Case-Control Study in Lima, Peru. <i>PLoS ONE</i> , 2011, 6, e27610.	1.1	55
30	A Multiethnic Study of Pre-Diabetes and Diabetes in LMIC. <i>Global Heart</i> , 2016, 11, 61.	0.9	51
31	Clandestine induced abortion: prevalence, incidence and risk factors among women in a Latin American country. <i>Cmaj</i> , 2009, 180, 298-304.	0.9	49
32	Family Support and Diabetes: Patient's Experiences From a Public Hospital in Peru. <i>Qualitative Health Research</i> , 2018, 28, 1871-1882.	1.0	44
33	Prevalence, Clinical Profile, Iron Status, and Subject-Specific Traits for Excessive Erythrocytosis in Andean Adults Living Permanently at 3,825 Meters Above Sea Level. <i>Chest</i> , 2014, 146, 1327-1336.	0.4	43
34	Urbanisation but not biomass fuel smoke exposure is associated with asthma prevalence in four resource-limited settings. <i>Thorax</i> , 2016, 71, 154-160.	2.7	42
35	Low prevalence of ideal cardiovascular health in Peru. <i>Heart</i> , 2018, 104, 1251-1256.	1.2	42
36	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41

#	ARTICLE	IF	CITATIONS
37	Weight Variation over Time and Its Association with Tuberculosis Treatment Outcome: A Longitudinal Analysis. PLoS ONE, 2011, 6, e18474.	1.1	40
38	Contribution of modifiable risk factors for hypertension and type-2 diabetes in Peruvian resource-limited settings. Journal of Epidemiology and Community Health, 2016, 70, 49-55.	2.0	40
39	The Association Between Socioeconomic Status and Obesity in Peruvian Women. Obesity, 2012, 20, 2283-2289.	1.5	38
40	Epidemiology and risk factors of asthma-chronic obstructive pulmonary disease overlap in low- and middle-income countries. Journal of Allergy and Clinical Immunology, 2019, 143, 1598-1606.	1.5	38
41	The "Rule of Halves" Does Not Apply in Peru. Critical Pathways in Cardiology, 2013, 12, 53-58.	0.2	37
42	Fruits and vegetables consumption and depressive symptoms: A population-based study in Peru. PLoS ONE, 2017, 12, e0186379.	1.1	36
43	Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBI's UnitedHealth Global Health Centers of Excellence Program. Global Heart, 2016, 11, 5.	0.9	36
44	Secondary CV Prevention in South America in a Community Setting: The PURE Study. Global Heart, 2017, 12, 305.	0.9	35
45	Comparison of Nonblood-Based and Blood-Based Total CV Risk Scores in Global Populations. Global Heart, 2016, 11, 37.	0.9	35
46	Optimal Definitions for Abdominal Obesity and the Metabolic Syndrome in Andean Hispanics: The PREVENCIÓN Study. Diabetes Care, 2010, 33, 1385-1388.	4.3	34
47	Effect of low-sodium salt substitutes on blood pressure, detected hypertension, stroke and mortality. Heart, 2019, 105, heartjnl-2018-314036.	1.2	33
48	Agreement Between Cardiovascular Disease Risk Scores in Resource-Limited Settings. Critical Pathways in Cardiology, 2015, 14, 74-80.	0.2	32
49	The risk of mortality among people with type 2 diabetes in Latin America: A systematic review and meta-analysis of population-based cohort studies. Diabetes/Metabolism Research and Reviews, 2019, 35, e3139.	1.7	32
50	Low HDL cholesterol as a cardiovascular risk factor in rural, urban, and rural-urban migrants: PERU MIGRANT cohort study. Atherosclerosis, 2016, 246, 36-43.	0.4	31
51	Impact of urbanisation and altitude on the incidence of, and risk factors for, hypertension. Heart, 2017, 103, 827-833.	1.2	31
52	Launching a salt substitute to reduce blood pressure at the population level: a cluster randomized stepped wedge trial in Peru. Trials, 2014, 15, 93.	0.7	28
53	Burden of chronic kidney disease in resource-limited settings from Peru: a population-based study. BMC Nephrology, 2015, 16, 114.	0.8	28
54	Disability, caregiver's dependency and patterns of access to rehabilitation care: results from a national representative study in Peru. Disability and Rehabilitation, 2016, 38, 582-588.	0.9	28

#	ARTICLE	IF	CITATIONS
55	The use of unmanned aerial vehicles for health purposes: a systematic review of experimental studies. <i>Global Health, Epidemiology and Genomics</i> , 2018, 3, e13.	0.2	28
56	The Relationship Between Socioeconomic Status and CV Risk Factors: The CRONICAS Cohort Study of Peruvian Adults. <i>Global Heart</i> , 2016, 11, 121.	0.9	28
57	Implementation of foot thermometry plus mHealth to prevent diabetic foot ulcers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 206.	0.7	27
58	Geographical variation in the progression of type 2 diabetes in Peru: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 121, 135-145.	1.1	27
59	Low Body Mass Index Is Associated with Higher Odds of COPD and Lower Lung Function in Low- and Middle-Income Countries. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 58-65.	0.7	26
60	Normative values and correlates of carotid artery intima-media thickness and carotid atherosclerosis in Andean-Hispanics: The Prevencion Study. <i>Atherosclerosis</i> , 2010, 211, 499-505.	0.4	25
61	Rural-to-urban migration and risk of hypertension: longitudinal results of the PERU MIGRANT study. <i>Journal of Human Hypertension</i> , 2017, 31, 22-28.	1.0	25
62	Regression from prediabetes to normal glucose levels is more frequent than progression towards diabetes: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2020, 163, 107829.	1.1	24
63	Trends in the prevalence and treatment of depressive symptoms in Peru: a population-based study. <i>BMJ Open</i> , 2020, 10, e036777.	0.8	24
64	Applying the Triangle Taste Test to Assess Differences between Low Sodium Salts and Common Salt: Evidence from Peru. <i>PLoS ONE</i> , 2015, 10, e0134700.	1.1	23
65	Perceived stress and high fat intake: A study in a sample of undergraduate students. <i>PLoS ONE</i> , 2018, 13, e0192827.	1.1	23
66	Resilience in Vulnerable Populations With Type 2 Diabetes Mellitus and Hypertension: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1180-1188.	0.8	22
67	Urbanization and Daily Exposure to Biomass Fuel Smoke Both Contribute to Chronic Bronchitis Risk in a Population with Low Prevalence of Daily Tobacco Smoking. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016, 13, 186-195.	0.7	22
68	Plagiarism, Cheating and Research Integrity: Case Studies from a Masters Program in Peru. <i>Science and Engineering Ethics</i> , 2017, 23, 1183-1197.	1.7	22
69	Addressing the impact of urban exposure on the incidence of type 2 diabetes mellitus: The PERU MIGRANT Study. <i>Scientific Reports</i> , 2018, 8, 5512.	1.6	22
70	Sex Differences in Risk Factors for Cardiovascular Disease: The PERU MIGRANT Study. <i>PLoS ONE</i> , 2012, 7, e35127.	1.1	21
71	Type 2 diabetes and cardiac autonomic neuropathy screening using dynamic pupillometry. <i>Diabetic Medicine</i> , 2015, 32, 1470-1478.	1.2	21
72	Reducing salt in bread: a quasi-experimental feasibility study in a bakery in Lima, Peru. <i>Public Health Nutrition</i> , 2016, 19, 976-982.	1.1	21

#	ARTICLE	IF	CITATIONS
73	Metabolic Abnormalities Are Common among South American Hispanics Subjects with Normal Weight or Excess Body Weight: The CRONICAS Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0138968.	1.1	20
74	Association between arterial hypertension and depressive symptoms: Results from population-based surveys in Peru. <i>Asia-Pacific Psychiatry</i> , 2020, 12, e12385.	1.2	20
75	Trends and patterns of the double burden of malnutrition (DBM) in Peru: a pooled analysis of 129,159 mother-child dyads. <i>International Journal of Obesity</i> , 2021, 45, 609-618.	1.6	20
76	HTLV-1 and -2 Infections among 10 Indigenous Groups in the Peruvian Amazon. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 954-956.	0.6	19
77	Weight variation over time and its relevance among multidrug-resistant tuberculosis patients. <i>International Journal of Infectious Diseases</i> , 2014, 23, 20-24.	1.5	19
78	Cohort Profile: The PERU MIGRANT Study—A prospective cohort study of rural dwellers, urban dwellers and rural-to-urban migrants in Peru. <i>International Journal of Epidemiology</i> , 2017, 46, 1752-1752f.	0.9	19
79	Risk scores for type 2 diabetes mellitus in Latin America: a systematic review of population-based studies. <i>Diabetic Medicine</i> , 2019, 36, 1573-1584.	1.2	19
80	Short-term trends in the prevalence, awareness, treatment, and control of arterial hypertension in Peru. <i>Journal of Human Hypertension</i> , 2021, 35, 462-471.	1.0	19
81	Delivery by caesarean section and risk of childhood obesity: analysis of a Peruvian prospective cohort. <i>PeerJ</i> , 2015, 3, e1046.	0.9	19
82	Migration Surrogates and Their Association With Obesity Among Within-Country Migrants. <i>Obesity</i> , 2010, 18, 2199-2203.	1.5	18
83	Sex Differences in Health Care-seeking Behavior for Acute Coronary Syndrome in a Low Income Country, Peru. <i>Critical Pathways in Cardiology</i> , 2011, 10, 99-103.	0.2	18
84	Short Sleep Duration and Childhood Obesity: Cross-Sectional Analysis in Peru and Patterns in Four Developing Countries. <i>PLoS ONE</i> , 2014, 9, e112433.	1.1	18
85	Evaluating consumer preferences for healthy eating from Community Kitchens in low-income urban areas: A discrete choice experiment of Comedores Populares in Peru. <i>Social Science and Medicine</i> , 2015, 140, 1-8.	1.8	18
86	Foot thermometry with mHeath-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020, 5, 23.	0.9	18
87	Exploratory application of the Ages and Stages (ASQ) child development screening test in a low-income Peruvian shantytown population. <i>BMJ Open</i> , 2014, 4, e004132.	0.8	17
88	Association between depression and glycemic control among type 2 diabetes patients in Lima, Peru. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 419-426.	1.2	17
89	Inclusion of persons with disabilities in systems of social protection: a population-based survey and case-control study in Peru. <i>BMJ Open</i> , 2016, 6, e011300.	0.8	17
90	Multimorbidity at sea level and high-altitude urban and rural settings: The CRONICAS Cohort Study. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1987529.	3.9	17

#	ARTICLE	IF	CITATIONS
91	Sodium and Salt Consumption in Latin America and the Caribbean: A Systematic-Review and Meta-Analysis of Population-Based Studies and Surveys. <i>Nutrients</i> , 2020, 12, 556.	1.7	17
92	Diabetic Peripheral Neuropathy in Ambulatory Patients with Type 2 Diabetes in a General Hospital in a Middle Income Country: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e95403.	1.1	17
93	Peruvians'™ sleep duration: analysis of a population-based survey on adolescents and adults. <i>PeerJ</i> , 2014, 2, e345.	0.9	17
94	Sleep Disordered Breathing in Four Resource-Limited Settings in Peru: Prevalence, Risk Factors, and Association with Chronic Diseases. <i>Sleep</i> , 2015, 38, 1451-1459.	0.6	16
95	Inhospital Mortality in Patients with Type 2 Diabetes Mellitus: A Prospective Cohort Study in Lima, Peru. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-7.	1.0	16
96	Taste, Salt Consumption, and Local Explanations around Hypertension in a Rural Population in Northern Peru. <i>Nutrients</i> , 2017, 9, 698.	1.7	16
97	Environmental exposures and systemic hypertension are risk factors for decline in lung function. <i>Thorax</i> , 2018, 73, 1120-1127.	2.7	16
98	Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2021, 99, 640-652E.	1.5	16
99	Peru " Progress in health and sciences in 200 years of independence. <i>The Lancet Regional Health Americas</i> , 2022, 7, 100148.	1.5	16
100	Development and Validation of a Simple Risk Score for Undiagnosed Type 2 Diabetes in a Resource-Constrained Setting. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-9.	1.0	15
101	Impact of Food Assistance Programs on Obesity in Mothers and Children: A Prospective Cohort Study in Peru. <i>American Journal of Public Health</i> , 2016, 106, 1301-1307.	1.5	15
102	Disparities in dietary intake and physical activity patterns across the urbanization divide in the Peruvian Andes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 90.	2.0	15
103	Diagnosis of erectile dysfunction can be used to improve screening for Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2018, 35, 1538-1543.	1.2	15
104	Cancer-related mortality in Peru: Trends from 2003 to 2016. <i>PLoS ONE</i> , 2020, 15, e0228867.	1.1	15
105	Multimorbidity in Latin America and the Caribbean: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e050409.	0.8	15
106	Factores asociados a supervivencia en pacientes con tuberculosis en Lima, Perú. <i>Revista Chilena De Infectología</i> , 2008, 25, .	0.0	14
107	Smoking and heavy drinking patterns in rural, urban and rural-to-urban migrants: the PERU MIGRANT Study. <i>BMC Public Health</i> , 2017, 17, 165.	1.2	14
108	Glycated haemoglobin (HbA _{1c}) and fasting plasma glucose relationships in sea-level and high-altitude settings. <i>Diabetic Medicine</i> , 2017, 34, 804-812.	1.2	14

#	ARTICLE	IF	CITATIONS
109	The HOMA-IR Performance to Identify New Diabetes Cases by Degree of Urbanization and Altitude in Peru: The CRONICAS Cohort Study. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-8.	1.0	14
110	Tuberculin skin test conversion among health sciences students: A retrospective cohort study. <i>Tuberculosis</i> , 2013, 93, 257-262.	0.8	13
111	Migration, urbanisation and mortality: 5-year longitudinal analysis of the PERU MIGRANT study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 715-718.	2.0	13
112	Patterns and Determinants of Physical Inactivity in Rural and Urban Areas in Peru: A Population-Based Study. <i>Journal of Physical Activity and Health</i> , 2016, 13, 654-662.	1.0	13
113	Association between chronic conditions and health-related quality of life: differences by level of urbanization in Peru. <i>Quality of Life Research</i> , 2017, 26, 3439-3447.	1.5	13
114	Older adults with disability in extreme poverty in Peru: How is their access to health care?. <i>PLoS ONE</i> , 2018, 13, e0208441.	1.1	13
115	Type 2 diabetes mellitus and antibiotic-resistant infections: a systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 75-84.	2.0	13
116	A systematic review of population-based studies on lipid profiles in Latin America and the Caribbean. <i>ELife</i> , 2020, 9, .	2.8	13
117	Factors Associated With Peripartum Hysterectomy. <i>Obstetrics and Gynecology</i> , 2009, 114, 927.	1.2	12
118	Association between food assistance program participation and overweight. <i>Revista De Saude Publica</i> , 2014, 48, 889-898.	0.7	12
119	Depressive Mood Among Within-Country Migrants in Periurban Shantytowns of Lima, Peru. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 1635-1642.	0.8	12
120	Chronic respiratory disease and high altitude are associated with depressive symptoms in four diverse settings. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 1263-1269.	0.6	12
121	Wealth index and risk of childhood overweight and obesity: evidence from four prospective cohorts in Peru and Vietnam. <i>International Journal of Public Health</i> , 2016, 61, 475-485.	1.0	12
122	Rural-to-Urban Migration: Socioeconomic Status But Not Acculturation was Associated with Overweight/Obesity Risk. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 644-651.	0.8	12
123	Skinfold thickness and the incidence of type 2 diabetes mellitus and hypertension: an analysis of the PERU MIGRANT study. <i>Public Health Nutrition</i> , 2020, 23, 63-71.	1.1	12
124	Association between sitting time and obesity: A population-based study in Peru. <i>Nutrition and Dietetics</i> , 2020, 77, 189-195.	0.9	12
125	Indoor air pollution concentrations and cardiometabolic health across four diverse settings in Peru: a cross-sectional study. <i>Environmental Health</i> , 2020, 19, 59.	1.7	12
126	Clusters of people with type 2 diabetes in the general population: unsupervised machine learning approach using national surveys in Latin America and the Caribbean. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001889.	1.2	12

#	ARTICLE	IF	CITATIONS
127	HBV Infection in Relation to Consistent Condom Use: A Population-Based Study in Peru. <i>PLoS ONE</i> , 2011, 6, e24721.	1.1	11
128	Foot thermometry with mHealth-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020, 5, 23.	0.9	11
129	Sustainability of mHealth Effects on Cardiometabolic Risk Factors: Five-Year Results of a Randomized Clinical Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e14595.	2.1	11
130	Second-hand smoking, hypertension and cardiovascular risk: findings from Peru. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 576.	0.7	11
131	Performance of oscillometric blood pressure devices in children in resource-poor settings. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 362-364.	3.1	10
132	Free-Ranging Chickens in Households in a Periurban Shantytown in Peru—Attitudes and Practices 10 Years after a Community-Based Intervention Project. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 89, 229-231.	0.6	10
133	Towards sustainable partnerships in global health: the case of the CRONICAS Centre of Excellence in Chronic Diseases in Peru. <i>Globalization and Health</i> , 2016, 12, 29.	2.4	10
134	Factors associated with consumption of fruits and vegetables among Community Kitchens customers in Lima, Peru. <i>Preventive Medicine Reports</i> , 2016, 4, 469-473.	0.8	10
135	Developing consensus measures for global programs: lessons from the Global Alliance for Chronic Diseases Hypertension research program. <i>Globalization and Health</i> , 2017, 13, 17.	2.4	10
136	Prevalence and risk factors of restrictive spirometry in a cohort of Peruvian adults. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017, 21, 1062-1068.	0.6	10
137	Urbanization, mainly rurality, but not altitude is associated with dyslipidemia profiles. <i>Journal of Clinical Lipidology</i> , 2017, 11, 1212-1222.e4.	0.6	9
138	The Andean Latin-American burden of diabetes attributable to high body mass index: A comparative risk assessment. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107978.	1.1	9
139	Distribution of Short-Term and Lifetime Predicted Risks of Cardiovascular Diseases in Peruvian Adults. <i>Journal of the American Heart Association</i> , 2015, 4, e002112.	1.6	8
140	Low cigarette smoking prevalence in peri-urban Peru: results from a population-based study of tobacco use by self-report and urine cotinine. <i>Tobacco Induced Diseases</i> , 2017, 15, 32.	0.3	8
141	Sweetened beverages, snacks and overweight: findings from the Young Lives cohort study in Peru. <i>Public Health Nutrition</i> , 2018, 21, 1627-1633.	1.1	8
142	Sodium and Potassium Consumption in a Semi-Urban Area in Peru: Evaluation of a Population-Based 24-Hour Urine Collection. <i>Nutrients</i> , 2018, 10, 245.	1.7	8
143	A1C as a Diagnostic Criteria for Diabetes in Low- and Middle-Income Settings: Evidence from Peru. <i>PLoS ONE</i> , 2011, 6, e18069.	1.1	8
144	Previous tuberculosis disease as a risk factor for chronic obstructive pulmonary disease: a cross-sectional analysis of multicountry, population-based studies. <i>Thorax</i> , 2022, 77, 1088-1097.	2.7	8

#	ARTICLE	IF	CITATIONS
145	Clinicians's Involvement of Patients in Decision Making. A Video Based Comparison of Their Behavior in Public vs. Private Practice. PLoS ONE, 2013, 8, e58085.	1.1	7
146	Asociación entre obesidad y consumo de frutas y verduras: un estudio de base poblacional en Perú. Revista Chilena De Nutricion, 2015, 42, 241-247.	0.1	7
147	Spatial distribution of individuals with symptoms of depression in a periurban area in Lima: an example from Peru. Annals of Epidemiology, 2016, 26, 93-99.e2.	0.9	7
148	Trajectories of body mass index and waist circumference in four Peruvian settings at different level of urbanisation: the CRONICAS Cohort Study. Journal of Epidemiology and Community Health, 2018, 72, 397-403.	2.0	7
149	Effect of a salt reduction strategy on blood pressure and acceptability among customers of a food concessionaire in Lima, Peru. Nutrition and Dietetics, 2019, 76, 250-256.	0.9	7
150	Sleep Duration and Risk of Obesity by Sex: Nine-Year Follow-Up of the Young Lives Study in Peru. Childhood Obesity, 2019, 15, 237-243.	0.8	7
151	FINDRISC in Latin America: a systematic review of diagnosis and prognosis models. BMJ Open Diabetes Research and Care, 2020, 8, e001169.	1.2	7
152	Tear biomarkers and corneal sensitivity as an indicator of neuropathy in type 2 diabetes. Diabetes Research and Clinical Practice, 2020, 163, 108143.	1.1	7
153	Urbanization in Peru is inversely associated with double burden of malnutrition: Pooled analysis of 92,841 mother-child pairs. Obesity, 2021, 29, 1363-1374.	1.5	7
154	Evaluation of cognitive impairment in elderly population with hypertension from a low-resource setting: Agreement and bias between screening tools. ENeurologicalSci, 2016, 5, 35-40.	0.5	6
155	Intrafamilial and extrafamilial sexual assault and its association with alcohol consumption. Revista De Saude Publica, 2018, 52, 86.	0.7	6
156	Characteristics Associated With Antihypertensive Treatment and Blood Pressure Control: A Population-Based Follow-Up Study in Peru. Global Heart, 2020, 11, 109.	0.9	6
157	Cohort Profile: The Cohorts Consortium of Latin America and the Caribbean (CC-LAC). International Journal of Epidemiology, 2020, 49, 1437-1437g.	0.9	6
158	Health system responses for type 1 diabetes: A scoping review. Diabetic Medicine, 2022, 39, e14805.	1.2	6
159	Tobacco consumption and positive mental health: an epidemiological study from a positive psychology perspective. BMC Psychology, 2016, 4, 22.	0.9	5
160	Risk score for first-screening of prevalent undiagnosed chronic kidney disease in Peru: the CRONICAS-CKD risk score. BMC Nephrology, 2017, 18, 343.	0.8	5
161	Self-regulation of the Peruvian food industry: health message cues in the context of food and beverage advertisements. Public Health, 2018, 159, 1-3.	1.4	5
162	BIOIMPEDANCE MARKERS AND TUBERCULOSIS OUTCOME AMONG HIV-INFECTED PATIENTS. African Journal of Infectious Diseases, 2018, 12, 47-54.	0.5	5

#	ARTICLE	IF	CITATIONS
163	The contribution of specific non-communicable diseases to the achievement of the Sustainable Development Goal 3.4 in Peru. PLoS ONE, 2020, 15, e0240494.	1.1	5
164	Obesity markers for the prediction of incident type 2 diabetes mellitus in resource-poor settings: The CRONICAS Cohort Study. Diabetes Research and Clinical Practice, 2020, 170, 108494.	1.1	5
165	SARS-CoV-2 seroprevalence in a high-altitude setting in Peru: adult population-based cross-sectional study. PeerJ, 2021, 9, e12149.	0.9	5
166	The effect of individual and mixed rewards on diabetes management: A feasibility randomized controlled trial. Wellcome Open Research, 2018, 3, 139.	0.9	5
167	EZSCAN for undiagnosed type 2 diabetes mellitus: A systematic review and meta-analysis. PLoS ONE, 2017, 12, e0187297.	1.1	5
168	A divergence between underlying and final causes of death in selected conditions: an analysis of death registries in Peru. PeerJ, 2018, 6, e5948.	0.9	5
169	High-sensitivity C-reactive protein and all-cause mortality in four diverse populations: The CRONICAS Cohort Study. Annals of Epidemiology, 2022, 67, 13-18.	0.9	5
170	Aggregation and combination of cardiovascular risk factors and their association with 10-year all-cause mortality: the PERU MIGRANT Study. BMC Cardiovascular Disorders, 2021, 21, 582.	0.7	5
171	Association between sleep difficulties as well as duration and hypertension: is BMI a mediator?. Global Health, Epidemiology and Genomics, 2017, 2, e12.	0.2	4
172	Parental body mass index and blood pressure are associated with higher body mass index and blood pressure in their adult offspring: a cross-sectional study in a resource-limited setting in northern Peru. Tropical Medicine and International Health, 2018, 23, 533-540.	1.0	4
173	Asociación entre la participación en programas de asistencia alimentaria y patrones del perfil lipídico en Perú. Revista Chilena De Nutricion, 2018, 45, 135-143.	0.1	4
174	Lack of an Association Between Household Air Pollution Exposure and Previous Pulmonary Tuberculosis. Lung, 2019, 197, 793-801.	1.4	4
175	Urbanization and Altitude Are Associated with Low Kidney Function in Peru. High Altitude Medicine and Biology, 2019, 20, 133-140.	0.5	4
176	Analysis of dietary patterns and cross-sectional and longitudinal associations with hypertension, high BMI and type 2 diabetes in Peru. Public Health Nutrition, 2020, 23, 1009-1019.	1.1	4
177	Building a Platform for Translational Research in Chronic Noncommunicable Diseases to Address Population Health: Lessons From NHLBI Supported CRONICAS in Peru. Global Heart, 2020, 10, 13.	0.9	4
178	Association between body mass index and blood pressure levels across socio-demographic groups and geographical settings: analysis of pooled data in Peru. PeerJ, 2021, 9, e11307.	0.9	4
179	Multimorbidity and Disability Among Venezuelan Migrants: A Population-Based Survey in Peru. Journal of Immigrant and Minority Health, 2022, 24, 1206-1213.	0.8	4
180	Children's weight changes according to maternal perception of the child's weight and health: A prospective cohort of Peruvian children. PLoS ONE, 2017, 12, e0175685.	1.1	4

#	ARTICLE	IF	CITATIONS
181	The effect of individual and mixed rewards on diabetes management: A feasibility randomized controlled trial. Wellcome Open Research, 0, 3, 139.	0.9	4
182	Asociación entre actividad física ocupacional y síndrome metabólico: Un estudio poblacional en Perú. Revista Chilena De Nutricion, 2019, 46, 392-399.	0.1	4
183	Population-based stroke incidence estimates in Peru: Exploratory results from the CRONICAS cohort study. The Lancet Regional Health Americas, 2021, 5, 100083.	1.5	4
184	Infecciones parasitarias intestinales y factores asociados a la infección por coccidias en pacientes adultos de un hospital público de Lima, Perú. Revista Chilena De Infectologia, 2009, 26, .	0.0	3
185	A cross-sectional study of differences in 6-min walk distance in healthy adults residing at high altitude versus sea level. Extreme Physiology and Medicine, 2014, 3, 3.	2.5	3
186	Patterns of Body Composition Relating to Chronic Respiratory Diseases Among Adults in Four Resource-Poor Settings in Peru. Lung, 2018, 196, 277-284.	1.4	3
187	Association between perceived social support and induced abortion: A study in maternal health centers in Lima, Peru. PLoS ONE, 2018, 13, e0192764.	1.1	3
188	The Effect of a Priest-Led Intervention on the Choice and Preference of Soda Beverages: A Cluster-Randomized Controlled Trial in Catholic Parishes. Annals of Behavioral Medicine, 2020, 54, 436-446.	1.7	3
189	Intermediate hyperglycaemia and 10-year mortality in resource-constrained settings: the PERU MIGRANT Study. Diabetic Medicine, 2020, 37, 1519-1527.	1.2	3
190	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. Wellcome Open Research, 2021, 6, 163.	0.9	3
191	Abandono de la terapia nutricional y pérdida de peso en pacientes bariátricos: Cohorte retrospectiva en Lima, Perú. Revista Espanola De Nutricion Humana Y Dietetica, 2017, 21, 18.	0.1	3
192	Relación entre el contenido nutricional y el número de técnicas promocionales presentes en los envases de alimentos industrializados dirigidos a niños en mercados y supermercados de Lima, Perú. Revista Espanola De Nutricion Humana Y Dietetica, 2018, 22, 227.	0.1	3
193	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. Wellcome Open Research, 2018, 3, 53.	0.9	3
194	The effect of individual and mixed rewards on diabetes management: A feasibility randomized controlled trial. Wellcome Open Research, 2018, 3, 139.	0.9	3
195	Should rural Latin America align to the international diabetes rise forecasts?. Diabetes Research and Clinical Practice, 2012, 97, e1-e2.	1.1	2
196	Factores asociados a mala calidad de sueño en pacientes con insuficiencia renal crónica en hemodiálisis. Dialisis Y Trasplante, 2015, 36, 20-26.	0.4	2
197	Longitudinal association between food frequency and changes in body mass index: a prospective cohort study. BMJ Open, 2020, 10, e037057.	0.8	2
198	Physical activity levels by glycemia status: A population-based cross-sectional study in Peru. Primary Care Diabetes, 2021, 15, 300-305.	0.9	2

#	ARTICLE	IF	CITATIONS
199	Attitudes, health lifestyle behaviors and cardiometabolic risk factors among relatives of individuals with type 2 diabetes mellitus. <i>Primary Care Diabetes</i> , 2021, 15, 101-105.	0.9	2
200	CKD and CKDu in northern Peru: a cross-sectional analysis under the DEGREE protocol. <i>BMC Nephrology</i> , 2021, 22, 37.	0.8	2
201	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. <i>Wellcome Open Research</i> , 2018, 3, 53.	0.9	2
202	Avances en la investigaci3n de enfermedades cr3nicas no transmisibles en el Per3. <i>Anales De La Facultad De Medicina</i> , 2021, 81, .	0.0	2
203	Factors Associated With Peripartum Hysterectomy. <i>Obstetric Anesthesia Digest</i> , 2010, 30, 109-110.	0.0	1
204	A secondary analysis examining the concordance of self-perception of weight and actual measurement of body fat percentage: The CRONICAS Cohort Study. <i>BMC Obesity</i> , 2019, 6, 9.	3.1	1
205	Diagnostic accuracy of ADA 2020 criteria for undiagnosed diabetes in a Peruvian population. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108475.	1.1	1
206	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. <i>Wellcome Open Research</i> , 2021, 6, 163.	0.9	1
207	Who is getting screened for diabetes according to body mass index and waist circumference categories in Peru? a pooled analysis of national surveys between 2015 and 2019. <i>PLoS ONE</i> , 2021, 16, e0256809.	1.1	1
208	Mean blood pressure according to the hypertension care cascade: Analysis of six national health surveys in Peru. <i>The Lancet Regional Health Americas</i> , 2021, 1, 100016.	1.5	1
209	Impact of common cardio-metabolic risk factors on fatal and non-fatal cardiovascular disease in Latin America and the Caribbean: an individual-level pooled analysis of 31 cohort studies. <i>The Lancet Regional Health Americas</i> , 2021, 4, 100068.	1.5	1
210	The association between serum lipids and risk of premature mortality in Latin America: a systematic review of population-based prospective cohort studies. <i>PeerJ</i> , 2019, 7, e7856.	0.9	1
211	Association between household socioeconomic level and consumption of fast food and soft drinks: a cross-sectional assessment of the Young Lives cohort in Peru. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2020, 24, 68-77.	0.1	1
212	La transici3n epidemiol3gica en el Per3: an3lisis de los registros de mortalidad del 2003 al 2016. <i>Acta Medica Peruana</i> , 2020, 37, .	0.3	1
213	Diabetes mellitus tipo 2 y caracter3sticas del sue3o: un estudio poblacional en Tumbes, Per3. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2022, 39, 55-64.	0.1	1
214	Incidence of induced abortions in Peru. <i>Cmaj</i> , 2009, 180, 1133-1134.	0.9	0
215	Risk-based antihypertensive treatment allocation in Peru: comparison of local and international guidelines analysing national health surveys between 2015-2020. <i>The Lancet Regional Health Americas</i> , 2021, 1, 100022.	1.5	0
216	Consumo de bebidas azucaradas, verduras y frutas en sujetos con alteraci3n del metabolismo de la glucosa. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2021, 25, 326-336.	0.1	0

#	ARTICLE	IF	CITATIONS
217	Calidad de vida en pacientes con neuropatía diabética periférica: estudio transversal en Lima, Perú. Acta Medica Peruana, 2018, 35, .	0.3	0
218	Characterizing distal peripheral neuropathy in type 2 diabetes mellitus in a semi-urban community setting in Peru. Journal of Global Health Reports, 0, 3, .	1.0	0
219	Blood pressure and 10-year all-cause mortality: Findings from the PERU MIGRANT Study. F1000Research, 0, 10, 1134.	0.8	0
220	Leisure-Time and Transport-Related Physical Activity and the Risk of Mortality: The CRONICAS Cohort Study. Journal of Physical Activity and Health, 2022, 19, 118-124.	1.0	0
221	Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. Wellcome Open Research, 0, 6, 331.	0.9	0
222	Type 2 diabetes mellitus and anxiety symptoms: a cross-sectional study in Peru. Wellcome Open Research, 0, 6, 331.	0.9	0
223	The burden of diabetes in the Americas. Lancet Diabetes and Endocrinology, the, 2022, 10, 613-614.	5.5	0