

# Leonilde M Moreira

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/5668519/publications.pdf](https://exaly.com/author-pdf/5668519/publications.pdf)

Version: 2024-02-01

43  
papers

2,316  
citations

328504

20  
h-index

269873

40  
g-index

44  
all docs

44  
docs citations

44  
times ranked

3597  
citing authors

#	ARTICLE	IF	CITATIONS
1	Minimum Information about a Biosynthetic Gene cluster. <i>Nature Chemical Biology</i> , 2015, 11, 625-631.	8.0	743
2	Occurrence, production, and applications of gellan: current state and perspectives. <i>Applied Microbiology and Biotechnology</i> , 2008, 79, 889-900.	3.6	224
3	Studies on the Involvement of the Exopolysaccharide Produced by Cystic Fibrosis-Associated Isolates of the <i>Burkholderia cepacia</i> Complex in Biofilm Formation and in Persistence of Respiratory Infections. <i>Journal of Clinical Microbiology</i> , 2004, 42, 3052-3058.	4.4	119
4	Pathogenicity, virulence factors, and strategies to fight against <i>Burkholderia cepacia</i> complex pathogens and related species. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 31-40.	3.6	94
5	Long-Term Evolution of <i>Burkholderia multivorans</i> during a Chronic Cystic Fibrosis Infection Reveals Shifting Forces of Selection. <i>MSystems</i> , 2016, 1, .	4.0	94
6	Distribution of Cepacian Biosynthesis Genes among Environmental and Clinical <i>Burkholderia</i> Strains and Role of Cepacian Exopolysaccharide in Resistance to Stress Conditions. <i>Applied and Environmental Microbiology</i> , 2010, 76, 441-450.	3.2	91
7	Differential Mucoïd Exopolysaccharide Production by Members of the <i>Burkholderia cepacia</i> Complex. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1470-1473.	4.4	86
8	Transcriptomic analysis of 3D Cardiac Differentiation of Human Induced Pluripotent Stem Cells Reveals Faster Cardiomyocyte Maturation Compared to 2D Culture. <i>Scientific Reports</i> , 2019, 9, 9229.	3.4	83
9	Identification and physical organization of the gene cluster involved in the biosynthesis of <i>Burkholderia cepacia</i> complex exopolysaccharide. <i>Biochemical and Biophysical Research Communications</i> , 2003, 312, 323-333.	2.2	76
10	Functional Analysis of <i>Burkholderia cepacia</i> Genes <i>bceD</i> and <i>bceF</i> , Encoding a Phosphotyrosine Phosphatase and a Tyrosine Autokinase, Respectively: Role in Exopolysaccharide Biosynthesis and Biofilm Formation. <i>Applied and Environmental Microbiology</i> , 2007, 73, 524-534.	3.2	63
11	The <i>hfq</i> gene is required for stress resistance and full virulence of <i>Burkholderia cepacia</i> to the nematode <i>Caenorhabditis elegans</i> . <i>Microbiology (United Kingdom)</i> , 2010, 156, 896-908.	1.7	57
12	Insights into the role of extracellular polysaccharides in <i>Burkholderia</i> adaptation to different environments. <i>Frontiers in Cellular and Infection Microbiology</i> , 2011, 1, 16.	4.0	57
13	Mucoïd morphotype variation of <i>Burkholderia multivorans</i> during chronic cystic fibrosis lung infection is correlated with changes in metabolism, motility, biofilm formation and virulence. <i>Microbiology (United Kingdom)</i> , 2011, 157, 3124-3137.	1.7	52
14	The Outer Membrane Protein TolC from <i>Sinorhizobium meliloti</i> Affects Protein Secretion, Polysaccharide Biosynthesis, Antimicrobial Resistance, and Symbiosis. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 947-957.	2.8	50
15	Comparative Transcriptomic Analysis of the <i>Burkholderia cepacia</i> Tyrosine Kinase <i>bceF</i> Mutant Reveals a Role in Tolerance to Stress, Biofilm Formation, and Virulence. <i>Applied and Environmental Microbiology</i> , 2013, 79, 3009-3020.	3.2	46
16	Absence of functional TolC protein causes increased stress response gene expression in <i>Sinorhizobium meliloti</i> . <i>BMC Microbiology</i> , 2010, 10, 180.	3.3	34
17	Structural analysis of gellans produced by <i>Sphingomonas elodea</i> strains by electrospray tandem mass spectrometry. <i>Carbohydrate Polymers</i> , 2009, 77, 10-19.	10.4	30
18	The <i>Burkholderia cepacia bceA</i> gene encodes a protein with phosphomannose isomerase and GDP-d-mannose pyrophosphorylase activities. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 200-206.	2.2	27

#	ARTICLE	IF	CITATIONS
19	Structure of Burkholderia cepacia UDP-Glucose Dehydrogenase (UGD) BceC and Role of Tyr10 in Final Hydrolysis of UGD Thioester Intermediate. Journal of Bacteriology, 2011, 193, 3978-3987.	2.4	26
20	The <i>Sinorhizobium meliloti</i> EmrR Regulator Is Required for Efficient Colonization of <i>Medicago sativa</i> Root Nodules. Molecular Plant-Microbe Interactions, 2014, 27, 388-399.	2.8	22
21	Transcriptome profiling of human pluripotent stem cell-derived cerebellar organoids reveals faster commitment under dynamic conditions. Biotechnology and Bioengineering, 2021, 118, 2781-2803.	3.5	22
22	The <i>Sinorhizobium meliloti</i> ExpE1 protein secreted by a type I secretion system involving ExpD1 and ExpD2 is required for biosynthesis or secretion of the exopolysaccharide galactoglucan. Microbiology (United Kingdom), 2000, 146, 2237-2248.	1.7	22
23	Regulator LdhR and $\sigma^D$ -Lactate Dehydrogenase LdhA of Burkholderia multivorans Play Roles in Carbon Overflow and in Planktonic Cellular Aggregate Formation. Applied and Environmental Microbiology, 2017, 83, .	3.2	19
24	The Tyrosine Kinase BceF and the Phosphotyrosine Phosphatase BceD of Burkholderia contaminans Are Required for Efficient Invasion and Epithelial Disruption of a Cystic Fibrosis Lung Epithelial Cell Line. Infection and Immunity, 2015, 83, 812-821.	2.3	18
25	Stress Conditions Triggering Mucoïd Morphotype Variation in Burkholderia Species and Effect on Virulence in Galleria mellonella and Biofilm Formation In Vitro. PLoS ONE, 2013, 8, e82522.	2.5	17
26	The biosynthesis of the exopolysaccharide gellan results in the decrease of Sphingomonas paucimobilis tolerance to copper. Enzyme and Microbial Technology, 1997, 20, 510-515.	3.2	16
27	The nodulin vENOD18 is an ATP-binding protein in infected cells of Vicia faba L. nodules. Plant Molecular Biology, 2001, 47, 749-759.	3.9	16
28	Functional analysis of the Burkholderia cenocepacia J2315 BceAJ protein with phosphomannose isomerase and GDP-d-mannose pyrophosphorylase activities. Applied Microbiology and Biotechnology, 2008, 80, 1015-1022.	3.6	16
29	The OmpR Regulator of Burkholderia multivorans Controls Mucoïd-to-Nonmucoïd Transition and Other Cell Envelope Properties Associated with Persistence in the Cystic Fibrosis Lung. Journal of Bacteriology, 2018, 200, .	2.4	16
30	Comparative genomic analysis of isolates belonging to the six species of the genus Thermus using pulsed-field gel electrophoresis and ribotyping. Archives of Microbiology, 1997, 168, 92-101.	2.2	11
31	Mucoïd switch in Burkholderia cepacia complex bacteria: Triggers, molecular mechanisms and implications in pathogenesis. Advances in Applied Microbiology, 2019, 107, 113-140.	3.8	11
32	Differences in Virulence Between Legionella pneumophila Isolates From Human and Non-human Sources Determined in Galleria mellonella Infection Model. Frontiers in Cellular and Infection Microbiology, 2018, 8, 97.	4.0	9
33	Plasmid RFLP profiling and DNA homology in Thermus isolated from hot springs of different geographical areas. Archives of Microbiology, 1995, 164, 7-15.	2.2	6
34	Disseminated <i>Cunninghamella bertholletiae</i> infection with septic pulmonary embolism after allogeneic bone marrow transplantation. Transplant Infectious Disease, 2014, 16, 304-306.	1.6	6
35	A Polyclonal Antibody Raised against the Burkholderia cenocepacia OmpA-like Protein BCAL2645 Impairs the Bacterium Adhesion and Invasion of Human Epithelial Cells In Vitro. Biomedicines, 2021, 9, 1788.	3.3	6
36	Biotechnology of the Bacterial Gellan Gum: Genes and Enzymes of the Biosynthetic Pathway. , 2007, , 233-250.		4

#	ARTICLE	IF	CITATIONS
37	Megaplasids in <i>Thermus oshimai</i> isolates from two widely separated geographical areas: restriction fragment profiling and DNA homology. <i>Archives of Microbiology</i> , 1997, 168, 473-479.	2.2	2
38	Draft Genome Sequences of Two <i>Burkholderia multivorans</i> Sequential Isolates from a Chronic Lung Infection of a Cystic Fibrosis Patient. <i>Genome Announcements</i> , 2015, 3, .	0.8	2
39	Draft Genome Sequence of the Plasmid-Free <i>Lactococcus lactis</i> subsp. <i>lactis</i> Strain LMG 19460. <i>Genome Announcements</i> , 2017, 5, .	0.8	2
40	A Histone-Like Nucleoid Structuring Protein Regulates Several Virulence Traits in <i>Burkholderia multivorans</i> . <i>Applied and Environmental Microbiology</i> , 2021, 87, e0036921.	3.2	1
41	Role of tyrosine phosphorylation in the regulation of <i>Burkholderia</i> cell physiology. , 2011, , .		0
42	Stress Conditions Triggering Mucoïdâ€œnonmucoïd Morphotype Variation in <i>Burkholderia</i> , and Effects on Virulence and Biofilm Formation. , 2016, , 1295-1303.		0
43	Genomic editing in <i>Burkholderia multivorans</i> by CRISPR/Cas9. <i>Applied and Environmental Microbiology</i> , 2024, 90, .	3.2	0