

Rieta Gols

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5669173/rieta-gols-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

4,784
citations

39
h-index

65
g-index

133
ext. papers

5,601
ext. citations

4.3
avg, IF

5.68
L-index

#	Paper	IF	Citations
126	Plant interactions with multiple insect herbivores: from community to genes. <i>Annual Review of Plant Biology</i> , 2014 , 65, 689-713	30.7	286
125	Jasmonic Acid and Herbivory Differentially Induce Carnivore-Attracting Plant Volatiles in Lima Bean Plants. <i>Journal of Chemical Ecology</i> , 1999 , 25, 1907-1922	2.7	227
124	Crop domestication and its impact on naturally selected trophic interactions. <i>Annual Review of Entomology</i> , 2015 , 60, 35-58	21.8	207
123	Genetic variation in defense chemistry in wild cabbages affects herbivores and their endoparasitoids. <i>Ecology</i> , 2008 , 89, 1616-26	4.6	168
122	Interactions over four trophic levels: foodplant quality affects development of a hyperparasitoid as mediated through a herbivore and its primary parasitoid. <i>Journal of Animal Ecology</i> , 2003 , 72, 520-531	4.7	167
121	Root herbivores influence the behaviour of an aboveground parasitoid through changes in plant-volatile signals. <i>Oikos</i> , 2007 , 116, 367-376	4	145
120	Performance of generalist and specialist herbivores and their endoparasitoids differs on cultivated and wild Brassica populations. <i>Journal of Chemical Ecology</i> , 2008 , 34, 132-43	2.7	144
119	Plant-mediated effects in the Brassicaceae on the performance and behaviour of parasitoids. <i>Phytochemistry Reviews</i> , 2009 , 8, 187-206	7.7	119
118	Plant volatiles induced by herbivore egg deposition affect insects of different trophic levels. <i>PLoS ONE</i> , 2012 , 7, e43607	3.7	118
117	Induction of direct and indirect plant responses by jasmonic acid, low spider mite densities, or a combination of jasmonic acid treatment and spider mite infestation. <i>Journal of Chemical Ecology</i> , 2003 , 29, 2651-66	2.7	105
116	Development of the parasitoid, <i>Cotesia rubecula</i> (Hymenoptera: Braconidae) in <i>Pieris rapae</i> and <i>Pieris brassicae</i> (Lepidoptera: Pieridae): evidence for host regulation. <i>Journal of Insect Physiology</i> , 1999 , 45, 173-182	2.4	100
115	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020 , 4, 174-176	12.3	98
114	Consequences of constitutive and induced variation in plant nutritional quality for immune defence of a herbivore against parasitism. <i>Oecologia</i> , 2009 , 160, 299-308	2.9	90
113	Variation in plant volatiles and attraction of the parasitoid <i>Diadegma semiclausum</i> (Hellen). <i>Journal of Chemical Ecology</i> , 2005 , 31, 461-80	2.7	89
112	Ecological and phytohormonal aspects of plant volatile emission in response to single and dual infestations with herbivores and phytopathogens. <i>Functional Ecology</i> , 2013 , 27, 587-598	5.6	86
111	Jasmonate and ethylene signaling mediate whitefly-induced interference with indirect plant defense in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2013 , 197, 1291-1299	9.8	85
110	Reduced foraging efficiency of a parasitoid under habitat complexity: implications for population stability and species coexistence. <i>Journal of Animal Ecology</i> , 2005 , 74, 1059-1068	4.7	77

109	Direct and indirect chemical defences against insects in a multitrophic framework. <i>Plant, Cell and Environment</i> , 2014 , 37, 1741-52	8.4	75
108	Smelling the wood from the trees: non-linear parasitoid responses to volatile attractants produced by wild and cultivated cabbage. <i>Journal of Chemical Ecology</i> , 2011 , 37, 795-807	2.7	73
107	Are population differences in plant quality reflected in the preference and performance of two endoparasitoid wasps?. <i>Oikos</i> , 2009 , 118, 733-742	4	65
106	Herbivore-mediated effects of glucosinolates on different natural enemies of a specialist aphid. <i>Journal of Chemical Ecology</i> , 2012 , 38, 100-15	2.7	63
105	Reciprocal crosstalk between jasmonate and salicylate defence-signalling pathways modulates plant volatile emission and herbivore host-selection behaviour. <i>Journal of Experimental Botany</i> , 2014 , 65, 3289-98	7	61
104	Caterpillar-induced plant volatiles remain a reliable signal for foraging wasps during dual attack with a plant pathogen or non-host insect herbivore. <i>Plant, Cell and Environment</i> , 2014 , 37, 1924-35	8.4	60
103	Effects of dietary nicotine on the development of an insect herbivore, its parasitoid and secondary hyperparasitoid over four trophic levels. <i>Ecological Entomology</i> , 2007 , 32, 15-23	2.1	60
102	Symbionts protect aphids from parasitic wasps by attenuating herbivore-induced plant volatiles. <i>Nature Communications</i> , 2017 , 8, 1860	17.4	58
101	Jasmonic acid induces the production of gerbera volatiles that attract the biological control agent <i>Phytoseiulus persimilis</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1999 , 93, 77-86	2.1	57
100	Ecological fits, mis-fits and lotteries involving insect herbivores on the invasive plant, <i>Bunias orientalis</i> . <i>Biological Invasions</i> , 2010 , 12, 3045-3059	2.7	56
99	Reproductive escape: annual plant responds to butterfly eggs by accelerating seed production. <i>Functional Ecology</i> , 2013 , 27, 245-254	5.6	51
98	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and eco-evolutionary implications. <i>New Phytologist</i> , 2018 , 220, 739-749	9.8	50
97	Bidirectional secretions from glandular trichomes of pyrethrum enable immunization of seedlings. <i>Plant Cell</i> , 2012 , 24, 4252-65	11.6	50
96	Tri-trophic effects of inter- and intra-population variation in defence chemistry of wild cabbage (<i>Brassica oleracea</i>). <i>Oecologia</i> , 2011 , 166, 421-31	2.9	49
95	Temporal changes affect plant chemistry and tritrophic interactions. <i>Basic and Applied Ecology</i> , 2007 , 8, 421-433	3.2	49
94	Development of an insect herbivore and its pupal parasitoid reflect differences in direct plant defense. <i>Journal of Chemical Ecology</i> , 2007 , 33, 1556-69	2.7	48
93	Comparison of cultivars of ornamental crop <i>Gerbera jamesonii</i> on production of spider mite-induced volatiles, and their attractiveness to the predator <i>Phytoseiulus persimilis</i> . <i>Journal of Chemical Ecology</i> , 2001 , 27, 1355-72	2.7	48
92	The effect of different dietary sugars and honey on longevity and fecundity in two hyperparasitoid wasps. <i>Journal of Insect Physiology</i> , 2012 , 58, 816-23	2.4	46

91	Volatile-mediated foraging behaviour of three parasitoid species under conditions of dual insect herbivore attack. <i>Animal Behaviour</i> , 2016 , 111, 197-206	2.8	44
90	Combined biotic stresses trigger similar transcriptomic responses but contrasting resistance against a chewing herbivore in <i>Brassica nigra</i> . <i>BMC Plant Biology</i> , 2017 , 17, 127	5.3	42
89	Defensive insect symbiont leads to cascading extinctions and community collapse. <i>Ecology Letters</i> , 2016 , 19, 789-99	10	41
88	Climate change-mediated temperature extremes and insects: From outbreaks to breakdowns. <i>Global Change Biology</i> , 2020 , 26, 6685-6701	11.4	39
87	Acaricomes phytoseiuli gen. nov., sp. nov., isolated from the predatory mite <i>Phytoseiulus persimilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006 , 56, 465-469	2.2	37
86	Complex tritrophic interactions in response to crop domestication: predictions from the wild. <i>Entomologia Experimentalis Et Applicata</i> , 2015 , 157, 40-59	2.1	35
85	Intrinsic competition and its effects on the survival and development of three species of endoparasitoid wasps. <i>Entomologia Experimentalis Et Applicata</i> , 2009 , 130, 238-248	2.1	35
84	The effect of direct and indirect defenses in two wild brassicaceous plant species on a specialist herbivore and its gregarious endoparasitoid. <i>Entomologia Experimentalis Et Applicata</i> , 2008 , 128, 99-108	2.1	35
83	Intraspecific chemical diversity among neighbouring plants correlates positively with plant size and herbivore load but negatively with herbivore damage. <i>Ecology Letters</i> , 2017 , 20, 87-97	10	34
82	Variation in the specificity of plant volatiles and their use by a specialist and a generalist parasitoid. <i>Animal Behaviour</i> , 2012 , 83, 1231-1242	2.8	33
81	Indirect plant-mediated interactions among parasitoid larvae. <i>Ecology Letters</i> , 2011 , 14, 670-6	10	33
80	Behaviour of male and female parasitoids in the field: influence of patch size, host density, and habitat complexity. <i>Ecological Entomology</i> , 2010 , 35, 341-351	2.1	33
79	Plant domestication decreases both constitutive and induced chemical defences by direct selection against defensive traits. <i>Scientific Reports</i> , 2018 , 8, 12678	4.9	33
78	Population-related variation in plant defense more strongly affects survival of an herbivore than its solitary parasitoid wasp. <i>Journal of Chemical Ecology</i> , 2011 , 37, 1081-90	2.7	32
77	Time allocation of a parasitoid foraging in heterogeneous vegetation: implications for host-parasitoid interactions. <i>Journal of Animal Ecology</i> , 2007 , 76, 845-53	4.7	32
76	Differential induction of plant chemical defenses by parasitized and unparasitized herbivores: consequences for reciprocal, multitrophic interactions. <i>Oikos</i> , 2016 , 125, 1398-1407	4	29
75	Fitness consequences of indirect plant defence in the annual weed, <i>Sinapis arvensis</i> . <i>Functional Ecology</i> , 2015 , 29, 1019-1025	5.6	28
74	Intra-specific variation in wild <i>Brassica oleracea</i> for aphid-induced plant responses and consequences for caterpillar-parasitoid interactions. <i>Oecologia</i> , 2014 , 174, 853-62	2.9	27

73	Plant-mediated effects of butterfly egg deposition on subsequent caterpillar and pupal development, across different species of wild Brassicaceae. <i>Ecological Entomology</i> , 2015 , 40, 444-450	2.1	27
72	Nutritional ecology of the interaction between larvae of the gregarious ectoparasitoid, <i>Muscidifurax raptorellus</i> (Hymenoptera: Pteromalidae), and their pupal host, <i>Musca domestica</i> (Diptera: Muscidae). <i>Physiological Entomology</i> , 1998 , 23, 113-120	1.9	27
71	Habitat complexity reduces parasitoid foraging efficiency, but does not prevent orientation towards learned host plant odours. <i>Oecologia</i> , 2015 , 179, 353-61	2.9	26
70	Comparing the physiological effects and function of larval feeding in closely-related endoparasitoids (Braconidae: Microgasterinae). <i>Physiological Entomology</i> , 2008 , 33, 217-225	1.9	26
69	Synergism in the effect of prior jasmonic acid application on herbivore-induced volatile emission by Lima bean plants: transcription of a monoterpene synthase gene and volatile emission. <i>Journal of Experimental Botany</i> , 2014 , 65, 4821-31	7	25
68	Combined effects of patch size and plant nutritional quality on local densities of insect herbivores. <i>Basic and Applied Ecology</i> , 2010 , 11, 396-405	3.2	25
67	To be in time: egg deposition enhances plant-mediated detection of young caterpillars by parasitoids. <i>Oecologia</i> , 2015 , 177, 477-86	2.9	24
66	The importance of aboveground-belowground interactions on the evolution and maintenance of variation in plant defense traits. <i>Frontiers in Plant Science</i> , 2013 , 4, 431	6.2	24
65	Seasonal phenology of interactions involving short-lived annual plants, a multivoltine herbivore and its endoparasitoid wasp. <i>Journal of Animal Ecology</i> , 2014 , 83, 234-44	4.7	23
64	Intrinsic competition among solitary and gregarious endoparasitoid wasps and the phenomenon of Resource sharing. <i>Ecological Entomology</i> , 2012 , 37, 65-74	2.1	23
63	Impact of botanical pesticides derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> plants on the emission of volatiles that attract Parasitoids of the diamondback moth to cabbage plants. <i>Journal of Chemical Ecology</i> , 2006 , 32, 325-49	2.7	22
62	Development and host utilization in <i>Hyposoter ebeninus</i> (Hymenoptera: Ichneumonidae), a solitary endoparasitoid of <i>Pieris rapae</i> and <i>P. brassicae</i> caterpillars (Lepidoptera: Pieridae). <i>Biological Control</i> , 2010 , 53, 312-318	3.8	21
61	Paternity Analysis in a Hexapod (<i>Orchesella cincta</i> ; Collembola) with Indirect Sperm Transfer. <i>Journal of Insect Behavior</i> , 2004 , 17, 317-328	1.1	21
60	Compatible and incompatible pathogen-plant interactions differentially affect plant volatile emissions and the attraction of parasitoid wasps. <i>Functional Ecology</i> , 2016 , 30, 1779-1789	5.6	21
59	Dual herbivore attack and herbivore density affect metabolic profiles of <i>Brassica nigra</i> leaves. <i>Plant, Cell and Environment</i> , 2017 , 40, 1356-1367	8.4	18
58	Food plant and herbivore host species affect the outcome of intrinsic competition among parasitoid larvae. <i>Ecological Entomology</i> , 2014 , 39, 693-702	2.1	18
57	The roles of ecological fitting, phylogeny and physiological equivalence in understanding realized and fundamental host ranges in endoparasitoid wasps. <i>Journal of Evolutionary Biology</i> , 2012 , 25, 2139-2148	2.3	17
56	The 'Usurpation hypothesis' revisited: dying caterpillar repels attack from a hyperparasitoid wasp. <i>Animal Behaviour</i> , 2011 , 81, 1281-1287	2.8	17

55	With or without you: Effects of the concurrent range expansion of an herbivore and its natural enemy on native species interactions. <i>Global Change Biology</i> , 2018 , 24, 631-643	11.4	16
54	Interactions Between a Belowground Herbivore and Primary and Secondary Root Metabolites in Wild Cabbage. <i>Journal of Chemical Ecology</i> , 2015 , 41, 696-707	2.7	15
53	Seasonal and herbivore-induced dynamics of foliar glucosinolates in wild cabbage (). <i>Chemoecology</i> , 2018 , 28, 77-89	2	15
52	Rain downpours affect survival and development of insect herbivores: the specter of climate change?. <i>Ecology</i> , 2019 , 100, e02819	4.6	15
51	Variation in plant defences among populations of a range-expanding plant: consequences for trophic interactions. <i>New Phytologist</i> , 2014 , 204, 989-99	9.8	15
50	Consequences of constitutive and induced variation in the host's food plant quality for parasitoid larval development. <i>Journal of Insect Physiology</i> , 2012 , 58, 367-75	2.4	15
49	Differential effects of climate warming on reproduction and functional responses on insects in the fourth trophic level. <i>Functional Ecology</i> , 2019 , 33, 693-702	5.6	15
48	Development of a hyperparasitoid wasp in different stages of its primary parasitoid and secondary herbivore hosts. <i>Journal of Insect Physiology</i> , 2012 , 58, 1463-8	2.4	14
47	Novel bacterial pathogen <i>Acaricomes phytoseiuli</i> causes severe disease symptoms and histopathological changes in the predatory mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae). <i>Journal of Invertebrate Pathology</i> , 2008 , 98, 127-35	2.6	14
46	Effects of population-related variation in plant primary and secondary metabolites on aboveground and belowground multitrophic interactions. <i>Chemoecology</i> , 2016 , 26, 219-233	2	13
45	Community structure and abundance of insects in response to early-season aphid infestation in wild cabbage populations. <i>Ecological Entomology</i> , 2016 , 41, 378-388	2.1	13
44	PCR-based identification of the pathogenic bacterium, <i>Acaricomes phytoseiuli</i> , in the biological control agent <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae). <i>Biological Control</i> , 2007 , 42, 316-325	3.8	13
43	Interactive Effects of Cabbage Aphid and Caterpillar Herbivory on Transcription of Plant Genes Associated with Phytohormonal Signalling in Wild Cabbage. <i>Journal of Chemical Ecology</i> , 2016 , 42, 793-803	2.7	12
42	Population genetic structure of <i>Orchesella cincta</i> (Collembola; Hexapoda) in NW Europe, as revealed by microsatellite markers. <i>Pedobiologia</i> , 2005 , 49, 167-174	1.7	12
41	Insect egg-killing: a new front on the evolutionary arms-race between brassicaceous plants and pierid butterflies. <i>New Phytologist</i> , 2021 , 230, 341-353	9.8	12
40	Host preference and offspring performance are linked in three congeneric hyperparasitoid species. <i>Ecological Entomology</i> , 2015 , 40, 114-122	2.1	11
39	Detoxification of plant defensive glucosinolates by an herbivorous caterpillar is beneficial to its endoparasitic wasp. <i>Molecular Ecology</i> , 2020 , 29, 4014-4031	5.7	11
38	The effect of host developmental stage at parasitism on sex-related size differentiation in a larval endoparasitoid. <i>Ecological Entomology</i> , 2009 , 34, 755-762	2.1	10

37	Honey and honey-based sugars partially affect reproductive trade-offs in parasitoids exhibiting different life-history and reproductive strategies. <i>Journal of Insect Physiology</i> , 2017 , 98, 134-140	2.4	9
36	Convergence and Divergence in Direct and Indirect Life-History Traits of Closely Related Parasitoids (Braconidae: Microgastrinae). <i>Evolutionary Biology</i> , 2014 , 41, 134-144	3	9
35	Development of <i>Mamestra brassicae</i> and its solitary endoparasitoid <i>Microplitis mediator</i> on two populations of the invasive weed <i>Bunias orientalis</i> . <i>Population Ecology</i> , 2011 , 53, 587-596	2.1	9
34	Plant Quantity Affects Development and Survival of a Gregarious Insect Herbivore and Its Endoparasitoid Wasp. <i>PLoS ONE</i> , 2016 , 11, e0149539	3.7	9
33	Direct and indirect genetic effects in life-history traits of flour beetles (<i>Tribolium castaneum</i>). <i>Evolution; International Journal of Organic Evolution</i> , 2016 , 70, 207-17	3.8	9
32	Does Aphid Infestation Interfere with Indirect Plant Defense against Lepidopteran Caterpillars in Wild Cabbage?. <i>Journal of Chemical Ecology</i> , 2017 , 43, 493-505	2.7	8
31	Development of a generalist predator, <i>Podisus maculiventris</i> , on glucosinolate sequestering and nonsequestering prey. <i>Die Naturwissenschaften</i> , 2014 , 101, 707-14	2	8
30	Differing Host Exploitation Efficiencies in Two Hyperparasitoids: When is a 'Match Made in Heaven'?. <i>Journal of Insect Behavior</i> , 2011 , 24, 282-292	1.1	8
29	The ecological role of bacterial seed endophytes associated with wild cabbage in the United Kingdom. <i>MicrobiologyOpen</i> , 2020 , 9, e00954	3.4	8
28	Oviposition Preference for Young Plants by the Large Cabbage Butterfly (<i>Pieris brassicae</i>) Does not Strongly Correlate with Caterpillar Performance. <i>Journal of Chemical Ecology</i> , 2017 , 43, 617-629	2.7	7
27	Short-term seasonal habitat facilitation mediated by an insect herbivore. <i>Basic and Applied Ecology</i> , 2016 , 17, 447-454	3.2	7
26	Differing Success of Defense Strategies in Two Parasitoid Wasps in Protecting Their Pupae Against a Secondary Hyperparasitoid. <i>Annals of the Entomological Society of America</i> , 2011 , 104, 1005-1011	2	7
25	Enter the matrix: how to analyze the structure of behavior. <i>Behavior Research Methods</i> , 2006 , 38, 357-636.1		7
24	Responses of insect herbivores and their food plants to wind exposure and the importance of predation risk. <i>Journal of Animal Ecology</i> , 2018 , 87, 1046-1057	4.7	6
23	Effects of plant-mediated differences in host quality on the development of two related endoparasitoids with different host-utilization strategies. <i>Journal of Insect Physiology</i> , 2018 , 107, 110-115.4	2.4	6
22	A bodyguard or a tastier meal? Dying caterpillar indirectly protects parasitoid cocoons by offering alternate prey to a generalist predator. <i>Entomologia Experimentalis Et Applicata</i> , 2013 , 149, 219-228	2.1	6
21	Integrating Insect Life History and Food Plant Phenology: Flexible Maternal Choice Is Adaptive. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	6
20	Varying degree of physiological integration among host instars and their endoparasitoid affects stress-induced mortality. <i>Entomologia Experimentalis Et Applicata</i> , 2019 , 167, 424-432	2.1	5

19	Effect of sequential induction by <i>Mamestra brassicae</i> L. and <i>Tetranychus urticae</i> Koch on lima bean plant indirect defense. <i>Journal of Chemical Ecology</i> , 2014 , 40, 977-85	2.7	5
18	Reprotoxic effects of the systemic insecticide fipronil on the butterfly. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20192665	4.4	4
17	Reciprocal interactions between native and introduced populations of common milkweed, <i>Asclepias syriaca</i> , and the specialist aphid, <i>Aphis nerii</i> . <i>Basic and Applied Ecology</i> , 2014 , 15, 444-452	3.2	4
16	Effect of host-cocoon mass on adult size in the secondary hyperparasitoid wasp, <i>Pteromalus semotus</i> (Hymenoptera: Pteromalidae). <i>Insect Science</i> , 2012 , 19, 383-390	3.6	4
15	Dynamics of plant secondary metabolites and consequences for food chains and community dynamics	308-328	4
14	Ant-like Traits in Wingless Parasitoids Repel Attack from Wolf Spiders. <i>Journal of Chemical Ecology</i> , 2018 , 44, 894-904	2.7	4
13	The effect of rearing history and aphid density on volatile-mediated foraging behaviour of <i>Diaeretiella rapae</i> . <i>Ecological Entomology</i> , 2019 , 44, 255-264	2.1	3
12	Black and Garlic Mustard Plants Are Highly Suitable for the Development of Two Native Pierid Butterflies. <i>Environmental Entomology</i> , 2016 , 45, 671-676	2.1	3
11	Simulated heatwave conditions associated with global warming affect development and competition between hyperparasitoids. <i>Oikos</i> , 2019 , 128, 1783-1792	4	3
10	Reproduction and Offspring Sex Ratios Differ Markedly among Closely Related Hyperparasitoids Living in the Same Microhabitats. <i>Journal of Insect Behavior</i> , 2019 , 32, 243-251	1.1	3
9	Microsatellite loci in the soil-dwelling collembolan, <i>Orchesella cincta</i> . <i>Molecular Ecology Notes</i> , 2001 , 1, 182-184		3
8	Development of a solitary koinobiont hyperparasitoid in different instars of its primary and secondary hosts. <i>Journal of Insect Physiology</i> , 2016 , 90, 36-42	2.4	3
7	Development and oviposition strategies in two congeneric gregarious larval-pupal endoparasitoids of the seven-spot ladybird, <i>Coccinella septempunctata</i> . <i>Biological Control</i> , 2021 , 163, 104756	3.8	3
6	Insect egg-killing: a new front on the evolutionary arms-race between Brassicaceae plants and Pierid butterflies		2
5	Oviposition preference of three lepidopteran species is not affected by previous aphid infestation in wild cabbage. <i>Entomologia Experimentalis Et Applicata</i> , 2018 , 166, 402-411	2.1	1
4	Invasive moth facilitates use of a native food plant by other native and invasive arthropods. <i>Ecological Research</i> , 2019 , 34, 659-666	1.9	1
3	Population- and Species-Based Variation of Webworm-Parasitoid Interactions in Hogweeds (<i>Heracelum</i> spp.) in the Netherlands. <i>Environmental Entomology</i> , 2020 , 49, 924-930	2.1	1
2	Within-patch and edge microclimates vary over a growing season and are amplified during a heatwave: Consequences for ectothermic insects. <i>Journal of Thermal Biology</i> , 2021 , 99, 103006	2.9	1

- 1 Herbivore-induced plant volatiles, not natural enemies, mediate a positive indirect interaction between insect herbivores.. *Oecologia*, **2022**, 198, 443 2.9 0