

# Hana Å ubrtovÃ; SalmonovÃ;

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5669228/publications.pdf>

Version: 2024-02-01

21  
papers

232  
citations

1163117

8  
h-index

996975

15  
g-index

21  
all docs

21  
docs citations

21  
times ranked

333  
citing authors

#	ARTICLE	IF	CITATIONS
1	Melanoma-related changes in skin microbiome. <i>Folia Microbiologica</i> , 2019, 64, 435-442.	2.3	54
2	A new medium containing mupirocin, acetic acid, and norfloxacin for the selective cultivation of bifidobacteria. <i>Anaerobe</i> , 2015, 34, 27-33.	2.1	23
3	<i>Bifidobacterium apri</i> sp. nov., a thermophilic actinobacterium isolated from the digestive tract of wild pigs ( <i>Sus scrofa</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2349-2356.	1.7	21
4	Research Note: The effects of genotype, sex, and feeding regime on performance, carcasses characteristic, and microbiota in chickens. <i>Poultry Science</i> , 2021, 100, 760-764.	3.4	18
5	In Vitro Selective Growth-Inhibitory Activities of Phytochemicals, Synthetic Phytochemical Analogs, and Antibiotics against Diarrheagenic/Probiotic Bacteria and Cancer/Normal Intestinal Cells. <i>Pharmaceuticals</i> , 2020, 13, 233.	3.8	16
6	<i>Galliscardovia ingluviei</i> gen. nov., sp. nov., a thermophilic bacterium of the family Bifidobacteriaceae isolated from the crop of a laying hen ( <i>Gallus gallus</i> f. <i>domesticus</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2403-2411.	1.7	14
7	High Mobility Group Box 1 and TLR4 Signaling Pathway in Gnotobiotic Piglets Colonized/Infected with <i>L. amylovorus</i> , <i>L. mucosae</i> , <i>E. coli</i> Nissle 1917 and <i>S. Typhimurium</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 6294.	4.1	13
8	<i>Lactobacillus caviae</i> sp. nov., an obligately heterofermentative bacterium isolated from the oral cavity of a guinea pig ( <i>Cavia aperea</i> f. <i>porcellus</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2903-2909.	1.7	10
9	Methods of Studying Diversity of Bacterial Communities: A Review. <i>Scientia Agriculturae Bohemica</i> , 2017, 48, 154-165.	0.3	9
10	<i>Alloscardovia venturai</i> sp. nov., a fructose 6-phosphate phosphoketolase-positive species isolated from the oral cavity of a guinea-pig ( <i>Cavia aperea</i> f. <i>porcellus</i> ). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2842-2847.	1.7	9
11	Anticlostridial agent 8-hydroxyquinoline improves the isolation of faecal bifidobacteria on modified Wilkins-Chalgren agar with mupirocin. <i>Letters in Applied Microbiology</i> , 2016, 62, 330-335.	2.2	7
12	Colonization of Germ-Free Piglets with Mucinolytic and Non-Mucinolytic Bifidobacterium boum Strains Isolated from the Intestine of Wild Boar and Their Interference with Salmonella Typhimurium. <i>Microorganisms</i> , 2020, 8, 2002.	3.6	7
13	POLLEN CAN - TESTING OF BEE POLLEN FERMENTATION IN MODEL CONDITIONS. <i>Journal of Microbiology, Biotechnology and Food Sciences</i> , 2018, 8, 805-811.	0.8	7
14	Selection of prebiotic oligosaccharides suitable for synbiotic use in calves. <i>Animal Feed Science and Technology</i> , 2017, 229, 73-78.	2.2	5
15	Effect of probiotic <i>Clostridium butyricum</i> CBM 588 on microbiota and growth performance of broiler chickens. <i>Czech Journal of Animal Science</i> , 2019, 64, 387-394.	1.3	5
16	Assessment of Chemical Impact of Invasive Bryozoan <i>Pectinatella magnifica</i> on the Environment: Cytotoxicity and Antimicrobial Activity of <i>P. magnifica</i> Extracts. <i>Molecules</i> , 2016, 21, 1476.	3.8	4
17	Cultivable bacteria from <i>Pectinatella magnifica</i> and the surrounding water in South Bohemia indicate potential new Gammaproteobacterial, Betaproteobacterial and Firmicutes taxa. <i>FEMS Microbiology Letters</i> , 2018, 365, .	1.8	4
18	In Vitro Selective Antibacterial and Antiproliferative Effects of Ethanolic Extracts from Cambodian and Philippine Plants Used in Folk Medicine for Diarrhea Treatment. <i>Frontiers in Pharmacology</i> , 2021, 12, 746808.	3.5	3

#	ARTICLE	IF	CITATIONS
19	Identification of microbiota associated with <i>Pectinatella magnifica</i> in South Bohemia. <i>Biologia (Poland)</i> , 2015, 70, 365-371.	1.5	2
20	Analysis of Cutaneous Microbiota of Piglets with Hereditary Melanoma. <i>Scientia Agriculturae Bohemica</i> , 2018, 49, 285-290.	0.3	1
21	Pathogenic profile and cytotoxic activity of <i>Aeromonas</i> spp. isolated from <i>Pectinatella magnifica</i> and surrounding water in the South Bohemian aquaculture region. <i>Journal of Fish Diseases</i> , 2020, 43, 1213-1227.	1.9	0