

Jonathan M Hodgson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/567008/jonathan-m-hodgson-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

218
papers

8,918
citations

56
h-index

86
g-index

230
ext. papers

10,350
ext. citations

5.5
avg, IF

6.07
L-index

#	Paper	IF	Citations
218	Associations between intake of dietary flavonoids and the 10-year incidence of tinnitus in older adults.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	1
217	Associations of specific types of fruit and vegetables with perceived stress in adults: the AusDiab study.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	
216	Sulfur compounds: From plants to humans and their role in chronic disease prevention.. <i>Critical Reviews in Food Science and Nutrition</i> , 2022 , 1-23	11.5	0
215	Higher Consumption of Fruit and Vegetables Is Associated With Lower Worries, Tension and Lack of Joy Across the Lifespan.. <i>Frontiers in Nutrition</i> , 2022 , 9, 837066	6.2	2
214	Dietary plant and animal protein intake and decline in estimated glomerular filtration rate among elderly women: a 10-year longitudinal cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1640-1647	4.3	8
213	Development of a Food Composition Database for Assessing Nitrate and Nitrite Intake from Animal-based Foods. <i>Molecular Nutrition and Food Research</i> , 2021 , e2100272	5.9	3
212	Glucosinolates From Cruciferous Vegetables and Their Potential Role in Chronic Disease: Investigating the Preclinical and Clinical Evidence. <i>Frontiers in Pharmacology</i> , 2021 , 12, 767975	5.6	8
211	Association of habitual intake of fruits and vegetables with depressive symptoms: the AusDiab study. <i>European Journal of Nutrition</i> , 2021 , 60, 3743-3755	5.2	5
210	Dietary Nitrate Intake Is Positively Associated with Muscle Function in Men and Women Independent of Physical Activity Levels. <i>Journal of Nutrition</i> , 2021 , 151, 1222-1230	4.1	3
209	Multi-response surface optimisation of extrusion cooking to increase soluble dietary fibre and polyphenols in lupin seed coat. <i>LWT - Food Science and Technology</i> , 2021 , 140, 110767	5.4	5
208	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. <i>European Journal of Epidemiology</i> , 2021 , 36, 813-825	12.1	8
207	Fruit and vegetable intake is inversely associated with perceived stress across the adult lifespan. <i>Clinical Nutrition</i> , 2021 , 40, 2860-2867	5.9	2
206	Chronic nitrite treatment activates adenosine monophosphate-activated protein kinase-endothelial nitric oxide synthase pathway in human aortic endothelial cells. <i>Journal of Functional Foods</i> , 2021 , 80, 104447	5.1	0
205	Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 348-357	7	3
204	Dietary flavonoids are associated with longitudinal treatment outcomes in neovascular age-related macular degeneration. <i>European Journal of Nutrition</i> , 2021 , 60, 4243-4250	5.2	2
203	Associations Between Fruit Intake and Risk of Diabetes in the AusDiab Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4097-e4108	5.6	6
202	Abdominal aortic calcification is associated with a higher risk of injurious fall-related hospitalizations in older Australian women. <i>Atherosclerosis</i> , 2021 , 328, 153-159	3.1	2

201	Cruciferous vegetable intake is inversely associated with extensive abdominal aortic calcification in elderly women: a cross-sectional study. <i>British Journal of Nutrition</i> , 2021 , 125, 337-345	3.6	3
200	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12175	6	
199	Prognostic Value of Abdominal Aortic Calcification: A Systematic Review and Meta-Analysis of Observational Studies. <i>Journal of the American Heart Association</i> , 2021 , 10, e017205	6	12
198	Effects of Chewing Gum on Nitric Oxide Metabolism, Markers of Cardiovascular Health and Neurocognitive Performance after a Nitrate-Rich Meal. <i>Journal of the American College of Nutrition</i> , 2021 , 1-13	3.5	
197	Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020551	6	2
196	Higher habitual dietary flavonoid intake associates with lower central blood pressure and arterial stiffness in healthy older adults. <i>British Journal of Nutrition</i> , 2021 , 1-11	3.6	1
195	Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. <i>Journal of Nutrition</i> , 2021 , 151, 3533-3542	4.1	3
194	Association between vitamin D status and long-term falls-related hospitalization risk in older women. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 3114-3123	5.6	3
193	Association between vitamin K intake and mortality in the Danish Diet, Cancer, and Health cohort. <i>European Journal of Epidemiology</i> , 2021 , 36, 1005-1014	12.1	0
192	Development of a Vitamin K Database for Commercially Available Food in Australia.. <i>Frontiers in Nutrition</i> , 2021 , 8, 753059	6.2	0
191	The effects of vitamin K-rich green leafy vegetables on bone metabolism: A 4-week randomised controlled trial in middle-aged and older individuals. <i>Bone Reports</i> , 2020 , 12, 100274	2.6	6
190	A randomised controlled crossover trial investigating the short-term effects of different types of vegetables on vascular and metabolic function in middle-aged and older adults with mildly elevated blood pressure: the VEgetableS for vaScular hEaLth (VESSEL) study protocol. <i>Nutrition Journal</i> , 2020 , 19, 11	4.3	2
189	Flavonoid intake and its association with atrial fibrillation. <i>Clinical Nutrition</i> , 2020 , 39, 3821-3828	5.9	5
188	Quantifying dietary vitamin K and its link to cardiovascular health: a narrative review. <i>Food and Function</i> , 2020 , 11, 2826-2837	6.1	14
187	Mechanisms of the protective effects of nitrate and nitrite in cardiovascular and metabolic diseases. <i>Nitric Oxide - Biology and Chemistry</i> , 2020 , 96, 35-43	5	17
186	Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	6
185	The effect of regular consumption of lupin-containing foods on glycaemic control and blood pressure in people with type 2 diabetes mellitus. <i>Food and Function</i> , 2020 , 11, 741-747	6.1	3
184	Dietary inflammatory index and the aging kidney in older women: a 10-year prospective cohort study. <i>European Journal of Nutrition</i> , 2020 , 59, 3201-3211	5.2	5

183	Lupin seed coat as a promising food ingredient: physicochemical, nutritional, antioxidant properties, and effect of genotype and environment. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 1816-1824	3.8	3
182	Associations between dietary flavonoids and retinal microvasculature in older adults. <i>European Journal of Nutrition</i> , 2020 , 59, 3093-3101	5.2	0
181	Association between Circulating Osteocalcin and Cardiometabolic Risk Factors following a 4-Week Leafy Green Vitamin K-Rich Diet. <i>Annals of Nutrition and Metabolism</i> , 2020 , 76, 361-367	4.5	2
180	Fruit and Vegetable Knowledge and Intake within an Australian Population: The AusDiab Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
179	Modification of diet, exercise and lifestyle (MODEL) study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2020 , 10, e036366	3	2
178	Implementation, mechanisms of impact and key contextual factors involved in outcomes of the Modification of Diet, Exercise and Lifestyle (MODEL) randomised controlled trial in Australian adults: protocol for a mixed-method process evaluation. <i>BMJ Open</i> , 2020 , 10, e036395	3	
177	Phenolic composition of 91 Australian apple varieties: towards understanding their health attributes. <i>Food and Function</i> , 2020 , 11, 7115-7125	6.1	5
176	An overview and update on the epidemiology of flavonoid intake and cardiovascular disease risk. <i>Food and Function</i> , 2020 , 11, 6777-6806	6.1	28
175	Associations between Intake of Dietary Flavonoids and 10-Year Incidence of Age-Related Hearing Loss. <i>Nutrients</i> , 2020 , 12,	6.7	3
174	A Mediterranean diet supplemented with dairy foods improves mood and processing speed in an Australian sample: results from the MedDairy randomized controlled trial. <i>Nutritional Neuroscience</i> , 2020 , 23, 646-658	3.6	23
173	Vegetable diversity in relation with subclinical atherosclerosis and 15-year atherosclerotic vascular disease deaths in older adult women. <i>European Journal of Nutrition</i> , 2020 , 59, 217-230	5.2	5
172	Association of flavonoids and flavonoid-rich foods with all-cause mortality: The Blue Mountains Eye Study. <i>Clinical Nutrition</i> , 2020 , 39, 141-150	5.9	25
171	Enzymatically modified isoquercitrin improves endothelial function in volunteers at risk of cardiovascular disease. <i>British Journal of Nutrition</i> , 2020 , 123, 182-189	3.6	13
170	Association of dietary nitrate intake with retinal microvascular structure in older adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2057-2063	5.2	1
169	Effects of Mediterranean diet supplemented with lean pork on blood pressure and markers of cardiovascular risk: findings from the MedPork trial. <i>British Journal of Nutrition</i> , 2019 , 122, 873-883	3.6	11
168	Dietary nitrate intake is associated with muscle function in older women. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 601-610	10.3	8
167	Vegetable Nitrate Intakes Are Associated with Reduced Self-Reported Cardiovascular-Related Complications within a Representative Sample of Middle-Aged Australian Women, Prospectively Followed up for 15 Years. <i>Nutrients</i> , 2019 , 11,	6.7	5
166	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. <i>Nature Communications</i> , 2019 , 10, 3651	17.4	96

165	Simultaneous quantitative analysis of polyphenolic compounds in human plasma by liquid chromatography tandem mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 2909-2921	3.4	7
164	Association Between Abdominal Aortic Calcification, Bone Mineral Density, and Fracture in Older Women. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 2052-2060	6.3	22
163	A Mediterranean Diet with Fresh, Lean Pork Improves Processing Speed and Mood: Cognitive Findings from the MedPork Randomised Controlled Trial. <i>Nutrients</i> , 2019 , 11,	6.7	21
162	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. <i>Lancet Planetary Health, The</i> , 2019 , 3, e450-e459	9.8	18
161	Sarcopenia Definitions and Their Associations With Mortality in Older Australian Women. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 76-82.e2	5.9	31
160	Diets high in n-3 fatty acids are associated with lower arterial stiffness in patients with rheumatoid arthritis: a latent profile analysis. <i>British Journal of Nutrition</i> , 2019 , 121, 182-194	3.6	5
159	Relationship of dietary nitrate intake from vegetables with cardiovascular disease mortality: a prospective study in a cohort of older Australians. <i>European Journal of Nutrition</i> , 2019 , 58, 2741-2753	5.2	19
158	Extrusion cooking increases soluble dietary fibre of lupin seed coat. <i>LWT - Food Science and Technology</i> , 2019 , 99, 547-554	5.4	35
157	Characterization of polyphenols in Australian sweet lupin (<i>Lupinus angustifolius</i>) seed coat by HPLC-DAD-ESI-MS/MS. <i>Food Research International</i> , 2019 , 116, 1153-1162	7	14
156	Cruciferous and Total Vegetable Intakes Are Inversely Associated With Subclinical Atherosclerosis in Older Adult Women. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	20
155	Nitrate, the oral microbiome, and cardiovascular health: a systematic literature review of human and animal studies. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 504-522	7	33
154	Screening plant derived dietary phenolic compounds for bioactivity related to cardiovascular disease. <i>Floterap</i> 2018 , 126, 22-28	3.2	20
153	The effects of alcohol on plasma lipid mediators of inflammation resolution in patients with Type 2 diabetes mellitus. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018 , 133, 29-34	2.8	17
152	Vegetable-derived bioactive nitrate and cardiovascular health. <i>Molecular Aspects of Medicine</i> , 2018 , 61, 83-91	16.7	34
151	Seed coats of pulses as a food ingredient: Characterization, processing, and applications. <i>Trends in Food Science and Technology</i> , 2018 , 80, 35-42	15.3	52
150	Dietary Nitrate and Diet Quality: An Examination of Changing Dietary Intakes within a Representative Sample of Australian Women. <i>Nutrients</i> , 2018 , 10,	6.7	10
149	Cardiovascular Health Benefits of Specific Vegetable Types: A Narrative Review. <i>Nutrients</i> , 2018 , 10,	6.7	46
148	Dietary flavonoids and the prevalence and 15-y incidence of age-related macular degeneration. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 381-387	7	15

147	Vegetable Diversity, Injurious Falls, and Fracture Risk in Older Women: A Prospective Cohort Study. <i>Nutrients</i> , 2018 , 10,	6.7	4
146	Nitrate-rich vegetables do not lower blood pressure in individuals with mildly elevated blood pressure: a 4-wk randomized controlled crossover trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 894-908	7	19
145	Flavonoid-Rich Apple Improves Endothelial Function in Individuals at Risk for Cardiovascular Disease: A Randomized Controlled Clinical Trial. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 17006749	5.9	43
144	Effect of adding milk to black tea on vascular function in healthy men and women: a randomised controlled crossover trial. <i>Food and Function</i> , 2018 , 9, 6307-6314	6.1	11
143	A Mediterranean diet supplemented with dairy foods improves markers of cardiovascular risk: results from the MedDairy randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1166-1182	7	33
142	Reply to OM Shannon et al. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1353-1354	7	1
141	Association of Dietary Nitrate Intake with the 15-Year Incidence of Age-Related Macular Degeneration. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 2311-2314	3.9	8
140	Vegetable and fruit intake and injurious falls risk in older women: a prospective cohort study. <i>British Journal of Nutrition</i> , 2018 , 120, 925-934	3.6	14
139	Development of a reference database for assessing dietary nitrate in vegetables. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600982	5.9	39
138	A Mediterranean diet lowers blood pressure and improves endothelial function: results from the MedLey randomized intervention trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1305-1313	7	71
137	The cardiovascular health benefits of apples: Whole fruit vs. isolated compounds. <i>Trends in Food Science and Technology</i> , 2017 , 69, 243-256	15.3	83
136	Association of dietary nitrate with atherosclerotic vascular disease mortality: a prospective cohort study of older adult women. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 207-216	7	37
135	Association of Vegetable Nitrate Intake With Carotid Atherosclerosis and Ischemic Cerebrovascular Disease in Older Women. <i>Stroke</i> , 2017 , 48, 1724-1729	6.7	46
134	Association of flavonoid-rich foods and flavonoids with risk of all-cause mortality. <i>British Journal of Nutrition</i> , 2017 , 117, 1470-1477	3.6	45
133	Total volume and composition of fluid intake and mortality in older women: a cohort study. <i>BMJ Open</i> , 2017 , 7, e011720	3	7
132	Cruciferous and Allium Vegetable Intakes are Inversely Associated With 15-Year Atherosclerotic Vascular Disease Deaths in Older Adult Women. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	31
131	Vegetable and Fruit Intake and Fracture-Related Hospitalisations: A Prospective Study of Older Women. <i>Nutrients</i> , 2017 , 9,	6.7	17
130	Including pork in the Mediterranean diet for an Australian population: Protocol for a randomised controlled trial assessing cardiovascular risk and cognitive function. <i>Nutrition Journal</i> , 2017 , 16, 84	4.3	8

129	The acute effect of coffee on endothelial function and glucose metabolism following a glucose load in healthy human volunteers. <i>Food and Function</i> , 2017 , 8, 3366-3373	6.1	11
128	Response by Bondonno et al to Letter Regarding Article, "Association of Vegetable Nitrate Intake With Carotid Atherosclerosis and Ischemic Cerebrovascular Disease in Older Women". <i>Stroke</i> , 2017 , 48, e305	6.7	
127	Dietary inflammatory index in relation to sub-clinical atherosclerosis and atherosclerotic vascular disease mortality in older women. <i>British Journal of Nutrition</i> , 2017 , 117, 1577-1586	3.6	24
126	A Mediterranean Diet to Improve Cardiovascular and Cognitive Health: Protocol for a Randomised Controlled Intervention Study. <i>Nutrients</i> , 2017 , 9,	6.7	14
125	Older Australians Can Achieve High Adherence to the Mediterranean Diet during a 6 Month Randomised Intervention; Results from the Medley Study. <i>Nutrients</i> , 2017 , 9,	6.7	25
124	A Mediterranean Diet Reduces F-Isoprostanes and Triglycerides among Older Australian Men and Women after 6 Months. <i>Journal of Nutrition</i> , 2017 , 147, 1348-1355	4.1	24
123	Identifying the metabolomic fingerprint of high and low flavonoid consumers. <i>Journal of Nutritional Science</i> , 2017 , 6, e34	2.7	6
122	Chlorogenic acid improves ex vivo vessel function and protects endothelial cells against HOCl-induced oxidative damage, via increased production of nitric oxide and induction of Hmox-1. <i>Journal of Nutritional Biochemistry</i> , 2016 , 27, 53-60	6.3	56
121	Neglecting legumes has compromised human health and sustainable food production. <i>Nature Plants</i> , 2016 , 2, 16112	11.5	344
120	Dietary Nitrate, Nitric Oxide, and Cardiovascular Health. <i>Critical Reviews in Food Science and Nutrition</i> , 2016 , 56, 2036-52	11.5	53
119	Fruit Intake and Abdominal Aortic Calcification in Elderly Women: A Prospective Cohort Study. <i>Nutrients</i> , 2016 , 8, 159	6.7	17
118	The Mediterranean Diet and Cognitive Function among Healthy Older Adults in a 6-Month Randomised Controlled Trial: The Medley Study. <i>Nutrients</i> , 2016 , 8,	6.7	61
117	The effects of alcohol on ambulatory blood pressure and other cardiovascular risk factors in type 2 diabetes: a randomized intervention. <i>Journal of Hypertension</i> , 2016 , 34, 421-8; discussion 428	1.9	29
116	Apple intake is inversely associated with all-cause and disease-specific mortality in elderly women. <i>British Journal of Nutrition</i> , 2016 , 115, 860-7	3.6	37
115	Acute effects of quercetin-3-O-glucoside on endothelial function and blood pressure: a randomized dose-response study. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 97-103	7	27
114	Acute effects of chlorogenic acids on endothelial function and blood pressure in healthy men and women. <i>Food and Function</i> , 2016 , 7, 2197-203	6.1	26
113	Comparison of flavonoid intake assessment methods. <i>Food and Function</i> , 2016 , 7, 3748-59	6.1	14
112	Absence of an effect of high nitrate intake from beetroot juice on blood pressure in treated hypertensive individuals: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 368-75	7	66

111	Flavonoid intake and all-cause mortality. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1012-20	7	93
110	Short-term effects of a high nitrate diet on nitrate metabolism in healthy individuals. <i>Nutrients</i> , 2015 , 7, 1906-15	6.7	26
109	Dietary saturated fat intake and atherosclerotic vascular disease mortality in elderly women: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1263-8	7	23
108	Tea and flavonoid intake predict osteoporotic fracture risk in elderly Australian women: a prospective study. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 958-65	7	30
107	A randomised controlled intervention trial evaluating the efficacy of a Mediterranean dietary pattern on cognitive function and psychological wellbeing in healthy older adults: the MedLey study. <i>BMC Geriatrics</i> , 2015 , 15, 55	4.1	35
106	Antibacterial mouthwash blunts oral nitrate reduction and increases blood pressure in treated hypertensive men and women. <i>American Journal of Hypertension</i> , 2015 , 28, 572-5	2.3	87
105	The Efficacy of Quercetin in Cardiovascular Health. <i>Current Nutrition Reports</i> , 2015 , 4, 290-303	6	20
104	A randomised controlled intervention trial evaluating the efficacy of an Australianised Mediterranean diet compared to the habitual Australian diet on cognitive function, psychological wellbeing and cardiovascular health in healthy older adults (MedLey study): protocol paper. <i>BMC Nutrition</i> , 2015 , 1,	2.5	12
103	Definition of the Mediterranean Diet; a Literature Review. <i>Nutrients</i> , 2015 , 7, 9139-53	6.7	384
102	Dietary flavonoids and nitrate: effects on nitric oxide and vascular function. <i>Nutrition Reviews</i> , 2015 , 73, 216-35	6.4	76
101	Effects of black tea on body composition and metabolic outcomes related to cardiovascular disease risk: a randomized controlled trial. <i>Food and Function</i> , 2014 , 5, 1613-20	6.1	34
100	Short-term effects of nitrate-rich green leafy vegetables on blood pressure and arterial stiffness in individuals with high-normal blood pressure. <i>Free Radical Biology and Medicine</i> , 2014 , 77, 353-62	7.8	49
99	The acute effect of flavonoid-rich apples and nitrate-rich spinach on cognitive performance and mood in healthy men and women. <i>Food and Function</i> , 2014 , 5, 849-58	6.1	47
98	Relationships of vascular function with measures of ambulatory blood pressure variation. <i>Atherosclerosis</i> , 2014 , 233, 48-54	3.1	11
97	Red wine flavonoids and vascular health. <i>Nutrition and Aging (Amsterdam, Netherlands)</i> , 2014 , 2, 139-144		1
96	Effects of vitamin E, vitamin C and polyphenols on the rate of blood pressure variation: results of two randomised controlled trials. <i>British Journal of Nutrition</i> , 2014 , 112, 1551-61	3.6	29
95	Effects of a nitrate-rich meal on arterial stiffness and blood pressure in healthy volunteers. <i>Nitric Oxide - Biology and Chemistry</i> , 2013 , 35, 123-30	5	54
94	Dietary quercetin attenuates oxidant-induced endothelial dysfunction and atherosclerosis in apolipoprotein E knockout mice fed a high-fat diet: a critical role for heme oxygenase-1. <i>Free Radical Biology and Medicine</i> , 2013 , 65, 908-915	7.8	96

93	Short-term effects of polyphenol-rich black tea on blood pressure in men and women. <i>Food and Function</i> , 2013 , 4, 111-5	6.1	17
92	An improved mass spectrometry-based measurement of NO metabolites in biological fluids. <i>Free Radical Biology and Medicine</i> , 2013 , 56, 1-8	7.8	36
91	Supplementation of a high-fat diet with chlorogenic acid is associated with insulin resistance and hepatic lipid accumulation in mice. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4371-8	5.7	61
90	Mediterranean diet adherence and self-reported psychological functioning in an Australian sample. <i>Appetite</i> , 2013 , 70, 53-9	4.5	53
89	Tea and non-tea flavonol intakes in relation to atherosclerotic vascular disease mortality in older women. <i>British Journal of Nutrition</i> , 2013 , 110, 1648-55	3.6	32
88	Reply to ML Zwinkels et al. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 857-8	7	1
87	Black tea lowers the rate of blood pressure variation: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 943-50	7	39
86	Associations of proanthocyanidin intake with renal function and clinical outcomes in elderly women. <i>PLoS ONE</i> , 2013 , 8, e71166	3.7	13
85	Mediterranean diet adherence and cognitive functioning in an Australian sample. <i>FASEB Journal</i> , 2013 , 27, 346.3	0.9	
84	Quercetin and its metabolites improve vessel function by inducing eNOS activity via phosphorylation of AMPK. <i>Biochemical Pharmacology</i> , 2012 , 84, 1036-44	6	86
83	Nitrate causes a dose-dependent augmentation of nitric oxide status in healthy women. <i>Food and Function</i> , 2012 , 3, 522-7	6.1	19
82	Polyphenol composition of plum selections in relation to total antioxidant capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10256-62	5.7	23
81	Acute effects of chlorogenic acid on nitric oxide status, endothelial function, and blood pressure in healthy volunteers: a randomized trial. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 9130-6	5.7	94
80	Effects of tea and coffee on cardiovascular disease risk. <i>Food and Function</i> , 2012 , 3, 575-91	6.1	105
79	Flavonoid-rich apples and nitrate-rich spinach augment nitric oxide status and improve endothelial function in healthy men and women: a randomized controlled trial. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 95-102	7.8	186
78	Effects of black tea on blood pressure: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2012 , 172, 186-8		69
77	Long-term effects of a protein-enriched diet on blood pressure in older women. <i>British Journal of Nutrition</i> , 2012 , 107, 1664-72	3.6	16
76	Black tea and blood pressure: did the blood pressure fall or rise?-Reply. <i>Archives of Internal Medicine</i> , 2012 , 172, 894-5		

75	Association between yogurt, milk, and cheese consumption and common carotid artery intima-media thickness and cardiovascular disease risk factors in elderly women. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 234-9	7	72
74	Lupin and soya reduce glycaemia acutely in type 2 diabetes. <i>British Journal of Nutrition</i> , 2011 , 106, 1045-51	5.6	27
73	Habitual chocolate intake and vascular disease: a prospective study of clinical outcomes in older women. <i>Archives of Internal Medicine</i> , 2010 , 170, 1857-8		24
72	Specific dietary polyphenols attenuate atherosclerosis in apolipoprotein E-knockout mice by alleviating inflammation and endothelial dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 749-57	9.4	222
71	The effects of a lupin-enriched diet on oxidative stress and factors influencing vascular function in overweight subjects. <i>Antioxidants and Redox Signaling</i> , 2010 , 13, 1517-24	8.4	13
70	Tea flavonoids and cardiovascular health. <i>Molecular Aspects of Medicine</i> , 2010 , 31, 495-502	16.7	172
69	Definition of ambulatory blood pressure targets for diagnosis and treatment of hypertension in relation to clinic blood pressure: prospective cohort study. <i>BMJ, The</i> , 2010 , 340, c1104	5.9	110
68	Reply to JO Lundberg. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 652-653	7	
67	Effects of lupin kernel flour-enriched bread on blood pressure: a controlled intervention study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 766-72	7	88
66	A metabolite profiling approach to identify biomarkers of flavonoid intake in humans. <i>Journal of Nutrition</i> , 2009 , 139, 2309-14	4.1	60
65	Inhibition of 20-hydroxyeicosatetraenoic acid synthesis using specific plant lignans: in vitro and human studies. <i>Hypertension</i> , 2009 , 54, 1151-8	8.5	27
64	Skim milk compared with a fruit drink acutely reduces appetite and energy intake in overweight men and women. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 70-5	7	67
63	Sesame supplementation does not improve cardiovascular disease risk markers in overweight men and women. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 774-80	4.5	35
62	Does dietary starch raise blood pressure?. <i>Journal of Hypertension</i> , 2009 , 27, 212-3	1.9	
61	Vitamin E supplementation and hepatic drug metabolism in humans. <i>Journal of Cardiovascular Pharmacology</i> , 2009 , 54, 491-6	3.1	13
60	Protein, fibre and blood pressure: potential benefit of legumes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 473-6	3	28
59	Metabolic transformation has a profound effect on anti-inflammatory activity of flavonoids such as quercetin: lack of association between antioxidant and lipoxygenase inhibitory activity. <i>Biochemical Pharmacology</i> , 2008 , 75, 1045-53	6	126
58	Quercetin and its in vivo metabolites inhibit neutrophil-mediated low-density lipoprotein oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3609-15	5.7	58

57	A single nucleotide polymorphism in the CYP4F2 but not CYP4A11 gene is associated with increased 20-HETE excretion and blood pressure. <i>Hypertension</i> , 2008 , 51, 1393-8	8.5	124
56	Pure dietary flavonoids quercetin and (-)-epicatechin augment nitric oxide products and reduce endothelin-1 acutely in healthy men. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1018-25	7	281
55	Chocolate consumption and bone density in older women. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 175-80	7	12
54	Soy food consumption does not lower LDL cholesterol in either equol or nonequol producers. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 298-304	7	44
53	Blood pressure. <i>Nutrition and Dietetics</i> , 2007 , 64, S169-S172	2.5	1
52	Effects of alpha-tocopherol and mixed tocopherol supplementation on markers of oxidative stress and inflammation in type 2 diabetes. <i>Clinical Chemistry</i> , 2007 , 53, 511-9	5.5	87
51	Tea drinking is associated with benefits on bone density in older women. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1243-7	7	100
50	Increased lean red meat intake does not elevate markers of oxidative stress and inflammation in humans. <i>Journal of Nutrition</i> , 2007 , 137, 363-7	4.1	59
49	The effect of vitamin E on blood pressure in individuals with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. <i>Journal of Hypertension</i> , 2007 , 25, 227-34	1.9	96
48	Acute effects of tea on fasting and non-fasting plasma total homocysteine concentrations in human subjects. <i>British Journal of Nutrition</i> , 2007 , 97, 842-6	3.6	6
47	Dietary flavonoids: effects on endothelial function and blood pressure. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 2492-2498	4.3	85
46	Randomised, controlled, cross-over trial of soy protein with isoflavones on blood pressure and arterial function in hypertensive subjects. <i>Journal of the American College of Nutrition</i> , 2006 , 25, 533-40	3.5	57
45	20-Hydroxyeicosatetraenoic acid is not associated with circulating insulin in lean to overweight humans. <i>Diabetes Research and Clinical Practice</i> , 2006 , 74, 197-200	7.4	15
44	Supplementation with mixed tocopherols increases serum and blood cell gamma-tocopherol but does not alter biomarkers of platelet activation in subjects with type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 95-102	7	35
43	Lupin-enriched bread increases satiety and reduces energy intake acutely. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 975-80	7	122
42	Partial substitution of carbohydrate intake with protein intake from lean red meat lowers blood pressure in hypertensive persons. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 780-7	7	106
41	Is reversal of endothelial dysfunction by tea related to flavonoid metabolism?. <i>British Journal of Nutrition</i> , 2006 , 95, 14-7	3.6	37
40	Dietary flavonoids and cardiovascular disease: does the emperor have any clothes?. <i>Journal of Hypertension</i> , 2005 , 23, 1461-3	1.9	6

39	Soy protein may lower blood pressure. Commentary. <i>Evidence-based Cardiovascular Medicine</i> , 2005 , 9, 261-3		
38	Acute effects of tea on fasting and postprandial vascular function and blood pressure in humans. <i>Journal of Hypertension</i> , 2005 , 23, 47-54	1.9	74
37	The combination of vitamin C and grape-seed polyphenols increases blood pressure: a randomized, double-blind, placebo-controlled trial. <i>Journal of Hypertension</i> , 2005 , 23, 427-34	1.9	86
36	Urinary 20-hydroxyeicosatetraenoic acid excretion is associated with oxidative stress in hypertensive subjects. <i>Free Radical Biology and Medicine</i> , 2005 , 38, 1032-6	7.8	59
35	Nitration of gamma-tocopherol prevents its oxidative metabolism by HepG2 cells. <i>Free Radical Biology and Medicine</i> , 2005 , 39, 483-94	7.8	9
34	Red wine and beer elevate blood pressure in normotensive men. <i>Hypertension</i> , 2005 , 45, 874-9	8.5	120
33	Measurement of 20-hydroxyeicosatetraenoic acid in human urine by gas chromatography-mass spectrometry. <i>Clinical Chemistry</i> , 2004 , 50, 224-6	5.5	44
32	Urinary 20-hydroxyeicosatetraenoic acid is associated with endothelial dysfunction in humans. <i>Circulation</i> , 2004 , 110, 438-43	16.7	125
31	Oxidative stress in human hypertension: association with antihypertensive treatment, gender, nutrition, and lifestyle. <i>Free Radical Biology and Medicine</i> , 2004 , 36, 226-32	7.8	108
30	Supplementation with grape seed polyphenols results in increased urinary excretion of 3-hydroxyphenylpropionic Acid, an important metabolite of proanthocyanidins in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 5545-9	5.7	102
29	Phenolic acid metabolites as biomarkers for tea- and coffee-derived polyphenol exposure in human subjects. <i>British Journal of Nutrition</i> , 2004 , 91, 301-6	3.6	59
28	Brachial artery vasomotor function is inversely associated with 24-h ambulatory blood pressure. <i>Journal of Hypertension</i> , 2004 , 22, 967-72	1.9	22
27	Can black tea influence plasma total homocysteine concentrations?. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 907-11	7	31
26	Tea intake is inversely related to blood pressure in older women. <i>Journal of Nutrition</i> , 2003 , 133, 2883-6	4.1	54
25	Can coenzyme Q10 improve vascular function and blood pressure? Potential for effective therapeutic reduction in vascular oxidative stress. <i>BioFactors</i> , 2003 , 18, 129-36	6.1	23
24	Regular ingestion of tea does not inhibit in vivo lipid peroxidation in humans. <i>Journal of Nutrition</i> , 2002 , 132, 55-8	4.1	71
23	Coenzyme Q10 improves blood pressure and glycaemic control: a controlled trial in subjects with type 2 diabetes. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1137-42	5.2	190
22	Acute effects of ingestion of black tea on postprandial platelet aggregation in human subjects. <i>British Journal of Nutrition</i> , 2002 , 87, 141-5	3.6	27

21	Regular ingestion of black tea improves brachial artery vasodilator function. <i>Clinical Science</i> , 2002 , 102, 195-201	6.5	100
20	Regular ingestion of black tea improves brachial artery vasodilator function. <i>Clinical Science</i> , 2002 , 102, 195	6.5	67
19	Leukocyte count and vascular function in Type 2 diabetic subjects with treated hypertension. <i>Atherosclerosis</i> , 2002 , 163, 175-81	3.1	31
18	Regular ingestion of black tea improves brachial artery vasodilator function. <i>Clinical Science</i> , 2002 , 102, 195-201	6.5	30
17	Recent developments concerning diet and hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 1078-82	3	4
16	Dietary protein and soluble fiber reduce ambulatory blood pressure in treated hypertensives. <i>Hypertension</i> , 2001 , 38, 821-6	8.5	146
15	Non pharmacologic therapy and lifestyle factors in hypertension. <i>Blood Pressure</i> , 2001 , 10, 352-65	1.7	19
14	Acute effects of ingestion of black and green tea on lipoprotein oxidation. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 1103-7	7	94
13	Gallic acid metabolites are markers of black tea intake in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 2276-80	5.7	92
12	Comparison of the effects of black and green tea on in vitro lipoprotein oxidation in human serum. <i>Journal of the Science of Food and Agriculture</i> , 1999 , 79, 561-566	4.3	33
11	Isoflavonoids do not inhibit in vivo lipid peroxidation in subjects with high-normal blood pressure. <i>Atherosclerosis</i> , 1999 , 145, 167-72	3.1	67
10	Effects on blood pressure of drinking green and black tea. <i>Journal of Hypertension</i> , 1999 , 17, 457-63	1.9	113
9	Platelet fatty acids and peripheral blood lymphocyte subsets in an institutionalized elderly population. <i>Cytometry</i> , 1998 , 34, 17-21		
8	Supplementation with isoflavonoid phytoestrogens does not alter serum lipid concentrations: a randomized controlled trial in humans. <i>Journal of Nutrition</i> , 1998 , 128, 728-32	4.1	159
7	Platelet trans fatty acids in relation to angiographically assessed coronary artery disease. <i>Atherosclerosis</i> , 1996 , 120, 147-54	3.1	62
6	Soybean isoflavonoids and their metabolic products inhibit in vitro lipoprotein oxidation in serum. <i>Journal of Nutritional Biochemistry</i> , 1996 , 7, 664-669	6.3	116
5	Dietary diversity and health. <i>American Journal of Clinical Nutrition</i> , 1994 , 59, 950-950	7	3
4	Premenstrual syndrome does exist. <i>American Journal of Clinical Nutrition</i> , 1994 , 59, 1419	7	

- 3 Reply to RA Riemersma et al. *American Journal of Clinical Nutrition*, **1994**, 59, 949-950 7 3
- 2 Food variety as a quantitative descriptor of food intake. *Ecology of Food and Nutrition*, **1994**, 32, 137-148.9 51
- 1 The Biochemistry Behind the Potential Cardiovascular Protection by Dietary Flavonoids137-158 1