

Ting Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5670976/publications.pdf>

Version: 2024-02-01

37
papers

914
citations

361413
20
h-index

477307
29
g-index

38
all docs

38
docs citations

38
times ranked

897
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights into bacterial diversity in compost: Core microbiome and prevalence of potential pathogenic bacteria. <i>Science of the Total Environment</i> , 2020, 718, 137304.	8.0	75
2	Heterologous Antigen Selection of Camelid Heavy Chain Single Domain Antibodies against Tetrabromobisphenol A. <i>Analytical Chemistry</i> , 2014, 86, 8296-8302.	6.5	61
3	Phosphorus excess changes rock phosphate solubilization level and bacterial community mediating phosphorus fractions mobilization during composting. <i>Bioresource Technology</i> , 2021, 337, 125433.	9.6	49
4	Strip-based immunoassay for the simultaneous detection of the neonicotinoid insecticides imidacloprid and thiamethoxam in agricultural products. <i>Talanta</i> , 2012, 101, 85-90.	5.5	43
5	A highly sensitive and selective immunoassay for the detection of tetrabromobisphenol A in soil and sediment. <i>Analytica Chimica Acta</i> , 2012, 751, 119-127.	5.4	42
6	One-Step Immunoassay for Tetrabromobisphenol A Using a Camelid Single Domain Antibody-alkaline Phosphatase Fusion Protein. <i>Analytical Chemistry</i> , 2015, 87, 4741-4748.	6.5	41
7	Microbial taxonomic, nitrogen cycling and phosphorus recycling community composition during long-term organic greenhouse farming. <i>FEMS Microbiology Ecology</i> , 2019, 95, .	2.7	40
8	Quantitative Detection of Fipronil and Fipronil-Sulfone in Sera of Black-Tailed Prairie Dogs and Rats after Oral Exposure to Fipronil by Camel Single-Domain Antibody-Based Immunoassays. <i>Analytical Chemistry</i> , 2019, 91, 1532-1540.	6.5	38
9	Monitoring of the Organophosphate Pesticide Chlorpyrifos in Vegetable Samples from Local Markets in Northern Thailand by Developed Immunoassay. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4723.	2.6	37
10	Automated flow fluorescent immunoassay for part per trillion detection of the neonicotinoid insecticide thiamethoxam. <i>Analytica Chimica Acta</i> , 2006, 571, 66-73.	5.4	33
11	Nanocolloidal gold-based immuno-dip strip assay for rapid detection of Sudan red I in food samples. <i>Food Chemistry</i> , 2013, 136, 1478-1483.	8.2	33
12	Development of an enzyme-linked immunosorbent assay specific to Sudan red I. <i>Analytical Biochemistry</i> , 2010, 405, 41-49.	2.4	31
13	Construction of Immunomagnetic Particles with High Stability in Stringent Conditions by Site-Directed Immobilization of Multivalent Nanobodies onto Bacterial Magnetic Particles for the Environmental Detection of Tetrabromobisphenol-A. <i>Analytical Chemistry</i> , 2020, 92, 1114-1121.	6.5	31
14	Suitability of a magnetic particle immunoassay for the analysis of PBDEs in Hawaiian euryhaline fish and crabs in comparison with gas chromatography/electron capture detection-ion trap mass spectrometry. <i>Environmental Pollution</i> , 2009, 157, 417-422.	7.5	29
15	Engineered magnetosomes fused to functional molecule (protein A) provide a highly effective alternative to commercial immunomagnetic beads. <i>Journal of Nanobiotechnology</i> , 2019, 17, 37.	9.1	27
16	Enrichment of phosphate solubilizing bacteria during late developmental stages of eggplant (<i>Solanum melongena</i> L.). <i>FEMS Microbiology Ecology</i> , 2019, 95, .	2.7	27
17	Strong and oriented conjugation of nanobodies onto magnetosomes for the development of a rapid immunomagnetic assay for the environmental detection of tetrabromobisphenol-A. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 6633-6642.	3.7	26
18	One-step immunoassay for the insecticide carbaryl using a chicken single-chain variable fragment (scFv) fused to alkaline phosphatase. <i>Analytical Biochemistry</i> , 2019, 572, 9-15.	2.4	26

#	ARTICLE	IF	CITATIONS
19	Application of enzyme-linked immunosorbent assay for quantification of the insecticides imidacloprid and thiamethoxam in honey samples. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2009, 26, 713-718.	2.3	22
20	Application of an Enzyme-linked Immunosorbent Assay for the Analysis of Imidacloprid in Wiliwili Tree, <i>Erythrina sandwicensis</i> O. Deg, for Control of the Wasp <i>Quadrastichus erythrinae</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8444-8449.	5.2	21
21	A sensitive and selective enzyme-linked immunosorbent assay for the analysis of para red in foods. <i>Analyst, The</i> , 2012, 137, 2136.	3.5	20
22	Development of a one-step immunoassay for triazophos using camel single-domain antibody-alkaline phosphatase fusion protein. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1287-1295.	3.7	19
23	Development of an immunoassay for the detection of carbaryl in cereals based on a camelid variable heavy-chain antibody domain. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4383-4390.	3.5	18
24	Simultaneous development of both competitive and noncompetitive immunoassays for 2,2,4,4-tetrabromodiphenyl ether using phage-displayed peptides. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 9579-9583.	3.7	16
25	Selection of phage-displayed peptides for the detection of imidacloprid in water and soil. <i>Analytical Biochemistry</i> , 2015, 485, 28-33.	2.4	16
26	Development of a nanobody-based ELISA for the detection of the insecticides cyantraniliprole and chlorantraniliprole in soil and the vegetable bok choy. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 2503-2511.	3.7	15
27	Mutation of Phenylalanine-223 to Leucine Enhances Transformation of Benzo[<i>a</i>]pyrene by Ring-Hydroxylating Dioxygenase of <i>Sphingobium</i> sp. FB3 by increasing Accessibility of the Catalytic Site. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1206-1213.	5.2	10
28	Fusion expression of nanobodies specific for the insecticide fipronil on magnetosomes in <i>Magnetospirillum gryphiswaldense</i> MSR-1. <i>Journal of Nanobiotechnology</i> , 2021, 19, 27.	9.1	10
29	Development of a monoclonal antibody-based, congener-specific and solvent-tolerable direct enzyme-linked immunosorbent assay for the detection of 2,2,4,4-tetrabromodiphenyl ether in environmental samples. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 2249-2258.	3.7	9
30	Cyclic peptide: a safe and effective alternative to synthetic aflatoxin B1-competitive antigens. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3881-3890.	3.7	9
31	<i>N</i> -Benzyl-linoleamide, a Constituent of <i>Lepidium meyenii</i> (Maca), Is an Orally Bioavailable Soluble Epoxide Hydrolase Inhibitor That Alleviates Inflammatory Pain. <i>Journal of Natural Products</i> , 2020, 83, 3689-3697.	3.0	9
32	Total and denitrifying bacterial communities associated with the interception of nitrate leaching by carbon amendment in the subsoil. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 2559-2572.	3.6	7
33	EXTRACTION, PURIFICATION, AND CHARACTERIZATION OF A TRYPSIN INHIBITOR FROM COWPEA SEEDS (<i>Vigna unguiculata</i>). <i>Preparative Biochemistry and Biotechnology</i> , 2014, 44, 1-15.	1.9	6
34	A camelid VHH-based fluorescence polarization immunoassay for the detection of tetrabromobisphenol A in water. <i>Analytical Methods</i> , 2016, 8, 7265-7271.	2.7	6
35	Dynamics of Diversity and Abundance of Sulfonamide Resistant Bacteria in a Silt Loam Soil Fertilized by Compost. <i>Antibiotics</i> , 2021, 10, 699.	3.7	6
36	Comparison of the Total, Diazotrophic and Ammonia-Oxidizing Bacterial Communities Between Under Organic and Conventional Greenhouse Farming. <i>Frontiers in Microbiology</i> , 2020, 11, 1861.	3.5	4

#	ARTICLE	IF	CITATIONS
37	Immunoanalysis for environmental monitoring and human health. Analytical and Bioanalytical Chemistry, 2016, 408, 5959-5961.	3.7	2