

David A Fields

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5671724/david-a-fields-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

3,383
citations

33
h-index

56
g-index

102
ext. papers

3,913
ext. citations

4.6
avg, IF

5.41
L-index

#	Paper	IF	Citations
95	Bioactive compounds in mothers milk affecting offspring outcomes: A narrative review.. <i>Pediatric Obesity</i> , 2022 , e12892	4.6	0
94	Association of Gestational Diabetes Mellitus With Altered Abundance of Exosomal MicroRNAs in Human Milk.. <i>Clinical Therapeutics</i> , 2022 ,	3.5	2
93	Infant sex differences in human milk intake and composition from 1- to 3-month post-delivery in a healthy United States cohort.. <i>Annals of Human Biology</i> , 2021 , 48, 455-465	1.7	1
92	Associations Among Maternal Adiposity, Insulin, and Adipokines in Circulation and Human Milk. <i>Journal of Human Lactation</i> , 2021 , 37, 714-722	2.6	3
91	Human Milk Exosomal MicroRNA: Associations with Maternal Overweight/Obesity and Infant Body Composition at 1 Month of Life. <i>Nutrients</i> , 2021 , 13,	6.7	13
90	Increasing breast milk betaine modulates abundance in mammalian neonates and improves long-term metabolic health. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	12
89	Maternal Dietary Intake of Total Fat, Saturated Fat, and Added Sugar Is Associated with Infant Adiposity and Weight Status at 6 mo of Age. <i>Journal of Nutrition</i> , 2021 , 151, 2353-2360	4.1	1
88	Human Milk Oligosaccharides Are Stable Over One-Week of Lactation and Over Six-Hours Following a Standardized Meal. <i>Current Developments in Nutrition</i> , 2021 , 5, 719-719	0.4	1
87	Associations of breastfeeding or formula feeding with infant anthropometry and body composition at 6 months. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13105	3.4	3
86	Brown Fat-Activating Lipokine 12,13-diHOME in Human Milk Is Associated With Infant Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e943-e956	5.6	8
85	Human Milk Glucose, Leptin, and Insulin Predict Cessation of Full Breastfeeding and Initiation of Formula Use. <i>Breastfeeding Medicine</i> , 2021 , 16, 978-986	2.1	1
84	Carbohydrate composition in breast milk and its effect on infant health. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2020 , 23, 277-281	3.8	3
83	Associations of maternal fructose and sugar-sweetened beverage and juice intake during lactation with infant neurodevelopmental outcomes at 24 months. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1516-1522	7	4
82	Maternal Consumption of Sugar-Sweetened Beverages and Juices in Lactation Predicts Poorer Infant Neurodevelopment at 24 Postnatal Months. <i>Current Developments in Nutrition</i> , 2020 , 4, 943-943	0.4	1
81	Body Composition Measurements from Birth through 5 Years: Challenges, Gaps, and Existing & Emerging Technologies-A National Institutes of Health workshop. <i>Obesity Reviews</i> , 2020 , 21, e13033	10.6	13
80	New charts for the assessment of body composition, according to air-displacement plethysmography, at birth and across the first 6 mo of life. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1353-1360	7	22
79	Association of Full Breastfeeding Duration with Postpartum Weight Retention in a Cohort of Predominantly Breastfeeding Women. <i>Nutrients</i> , 2019 , 11,	6.7	7

78	Relationship of Maternal Weight Status Before, During, and After Pregnancy with Breast Milk Hormone Concentrations. <i>Obesity</i> , 2019 , 27, 621-628	8	15
77	Higher Maternal Diet Quality during Pregnancy and Lactation Is Associated with Lower Infant Weight-For-Length, Body Fat Percent, and Fat Mass in Early Postnatal Life. <i>Nutrients</i> , 2019 , 11,	6.7	42
76	Maternal obesity and the human milk metabolome: associations with infant body composition and postnatal weight gain. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 111-120	7	59
75	Intensive glycemic control in gestational diabetes mellitus: a randomized controlled clinical feasibility trial. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019 , 1, 100050	7.4	2
74	Body Mass Index Is a Better Indicator of Body Composition than Weight-for-Length at Age 1 Month. <i>Journal of Pediatrics</i> , 2019 , 204, 77-83.e1	3.6	43
73	Abdominal obesity adversely affects bone mass in children. <i>World Journal of Clinical Pediatrics</i> , 2018 , 7, 43-48	2.5	3
72	Pharmacokinetics of Sucralose and Acesulfame-Potassium in Breast Milk Following Ingestion of Diet Soda. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 466-470	2.8	43
71	High-Fructose Corn-Syrup-Sweetened Beverage Intake Increases 5-Hour Breast Milk Fructose Concentrations in Lactating Women. <i>Nutrients</i> , 2018 , 10,	6.7	14
70	Associations between human breast milk hormones and adipocytokines and infant growth and body composition in the first 6 months of life. <i>Pediatric Obesity</i> , 2017 , 12 Suppl 1, 78-85	4.6	75
69	TOS Scientific Position Statement: Breastfeeding and Obesity. <i>Obesity</i> , 2017 , 25, 1864-1866	8	10
68	Fructose in Breast Milk Is Positively Associated with Infant Body Composition at 6 Months of Age. <i>Nutrients</i> , 2017 , 9,	6.7	33
67	Associations of Maternal Weight Status Before, During, and After Pregnancy with Inflammatory Markers in Breast Milk. <i>Obesity</i> , 2017 , 25, 2092-2099	8	26
66	Estimation of total body water and extracellular water with bioimpedance in athletes: A need for athlete-specific prediction models. <i>Clinical Nutrition</i> , 2016 , 35, 468-474	5.9	42
65	A narrative review of the associations between six bioactive components in breast milk and infant adiposity. <i>Obesity</i> , 2016 , 24, 1213-21	8	85
64	Suitability of Bioelectrical Based Methods to Assess Water Compartments in Recreational and Elite Athletes. <i>Journal of the American College of Nutrition</i> , 2016 , 35, 413-21	3.5	19
63	A Randomized Controlled Trial Assessing Growth of Infants Fed a 100% Whey Extensively Hydrolyzed Formula Compared With a Casein-Based Extensively Hydrolyzed Formula. <i>Global Pediatric Health</i> , 2016 , 3, 2333794X16636613	1.2	2
62	Fetal epicardial fat thickness in diabetic and non-diabetic pregnancies: A retrospective cross-sectional study. <i>Obesity</i> , 2016 , 24, 167-71	8	8
61	Air displacement plethysmography: cradle to grave. <i>Nutrition in Clinical Practice</i> , 2015 , 30, 219-26	3.6	18

60	Associations between human milk oligosaccharides and infant body composition in the first 6 mo of life. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1381-8	7	124
59	Packet randomized experiments for eliminating classes of confounders. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 45-55	4.6	6
58	Weighing the Evidence of Common Beliefs in Obesity Research. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 2014-53	11.5	119
57	Cord blood adipokines, neonatal anthropometrics and postnatal growth in offspring of Hispanic and Native American women with diabetes mellitus. <i>Reproductive Biology and Endocrinology</i> , 2015 , 13, 68	5	21
56	Adequacy of Infant Formula With Protein Content of 1.6 g/100 kcal for Infants Between 3 and 12 Months. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 61, 596-603	2.8	21
55	Evaluation of DXA vs. MRI for body composition measures in 1-month olds. <i>Pediatric Obesity</i> , 2015 , 10, e8-10	4.6	8
54	Lower resting energy expenditure and fat oxidation in Native American and Hispanic infants born to mothers with diabetes. <i>Journal of Pediatrics</i> , 2015 , 166, 884-9	3.6	11
53	The relationship between bioactive components in breast milk and bone mass in infants. <i>BoneKEY Reports</i> , 2014 , 3, 577		4
52	Body composition assessment in the infant. <i>American Journal of Human Biology</i> , 2014 , 26, 291-304	2.7	114
51	Validity of a combined heart rate and motion sensor for the measurement of free-living energy expenditure in very active individuals. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 387-93	4.4	16
50	Gestational and early life influences on infant body composition at 1 year. <i>Obesity</i> , 2013 , 21, 144-8	8	29
49	Is bioelectrical impedance spectroscopy accurate in estimating total body water and its compartments in elite athletes?. <i>Annals of Human Biology</i> , 2013 , 40, 152-6	1.7	35
48	A PRISMA-driven systematic review of predictive equations for assessing fat and fat-free mass in healthy children and adolescents using multicomponent molecular models as the reference method. <i>Journal of Obesity</i> , 2013 , 2013, 148696	3.7	29
47	Relationship of insulin, glucose, leptin, IL-6 and TNF- α in human breast milk with infant growth and body composition. <i>Pediatric Obesity</i> , 2012 , 7, 304-12	4.6	137
46	Advances in the science and application of body composition measurement. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012 , 36, 96-107	4.2	45
45	Body composition at 6 months of life: comparison of air displacement plethysmography and dual-energy X-ray absorptiometry. <i>Obesity</i> , 2012 , 20, 2302-6	8	60
44	Air-displacement plethysmography pediatric option in 2-6 years old using the four-compartment model as a criterion method. <i>Obesity</i> , 2012 , 20, 1732-7	8	54
43	Sex differences in cardiovascular disease risk in adolescents with type 1 diabetes. <i>Gender Medicine</i> , 2012 , 9, 251-8		11

42	Is bioelectrical impedance spectroscopy accurate in estimating changes in fat-free mass in judo athletes?. <i>Journal of Sports Sciences</i> , 2012 , 30, 1225-33	3.6	12
41	Challenges in infant body composition. <i>Pediatric Research</i> , 2012 , 72, 329; author reply 330-1	3.2	4
40	Relationship between changes in total-body water and fluid distribution with maximal forearm strength in elite judo athletes. <i>Journal of Strength and Conditioning Research</i> , 2011 , 25, 2488-95	3.2	34
39	Longitudinal body composition data in exclusively breast-fed infants: a multicenter study. <i>Obesity</i> , 2011 , 19, 1887-91	8	57
38	Impact of type 1 diabetes and body weight status on cardiovascular risk factors in adolescent children. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 351-6	2.3	8
37	Paradoxical increase in arterial compliance in obese pubertal children. <i>Angiology</i> , 2011 , 62, 565-70	2.1	22
36	Quality of growth in exclusively breast-fed infants in the first six months of life: an Italian study. <i>Pediatric Research</i> , 2010 , 68, 542-4	3.2	23
35	Accuracy of DXA in estimating body composition changes in elite athletes using a four compartment model as the reference method. <i>Nutrition and Metabolism</i> , 2010 , 7, 22	4.6	44
34	Sex differences in body composition early in life. <i>Gender Medicine</i> , 2009 , 6, 369-75		44
33	Total body water measurements in adolescent athletes: a comparison of six field methods with deuterium dilution. <i>Journal of Strength and Conditioning Research</i> , 2009 , 23, 1225-37	3.2	25
32	Are skinfold-based models accurate and suitable for assessing changes in body composition in highly trained athletes?. <i>Journal of Strength and Conditioning Research</i> , 2009 , 23, 1688-96	3.2	34
31	Reproducibility of postprandial lipemia tests and validity of an abbreviated 4-hour test. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 1479-85	12.7	40
30	Changes in Women's Physical Activity During the Transition to College. <i>American Journal of Health Education</i> , 2008 , 39, 194-199	1	33
29	Effects of 2 brief interventions on women's understanding of moderate-intensity physical activity. <i>Journal of Physical Activity and Health</i> , 2008 , 5, 58-73	2.5	12
28	Impact of maternal body mass index on neonate birthweight and body composition. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 416.e1-6	6.4	155
27	Age-related influences on markers of inflammation and fibrinolysis. <i>FASEB Journal</i> , 2008 , 22, 923.7	0.9	1
26	Accuracy of step recording in free-living adults. <i>Research Quarterly for Exercise and Sport</i> , 2007 , 78, 542-71.9		2
25	Validity of thoracic gas volume equations in children of varying body mass index classifications. <i>Pediatric Obesity</i> , 2007 , 2, 180-7		4

24	Characterization of body weight and composition changes during the sophomore year of college. <i>BMC Womens Health</i> , 2007 , 7, 21	2.9	11
23	Effect of the summer months on body weight and composition in college women. <i>Journal of Womens Health</i> , 2007 , 16, 1510-5	3	14
22	Resistance training improves metabolic economy during functional tasks in older adults. <i>Journal of Strength and Conditioning Research</i> , 2007 , 21, 91-5	3.2	52
21	Validity of new child-specific thoracic gas volume prediction equations for air-displacement plethysmography. <i>BMC Pediatrics</i> , 2006 , 6, 18	2.6	3
20	The effect of the Thanksgiving holiday on weight gain. <i>Nutrition Journal</i> , 2006 , 5, 29	4.3	42
19	Validity of air-displacement plethysmography in the assessment of body composition changes in a 16-month weight loss program. <i>Nutrition and Metabolism</i> , 2006 , 3, 32	4.6	22
18	The effect of the holiday season on body weight and composition in college students. <i>Nutrition and Metabolism</i> , 2006 , 3, 44	4.6	24
17	Need for optimal body composition data analysis using air-displacement plethysmography in children and adolescents. <i>Journal of Nutrition</i> , 2006 , 136, 709; author reply 710	4.1	2
16	Freshman 15: fact or fiction?. <i>Obesity</i> , 2006 , 14, 1438-43	8	63
15	MedGem hand-held indirect calorimeter is valid for resting energy expenditure measurement in healthy children. <i>Obesity</i> , 2006 , 14, 1755-61	8	17
14	Air-displacement plethysmography: here to stay. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005 , 8, 624-9	3.8	52
13	Comparison of air displacement plethysmography to hydrostatic weighing for estimating total body density in children. <i>BMC Pediatrics</i> , 2005 , 5, 37	2.6	14
12	Effect of short schemes on body composition measurements using air-displacement plethysmography. <i>Dynamic Medicine: DM</i> , 2005 , 4, 8		6
11	Excess body fat in men decreases plasma fatty acid availability and oxidation during endurance exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 286, E354-62	6	44
10	Child-specific thoracic gas volume prediction equations for air-displacement plethysmography. <i>Obesity</i> , 2004 , 12, 1797-804		33
9	Ability of the actiwatch accelerometer to predict free-living energy expenditure in young children. <i>Obesity</i> , 2004 , 12, 1859-65		24
8	Are peristaltic pumps as reliable as syringe pumps for metabolic research? Assessment of accuracy, precision, and metabolic kinetics. <i>Metabolism: Clinical and Experimental</i> , 2004 , 53, 875-8	12.7	4
7	Monitoring body fat in the elderly: application of air-displacement plethysmography. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2004 , 7, 11-4	3.8	20

6	Assessment of body composition by air-displacement plethysmography: influence of body temperature and moisture. <i>Dynamic Medicine: DM</i> , 2004 , 3, 3		39
5	Body-composition assessment via air-displacement plethysmography in adults and children: a review. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 453-67	7	415
4	Effect of scalp and facial hair on air displacement plethysmography estimates of percentage of body fat. <i>Obesity</i> , 2001 , 9, 326-30	8	44
3	Comparison of the BOD POD with the four-compartment model in adult females. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 1605-10	1.2	49
2	Resistance training increases total energy expenditure and free-living physical activity in older adults. <i>Journal of Applied Physiology</i> , 2000 , 89, 977-84	3.7	189
1	Body composition techniques and the four-compartment model in children. <i>Journal of Applied Physiology</i> , 2000 , 89, 613-20	3.7	162