

Jonathan Rabinowitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5672050/publications.pdf>

Version: 2024-02-01

184
papers

9,131
citations

36303

51
h-index

45317

90
g-index

191
all docs

191
docs citations

191
times ranked

8429
citing authors

#	ARTICLE	IF	CITATIONS
1	Advancing Paternal Age and Autism. Archives of General Psychiatry, 2006, 63, 1026.	12.3	557
2	Neuropsychological Function and Dysfunction in Schizophrenia and Psychotic Affective Disorders. Schizophrenia Bulletin, 2009, 35, 1022-1029.	4.3	427
3	Risperidone and Haloperidol in First-Episode Psychosis: A Long-Term Randomized Trial. American Journal of Psychiatry, 2005, 162, 947-953.	7.2	331
4	The factor structure for the Positive and Negative Syndrome Scale (PANSS) in recent-onset psychosis. Schizophrenia Research, 2003, 61, 47-57.	2.0	329
5	A Population-Based Cohort Study of Premorbid Intellectual, Language, and Behavioral Functioning in Patients With Schizophrenia, Schizoaffective Disorder, and Nonpsychotic Bipolar Disorder. American Journal of Psychiatry, 2002, 159, 2027-2035.	7.2	318
6	Negative symptoms have greater impact on functioning than positive symptoms in schizophrenia: Analysis of CATIE data. Schizophrenia Research, 2012, 137, 147-150.	2.0	305
7	Remission in early psychosis: Rates, predictors, and clinical and functional outcome correlates. Schizophrenia Research, 2007, 89, 129-139.	2.0	180
8	School-based obesity prevention programs: A meta-analysis of randomized controlled trials. Obesity, 2013, 21, 2422-2428.	3.0	178
9	Correlates of cognitive deficits in first episode schizophrenia. Schizophrenia Research, 2004, 68, 1-9.	2.0	171
10	Correlates of insight in first episode psychosis. Schizophrenia Research, 2004, 70, 187-194.	2.0	167
11	Hopelessness as a Predictor of Attempted Suicide among First Admission Patients with Psychosis: A 10-year Cohort Study. Suicide and Life-Threatening Behavior, 2012, 42, 1-10.	1.9	159
12	Cognitive performance in schizophrenia patients assessed before and following the first psychotic episode. Schizophrenia Research, 2003, 65, 87-94.	2.0	156
13	Higher Rates of Cigarette Smoking in Male Adolescents Before the Onset of Schizophrenia: A Historical-Pro prospective Cohort Study. American Journal of Psychiatry, 2004, 161, 1219-1223.	7.2	152
14	Treatment of Cognitive Impairment in Early Psychosis: A Comparison of Risperidone and Haloperidol in a Large Long-Term Trial. American Journal of Psychiatry, 2005, 162, 1888-1895.	7.2	148
15	Socioeconomic Status at Birth Is Associated With Risk of Schizophrenia: Population-Based Multilevel Study. Schizophrenia Bulletin, 2006, 33, 1373-1378.	4.3	148
16	Paternal age and intelligence: implications for age-related genomic changes in male germ cells. Psychiatric Genetics, 2005, 15, 117-125.	1.1	147
17	Elaboration on Premorbid Intellectual Performance in Schizophrenia. Archives of General Psychiatry, 2005, 62, 1297.	12.3	146
18	A population based elaboration of the role of age of onset on the course of schizophrenia. Schizophrenia Research, 2006, 88, 96-101.	2.0	144

#	ARTICLE	IF	CITATIONS
19	Age at onset and gender of schizophrenic patients in relation to neuroleptic resistance. <i>American Journal of Psychiatry</i> , 1997, 154, 475-482.	7.2	143
20	Prevalence and severity of substance use disorders and onset of psychosis in first-admission psychotic patients. <i>Psychological Medicine</i> , 1998, 28, 1411-1419.	4.5	136
21	Time Course for Antipsychotic Treatment Response in First-Episode Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 743-745.	7.2	130
22	Extrapolation between measures of symptom severity and change: An examination of the PANSS and CGI. <i>Schizophrenia Research</i> , 2008, 98, 318-322.	2.0	103
23	Rehospitalization Rates of Chronically Ill Schizophrenic Patients Discharged on a Regimen of Risperidone, Olanzapine, or Conventional Antipsychotics. <i>American Journal of Psychiatry</i> , 2001, 158, 266-269.	7.2	102
24	Association Between Nonpsychotic Psychiatric Diagnoses in Adolescent Males and Subsequent Onset of Schizophrenia. <i>Archives of General Psychiatry</i> , 2001, 58, 959.	12.3	99
25	Post-traumatic stress disorder in primary-care settings: prevalence and physicians' detection. <i>Psychological Medicine</i> , 2001, 31, 555-560.	4.5	97
26	Perceived functioning, well-being and psychiatric symptoms in patients with stable schizophrenia treated with long-acting risperidone for 1 year. <i>British Journal of Psychiatry</i> , 2005, 187, 131-136.	2.8	89
27	Cognitive and behavioural functioning in men with schizophrenia both before and shortly after first admission to hospital. <i>British Journal of Psychiatry</i> , 2000, 177, 26-32.	2.8	88
28	Long-Acting Injectable Risperidone in the Treatment of Subjects With Recent-Onset Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 210-213.	1.4	87
29	Relationship Between Premorbid Functioning and Symptom Severity as Assessed at First Episode of Psychosis. <i>American Journal of Psychiatry</i> , 2002, 159, 2021-2026.	7.2	86
30	Premorbid Intellectual Functioning and Risk of Schizophrenia and Spectrum Disorders. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 193-207.	1.3	86
31	Association of prominent positive and prominent negative symptoms and functional health, well-being, healthcare-related quality of life and family burden: A CATIE analysis. <i>Schizophrenia Research</i> , 2013, 150, 339-342.	2.0	86
32	Time Course for Antipsychotic Treatment Response in First-Episode Schizophrenia. <i>American Journal of Psychiatry</i> , 2006, 163, 743.	7.2	86
33	Remission in patients with first-episode schizophrenia receiving assured antipsychotic medication: a study with risperidone long-acting injection. <i>International Clinical Psychopharmacology</i> , 2008, 23, 325-331.	1.7	84
34	The Talbieh Brief Distress Inventory: A brief instrument to measure psychological distress among immigrants. <i>Comprehensive Psychiatry</i> , 1995, 36, 448-453.	3.1	80
35	Correlates of a perceived need for mental health assistance and differences between those who do and do not seek help. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 141-146.	3.1	80
36	Correlates, change and "state or trait" properties of insight in schizophrenia. <i>Schizophrenia Research</i> , 2010, 122, 94-103.	2.0	76

#	ARTICLE	IF	CITATIONS
37	The effect of HMB supplementation on body composition, fitness, hormonal and inflammatory mediators in elite adolescent volleyball players: a prospective randomized, double-blind, placebo-controlled study. <i>European Journal of Applied Physiology</i> , 2011, 111, 2261-2269.	2.5	72
38	Oral versus injectable antipsychotic treatment in early psychosis: Post hoc comparison of two studies. <i>Clinical Therapeutics</i> , 2008, 30, 2378-2386.	2.5	71
39	Efficacy and Safety of MIN-101: A 12-Week Randomized, Double-Blind, Placebo-Controlled Trial of a New Drug in Development for the Treatment of Negative Symptoms in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017, 174, 1195-1202.	7.2	68
40	Social and cognitive functioning, urbanicity and risk for schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 320-324.	2.8	62
41	Compliance to naltrexone treatment after ultra-rapid opiate detoxification: an open label naturalistic study. <i>Drug and Alcohol Dependence</i> , 1997, 47, 77-86.	3.2	61
42	Premorbid functioning and treatment response in recent-onset schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 31-35.	2.8	59
43	Negative symptoms in schizophrenia – the remarkable impact of inclusion definitions in clinical trials and their consequences. <i>Schizophrenia Research</i> , 2013, 150, 334-338.	2.0	59
44	Effect of clozapine on physical and verbal aggression. <i>Schizophrenia Research</i> , 1996, 22, 249-255.	2.0	58
45	Revisiting the 5 Dimensions of the Positive and Negative Syndrome Scale. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 431-436.	1.4	58
46	Dropout Rates in Randomized Clinical Trials of Antipsychotics: A Meta-analysis Comparing First- and Second-Generation Drugs and an Examination of the Role of Trial Design Features. <i>Schizophrenia Bulletin</i> , 2009, 35, 775-788.	4.3	58
47	Changes in diagnosis in a 9-year national longitudinal sample. <i>Comprehensive Psychiatry</i> , 1994, 35, 361-365.	3.1	56
48	Trajectories and Antecedents of Treatment Response Over Time in Early-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 624-632.	4.3	56
49	Determinants of Antipsychotic Response in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e308-e316.	2.2	56
50	The relationship of neuropsychological test performance with the PANSS in antipsychotic naïve, first-episode psychosis patients. <i>Schizophrenia Research</i> , 2004, 68, 11-19.	2.0	55
51	Extrapyramidal symptoms and signs in first-episode, antipsychotic exposed and non-exposed patients with schizophrenia or related psychotic illness. <i>Journal of Psychopharmacology</i> , 2005, 19, 277-285.	4.0	55
52	Involuntary First Admission of Patients With Schizophrenia as a Predictor of Future Admissions. <i>Psychiatric Services</i> , 1999, 50, 1049-1052.	2.0	54
53	Factor Analysis of the Cohen-Mansfield Agitation Inventory in Three Large Samples of Nursing Home Patients With Dementia and Behavioral Disturbance. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 991-998.	1.2	54
54	Validity of the Premorbid Adjustment Scale. <i>Schizophrenia Bulletin</i> , 2008, 34, 981-983.	4.3	53

#	ARTICLE	IF	CITATIONS
55	Antecedents and Patterns of Suicide Behavior in First-Admission Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 880-889.	4.3	52
56	Initial depression severity and response to antidepressants <i>v.</i> placebo: patient-level data analysis from 34 randomised controlled trials. <i>British Journal of Psychiatry</i> , 2016, 209, 427-428.	2.8	52
57	The Relationship of Premorbid Functioning to Illness Course in Schizophrenia and Psychotic Mood Disorders During Two Years Following First Hospitalization. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 791-795.	1.0	50
58	Premorbid intra-individual variability in intellectual performance and risk for schizophrenia: A population-based study. <i>Schizophrenia Research</i> , 2006, 85, 49-57.	2.0	47
59	Factors influencing disposition decisions for patients seen in a psychiatric emergency service. <i>Psychiatric Services</i> , 1995, 46, 712-718.	2.0	46
60	Issues and perspectives in designing clinical trials for negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2013, 150, 328-333.	2.0	46
61	Factor Analysis of the Cohen-Mansfield Agitation Inventory in Three Large Samples of Nursing Home Patients With Dementia and Behavioral Disturbance. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 991-998.	1.2	45
62	Gender differences in premorbid cognitive performance in a national cohort of schizophrenic patients. <i>Schizophrenia Research</i> , 2000, 45, 185-190.	2.0	44
63	The course of schizophrenia: Progressive deterioration, amelioration or both?. <i>Schizophrenia Research</i> , 2007, 91, 254-258.	2.0	44
64	Self-reported drug abuse in male adolescents with behavioral disturbances, and follow-up for future schizophrenia. <i>Biological Psychiatry</i> , 2003, 54, 655-660.	1.3	43
65	Cognitive performance of male adolescents is lower than controls across psychiatric disorders: a population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 471-475.	4.5	43
66	Premorbid Functioning in a National Population of Male Twins Discordant for Psychoses. <i>American Journal of Psychiatry</i> , 2000, 157, 1514-1516.	7.2	42
67	Pathways to functional outcomes in schizophrenia: The role of premorbid functioning, negative symptoms and intelligence. <i>Schizophrenia Research</i> , 2009, 110, 40-46.	2.0	42
68	Treatment response trajectories and antipsychotic medications: Examination of up to 18months of treatment in the CATIE chronic schizophrenia trial. <i>Schizophrenia Research</i> , 2012, 137, 141-146.	2.0	42
69	Motivation to serve in the military influences vulnerability to future posttraumatic stress disorder. <i>Psychiatry Research</i> , 2002, 109, 45-49.	3.3	41
70	Recommendations to improve the Positive and Negative Syndrome Scale (PANSS) based on item response theory. <i>Psychiatry Research</i> , 2011, 188, 446-452.	3.3	40
71	Low-dose lisdostigil for mild cognitive impairment. <i>Neurology</i> , 2019, 93, e1474-e1484.	1.1	40
72	Predicting revolving-door patients in a 9-year national sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995, 30, 65-72.	3.1	39

#	ARTICLE	IF	CITATIONS
73	To What Extent Do the PANSS and CGI-S Overlap?. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 303-307.	1.4	38
74	Treatment Response Trajectories and Their Antecedents in Recent-Onset Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 446-449.	1.4	35
75	Extent of attaining and maintaining symptom remission by antipsychotic medication in the treatment of chronic schizophrenia: Evidence from the CATIE study. <i>Schizophrenia Research</i> , 2011, 133, 42-46.	2.0	35
76	BL-1020, a New $\hat{3}$ -Aminobutyric Acid-Enhanced Antipsychotic. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e1168-e1174.	2.2	34
77	Relationship Between Type of Insurance and Care During the Early Course of Psychosis. <i>American Journal of Psychiatry</i> , 1998, 155, 1392-1397.	7.2	31
78	Population-Based Trends in Male Adolescent Obesity in Israel 1967-2003. <i>Journal of Adolescent Health</i> , 2009, 44, 195-198.	2.5	31
79	Are patients enrolled in first episode psychosis drug trials representative of patients treated in routine clinical practice?. <i>Schizophrenia Research</i> , 2003, 61, 149-155.	2.0	30
80	The Association of Dropout and Outcome in Trials of Antipsychotic Medication and Its Implications for Dealing With Missing Data. <i>Schizophrenia Bulletin</i> , 2007, 34, 286-291.	4.3	30
81	Insight: Demographic Differences and Associations with One-Year Outcome in Schizophrenia and Schizoaffective Disorder. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010, 4, 169-175.	1.4	30
82	Accuracy and Confidence in Clinical Assessment of Psychiatric Inpatients Risk of Violence. <i>International Journal of Law and Psychiatry</i> , 1999, 22, 99-106.	0.9	29
83	Accuracy of self-reported premorbid functioning in schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 103-108.	2.0	28
84	Behavioral and Psychological Symptoms in Patients With Dementia as a Target for Pharmacotherapy With Risperidone. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1329-1334.	2.2	28
85	Predictions Made by Psychiatrists and Psychiatric Nurses of Violence by Patients. <i>Psychiatric Services</i> , 2002, 53, 622-624.	2.0	27
86	Treating behavioral and psychological symptoms in patients with psychosis of Alzheimer's disease using risperidone. <i>International Psychogeriatrics</i> , 2007, 19, 227.	1.0	27
87	Risk factors for violence among long-stay psychiatric patients: national study. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 341-347.	4.5	27
88	The Effect of a Volleyball Practice on Anabolic Hormones and Inflammatory Markers in Elite Male and Female Adolescent Players. <i>Journal of Strength and Conditioning Research</i> , 2009, 23, 1553-1559.	2.1	26
89	Comparison of cost, dosage and clinical preference for risperidone and olanzapine. <i>Schizophrenia Research</i> , 2000, 46, 91-96.	2.0	25
90	The Premorbid Adjustment Scale Structured Interview (PAS-SI): Preliminary findings. <i>Schizophrenia Research</i> , 2007, 90, 255-257.	2.0	25

#	ARTICLE	IF	CITATIONS
91	Understanding who improves after psychiatric hospitalization. <i>Acta Psychiatrica Scandinavica</i> , 1994, 89, 152-158.	4.5	24
92	Agreement between therapists and clients in evaluating therapy and its outcomes: Literature review. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 1996, 23, 493-511.	2.1	23
93	Alcohol & Drug Abuse: Predictors of Being Expelled From and Dropping Out of Alcohol Treatment. <i>Psychiatric Services</i> , 1998, 49, 187-189.	2.0	23
94	A method for understanding admission decision making in a psychiatric emergency room. <i>Psychiatric Services</i> , 1995, 46, 1055-1060.	2.0	22
95	Patients' and Staff Members' Attitudes About the Rights of Hospitalized Psychiatric Patients. <i>Psychiatric Services</i> , 2002, 53, 87-91.	2.0	22
96	Suicide attempts at the time of first admission and during early course schizophrenia: A population based study. <i>Psychiatry Research</i> , 2010, 177, 55-59.	3.3	22
97	How individual clinicians make admission decisions in psychiatric emergency rooms. <i>Journal of Psychiatric Research</i> , 1994, 28, 475-482.	3.1	21
98	Effectiveness of Clozapine in Hospitalised People with Chronic Neuroleptic-Resistant Schizophrenia. <i>British Journal of Psychiatry</i> , 1995, 167, 760-764.	2.8	20
99	Short Report: Comparison of Patient Satisfaction and Burden of Adverse Effects With Novel and Conventional Neuroleptics: A Naturalistic Study. <i>Schizophrenia Bulletin</i> , 2001, 27, 597-600.	4.3	20
100	Risperidone versus haloperidol in long-term hospitalized chronic patients in a double blind randomized trial: a post hoc analysis. <i>Schizophrenia Research</i> , 2001, 50, 89-93.	2.0	19
101	Concordance Between Measures of Functioning, Symptoms, and Change. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 478-480.	1.4	19
102	Impaired Reading Comprehension and Mathematical Abilities in Male Adolescents With Average or Above General Intellectual Abilities Are Associated With Comorbid and Future Psychopathology. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 883-890.	1.0	18
103	Subtle Cognitive Dysfunction in Nonaffected Siblings of Individuals Affected by Nonpsychotic Disorders. <i>Biological Psychiatry</i> , 2008, 63, 602-608.	1.3	18
104	Premorbid Functioning and Treatment Response in Recent-Onset Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 75-81.	1.4	18
105	Elaboration on the association between immigration and schizophrenia: a population-based national study disaggregating annual trends, country of origin and sex over 15 years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 303-311.	3.1	18
106	Changes in Insurance Coverage and Extent of Care During the Two Years After First Hospitalization for a Psychotic Disorder. <i>Psychiatric Services</i> , 2001, 52, 87-91.	2.0	17
107	Association between functioning in adolescence prior to first admission for schizophrenia and affective disorders and patterns of hospitalizations thereafter. <i>Schizophrenia Research</i> , 2005, 73, 185-191.	2.0	17
108	Rapid Onset of Therapeutic Effect of Risperidone Versus Haloperidol in a Double-Blind Randomized Trial. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 343-346.	2.2	17

#	ARTICLE	IF	CITATIONS
109	Clinicians' predictions of length of psychotherapy. <i>Psychiatric Services</i> , 1997, 48, 97-99.	2.0	15
110	Outcomes of Naltrexone Maintenance Following Ultra Rapid Opiate Detoxification Versus Intensive Inpatient Detoxification. <i>American Journal on Addictions</i> , 2002, 11, 52-56.	1.4	15
111	A Composite Approach That Includes Dropout Rates When Analyzing Efficacy Data in Clinical Trials of Antipsychotic Medications. <i>Schizophrenia Bulletin</i> , 2008, 34, 1145-1150.	4.3	15
112	A population-based examination of the role of years of education, age of onset, and sex on the course of schizophrenia. <i>Psychiatry Research</i> , 2009, 168, 11-17.	3.3	15
113	Is poor premorbid functioning a risk factor for suicide attempts in first-admission psychosis?. <i>Schizophrenia Research</i> , 2010, 116, 210-216.	2.0	15
114	Real-world premorbid functioning in schizophrenia and affective disorders during the early teenage years: A population-based study of school grades and teacher ratings. <i>Schizophrenia Research</i> , 2012, 136, 13-18.	2.0	15
115	Outcomes of Ultrarapid Opiate Detoxification Combined With Naltrexone Maintenance and Counseling. <i>Psychiatric Services</i> , 1998, 49, 831-833.	2.0	14
116	Differences in Age of First Hospitalization for Schizophrenia Among Immigrants and Nonimmigrants in a National Case Registry. <i>Schizophrenia Bulletin</i> , 2002, 28, 491-499.	4.3	14
117	Premorbid behavioral and intellectual functioning in schizophrenia patients with poor response to treatment with antipsychotic drugs. <i>Schizophrenia Research</i> , 2007, 94, 45-49.	2.0	14
118	Concordance of patient and clinical ratings of symptom severity and change of psychotic illness. <i>Schizophrenia Research</i> , 2008, 100, 359-360.	2.0	14
119	Reported comorbidity of mental disorders with substance abuse among psychiatric inpatients in Israel. <i>Journal of Mental Health Administration</i> , 1996, 23, 471-478.	1.1	13
120	Risperidone Long-Acting Injectable in Recent-Onset Schizophrenia Examined With Clinician and Patient Self-Report Measures. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 200-202.	1.4	13
121	Body Fat Measurements in Elite Adolescent Volleyball Players: Correlation between Skinfold Thickness, Bioelectrical Impedance Analysis, Air-displacement Plethysmography, and Body Mass Index Percentiles. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2010, 23, 395-400.	0.9	13
122	How antipsychotics impact the different dimensions of Schizophrenia: A test of competing hypotheses. <i>European Neuropsychopharmacology</i> , 2014, 24, 1279-1288.	0.7	13
123	Why Ongoing Supervision in Social Casework?. <i>Clinical Supervisor, The</i> , 1987, 5, 79-90.	1.7	12
124	Detecting psychological distress among patients attending secondary health care clinics. <i>General Hospital Psychiatry</i> , 1995, 17, 425-432.	2.4	12
125	Primary Health Care Physicians' Treatment of Psychosocial Problems: Implications for Social Work. <i>Health and Social Work</i> , 1996, 21, 89-95.	1.0	12
126	Reform in mental health services in Israel: The changing role of government, HMOs, and hospitals. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 1996, 23, 253-259.	2.1	12

#	ARTICLE	IF	CITATIONS
127	Consistency checks to improve measurement with the Montgomery-Asberg Depression Rating Scale (MADRS). <i>Journal of Affective Disorders</i> , 2019, 256, 143-147.	4.1	12
128	Consistency checks to improve measurement with the Positive and Negative Syndrome Scale (PANSS). <i>Schizophrenia Research</i> , 2017, 190, 74-76.	2.0	11
129	Revamping Mental Health Care in Israel. <i>Social Work in Health Care</i> , 1997, 25, 119-129.	1.6	10
130	Disparities in obesity temporal trends of Israeli adolescents by ethnic origin. <i>Pediatric Obesity</i> , 2011, 6, e154-e161.	3.2	10
131	Implementation of Order of Compulsory Ambulatory Treatment in Jerusalem. <i>International Journal of Law and Psychiatry</i> , 1998, 21, 65-71.	0.9	8
132	Which Primary Care Physicians Treat Depression?. <i>Psychiatric Services</i> , 1998, 49, 100-102.	2.0	8
133	Clinical trials for negative symptoms – Emerging directions and unresolved issues. <i>Schizophrenia Research</i> , 2013, 150, 327.	2.0	8
134	Physical illness among all discharged psychiatric inpatients in a national case register. <i>Journal of Mental Health Administration</i> , 1997, 24, 82-89.	1.1	8
135	Primary Care Physicians' Detection of Psychological Distress Among Elderly Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 773-780.	1.2	7
136	Determinants of antidepressant response: Implications for practice and future clinical trials. <i>Journal of Affective Disorders</i> , 2018, 239, 79-84.	4.1	7
137	Personal and social adjustment effects of roluperidone in patients with schizophrenia and negative symptoms: Results from an exploratory outcome of a randomized placebo-controlled trial. <i>Schizophrenia Research</i> , 2019, 211, 103-104.	2.0	7
138	Consistency checks to improve measurement with the Hamilton Rating Scale for Depression (HAM-D). <i>Journal of Affective Disorders</i> , 2022, 302, 273-279.	4.1	7
139	Why and How to Establish a Computerized System for Psychiatric Case Records. <i>Psychiatric Services</i> , 1993, 44, 1091-1095.	2.0	6
140	Dysthymia in male adolescents is associated with increased risk of later hospitalization for psychotic disorders: a historical-prospective cohort study. <i>Microbial Biotechnology</i> , 2008, 2, 67-72.	1.7	6
141	Consistency checks to improve measurement with the Personal and Social Performance Scale (PSP). <i>Schizophrenia Research</i> , 2021, 228, 529-533.	2.0	6
142	Primary Care Physicians' Detection of Psychological Distress Among Elderly Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 773-780.	1.2	6
143	Successful Replacement of Traditional Psychiatric Records With a Multi-User Computer System. <i>Medical Care</i> , 1991, 29, 1057-1060.	2.4	5
144	Clinical Decision Making of Short- Versus Long-Term Treatment. <i>Research on Social Work Practice</i> , 1995, 5, 62-79.	1.9	5

#	ARTICLE	IF	CITATIONS
145	Who comes to the psychiatric emergency room and how they are helped. Administration and Policy in Mental Health and Mental Health Services Research, 1996, 23, 425-437.	2.1	5
146	Perceived Need and Receipt of Outpatient Mental Health Services. Journal of Ambulatory Care Management, 2003, 26, 260-269.	1.1	5
147	Restrictive symptomatic inclusion criteria create barriers to clinical research in schizophrenia negative symptoms: An analysis of the CATIE dataset. European Neuropsychopharmacology, 2014, 24, 1615-1621.	0.7	5
148	Biomarkers of treatment outcome in schizophrenia: Defining a benchmark for clinical significance. European Neuropsychopharmacology, 2015, 25, 1578-1585.	0.7	5
149	Psychiatric symptoms and related dysfunction in a general population sample. Schizophrenia Research: Cognition, 2018, 14, 1-6.	1.3	5
150	Model-Informed Approach to Assess the Treatment Effect Conditional to the Level of Placebo Response. Clinical Pharmacology and Therapeutics, 2019, 106, 1253-1260.	4.7	5
151	The role of mental health practitioners' testimony in the Israeli Supreme Court. International Journal of Law and Psychiatry, 1994, 17, 395-407.	0.9	4
152	Pain Complaints and Psychological Distress among Soldiers in Specialty Military Medical Clinics. Military Medicine, 1995, 160, 213-216.	0.8	4
153	A Naturalistic Study Comparing the Efficacy of a Memory Enhancement Course to a General Academic Course. International Psychogeriatrics, 1999, 11, 281-287.	1.0	4
154	Association of childhood and teen school performance and obesity in young adulthood in the US National Longitudinal Survey of Youth. Preventive Medicine, 2016, 89, 57-63.	3.4	4
155	Early predictors of mental health in mid-adulthood. Microbial Biotechnology, 2021, 15, 158-166.	1.7	4
156	The paradoxical effects of Jewish community size on Jewish communal behavior: Inter-marriage, synagogue membership and giving to local Jewish Federations. Contemporary Jewry, 1989, 10, 9-15.	0.5	3
157	Collective Decision-Making: the Analytic Hierarchy Process. Social Policy and Administration, 1992, 26, 87-97.	3.0	3
158	Study of resilience and environmental adversity in midlife health (STREAM). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1915-1922.	3.1	3
159	Outlier-response pattern checks to improve measurement with the Positive and Negative Syndrome Scale (PANSS). Psychiatry Research, 2021, 303, 114114.	3.3	3
160	Outlier-response pattern checks to improve measurement with the Montgomery-Asberg depression rating scale (MADRS). Journal of Affective Disorders, 2022, 299, 444-448.	4.1	3
161	The haircut: Its meaning in childhood. Tradition, 1984, 1, 270-279.	0.2	2
162	Benefits of a Structured Format for Paper and Computerized Psychiatric Case Records. Psychiatric Services, 1993, 44, 1095-1097.	2.0	2

#	ARTICLE	IF	CITATIONS
163	Patterns of Use Changes in Diagnosis during First Admission. <i>Psychopathology</i> , 1996, 29, 39-45.	1.5	2
164	Review of family treatment studies in israel. <i>Contemporary Family Therapy</i> , 1996, 18, 161-193.	1.3	2
165	Comparing Symptom Response Among Antipsychotic Medications in CATIE. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 123-126.	1.4	2
166	Combining efficacy and completion rates with no data imputation: A composite approach with greater sensitivity for the statistical evaluation of active comparisons in antipsychotic trials. <i>European Neuropsychopharmacology</i> , 2014, 24, 357-368.	0.7	2
167	PERCEIVED PATIENT THREAT AND NEUROLEPTIC DOSAGE. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 129-130.	1.0	2
168	Hopelessness as a Predictor of Attempted Suicide among First Admission Patients with Psychosis: A 10-year Cohort Study. <i>Suicide and Life-Threatening Behavior</i> , 2012, , no-no.	1.9	2
169	The Effect of Demographic Dynamics on Jewish Communal Participation in the United States. <i>SA Sociological Analysis</i> , 1992, 53, 287.	0.2	1
170	Brief Treatment of Anorexia Nervosa in Military Personnel. <i>Psychiatric Services</i> , 1993, 44, 69-71.	2.0	1
171	PERCEIVED PATIENT THREAT AND NEUROLEPTIC DOSAGE. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 129-130.	1.0	1
172	Dr. Davidson and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2000, 157, 1528-1528.	7.2	1
173	?Red rover?: An expression of the psychic struggle toward separation-individuation. <i>American Journal of Psychoanalysis</i> , 1984, 44, 425-430.	0.4	0
174	Board of Directors: A Case Study in Group Process and Object Relations. <i>Group Analysis</i> , 1986, 19, 347-354.	0.2	0
175	Discussion on Paper by Jonathan Rabinowitz. <i>Group Analysis</i> , 1986, 19, 354-355.	0.2	0
176	A System for Improving Psychiatric Record Keeping. <i>Psychiatric Services</i> , 1991, 42, 1163-1166.	2.0	0
177	Effects of psychosocial rehabilitation for hospitalized mentally ill homeless persons. <i>Psychiatric Services</i> , 1995, 46, 948-950.	2.0	0
178	Predictors of assaultive long-stay schizophrenic patients: National study. <i>Schizophrenia Research</i> , 1997, 24, 21.	2.0	0
179	The relationship of neuropsychological test performance with the PANSS in antipsychotic naïve, first-episode psychosis patients. <i>Schizophrenia Research</i> , 2003, 68, 11-11.	2.0	0
180	PREMORBID FUNCTIONING AND TREATMENT RESPONSE AMONG PATIENTS WITH RECENT ONSET SCHIZOPHRENIA: PROSPECTIVE STUDY WITH RISPERIDONE LONG-ACTING INJECTABLE-PROPEL STUDY. <i>Schizophrenia Research</i> , 2010, 117, 317.	2.0	0

#	ARTICLE	IF	CITATIONS
181	CONCORDANCE BETWEEN MEASURES OF FUNCTIONING, SYMPTOMATOLOGY AND CHANGE: GAF, CGI-S, CGI-C AND PANSS. Schizophrenia Research, 2010, 117, 400.	2.0	0
182	A POPULATION-BASED ELABORATION ON PREMORBID FUNCTIONING IN SCHIZOPHRENIA DURING THE EARLY TEENAGE YEARS: COMPARISON, INCIDENCE AND ONSET. Schizophrenia Research, 2010, 117, 431-432.	2.0	0
183	Poster #189 COMPARING SYMPTOM RESPONSE AMONG ANTIPSYCHOTIC MEDICATIONS IN CATIE. Schizophrenia Research, 2012, 136, S253-S254.	2.0	0
184	Usefulness of interim analyses in portending study results in antipsychotic and antidepressant trials. European Neuropsychopharmacology, 2015, 25, 1999-2007.	0.7	0