Qingwei Ji

List of Publications by Year in Descending Order

18 papers	358 citations	12 h-index	18 g-index
20 ext. papers	480 ext. citations	5.1 avg, IF	2.88 L-index

#	Paper	IF	Citations
18	Secreted frizzled-related protein 4 exerts anti-atherosclerotic effects by reducing inflammation and oxidative stress.. *European Journal of Pharmacology*, **2022**, 923, 174901	5.3	1
17	Circulating IL-37 levels are elevated in patients with hypertension. *Experimental and Therapeutic Medicine*, **2021**, 21, 558	2.1	3
16	Anti-Interleukin-16-Neutralizing Antibody Attenuates Cardiac Inflammation and Protects against Cardiac Injury in Doxorubicin-Treated Mice. *Mediators of Inflammation*, **2021**, 2021, 6611085	4.3	2
15	Roles and Mechanisms of Interleukin-12 Family Members in Cardiovascular Diseases: Opportunities and Challenges. *Frontiers in Pharmacology*, **2020**, 11, 129	5.6	15
14	Interleukin-12p35 deficiency enhances mitochondrial dysfunction and aggravates cardiac remodeling in aging mice. *Aging*, **2020**, 12, 193-203	5.6	10
13	Interleukin-22 deficiency alleviates doxorubicin-induced oxidative stress and cardiac injury via the p38 MAPK/macrophage/Fizz3 axis in mice. *Redox Biology*, **2020**, 36, 101636	11.3	10
12	The Expression of IL-12 Family Members in Patients with Hypertension and Its Association with the Occurrence of Carotid Atherosclerosis. *Mediators of Inflammation*, **2020**, 2020, 2369279	4.3	7
11	Interleukin-12p35 Deficiency Reverses the Th1/Th2 Imbalance, Aggravates the Th17/Treg Imbalance, and Ameliorates Atherosclerosis in ApoE-/- Mice. *Mediators of Inflammation*, **2019**, 2019, 3152040	4.3	15
10	Interleukin-12p35 knockout promotes macrophage differentiation, aggravates vascular dysfunction, and elevates blood pressure in angiotensin II-infused mice. *Cardiovascular Research*, **2019**, 115, 1102-1113	9.9	21
9	Circulating Th1, Th2, Th9, Th17, Th22, and Treg Levels in Aortic Dissection Patients. *Mediators of Inflammation*, **2018**, 2018, 5697149	4.3	31
8	Interleukin-12p35 Knock Out Aggravates Doxorubicin-Induced Cardiac Injury and Dysfunction by Aggravating the Inflammatory Response, Oxidative Stress, Apoptosis and Autophagy in Mice. *EBioMedicine*, **2018**, 35, 29-39	8.8	37
7	Exogenous interleukin 37 ameliorates atherosclerosis via inducing the Treg response in ApoE-deficient mice. *Scientific Reports*, **2017**, 7, 3310	4.9	36
6	Interleukin 22 Promotes Blood Pressure Elevation and Endothelial Dysfunction in Angiotensin II-Treated Mice. *Journal of the American Heart Association*, **2017**, 6,	6	34
5	Anti-Interleukin-22-Neutralizing Antibody Attenuates Angiotensin II-Induced Cardiac Hypertrophy in Mice. *Mediators of Inflammation*, **2017**, 2017, 5635929	4.3	15
4	Circulating Th1, Th2, and Th17 Levels in Hypertensive Patients. *Disease Markers*, **2017**, 2017, 7146290	3.2	37
3	Valsartan Attenuates Atherosclerosis via Upregulating the Th2 Immune Response in Prolonged Angiotensin II-Treated ApoE(-/-) Mice. *Molecular Medicine*, **2015**, 21, 143-53	6.2	17
2	Disruption of the TSLP-TSLPR-LAP signaling between epithelial and dendritic cells through hyperlipidemia contributes to regulatory T-Cell defects in atherosclerotic mice. *Atherosclerosis*, **2015**, 238, 278-88	3.1	14

1	Decreased plasma IL-35 levels are related to the left ventricular ejection fraction in coronary artery diseases. *PLoS ONE*, **2012**, 7, e52490	3.7	53