

Qin Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5674321/publications.pdf>

Version: 2024-02-01

79
papers

11,107
citations

46984

47
h-index

71651

76
g-index

79
all docs

79
docs citations

79
times ranked

11537
citing authors

#	ARTICLE	IF	CITATIONS
1	van der Waals type II carbon nitride homojunctions for visible light photocatalytic hydrogen evolution. <i>Nano Research</i> , 2023, 16, 5864-5872.	5.8	12
2	Monochromatic Blue and Switchable Blue-Green Carbon Quantum Dots by Room-Temperature Air Plasma Processing. <i>Advanced Materials Technologies</i> , 2022, 7, 2100586.	3.0	16
3	Band Alignment with Self-Assembled 2D Layer of Carbon Derived from Waste to Balance Charge Injection in Perovskite Crystals Based Rigid and Flexible Light Emitting Diodes. <i>Advanced Materials Technologies</i> , 2022, 7, 2100583.	3.0	4
4	Emerging technologies for PFOS/PFOA degradation and removal: A review. <i>Science of the Total Environment</i> , 2022, 827, 153669.	3.9	83
5	Delaminating Ti ₃ C ₂ MXene by blossom of ZnIn ₂ S ₄ microflowers for noble-metal-free photocatalytic hydrogen production. <i>Journal of Materials Science and Technology</i> , 2022, 120, 89-98.	5.6	53
6	Robust S-scheme hierarchical Au-ZnIn ₂ S ₄ /NaTaO ₃ : Facile synthesis, superior photocatalytic H ₂ production and its charge transfer mechanism. <i>Journal of Colloid and Interface Science</i> , 2022, 625, 785-799.	5.0	29
7	Drastic promotion of the photoreactivity of MOF ultrathin nanosheets towards hydrogen production by deposition with CdS nanorods. <i>Applied Catalysis B: Environmental</i> , 2021, 285, 119801.	10.8	72
8	Localized Surface Plasmon Enhanced Laser Reduction of Graphene Oxide for Wearable Strain Sensor. <i>Advanced Materials Technologies</i> , 2021, 6, 2001191.	3.0	16
9	Embedding CdS@Au into Ultrathin Ti ₃ C ₂ T _y to Build Dual Schottky Barriers for Photocatalytic H ₂ Production. <i>ACS Catalysis</i> , 2021, 11, 8510-8520.	5.5	193
10	Recent advances on Bismuth-based Photocatalysts: Strategies and mechanisms. <i>Chemical Engineering Journal</i> , 2021, 419, 129484.	6.6	145
11	Insulator in photocatalysis: Essential roles and activation strategies. <i>Chemical Engineering Journal</i> , 2021, 426, 130772.	6.6	12
12	One-step solid state synthesis of facet-dependent contact TiO ₂ hollow nanocubes and reduced graphene oxide hybrids with 3D/2D heterojunctions for enhanced visible photocatalytic activity. <i>Applied Surface Science</i> , 2020, 504, 144353.	3.1	24
13	Single atomic Au induced dramatic promotion of the photocatalytic activity of TiO ₂ hollow microspheres. <i>Chemical Communications</i> , 2020, 56, 1745-1748.	2.2	64
14	Sharply increasing the visible photoreactivity of g-C ₃ N ₄ by breaking the intralayered hydrogen bonds. <i>Applied Surface Science</i> , 2020, 505, 144654.	3.1	45
15	Three in one: atomically dispersed Na boosting the photoreactivity of carbon nitride towards NO oxidation. <i>Chemical Communications</i> , 2020, 56, 14195-14198.	2.2	64
16	Excellent photoreduction performance of Cr(<i>vi</i>) over (WO ₄) ²⁻ -doped metal organic framework materials. <i>New Journal of Chemistry</i> , 2020, 44, 20704-20714.	1.4	10
17	Fe ₁ /Ti ₂ Hollow Microspheres: Fe and Ti Dual Active Sites Boosting the Photocatalytic Oxidation of NO. <i>Small</i> , 2020, 16, e2004583.	5.2	62
18	Dendritic Cell-Inspired Designed Architectures toward Highly Efficient Electrocatalysts for Nitrate Reduction Reaction. <i>Small</i> , 2020, 16, e2001775.	5.2	74

#	ARTICLE	IF	CITATIONS
19	2D/2D Ti ₃ C ₂ MXene/g-C ₃ N ₄ nanosheets heterojunction for high efficient CO ₂ reduction photocatalyst: Dual effects of urea. <i>Applied Catalysis B: Environmental</i> , 2020, 268, 118738.	10.8	417
20	Biowasteâ€Derived, Selfâ€Organized Arrays of Highâ€Performance 2D Carbon Emitters for Organic Lightâ€Emitting Diodes. <i>Advanced Materials</i> , 2020, 32, e1906176.	11.1	27
21	Ensembles of Photonic Beads: Optical Properties and Enhanced Lightâ€Matter Interactions. <i>Advanced Optical Materials</i> , 2020, 8, 1901537.	3.6	16
22	Size and charge dual-transformable mesoporous nanoassemblies for enhanced drug delivery and tumor penetration. <i>Chemical Science</i> , 2020, 11, 2819-2827.	3.7	66
23	Surface and interface modification strategies of CdS-based photocatalysts. <i>Interface Science and Technology</i> , 2020, , 313-348.	1.6	17
24	One-pot calcination synthesis of Cd _{0.5} Zn _{0.5} S/g-C ₃ N ₄ photocatalyst with a step-scheme heterojunction structure. <i>Journal of Materials Science and Technology</i> , 2020, 56, 206-215.	5.6	126
25	Photosensitization of Bi ₂ O ₂ CO ₃ nanoplates with amorphous Bi ₂ S ₃ to improve the visible photoreactivity towards NO oxidation. <i>Applied Surface Science</i> , 2019, 495, 143561.	3.1	46
26	A monolithic copolymer prepared from N-(4-vinyl)-benzyl iminodiacetic acid, divinylbenzene and N,Nâ€-methylene bisacrylamide for preconcentration of cadmium(II) and cobalt(II) from biological samples prior to their determination by ICP-MS. <i>Mikrochimica Acta</i> , 2019, 186, 537.	2.5	13
27	Photocatalytic H ₂ generation from aqueous ammonia solution using TiO ₂ nanowires-intercalated reduced graphene oxide composite membrane under low power UV light. <i>Emergent Materials</i> , 2019, 2, 303-311.	3.2	30
28	Dramatic promotion of visible-light photoreactivity of TiO ₂ hollow microspheres towards NO oxidation by introduction of oxygen vacancy. <i>Applied Catalysis B: Environmental</i> , 2019, 256, 117860.	10.8	142
29	SPR effect of bismuth enhanced visible photoreactivity of Bi ₂ WO ₆ for NO abatement. <i>Chinese Journal of Catalysis</i> , 2019, 40, 755-764.	6.9	93
30	Protocells self-assembled by hydroxyapatite nanoparticles: Highly efficient and selective enrichment of chlorophenols in an aqueous environment. <i>Chemosphere</i> , 2019, 233, 1-8.	4.2	8
31	CdS-modified one-dimensional g-C ₃ N ₄ porous nanotubes for efficient visible-light photocatalytic conversion. <i>Chinese Journal of Catalysis</i> , 2019, 40, 959-968.	6.9	70
32	One-step construction of Pickering emulsion via commercial TiO ₂ nanoparticles for photocatalytic dye degradation. <i>Applied Catalysis B: Environmental</i> , 2019, 249, 1-8.	10.8	89
33	Enhanced visible-light photocatalytic CO ₂ reduction performance of ZnIn ₂ S ₄ microspheres by using CeO ₂ as cocatalyst. <i>Applied Surface Science</i> , 2019, 464, 388-395.	3.1	160
34	Fabrication of high photoreactive carbon nitride nanosheets by polymerization of amidinourea for hydrogen production. <i>Applied Catalysis B: Environmental</i> , 2019, 245, 197-206.	10.8	62
35	In-situ transformation of Bi ₂ WO ₆ to highly photoreactive Bi ₂ WO ₆ @Bi ₂ S ₃ nanoplate via ion exchange. <i>Chinese Journal of Catalysis</i> , 2018, 39, 718-727.	6.9	54
36	Laserâ€Reduced Graphene: Synthesis, Properties, and Applications. <i>Advanced Materials Technologies</i> , 2018, 3, 1700315.	3.0	116

#	ARTICLE	IF	CITATIONS
37	High performance heterojunction photocatalytic membranes formed by embedding Cu ₂ O and TiO ₂ nanowires in reduced graphene oxide. <i>Catalysis Science and Technology</i> , 2018, 8, 1704-1711.	2.1	23
38	Remarkable positive effect of Cd(OH) ₂ on CdS semiconductor for visible-light photocatalytic H ₂ production. <i>Applied Catalysis B: Environmental</i> , 2018, 229, 8-14.	10.8	72
39	Drastic promoting the visible photoreactivity of layered carbon nitride by polymerization of dicyandiamide at high pressure. <i>Applied Catalysis B: Environmental</i> , 2018, 232, 330-339.	10.8	123
40	Inorganic Self-Assembled Bioactive Artificial Proto-Osteocells Inducing Bone Regeneration. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 10718-10728.	4.0	14
41	Selective toxicity of hydroxyl-rich carbon nanodots for cancer research. <i>Nano Research</i> , 2018, 11, 2204-2216.	5.8	24
42	Fabrication of walnut-like BiVO ₄ @Bi ₂ S ₃ heterojunction for efficient visible photocatalytic reduction of Cr(VI). <i>Materials Science in Semiconductor Processing</i> , 2018, 75, 334-341.	1.9	47
43	Graphene-induced formation of visible-light-responsive SnO ₂ -Zn ₂ SnO ₄ Z-scheme photocatalyst with surface vacancy for the enhanced photoreactivity towards NO and acetone oxidation. <i>Chemical Engineering Journal</i> , 2018, 336, 200-210.	6.6	79
44	Building a direct Z-scheme heterojunction photocatalyst by ZnIn ₂ S ₄ nanosheets and TiO ₂ hollowspheres for highly-efficient artificial photosynthesis. <i>Chemical Engineering Journal</i> , 2018, 349, 287-296.	6.6	166
45	TiO ₂ faceted nanocrystals on the nanofibers: Homojunction TiO ₂ based Z-scheme photocatalyst for air purification. <i>Applied Surface Science</i> , 2018, 456, 817-826.	3.1	59
46	Photocatalytic Oxidation of Acetone Over High Thermally Stable TiO ₂ Nanosheets With Exposed (001) Facets. <i>Frontiers in Chemistry</i> , 2018, 6, 175.	1.8	46
47	Superiority of graphene over carbon analogs for enhanced photocatalytic H ₂ -production activity of ZnIn ₂ S ₄ . <i>Applied Catalysis B: Environmental</i> , 2017, 206, 344-352.	10.8	156
48	Free sulfurous acid (FSA) inhibition of biological thiosulfate reduction (BTR) in the sulfur cycle-driven wastewater treatment process. <i>Chemosphere</i> , 2017, 176, 212-220.	4.2	10
49	Technologies for reducing sludge production in wastewater treatment plants: State of the art. <i>Science of the Total Environment</i> , 2017, 587-588, 510-521.	3.9	111
50	Effect of mesoporous g-C ₃ N ₄ substrate on catalytic oxidation of CO over Co ₃ O ₄ . <i>Applied Surface Science</i> , 2017, 401, 333-340.	3.1	63
51	Fabrication of TiO ₂ hollow microspheres assembly from nanosheets (TiO ₂ -HMSs-NSs) with enhanced photoelectric conversion efficiency in DSSCs and photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2017, 210, 184-193.	10.8	76
52	Sandwich-structured TiO ₂ inverse opal circulates slow photons for tremendous improvement in solar energy conversion efficiency. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12803-12810.	5.2	39
53	HEPES-mediated controllable synthesis of hierarchical CuO nanostructures and their analogous photo-Fenton and antibacterial performance. <i>Advanced Powder Technology</i> , 2017, 28, 1332-1339.	2.0	15
54	Heterojunction construction between TiO ₂ hollowsphere and ZnIn ₂ S ₄ flower for photocatalysis application. <i>Applied Surface Science</i> , 2017, 398, 81-88.	3.1	123

#	ARTICLE	IF	CITATIONS
55	Facile synthesis of CNTs/CaIn ₂ S ₄ composites with enhanced visible-light photocatalytic performance. Applied Surface Science, 2017, 391, 565-571.	3.1	48
56	Detection of regional DNA methylation using DNA-graphene affinity interactions. Biosensors and Bioelectronics, 2017, 87, 615-621.	5.3	56
57	An on-line process dead-time estimation algorithm. , 2017, , .		1
58	A methodology to determine the dynamic relationship between process and manipulated variables. , 2017, , .		0
59	Extending the Harris Index performance assessment technique: A plant-wide focus. , 2016, , .		2
60	Photocatalytic selective oxidation of phenol to produce dihydroxybenzenes in a TiO ₂ /UV system: Hydroxyl radical versus hole. Applied Catalysis B: Environmental, 2016, 199, 405-411.	10.8	95
61	Effect of carbon-dots modification on the structure and photocatalytic activity of g-C ₃ N ₄ . Applied Catalysis B: Environmental, 2016, 185, 225-232.	10.8	331
62	The dual roles of functional groups in the photoluminescence of graphene quantum dots. Nanoscale, 2016, 8, 7449-7458.	2.8	125
63	Anomalous Fluorescence Enhancement from Double Heterostructure 3D Colloidal Photonic Crystalsâ€”A Multifunctional Fluorescence-Based Sensor Platform. Scientific Reports, 2015, 5, 14439.	1.6	35
64	Effect of acid on the photocatalytic degradation of rhodamine B over g-C ₃ N ₄ . Applied Surface Science, 2015, 358, 336-342.	3.1	87
65	CdS/Graphene Nanocomposite Photocatalysts. Advanced Energy Materials, 2015, 5, 1500010.	10.2	694
66	Sulfur-doped g-C ₃ N ₄ with enhanced photocatalytic CO ₂ -reduction performance. Applied Catalysis B: Environmental, 2015, 176-177, 44-52.	10.8	919
67	Carbon dots functionalized by organosilane with double-sided anchoring for nanomolar Hg ²⁺ detection. Journal of Colloid and Interface Science, 2015, 437, 28-34.	5.0	67
68	Enhanced Photocatalytic Hydrogenâ€”Production Performance of Grapheneâ€”Zn _x /Cd _{1-x} S Composites by Using an Organic S Source. Chemistry - A European Journal, 2014, 20, 1176-1185.	1.7	149
69	Microwave-assisted hydrothermal synthesis of graphene based Auâ€”TiO ₂ photocatalysts for efficient visible-light hydrogen production. Journal of Materials Chemistry A, 2014, 2, 3847-3855.	5.2	314
70	Enhanced visible-light photocatalytic activity of plasmonic Ag and graphene co-modified Bi ₂ WO ₆ nanosheets. Physical Chemistry Chemical Physics, 2014, 16, 1111-1120.	1.3	256
71	Visibleâ€”Light Photocatalytic Hydrogen Production Activity of ZnIn ₂ S ₄ Microspheres Using Carbon Quantum Dots and Platinum as Dual Coâ€”catalysts. Chemistry - an Asian Journal, 2014, 9, 1766-1770.	1.7	107
72	HEPES and polyol mediated solvothermal synthesis of hierarchical porous ZnO microspheres and their improved photocatalytic activity. Materials Letters, 2014, 130, 115-119.	1.3	20

#	ARTICLE	IF	CITATIONS
73	Ionic-Liquid-Assisted Synthesis of Uniform Fluorinated B/C-Codoped TiO ₂ Nanocrystals and Their Enhanced Visible-Light Photocatalytic Activity. <i>Chemistry - A European Journal</i> , 2013, 19, 2433-2441.	1.7	147
74	Controllable microwave and ultrasonic wave combined synthesis of ZnO micro-/nanostructures in HEPES solution and their shape-dependent photocatalytic activities. <i>Journal of Alloys and Compounds</i> , 2013, 567, 1-9.	2.8	38
75	Zn ^{1-x} Cd ^x S Solid Solutions with Controlled Bandgap and Enhanced Visible-Light Photocatalytic H ₂ -Production Activity. <i>ACS Catalysis</i> , 2013, 3, 882-889.	5.5	565
76	New insight into the enhanced visible-light photocatalytic activities of B-, C- and B/C-doped anatase TiO ₂ by first-principles. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 12040.	1.3	148
77	Visible Light Photocatalytic H ₂ -Production Activity of CuS/ZnS Porous Nanosheets Based on Photoinduced Interfacial Charge Transfer. <i>Nano Letters</i> , 2011, 11, 4774-4779.	4.5	846
78	Highly Efficient Visible-Light-Driven Photocatalytic Hydrogen Production of CdS-Cluster-Decorated Graphene Nanosheets. <i>Journal of the American Chemical Society</i> , 2011, 133, 10878-10884.	6.6	2,260
79	Hydrothermal Synthesis and Properties of Controlled Fe ₂ O ₃ Nanostructures in HEPES Solution. <i>Chemistry - an Asian Journal</i> , 2011, 6, 2320-2331.	1.7	21