Kee-Hyun Nam

List of Publications by Citations

Source: https://exaly.com/author-pdf/5675057/kee-hyun-nam-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 176 4,244 35 h-index g-index citations papers 4,881 184 5.04 3.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
176	Robotic thyroid surgery using a gasless, transaxillary approach and the da Vinci S system: the operative outcomes of 338 consecutive patients. <i>Surgery</i> , 2009 , 146, 1048-55	3.6	357
175	Robot-assisted endoscopic surgery for thyroid cancer: experience with the first 100 patients. Surgical Endoscopy and Other Interventional Techniques, 2009 , 23, 2399-406	5.2	296
174	Gasless endoscopic thyroidectomy using trans-axillary approach; surgical outcome of 581 patients. <i>Endocrine Journal</i> , 2009 , 56, 361-9	2.9	172
173	Robot-assisted endoscopic thyroidectomy for thyroid malignancies using a gasless transaxillary approach. <i>Journal of the American College of Surgeons</i> , 2009 , 209, e1-7	4.4	151
172	Initial experience with robot-assisted modified radical neck dissection for the management of thyroid carcinoma with lateral neck node metastasis. <i>Surgery</i> , 2010 , 148, 1214-21	3.6	141
171	Feasibility and safety of a new robotic thyroidectomy through a gasless, transaxillary single-incision approach. <i>Journal of the American College of Surgeons</i> , 2010 , 211, e13-9	4.4	110
170	Comparative study of endoscopic thyroidectomy versus conventional open thyroidectomy in papillary thyroid microcarcinoma (PTMC) patients. <i>Journal of Surgical Oncology</i> , 2009 , 100, 477-80	2.8	106
169	Papillary microcarcinoma of the thyroid: predicting factors of lateral neck node metastasis. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1348-55	3.1	98
168	Quality of life and effectiveness comparisons of thyroxine withdrawal, triiodothyronine withdrawal, and recombinant thyroid-stimulating hormone administration for low-dose radioiodine remnant ablation of differentiated thyroid carcinoma. <i>Thyroid</i> , 2010 , 20, 173-9	6.2	95
167	Excellence in robotic thyroid surgery: a comparative study of robot-assisted versus conventional endoscopic thyroidectomy in papillary thyroid microcarcinoma patients. <i>Annals of Surgery</i> , 2011 , 253, 1060-6	7.8	88
166	Perioperative clinical outcomes after robotic thyroidectomy for thyroid carcinoma: a multicenter study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 906-12	5.2	86
165	Postoperative complications of thyroid cancer in a single center experience. <i>Journal of Korean Medical Science</i> , 2010 , 25, 541-5	4.7	85
164	Multicenter study of robotic thyroidectomy: short-term postoperative outcomes and surgeon ergonomic considerations. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2538-47	3.1	80
163	A comparative study of the transperitoneal and posterior retroperitoneal approaches for laparoscopic adrenalectomy for adrenal tumors. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2629-34	3.1	78
162	MON-548 The Relationship of Comorbidities to Mortality and Cause of Death in Patients with Differentiated Thyroid Carcinoma. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
161	Surgical complications after robotic thyroidectomy for thyroid carcinoma: a single center experience with 3,000 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2555	-63 ²	71
160	Percutaneous ethanol injection therapy for locally recurrent papillary thyroid carcinoma. <i>Thyroid</i> , 2007 , 17, 347-50	6.2	70

(2007-2011)

Prospects of robotic thyroidectomy using a gasless, transaxillary approach for the management of thyroid carcinoma. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011 , 21, 223-9	1.3	65	
A comparative study of the surgical outcomes of robotic and conventional open modified radical neck dissection for papillary thyroid carcinoma with lateral neck node metastasis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 3251-7	5.2	64	
Perioperative administration of pregabalin for pain after robot-assisted endoscopic thyroidectomy: a randomized clinical trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2776-81	5.2	61	
Early surgical outcomes comparison between robotic and conventional open thyroid surgery for papillary thyroid microcarcinoma. <i>Surgery</i> , 2012 , 151, 724-30	3.6	60	
Coexistence of chronic lymphocytic thyroiditis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. <i>Journal of Korean Medical Science</i> , 2012 , 27, 883-9	4.7	60	
Early postoperative treatment of thyroidectomy scars using a fractional carbon dioxide laser. <i>Dermatologic Surgery</i> , 2011 , 37, 217-23	1.7	59	
Comparison of radiation exposure and cost between dynamic computed tomography and sestamibi scintigraphy for preoperative localization of parathyroid lesions. <i>JAMA Surgery</i> , 2013 , 148, 500-3	5.4	56	
2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2016 , 9, 59	0.2	54	
Is level IIb lymph node dissection always necessary in N1b papillary thyroid carcinoma patients?. <i>World Journal of Surgery</i> , 2008 , 32, 716-21	3.3	50	
Treatment outcome of patients with anaplastic thyroid cancer: a single center experience. <i>Yonsei Medical Journal</i> , 2012 , 53, 352-7	3	46	
A prospective comparison of patient body image after robotic thyroidectomy and conventional open thyroidectomy in patients with papillary thyroid carcinoma. <i>Surgery</i> , 2014 , 156, 117-25	3.6	45	
Differentiated thyroid carcinoma of children and adolescents: 27-year experience in the yonsei university health system. <i>Journal of Korean Medical Science</i> , 2013 , 28, 693-9	4.7	44	
Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) lncRNA with E2F Transcription Factors in Thyroid Cancer. <i>Medicine (United States)</i> , 2016 , 95, e2592	1.8	41	
Surgical completeness of robotic thyroidectomy: a prospective comparison with conventional open thyroidectomy in papillary thyroid carcinoma patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1068-75	5.2	40	
Papillary carcinoma located in the thyroid isthmus. World Journal of Surgery, 2010, 34, 36-9	3.3	39	
Long-term oncologic outcome of robotic versus open total thyroidectomy in PTC: a case-matched retrospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 3474-9	5.2	38	
Optimal timing of surgery in well-differentiated thyroid carcinoma detected during pregnancy. Journal of Surgical Oncology, 2005 , 91, 199-203	2.8	38	
Expression and role of estrogen receptor alpha and beta in medullary thyroid carcinoma: different roles in cancer growth and apoptosis. <i>Journal of Endocrinology</i> , 2007 , 195, 255-63	4.7	35	
	A comparative study of the surgical outcomes of robotic and conventional open modified radical neck dissection for papillary thyroid carcinoma with lateral neck node metastasis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 3251-7 Perioperative administration of pregabalin for pain after robot-assisted endoscopic thyroidectomy: a randomized clinical trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 2776-81 Early surgical outcomes comparison between robotic and conventional open thyroid surgery for papillary thyroid microcarcinoma. <i>Surgery</i> , 2012, 151, 724-30 Coexistence of chronic lymphocytic thyroiditis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. <i>Journal of Korean Medical Science</i> , 2012, 27, 883-9 Early postoperative treatment of thyroidectomy scars using a fractional carbon dioxide laser. <i>Dermatologic Surgery</i> , 2011, 37, 217-23 Comparison of radiation exposure and cost between dynamic computed tomography and sestamibi scintigraphy for preoperative localization of parathyroid lesions. <i>JAMA Surgery</i> , 2013, 148, 500-3 2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2016, 9, 59 Is level IIb lymph node dissection always necessary in N1b papillary thyroid carcinoma patients?. <i>World Journal of Surgery</i> , 2008, 32, 716-21 Treatment outcome of patients with anaplastic thyroid cancer: a single center experience. <i>Yonsel Medical Journal</i> , 2012, 53, 352-7 A prospective comparison of patients with papillary thyroid carcinoma. <i>Surgery</i> , 2014, 156, 117-25 Differentiated thyroid carcinoma of children and adolescents: 27-year experience in the yonsel university health system. <i>Journal of Korean Medical Science</i> , 2013, 28, 693-9 Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) IncRNA with E2F Transcription Factors in Thyroid Cancer. <i>Medical Quitale Science</i> , 2013, 28, 693-9 Popillary carcinoma loc	thyroid carcinoma. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2011, 21, 223-9 A comparative study of the surgical outcomes of robotic and conventional open modified radical neck dissection for papillary thyroid carcinoma with lateral neck node metastasis. Surgical Endoscopy and Other Interventional Techniques, 2012, 26, 3251-7 Perioperative administration of pregabalin for pain after robot-assisted endoscopic thyroidectomy: a randomized clinical trial. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2776-81 Early surgical outcomes comparison between robotic and conventional open thyroid surgery for papillary thyroid microcarcinoma. Surgery, 2012, 151, 724-30 Coexistence of chronic lymphocytic thyroiditis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. Journal of Korean Medical Science, 2012, 27, 883-9 Early postoperative treatment of thyroidectomy scars using a fractional carbon dioxide laser. Dermatologic Surgery, 2011, 37, 217-23 Comparison of radiation exposure and cost between dynamic computed tomography and sestamibis scintigraphy for preoperative localization of parathyroid lesions. JAMA Surgery, 2013, 148, 500-3 2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. International Journal of Thyroidology, 2016, 9, 59 Is level lib lymph node dissection always necessary in N1b papillary thyroid carcinoma patients?. World Journal of Surgery, 2008, 32, 716-21 Treatment outcome of patients with anaplastic thyroid cancer: a single center experience. Yonsel Medical Journal, 2012, 53, 352-7 A prospective comparison of patients with papillary thyroid carcinoma. Surgery, 2014, 156, 117-25 Differentiated thyroid carcinoma of children and adolescents: 27-year experience in the yonsel university health system. Journal of Korean Medical Science, 2013, 28, 693-9 Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) IncRNA with E2F Transcription Factors in Thyroid	thyroid carcinoma. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2011, 21, 223-9 A comparative study of the surgical outcomes of robotic and conventional open modified radical neck dissection for papillary thyroid carcinoma with lateral neck node metastasis. Surgical Endoscopy and Other Interventional Techniques, 2012, 26, 3251-7 Perioperative administration of pregabalin for pain after robot-assisted endoscopic thyroidectomy; a randomized clinical trial. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2776-81 Early surgical outcomes comparison between robotic and conventional open thyroid surgery for papillary thyroid microcarcinoma. Surgery, 2012, 151, 724-30 Coexistence of chronic lymphocytic thyroidetis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. Journal of Korean Medical Science, 2012, 27, 883-9 Early postoperative treatment of thyroidectomy scars using a fractional carbon dioxide laser. Dermatologic Surgery, 2011, 37, 217-23 Comparison of radiation exposure and cost between dynamic computed tomography and sestamibi scintigraphy for preoperative localization of parathyroid lesions. JAMA Surgery, 2013, 148, 500-3 54 56 2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. International Journal of Thyroidology, 2016, 9, 59 Is level lib lymph node dissection always necessary in N1b papillary thyroid carcinoma patients?. Warid Journal of Surgery, 2008, 32, 716-21 Treatment outcome of patients with anaplastic thyroid cancer: a single center experience. Yonsel Medical Journal of Surgery, 2008, 32, 716-25 A prospective comparison of patient body image after robotic thyroidectomy and conventional open thyroidectomy in patients with papillary thyroid carcinoma. Surgery, 2014, 156, 117-25 36 AF5 Differentiated thyroid carcinoma of children and adolescents: 27-year experience in the yonsel university health system. Journal of Korean Medical Science, 2013, 28, 639-2 Surgi

141	Anaplastic thyroid carcinoma: a therapeutic dilemma. Yonsei Medical Journal, 2005, 46, 759-64	3	33
140	An open label, multicenter, phase II study of dovitinib in advanced thyroid cancer. <i>European Journal of Cancer</i> , 2015 , 51, 1588-95	7.5	32
139	Yonsei Experience of 5000 Gasless Transaxillary Robotic Thyroidectomies. <i>World Journal of Surgery</i> , 2018 , 42, 393-401	3.3	32
138	Robotic thyroidectomy learning curve for beginning surgeons with little or no experience of endoscopic surgery. <i>Head and Neck</i> , 2015 , 37, 1705-11	4.2	30
137	Robot-assisted posterior retroperitoneoscopic adrenalectomy using single-port access: technical feasibility and preliminary results. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2741-5	3.1	30
136	Postoperative intravenous patient-controlled analgesia in thyroid surgery: comparison of fentanyl and ondansetron regimens with and without the nonsteriodal anti-inflammatory drug ketorolac. <i>Thyroid</i> , 2008 , 18, 1285-90	6.2	30
135	Differentiation of thyroid nodules with macrocalcifications: role of suspicious sonographic findings. Journal of Ultrasound in Medicine, 2008 , 27, 1179-84	2.9	29
134	Postoperative biochemical remission of serum calcitonin is the best predictive factor for recurrence-free survival of medullary thyroid cancer: a large-scale retrospective analysis over 30 years. Clinical Endocrinology, 2016 , 84, 587-97	3.4	29
133	Is Preoperative Vitamin D Deficiency a Risk Factor for Postoperative Symptomatic Hypocalcemia in Thyroid Cancer Patients Undergoing Total Thyroidectomy Plus Central Compartment Neck Dissection?. <i>Thyroid</i> , 2015 , 25, 911-8	6.2	28
132	Expression of the membrane mucins MUC4 and MUC15, potential markers of malignancy and prognosis, in papillary thyroid carcinoma. <i>Thyroid</i> , 2011 , 21, 745-50	6.2	24
131	Transaxillary robotic modified radical neck dissection: a 5-year assessment of operative and oncologic outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1599-1606	5.2	23
130	Robot-assisted posterior retroperitoneoscopic adrenalectomy: single port access. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2011 , 81 Suppl 1, S21-4		23
129	Staphylococcus aureus accelerates an experimental allergic conjunctivitis by Toll-like receptor 2-dependent manner. <i>Clinical Immunology</i> , 2009 , 131, 170-7	9	22
128	Parathyroid carcinoma: a 16-year experience in a single institution. <i>Endocrine Journal</i> , 2010 , 57, 493-7	2.9	22
127	Soft tissue implantation of thyroid adenomatous hyperplasia after endoscopic thyroid surgery. <i>Thyroid</i> , 2008 , 18, 483-4	6.2	22
126	The current status of endoscopic thyroidectomy in Korea. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2008 , 18, 231-5	1.3	22
125	Adrenal injury following blunt abdominal trauma. World Journal of Surgery, 2010, 34, 1971-4	3.3	21
124	Single-Incision, Gasless, Endoscopic Trans-Axillary Total Thyroidectomy: A Feasible and Oncologic Safe Surgery in Patients with Papillary Thyroid Carcinoma. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 1158-1164	2.1	20

(2020-2017)

123	Robotic Thyroidectomy: A Randomized, Double-Blinded, Controlled Study. <i>World Journal of Surgery</i> , 2017, 41, 1305-1312	3.3	20	
122	Total parathyroidectomy and autotransplantation by the subcutaneous injection technique in secondary hyperparathyroidism. <i>Surgery Today</i> , 2006 , 36, 304-7	3	20	
121	Optimal Cut-Off Values of Lymph Node Ratio Predicting Recurrence in Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2016 , 95, e2692	1.8	20	
120	Long-term oncologic outcomes of papillary thyroid microcarcinoma according to the presence of clinically apparent lymph node metastasis: a large retrospective analysis of 5,348 patients. <i>Cancer Management and Research</i> , 2018 , 10, 2883-2891	3.6	20	
119	Association Between Obesity and BRAFV600E Mutation Status in Patients with Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S683-90	3.1	19	
118	The impact of body habitus on the surgical outcomes of transaxillary single-incision robotic thyroidectomy in papillary thyroid carcinoma patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2407-14	5.2	19	
117	Practical Performance of the 2015 American Thyroid Association Guidelines for Predicting Tumor Recurrence in Patients with Papillary Thyroid Cancer in South Korea. <i>Thyroid</i> , 2017 , 27, 174-181	5.2	19	
116	The Korean guideline for thyroid cancer screening. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 302	0.5	17	
115	A metabolic phenotype based on mitochondrial ribosomal protein expression as a predictor of lymph node metastasis in papillary thyroid carcinoma. <i>Medicine (United States)</i> , 2015 , 94, e380	1.8	17	
114	Preoperative prediction of the location of parotid gland tumors using anatomical landmarks. <i>World Journal of Surgery</i> , 2008 , 32, 2200-3	3.3	17	
113	Lobectomy and prophylactic central neck dissection for papillary thyroid microcarcinoma: do involved lymph nodes mandate completion thyroidectomy?. <i>World Journal of Surgery</i> , 2014 , 38, 872-7	3.3	16	
112	Computed tomography is useful for preoperative identification of nonrecurrent laryngeal nerve in thyroid cancer patients. <i>Otolaryngology - Head and Neck Surgery</i> , 2011 , 145, 204-7	5.5	16	
111	Promotion of tumor progression and cancer stemness by MUC15 in thyroid cancer via the GPCR/ERK and integrin-FAK signaling pathways. <i>Oncogenesis</i> , 2018 , 7, 85	5.6	16	
110	Gasless transaxillary endoscopic thyroidectomy: a decade on. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2014 , 24, e211-5	1.3	15	
109	Prevention of complications in transaxillary single-incision robotic thyroidectomy. <i>Thyroid</i> , 2012 , 22, 126	6:374	15	
108	Thyroid hemiagenesis associated with thyroid adenomatous hyperplasia and papillary thyroid carcinoma. <i>Thyroid</i> , 2008 , 18, 381-2	5.2	15	
107	Oncologic outcomes in patients with 1-cm to 4-cm differentiated thyroid carcinoma according to extent of thyroidectomy. <i>Head and Neck</i> , 2019 , 41, 56-63	4.2	15	
106	Radiomics in predicting mutation status for thyroid cancer: A preliminary study using radiomics features for predicting BRAFV600E mutations in papillary thyroid carcinoma. <i>PLoS ONE</i> , 2020 , 15, e0228	3·78	14	

105	The relationship of comorbidities to mortality and cause of death in patients with differentiated thyroid carcinoma. <i>Scientific Reports</i> , 2019 , 9, 11435	4.9	14
104	Robotic thyroidectomy for benign thyroid diseases: a stepwise strategy to the adoption of robotic thyroidectomy (gasless, transaxillary approach). <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2013 , 23, 312-5	1.3	14
103	Positive predictive value and interobserver variability of preoperative staging sonography for thyroid carcinoma. <i>American Journal of Roentgenology</i> , 2011 , 197, W324-30	5.4	14
102	The Prognosis of Papillary Thyroid Cancer with Initial Distant Metastasis is Strongly Associated with Extensive Extrathyroidal Extension: A Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2200-2209	3.1	13
101	Sirt1 induction confers resistance to etoposide-induced genotoxic apoptosis in thyroid cancers. <i>International Journal of Oncology</i> , 2014 , 45, 2065-75	4.4	13
100	Effect of recombinant human epidermal growth factor on cutaneous scar quality in thyroidectomy patients. <i>Journal of Dermatological Treatment</i> , 2015 , 26, 159-64	2.8	13
99	Psychological impact of thyroid surgery on patients with well-differentiated papillary thyroid cancer. <i>Quality of Life Research</i> , 2011 , 20, 1411-7	3.7	13
98	Medullary thyroid carcinoma: a 30-year experience at one institution in Korea. <i>Annals of Surgical Treatment and Research</i> , 2016 , 91, 278-287	2	13
97	GLI1 Transcription Factor Affects Tumor Aggressiveness in Patients With Papillary Thyroid Cancers. <i>Medicine (United States)</i> , 2015 , 94, e998	1.8	12
96	Association between Thyroid-Stimulating Hormone Level after Total Thyroidectomy and Hypercholesterolemia in Female Patients with Differentiated Thyroid Cancer: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	11
95	Initial experience with robotic gasless transaxillary thyroidectomy for the management of graves disease: comparison of conventional open versus robotic thyroidectomy. <i>Surgical Laparoscopy</i> , <i>Endoscopy and Percutaneous Techniques</i> , 2013 , 23, e173-7	1.3	11
94	Papillary thyroid carcinoma with nodular fasciitis-like stroma. <i>Thyroid</i> , 2008 , 18, 577-8	6.2	11
93	Factors contributing to surgical outcomes of transaxillary robotic thyroidectomy for papillary thyroid carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 3134-42	5.2	10
92	Preventive Effect of Human Acellular Dermal Matrix on Post-thyroidectomy Scars and Adhesions: A Randomized, Double-Blinded, Controlled Trial. <i>Dermatologic Surgery</i> , 2015 , 41, 812-20	1.7	10
91	Clinical Value of Lymph Node Ratio Integration with the 8 Edition of the UICC TNM Classification and 2015 ATA Risk Stratification Systems for Recurrence Prediction in Papillary Thyroid Cancer. <i>Scientific Reports</i> , 2019 , 9, 13361	4.9	9
90	Hemodynamic stability during adrenalectomy for pheochromocytoma: A case control study of posterior retroperitoneal vs lateral transperitoneal approaches. <i>Medicine (United States)</i> , 2020 , 99, e19	1 6 48	8
89	Is familial papillary thyroid microcarcinoma more aggressive than sporadic form?. <i>Annals of Surgical Treatment and Research</i> , 2017 , 92, 129-135	2	8
88	The impact of artificial tears containing hydroxypropyl guar on mucous layer. <i>Cornea</i> , 2010 , 29, 1430-5	3.1	8

(2008-2008)

87	Clinicopathologic features and treatment outcomes in differentiated thyroid carcinoma patients with concurrent Graves' disease. <i>Journal of Korean Medical Science</i> , 2008 , 23, 796-801	4.7	8	
86	Artificial intelligence to predict the BRAFV600E mutation in patients with thyroid cancer. <i>PLoS ONE</i> , 2020 , 15, e0242806	3.7	8	
85	Clinical outcomes of parathyroidectomy versus cinacalcet in the clinical management of secondary hyperparathyroidism. <i>Endocrine Journal</i> , 2019 , 66, 881-889	2.9	7	
84	Development of novel biocompatible thermosensitive anti-adhesive agents using human-derived acellular dermal matrix. <i>PLoS ONE</i> , 2019 , 14, e0212583	3.7	7	
83	KSR1 is coordinately regulated with Notch signaling and oxidative phosphorylation in thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2015 , 54, 115-24	4.5	7	
82	The contributing factors for lateral neck lymph node metastasis in papillary thyroid microcarcinoma (PTMC). <i>Endocrine</i> , 2020 , 69, 149-156	4	7	
81	Benefit of diverse surgical approach on short-term outcomes of MEN1-related hyperparathyroidism. <i>Scientific Reports</i> , 2020 , 10, 10634	4.9	7	
80	Impact of body mass index on robotic transaxillary thyroidectomy. Scientific Reports, 2019, 9, 8955	4.9	7	
79	Practical management of well differentiated thyroid carcinoma in Korea. <i>Endocrine Journal</i> , 2008 , 55, 1015-24	2.9	7	
78	Current trends in the features of male thyroid cancer: Retrospective evaluation of their prognostic value. <i>Medicine (United States)</i> , 2019 , 98, e15559	1.8	7	
77	Comparison of long-term prognosis for differentiated thyroid cancer according to the 7th and 8th editions of the AJCC/UICC TNM staging system. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820921019	4.5	6	
76	Relationship between onset of hypocalcemic symptoms and the recovery time from transient hypocalcemia after total thyroidectomy. <i>Head and Neck</i> , 2014 , 36, 1732-6	4.2	6	
75	Primary thyroid mucosa-associated lymphoid tissue lymphoma; a clinicopathological study of seven cases. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2011 , 81, 374-9		6	
74	Late-onset interface inflammation associated with wearing cosmetic lenses 18 months after laser in situ keratomileusis. <i>Cornea</i> , 2008 , 27, 252-4	3.1	6	
73	Dynamic risk stratification in medullary thyroid carcinoma: Single institution experiences. <i>Medicine</i> (<i>United States</i>), 2018 , 97, e9686	1.8	5	
7 ²	Preventive effect of polynucleotide on post-thyroidectomy scars: A randomized, double-blinded, controlled trial. <i>Lasers in Surgery and Medicine</i> , 2018 , 50, 755	3.6	5	
71	Pituitary 18F-FDG Uptake Correlates With Serum TSH Levels in Subjects With Diffuse Thyroid 18F-FDG Uptake. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 632-6	1.7	5	
70	A case of black thyroid associated with hyalinizing trabecular tumor. <i>Endocrine Journal</i> , 2008 , 55, 1109-1	1 2 .9	5	

69	Comparison of characteristics in patients with both thyroid and breast cancer: Based on order of incidence. <i>Korean Journal of Clinical Oncology</i> , 2017 , 13, 1-9	0.1	5
68	Lactate Dehydrogenase A as a Potential New Biomarker for Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2021 , 36, 96-105	3.5	5
67	Aberrant expression of COT is related to recurrence of papillary thyroid cancer. <i>Medicine (United States)</i> , 2015 , 94, e548	1.8	4
66	Robotic Transaxillary Hemithyroidectomy Using the da Vinci SP Robotic System: Initial Experience With 10 Consecutive Cases. <i>Surgical Innovation</i> , 2020 , 27, 256-264	2	4
65	Comparison of Surgical Outcomes between Robotic Transaxillary and Conventional Open Thyroidectomy in Pediatric Thyroid Cancer. <i>Cancers</i> , 2021 , 13,	6.6	4
64	Is focused parathyroidectomy appropriate for patients with primary hyperparathyroidism?. <i>Annals of Surgical Treatment and Research</i> , 2016 , 91, 97-103	2	4
63	Genotypic characteristics and their association with phenotypic characteristics of hereditary medullary thyroid carcinoma in Korea. <i>Surgery</i> , 2018 , 164, 312-318	3.6	4
62	Surgical outcomes of laparoscopic adrenalectomy for primary hyperaldosteronism: 20 years of experience in a single institution. <i>Annals of Surgical Treatment and Research</i> , 2019 , 96, 223-229	2	3
61	Cystic Lateral Lymph Node Metastases From Papillary Thyroid Cancer Patients. <i>Laryngoscope</i> , 2020 , 130, E976-E981	3.6	3
60	The Effects of Multi-Growth Factors-Containing Cream on Post-Thyroidectomy Scars: A Preliminary Study. <i>Annals of Dermatology</i> , 2017 , 29, 314-320	0.4	3
59	Lateral Neck Node Dissection in Differentiated Thyroid Carcinoma. <i>The Korean Journal of Endocrine Surgery</i> , 2014 , 14, 1		3
58	Coexistence of parathyroid adenoma and papillary thyroid carcinoma. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2011 , 81, 316-20		3
57	Extrathyroidal implantation of thyroid tumor cells after needle biopsy and other invasive procedures. <i>Thyroid</i> , 2010 , 20, 459-64	6.2	3
56	Clinical Assessment of Pediatric Patients with Differentiated Thyroid Carcinoma: A 30-Year Experience at a Single Institution. <i>World Journal of Surgery</i> , 2020 , 44, 3383-3392	3.3	3
55	Robotic transaxillary lateral neck dissection for thyroid cancer: learning experience from 500 cases. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	3
54	A Multicenter, Randomized, Controlled Trial for Assessing the Usefulness of Suppressing Thyroid Stimulating Hormone Target Levels after Thyroid Lobectomy in Low to Intermediate Risk Thyroid Cancer Patients (MASTER): A Study Protocol. <i>Endocrinology and Metabolism</i> , 2021 , 36, 574-581	3.5	3
53	Usefulness of dynamic risk stratification in pediatric patients with differentiated thyroid carcinoma. <i>Annals of Surgical Treatment and Research</i> , 2018 , 95, 222-229	2	3
52	Risk Factors of Postoperative Hypocalcemia after Total Thyroidectomy of Papillary Thyroid Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70		2

51	Anaplastic Transformation of Metastatic Papillary Thyroid Carcinomas in the Cervical Lymph Nodes: Report of 3 Cases. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 210		2	
50	Association between BRAFV600E Mutations and Clinicopathological Features of Papillary Thyroid Microcarcinoma (PTMC). <i>Journal of Endocrine Surgery</i> , 2019 , 19, 76	0.3	2	
49	The Use of a Light-Emitting Diode Device for Neck Rejuvenation and Its Safety on Thyroid Glands. Journal of Clinical Medicine, 2021 , 10,	5.1	2	
48	Unexpected remission of hyperparathyroidism caused by hemorrhage due to the use of fine-needle aspiration biopsy: two cases report. <i>Gland Surgery</i> , 2021 , 10, 2047-2053	2.2	2	
47	Laparoscopic adrenalectomy: comparison of outcomes between posterior retroperitoneoscopic and transperitoneal adrenalectomy with 10 years' experience. <i>Gland Surgery</i> , 2021 , 10, 2104-2112	2.2	2	
46	Feasibility and safety of the posterior retroperitoneoscopic approach in the resection of aortocaval and infrarenal paraganglioma: a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 7246-7252	5.2	2	
45	Posterior Retroperitoneoscopic Resection of Extra-adrenal Paraganglioma Located in the Aorto-caval Space. <i>Annals of Surgical Oncology</i> , 2018 , 25, 963	3.1	1	
44	Hashimoto's Thyroiditis and Papillary Thyroid Cancer. <i>Journal of Korean Thyroid Association</i> , 2014 , 7, 57		1	
43	Primary intrathoracic goiter. <i>Thyroid</i> , 2009 , 19, 315-6	6.2	1	
42	Columnar Cell Variant of Papillary Thyroid Carcinoma: Report of 2 Cases. <i>The Korean Journal of Endocrine Surgery</i> , 2004 , 4, 119		1	
41	Cribriform-morular Variant Papillary Carcinoma associated with Familial Adenomatous Polyposis. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 109		1	
40	Single-port transaxillary robotic thyroidectomy (START): 200-cases with two-step retraction method. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	1	
39	Safety and Feasibility of Robotic Transaxillary Thyroidectomy for Graves' Disease: A Retrospective Cohort Study <i>World Journal of Surgery</i> , 2022 , 1	3.3	1	
38	Surgical outcomes of minimally invasive thyroidectomy in thyroid cancer: comparison with conventional open thyroidectomy. <i>Gland Surgery</i> , 2020 , 9, 1172-1181	2.2	1	
37	Pattern of urine iodine excretion with low iodine diet during preparation for radioactive iodine ablation in patients with thyroid cancer. <i>Head and Neck</i> , 2019 , 41, 381-387	4.2	1	
36	Cardiovascular Outcomes in Thyroid Cancer Patients Treated With Thyroidectomy: A Meta-analysis. Journal of Clinical Endocrinology and Metabolism, 2021 , 106, 3644-3654	5.6	1	
35	Robotic Adrenalectomy Using the da Vinci SP Robotic System: Technical Feasibility Comparison with Single-Port Access Using the da Vinci Multi-arm Robotic System <i>Annals of Surgical Oncology</i> , 2022 , 29, 3085	3.1	0	
34	Comparisons Between Normocalcemic Primary Hyperparathyroidism and Typical Primary Hyperparathyroidism <i>Journal of Korean Medical Science</i> , 2022 , 37, e99	4.7	Ο	

33	Single-Port Transaxillary Robotic Bilateral Total Thyroidectomy (START) for GravesDisease: First Initial 10 Cases Using da Vinci SP Robotic System. <i>Journal of Endocrine Surgery</i> , 2022 , 22, 24	0.3	О
32	Parathyroid venous sampling for the preoperative localisation of parathyroid adenoma in patients with primary hyperparathyroidism <i>Scientific Reports</i> , 2022 , 12, 7058	4.9	Ο
31	Predictive Factors Indicative of Hemithyroidectomy and Close Follow-Up versus Bilateral Total Thyroidectomy for Aggressive Variants of Papillary Thyroid Cancer. <i>Cancers</i> , 2022 , 14, 2757	6.6	0
30	Minimally Invasive Techniques Performed Through Other Accesses 2012 , 275-284		
29	Mediastinum Anthracosis Resembling Metastatic Carcinoma from Thyroid Gland. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2010 , 78, 192		
28	Castleman's Disease of the Parotid Gland: A Case Report. <i>Scottish Medical Journal</i> , 2009 , 54, 59-59	1.8	
27	Huge Cavernous Hemangioma of the Thyroid Gland. <i>The Korean Journal of Endocrine Surgery</i> , 2006 , 6, 35		
26	Surgical Aspects of Subacute Thyroiditis. <i>The Korean Journal of Endocrine Surgery</i> , 2006 , 6, 83		
25	Diagnostic Approach and Treatment for Parathyroid Cyst. <i>The Korean Journal of Endocrine Surgery</i> , 2004 , 4, 110		
24	Forgotten Mediastinal Goiter. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 114		
23	Risk Factors of Postoperative Hypocalcemia after Total Thyroidectomy of Papillary Thyroid Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70		
23			
	Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70 Fibromatosis of the Neck: a Case Report and Review of the Literatures. <i>The Korean Journal of</i>		
22	Carcinoma Patients. The Korean Journal of Endocrine Surgery, 2016, 16, 70 Fibromatosis of the Neck: a Case Report and Review of the Literatures. The Korean Journal of Endocrine Surgery, 2005, 5, 36 A Case of Differentiated Thyroid Carcinoma with Internal Jugular Vein Tumor Thrombus. The		
22	Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70 Fibromatosis of the Neck: a Case Report and Review of the Literatures. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 36 A Case of Differentiated Thyroid Carcinoma with Internal Jugular Vein Tumor Thrombus. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 32		
22 21 20	Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70 Fibromatosis of the Neck: a Case Report and Review of the Literatures. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 36 A Case of Differentiated Thyroid Carcinoma with Internal Jugular Vein Tumor Thrombus. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 32 Nonrecurrent Laryngeal Nerve. <i>The Korean Journal of Endocrine Surgery</i> , 2005 , 5, 118 Spine Metastases as the Initial Sign of Differentiated Thyroid Carcinoma: Two Case Reports. <i>The</i>		
22 21 20 19	Carcinoma Patients. The Korean Journal of Endocrine Surgery, 2016, 16, 70 Fibromatosis of the Neck: a Case Report and Review of the Literatures. The Korean Journal of Endocrine Surgery, 2005, 5, 36 A Case of Differentiated Thyroid Carcinoma with Internal Jugular Vein Tumor Thrombus. The Korean Journal of Endocrine Surgery, 2005, 5, 32 Nonrecurrent Laryngeal Nerve. The Korean Journal of Endocrine Surgery, 2005, 5, 118 Spine Metastases as the Initial Sign of Differentiated Thyroid Carcinoma: Two Case Reports. The Korean Journal of Endocrine Surgery, 2006, 6, 46 Giant Parathyroid Adenoma in the Posterior Mediastinum. The Korean Journal of Endocrine Surgery,		

LIST OF PUBLICATIONS

15	Is the Supraspinal Accessory Lymph Node Dissection Always Necessary in Thyroid Carcinoma Patients with Lateral Neck Node Metastasis?. <i>The Korean Journal of Endocrine Surgery</i> , 2007 , 7, 88	
14	Application of Robotic-assisted Mediastinal Lymph Node Dissection for Papillary Thyroid Cancer. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 128	
13	Gasless Endoscopic Thyroidectomy using the Trans-axillary Approach for Benign Thyroid Tumor. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 200	
12	Gasless Endoscopic Thyroidectomy using the Trans-axillary Approach: Surgical Outcomes of 634 Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 15	
11	Is the Internal Jugular Node Dissection without Level V Sufficient in Patients with Papillary Thyroid Carcinoma with Lateral Neck Node Metastasis?. <i>Journal of Endocrine Surgery</i> , 2020 , 20, 31	0.3
10	Long-term outcomes of abdominal paraganglioma. <i>Annals of Surgical Treatment and Research</i> , 2020 , 99, 315-319	2
9	Medullary Thyroid Carcinoma: 25-year Experience and the Results of the RET Proto-oncogene Screening Test. <i>The Korean Journal of Endocrine Surgery</i> , 2009 , 9, 1	
8	The Clinicopathological Features and Postoperative Complications of Completion Thyroidectomy for Recurrent Papillary Thyroid Carcinoma. <i>The Korean Journal of Endocrine Surgery</i> , 2009 , 9, 161	
7	A Neurogenic Tumor as a Rare Differential Diagnosis of a Perithyroidal Masses. <i>The Korean Journal of Endocrine Surgery</i> , 2011 , 11, 31	
6	Initial Experience with Posterior Retroperitoneoscopic Adrenalectomy for the Adrenal Tumors. <i>The Korean Journal of Endocrine Surgery</i> , 2011 , 11, 287	
5	Surgical Outcomes of Robotic MRND versus Conventional Open MRND for Papillary Thyroid Carcinoma with Lateral Neck Node Metastasis: Comparative Analysis using Propensity Score Matching. <i>The Korean Journal of Endocrine Surgery</i> , 2013 , 13, 227	
4	Clinical Utility of Preoperative Vitamin D3 Injection for Preventing Transient Hypocalcemia after Total Thyroidectomy. <i>International Journal of Endocrinology</i> , 2021 , 2021, 6683089	2.7
3	Posterior Retroperitoneoscopic Adrenalectomy in a Renal Agenesis Patient. <i>Journal of Endocrine Surgery</i> , 2022 , 22, 50	0.3
2	Clinical Implications of Age in Differentiated Thyroid Cancer: Comparison of Clinical Outcomes between Children and Young Adults <i>International Journal of Endocrinology</i> , 2022 , 2022, 7804612	2.7
1	Surgical Outcomes of Adrenocortical Carcinoma; 20 Years of Experience in a Single Institution. <i>The Korean Journal of Endocrine Surgery</i> , 2014 , 14, 219	