
Krzysztof Kucharz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5675243/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Post-capillary venules are the key locus for transcytosis-mediated brain delivery of therapeutic nanoparticles. Nature Communications, 2021, 12, 4121.	12.8	58
2	Apolipoprotein M-bound sphingosine-1-phosphate regulates blood–brain barrier paracellular permeability and transcytosis. ELife, 2019, 8, .	6.0	43
3	NMDA Receptor Stimulation Induces Reversible Fission of the Neuronal Endoplasmic Reticulum. PLoS ONE, 2009, 4, e5250.	2.5	36
4	PSD-95 uncoupling from NMDA receptors by Tat- <i>N</i> -dimer ameliorates neuronal depolarization in cortical spreading depression. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1820-1828.	4.3	27
5	Conjugation of Therapeutic PSD-95 Inhibitors to the Cell-Penetrating Peptide Tat Affects Blood–Brain Barrier Adherence, Uptake, and Permeation. Pharmaceutics, 2020, 12, 661.	4.5	22
6	CaMKII-dependent endoplasmic reticulum fission by whisker stimulation and during cortical spreading depolarization. Brain, 2018, 141, 1049-1062.	7.6	17
7	Rapid Fragmentation of the Endoplasmic Reticulum in Cortical Neurons of the Mouse Brain in situ Following Cardiac Arrest. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1663-1667.	4.3	12
8	Potassiumâ€induced structural changes of the endoplasmic reticulum in pyramidal neurons in murine organotypic hippocampal slices. Journal of Neuroscience Research, 2011, 89, 1150-1159.	2.9	10
9	Fission and Fusion of the Neuronal Endoplasmic Reticulum. Translational Stroke Research, 2013, 4, 652-662.	4.2	10
10	Shedding Light on the Blood–Brain Barrier Transport with Two-Photon Microscopy In Vivo. Pharmaceutical Research, 2022, 39, 1457-1468.	3.5	5